Hindawi BioMed Research International Volume 2020, Article ID 9375214, 2 pages https://doi.org/10.1155/2020/9375214

Corrigendum

Corrigendum to "Synergistic Effect of MiR-146a Mimic and Cetuximab on Hepatocellular Carcinoma Cells"

Suning Huang , Rongquan He , Minhua Rong , Yiwu Dang , and Gang Chen

Correspondence should be addressed to Gang Chen; chen_gang_triones@163.com

Received 30 November 2020; Accepted 30 November 2020; Published 21 December 2020

Copyright © 2020 Suning Huang et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

In the article titled, "Synergistic Effect of MiR-146a Mimic and Cetuximab on Hepatocellular Carcinoma Cells" [1], the authors reported that they had misspelt the name of a cell line and supplied the incorrect figure for publication. The correct name of the cell line should be Hep3B, instead of HepB3. The correct Figure 8 is displayed below. The results and conclusions described therein are not affected by these corrections.

¹Department of Radiotherapy, First Affiliated Hospital of Guangxi Medical University, 6 Shuangyong Road, Nanning, Guangxi Zhuang Autonomous Region 530021, China

²Department of Medical Oncology, First Affiliated Hospital of Guangxi Medical University, 6 Shuangyong Road, Nanning, Guangxi Zhuang Autonomous Region 530021, China

³Research Department, Affiliated Cancer Hospital, Guangxi Medical University, 71 Hedi Road, Nanning, Guangxi Zhuang Autonomous Region 530021, China

⁴Department of Pathology, First Affiliated Hospital of Guangxi Medical University, 6 Shuangyong Road, Nanning, Guangxi Zhuang Autonomous Region 530021, China




FIGURE 8: MiR-146a mimic induced apoptosis with Hoechst 33342/propidium iodide (PI) double fluorescent chromatin staining. HepG2 cells $(2.5 \times 10^3 \text{ cells per well in a 96-well plate})$ were cultured for 24 h then transfected with miR-146a inhibitor, miR-146a mimic, EGFR siRNA, and their negative controls (200 nM) up to another 96 h. The effect on apoptosis was assessed and compared to mock and negative controls, $\times 200$.

References

[1] S. Huang, R. He, M. Rong, Y. Dang, and G. Chen, "Synergistic effect of miR-146a mimic and cetuximab on hepatocellular carcinoma cells," *BioMed Research International*, vol. 2014, Article ID 384121, 15 pages, 2014.