



Correction to: Atypical ductal hyperplasia and the risk of underestimation: tissue sampling method, multifocality, and associated calcification significantly influence the diagnostic upgrade rate based on subsequent surgical specimens

Christoph J. Rageth^{1,2,6} · Ravit Rubenov² · Cristian Bronz³ · Daniel Dietrich⁴ · Christoph Tausch² · Ann-Katrin Rodewald⁵ · Zsuzsanna Varga⁵

Published online: 25 November 2020
© The Japanese Breast Cancer Society 2020

Correction to: Breast Cancer (2019) 26:452–458
<https://doi.org/10.1007/s12282-018-00943-2>

Christoph J. Rageth and Ravit Rubenov have equally contributed to this work.

Christoph J. Rageth and Ravit Rubenov have equally contributed to this work.

The original article can be found online at <https://doi.org/10.1007/s12282-018-00943-2>.

✉ Christoph J. Rageth
jcr@2cr.ch

¹ Centre du sein, Département de Gynécologie et d'Obstétrique, Hôpitaux Universitaires de Genève, Bd de la Cluse 30, 1211 Geneva 14, Switzerland

² Brust-Zentrum Zürich, Seefeldstr. 214, 8008 Zurich, Switzerland

³ Clinic for Gynecology, University Hospital Zurich, 8091 Zurich, Switzerland

⁴ Swiss Group for Clinical Cancer Research, Bern, Switzerland

⁵ Institute of Pathology and Molecular Pathology, University Hospital Zurich, Schmelzbergstrasse 12, 8091 Zurich, Switzerland

⁶ Ringlikerstrasse 53, 8142 Uitikon Waldegg, Switzerland