


CORRECTION

Correction: Non-invasive ventilation with pursed lips breathing mode for patients with COPD and hypercapnic respiratory failure: A retrospective analysis

Christoph Jünger, Maja Reimann, Lenka Krabbe, Karoline I. Gaede, Christoph Lange, Christian Herzmann, Stephan Rüller

In Fig 4, panel B does not appear. In Fig 5, panels B and C do not appear. Please see the correct Figs 4 and 5 here.



OPEN ACCESS

Citation: Jünger C, Reimann M, Krabbe L, Gaede KI, Lange C, Herzmann C, et al. (2021) Correction: Non-invasive ventilation with pursed lips breathing mode for patients with COPD and hypercapnic respiratory failure: A retrospective analysis. PLoS ONE 16(2): e0247693. <https://doi.org/10.1371/journal.pone.0247693>

Published: February 19, 2021

Copyright: © 2021 Jünger et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 4. $p\text{CO}_2$ values at baseline and follow-up and correlation of $\Delta p\text{CO}_2$ with ΔIPAP . A. Each line represents an early morning $p\text{CO}_2$ value for a single patient at baseline and follow up. B. Scatter plot illustrating the correlation of $\Delta p\text{CO}_2$ ($p\text{CO}_2$ at follow-up— $p\text{CO}_2$ at baseline) and ΔIPAP (IPAP at follow-up—IPAP at baseline).

<https://doi.org/10.1371/journal.pone.0247693.g001>




Fig 5. 6MWT distances at baseline and follow-up and correlations of Δ 6MWT with Δ IPAP and Δ pCO₂. A. Walking distances in the 6MWT at baseline and at follow-up. Each line represents a patient. B. Scatter plot illustrating the correlation of Δ 6MWT (6MWT at follow-up–6MWT at baseline) and Δ IPAP (IPAP at follow-up—IPAP at baseline). C. Scatter plot illustrating the correlation of Δ 6MWT (6MWT at follow.up– 6MWT at baseline) and Δ pCO₂ (pCO₂ at follow-up—pCO₂ at baseline).

<https://doi.org/10.1371/journal.pone.0247693.g002>

Reference

1. Jünger C, Reimann M, Krabbe L, Gaede KI, Lange C, Herzmann C, et al. (2020) Non-invasive ventilation with pursed lips breathing mode for patients with COPD and hypercapnic respiratory failure: A retrospective analysis. PLoS ONE 15(9): e0238619. <https://doi.org/10.1371/journal.pone.0238619> PMID: 32956395