



Correction to a novel framework for rapid diagnosis of COVID-19 on computed tomography scans

Tallha Akram¹ · Muhammad Attique² · Salma Gul³ · Aamir Shahzad⁴ · Muhammad Altaf¹ · S. Syed Rameez Naqvi¹ · Robertas Damaševičius⁵  · Rytis Maskeliūnas⁶

Published online: 12 March 2021
© The Author(s) 2021

Correction to Pattern Analysis and Applications

<https://doi.org/10.1007/s10044-020-00950-0>

In the original publication of the article, the affiliation of “Salma Gul” was published with an error.

The affiliation was written as “Department of Radiology, Wah Medical College, POF Hospital, Wah Cantt, Rawalpindi, Punjab, Pakistan”.

The correct affiliation is “Department of Radiology, Shifa International Hospital, Islamabad, Pakistan”.

The original article has been updated.

Publisher’s Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10044-020-00950-0>.

✉ Robertas Damaševičius
robertas.damasevicius@polsl.pl

Tallha Akram
tallha@ciitwah.edu.pk

Muhammad Attique
attique@ciitwah.edu.pk

- ¹ Department of ECE, COMSATS University Islamabad, Wah Campus, Pakistan
- ² Department of Computer Science, HITEC University Taxila, Rawalpindi, Pakistan
- ³ Department of Radiology, Shifa International Hospital, Islamabad, Pakistan
- ⁴ Department of EE, COMSATS University Islamabad, Abbottabad Campus, Pakistan
- ⁵ Faculty of Applied Mathematics, Silesian University of Technology, Gliwice, Poland
- ⁶ Department of Applied Informatics, Vytautas Magnus University, Kaunas, Lithuania