






<https://doi.org/10.1038/s41467-021-22476-7>

OPEN

Author Correction: Discovery of fungal surface NADases predominantly present in pathogenic species

Øyvind Strømmand, Juha P. Kallio , Annica Pschibul, Renate H. Skoge , Hulda M. Harðardóttir, Lars J. Sverkeli, Thorsten Heinekamp, Olaf Kniemeyer, Marie Migaud, Mikhail V. Makarov, Toni I. Gossmann, Axel A. Brakhage & Mathias Ziegler 

Correction to: *Nature Communications* <https://doi.org/10.1038/s41467-021-21307-z>, published online 12 March 2021.

The original version of this Article omitted the following from the Acknowledgements:

We made use of the Facility for Biophysics, Structural Biology and Screening at the University of Bergen (BiSS), which has received funding from the Research Council of Norway (RCN) through the NORCRYST (grant number 245828) consortium. This work was also supported by the RCN through the Norwegian NMR Platform, NNP (226244/F50).

This has now been corrected in both the PDF and HTML versions of the Article.

Published online: 25 March 2021



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021