Journal of Translational Medicine

CORRECTION

Open Access

Correction to: Effects of acute hypoxia on human adipose tissue lipoprotein lipase activity and lipolysis

Bimit Mahat, Étienne Chassé, Jean-François Mauger and Pascal Imbeault*

Correction to: J Transl Med (2016) 14:212
https://doi.org/10.1186/s12967-016-0965-y

Following publication of the original article [1], the authors identified an error in Fig. 2. In Fig. 2d, the units for insulin should be uU/ml, not pmol/l as originally stated. The incorrect and correct figure are included in this Correction article. The original article has been updated.

The original article can be found online at https://doi.org/10.1186/s12967-016-0965-y.

*Correspondence: imbeault@uottawa.ca
Behavioral and Metabolic Research Unit, School of Human Kinetics, Faculty of Health, Sciences, University of Ottawa, 125, University Street (room 350), Ottawa, ON K1N 6N5, Canada

Correct Figure 2:



Fig. 2 Effect of normoxia or intermittent hypoxia on fasting and postprandial plasma **a** triglyceride, **b** glucose, **c** lactate, **d** insulin and **e** non-esterified fatty acids (NEFA) levels in healthy men. Values are mean ± standard error. *NS* not significant

Incorrect Figure 2:



Published online: 01 April 2021

Publisher's Note

Reference

1. Mahat B, Chassé E, Mauger J-F, Imbeault P. Effects of acute hypoxia on human adipose tissue lipoprotein lipase activity and lipolysis. J Transl Med. 2016;14:212. https://doi.org/10.1186/s12967-016-0965-y.