



OPEN

# Publisher Correction: Human blood plasma factors affect the adhesion kinetics of *Staphylococcus aureus* to central venous catheters

Gubesh Gunaratnam, Christian Spengler, Simone Trautmann, Philipp Jung, Johannes Mischo, Ben Wieland, Carlos Metz, Sören L. Becker, Matthias Hannig, Karin Jacobs & Markus Bischoff

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-020-77168-x>, published online 02 December 2020

The original PDF version of this Article contained an error in the spelling of the author Sören L. Becker which was incorrectly given as Becker Sören L.

This has now been corrected in the PDF; the HTML version of the paper was correct from the time of publication.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021