

Correction

Correction: da Costa et al. Establishment of a Temperature-Sensitive Model of Oncogene-Induced Senescence in Angiosarcoma Cells. *Cancers* 2020, 12, 395

Adilson da Costa ^{1,2}, Michael Y. Bonner ³, Shikha Rao ¹, Linda Gilbert ^{1,4}, Maiko Sasaki ⁴, Justin Elsey ¹, Jamie MacKelfresh ^{1,5} and Jack L. Arbiser ^{1,4,6,*}

¹ Department of Dermatology, Emory University School of Medicine, Atlanta, GA 30322, USA; adilson_Costa@hotmail.com (A.d.C.); srao30@emory.edu (S.R.); lcgilbert@yahoo.com (L.G.); Justin.elsey@emory.edu (J.E.); jpbower@emory.edu (J.M.)

² Department of Post-Graduate Studies, Instituto de Assistência Médica ao Servidor Público Estadual, Sao Paulo 04029-000, SP, Brazil

³ Department of Medical Biochemistry & Biophysics, Karolinska Institutet, 17177 Solna, Sweden; Michael.Bonner@ki.se

⁴ Atlanta Veterans Affairs Medical Center, Decatur, GA 30033, USA; mpapke@emory.edu

⁵ Department of Pathology, Emory University School of Medicine, Atlanta, GA 30322, USA

⁶ Winship Cancer Institute of Emory University, Atlanta, GA 30322, USA

* Correspondence: jarbise@emory.edu; Tel.: +1-(404)-727-5063; Fax: +1-(404)-727-0923



Citation: da Costa, A.; Bonner, M.Y.; Rao, S.; Gilbert, L.; Sasaki, M.; Elsey, J.; MacKelfresh, J.; Arbiser, J.L.

Correction: da Costa et al. Establishment of a Temperature-Sensitive Model of Oncogene-Induced Senescence in Angiosarcoma Cells. *Cancers* 2020, 12, 395. *Cancers* 2021, 13, 2015. <https://doi.org/10.3390/cancers13092015>

Received: 15 March 2021

Accepted: 16 March 2021

Published: 22 April 2021

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.




Copyright: © 2021 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

The authors wish to make the following corrections to this paper [1]:


The following words in bold face are to be added: In Section 2.1 “Cells”, lines 3 and 4: 1% complex of antibiotics/L-glutamine (**stock = 10,000 IU/mL penicillin, 10,000 µg/mL streptomycin, and 29.2 mg/mL L-glutamine**; Mediatech Inc., Manassas, VA, USA); in Section 2.4 “Western Blot (WB)”, lines 5 and 7: “**tri**-buffered saline” should be changed to “**Tris**-buffered saline” on both lines.

In the original article, there was a mistake in Figure 3, where the MW of β-actin was incorrectly recorded as 65 kd, when it should be changed to 45 kd. The new Figure 3 is listed below:




Gene chip microarray	Fold changes	Folds	p-value
IRF-7	SVR37°C vs SVR39°C 24hs	+1.35388	0.000425
	SVR37°C vs SVR39°C 48hs	+2.30809	0.00000245377
	SVR37°C 24hs vs SVR39°C 48hs	+1.7048	0.00000765588
Stat-1	SVR37°C vs SVR39°C 24hs	+1.75043	0.00000249912
	SVR37°C vs SVR39°C 48hs	+4.39483	0.00000000115134
	SVR37°C 24hs vs SVR39°C 48hs	+2.51071	0.0000501962
IFN-α	SVR37°C vs SVR39°C 24hs	-1.01112	0.889057
	SVR37°C vs SVR39°C 48hs	+1.0677	0.418356
	SVR37°C 24hs vs SVR39°C 48hs	+1.07957	0.347864
β-actin	SVR37°C vs SVR39°C 24hs	-1.02132	0.804895
	SVR37°C vs SVR39°C 48hs	-1.02549	0.768428
	SVR37°C 24hs vs SVR39°C 48hs	-1.00408	0.961911

In Figure 4, ‘**B**-actin’ should be changed to ‘**β**-actin’. The new Figure 4 is listed below:



In Figure 5, the SDHA band was accidentally duplicated and listed as p53. The duplicated band has been removed. The new Figure 5 is listed below:



The p53 figure represents a duplication of the SDHA Western blot, and thus should be deleted. Since we are not using the p53 data, we request the deletion of the following sentences: “p53 is dephosphorylated in SVR cells upon shifting to the nonpermissive temperature in ras transformed SVR cells, but not in MS1 cells, suggesting that this is not a nonspecific heat shock event, but that it is induced by oncogenic ras” in the last

paragraph of Section 3 “Result” and the sentence “**p53 is rapidly phosphorylated in SVR cells upon shift to 39 °C (Figure 5) and it is well known that phosphorylated p53 translocates to the mitochondria and may mediate apoptosis** [46]” in Section 4 “Discussion and Conclusions” should be removed. Reference [47] and [48] should thus be re-numbered to [46] and [47], respectively.

The authors apologize for any inconvenience caused and state that the scientific conclusions are unaffected. The original article has been updated.

Reference

1. Da Costa, A.; Bonner, M.Y.; Rao, S.; Gilbert, L.; Sasaki, M.; Elsey, J.; MacKelfresh, J.; Arbiser, J.L. Establishment of a Temperature-Sensitive Model of Oncogene-Induced Senescence in Angiosarcoma Cells. *Cancers* **2020**, *12*, 395. [[CrossRef](#)] [[PubMed](#)]