



HHS Public Access

Author manuscript

Acad Pediatr. Author manuscript; available in PMC 2021 May 25.

Published in final edited form as:

Acad Pediatr. 2017 ; 17(7 Suppl): S150–S157. doi:10.1016/j.acap.2017.04.002.

Evolving a More Nurturing Society to Prevent Adverse Childhood Experiences

Anthony Biglan, PhD, Mark J. Van Ryzin, PhD, J. David Hawkins, PhD

From the Oregon Research Institute, Eugene, Ore (Drs Biglan and Van Ryzin); and Social Development Research Group, School of Social Work, University of Washington, Seattle, Wash (Dr Hawkins)

Abstract

This article presents a framework for evolving a society that nurtures the health and well-being of its population. We review evidence that adverse social conditions, including poverty, conflict, discrimination, and other forms of social rejection, contribute immensely to our most ubiquitous psychological, behavioral, and health problems. We then enumerate the ways that effective family and school prevention programs could ameliorate much of the social adversity leading to these problems. The widespread and effective implementation of these programs—in primary care, social services, and education—must be a high priority. Beyond the implementation of specific programs, however, we must also make a more concerted effort to promote prosocial values that support nurturing families and schools. Our society’s priorities must be to generate specific policies that reduce poverty and discrimination and, in so doing, reduce the risk for negative health-related outcomes.

Keywords

adverse childhood experiences; family; health; peer groups; prevention

Here we put forward the changes our society needs if we are to significantly reduce the incidence of adverse childhood experiences (ACEs). Research has converged in showing that such experiences are a primary reason children and adolescents develop psychological, behavioral, and health problems, which often undermine their well-being throughout life.¹ We articulate a public health framework that can help us understand the social conditions that contribute to these experiences and the programs and policies that can reduce their occurrence in entire populations.

Adverse Childhood Experiences

Growing evidence indicates that we cannot achieve significant improvements in Americans’ health until we learn to prevent the ACEs that play such a large role in the development of society’s most prevalent health problems. Anda et al² discovered that adults who had faced

Address correspondence to Anthony Biglan, PhD, Oregon Research Institute, 1776 Millrace Dr, Eugene, OR 97403 (tony@ori.org).

Conflict of Interest: The authors declare that they have no conflict of interest.

multiple adverse experiences in childhood had significantly higher rates of a wide variety of physical illnesses. The adverse experiences included psychological, physical, or sexual abuse; emotional or physical neglect; family dysfunctions including alcohol or drug abuse in the home; divorce or loss of biological parent; depression or mental illness in the home; the mother being treated violently; or a household member being in prison. They also found that a wide variety of health behaviors and disease outcomes were more likely to occur as a function of the number of adverse experiences a person had been exposed to as a child. These negative outcomes included tobacco, alcohol, and other drug use; chronic depression; suicide attempts; anxiety disorders; hallucinations; problems staying employed; sexual promiscuity; and multiple marriages.

Exposure to ACEs has also shown a significantly greater likelihood of premature death due to physical illness, and research has discovered the physiologic pathways that undergird this relationship. Stressful family experiences are known to lead to lifelong changes in inflammatory processes associated with increased levels of heart disease, stroke, and tumor growth.³⁻⁶ Research also finds, however, that maternal nurturance can attenuate the link between early childhood disadvantage and later metabolic syndrome,⁷ which includes high blood pressure, impaired glucose control, abdominal adiposity, and lipid dysregulation, and is a precursor and contributor to many chronic diseases, including diabetes, heart disease, and stroke. In the same study, researchers found that simply escaping poverty during the life course did not attenuate this link, suggesting that early adverse social experiences, rather than poverty per se, lead to negative long-term health effects; and that a more nurturing social environment is the key to reducing risk for these negative effects. Clearly, reducing children's exposure to these adverse experiences must be a high priority for society.

Societal Conditions That Contribute to ACEs

The problem of ACEs needs to be analyzed within the context of the deterioration of our communities over the last 50 years. Putnam⁸ provides a thorough and carefully researched account of what has happened. The proportion of people living on middle-class incomes has declined by about 18% since 1971.⁹ One in 5 children is living in poverty,¹⁰ and nearly 50% are poor or near poor.¹¹ Twenty-two million Americans need drug abuse treatment, but only 2.5 million are receiving it,¹² and drug overdose deaths have increased dramatically in the past 15 years.¹³ Additionally, family stability has declined. In 1971, 20% of children under age 7 lived with a single parent who lacked a high school diploma; now 60% of such children do.⁸ In addition, lower income neighborhoods all over the country have lost the social cohesion and collective efficacy so important for successfully raising children.¹⁴ Many of these conditions, such as drug abuse and single parenting, are among previously identified adverse experiences. Other conditions, such as poverty, contribute to child abuse, neglect, drug abuse, and mental illness.

In addition, a significant proportion of the population experiences discrimination, which is also a significant stressor for families. Landrine and Klonoff¹⁵ found that 96% of a representative sample of African Americans in California had experienced discrimination in the past year, and 95% of them reported that it was stressful. Pascoe and Richman's¹⁶ meta-analysis of 134 studies of the impact of discrimination showed that it was associated with

higher rates of depression, anxiety, and schizophrenia, as well as poorer physical health and a greater number of unhealthful behaviors such as smoking and excessive drinking. These experiences are one reason why the life expectancy of African Americans is 3.7 years less than it is for white Americans.

Discrimination is not only an experience of minority group members. White people living in poverty are significantly more likely than affluent people to be seen as lazy, unpleasant, immoral, violent, mentally ill, abusive, alcoholic, unkind, inconsiderate, stupid, and dirty.¹⁷

All of these conditions make adverse experiences more likely. Nationwide, awareness of the problem of adverse experiences has increased, and treatment providers are increasingly being encouraged to screen for trauma and to provide treatment that will ameliorate the effects of past trauma.²

These steps are undoubtedly important. In addition to them, however, we believe that much more can be done to prevent adverse experiences from occurring in the first place. Prevention scientists have not only developed family, school, and community interventions that can prevent ACEs but they have also identified policies that can reverse the trends that have brought about the adverse social conditions that contribute to ACEs.

Social Processes Underpinning Adverse Social Experiences

Understanding the social conditions that contribute to adverse experiences and their physiologic effects shows us that we must prevent these experiences or ameliorate their impact, but it does not explain the social processes that underpin so many of the adverse experiences. To generate a population-level impact on public health, we must identify and address the social processes involved in adverse experiences. We describe 2 key sources here.

Family Coercion in Childhood

Patterson and colleagues^{18–20} compared interactions in families with aggressive children to families without. They found that those with aggressive children had more interactions in which family members used coercive (ie, hostile, aggressive) measures to negotiate conflicts or disagreements. In families with aggressive children, family members frequently engaged in such social exchanges, which often continued until one person escalated the conflict by yelling, threatening, or hitting, which would effectively end the argument and bring a brief respite from the other's aversive behavior. Such families also demonstrated significantly fewer warm and reinforcing interactions that would promote or reward prosocial behavior. Longitudinal studies of children with this risk profile showed that coercive processes contribute to development of antisocial behavior,²¹ substance use,⁶ violence,²² and depression,²³ all of which can contribute to later health problems. Additional research has shown that coercive processes are involved in most forms of social conflict.²⁴

Peer Rejection in Adolescence

Peer rejection can be highly stressful, with negative implications for both mental and physical health; it is particularly likely among children exposed to adverse experiences at

home.^{25,26} For a number of reasons, adolescents are particularly susceptible to the effects of peer rejection. First, peers become increasingly important as a source of influence and affiliation during this developmental period. Adolescents tend to rely less often on their parents for social support, reducing parents' ability to serve as buffers against stress.^{27–29} Additionally, brain development during this period makes social reward increasingly salient,^{30,31} resulting in an elevated desire for peer group acceptance and making youth increasingly vigilant for signs of rejection. Finally, early adolescents may be particularly vulnerable to social stressors due to a developmental lag in self-regulatory capability.³² Thus, early adolescence represents a developmental period of high risk for negative stress-related outcomes related to peer rejection. At the same time, early adolescents tend to experience more peer rejection, as a surge in aggressive and exclusionary behavior often accompanies the transition to middle school, a time when youth are renegotiating social structures.^{33,34}

We have ample evidence that adverse social conditions in childhood contribute to the burden of ill health, not only through their impact on the development of psychological and behavioral problems that compromise health but also through direct impact on physiologic functioning. To achieve a population-level improvement in public health, we should provide services to remediate ill health and we can, and should, prevent these adverse experiences from occurring in the first place.

Evidence-Based Interventions to Prevent Adverse Experiences

Over the past 30 years, prevention scientists have accumulated numerous interventions with proven benefit in preventing most family conditions involved in ACEs. Here we describe a sample of these interventions in the hope of making the case that many more resources should be put into making these interventions widely available.

Family-Based Prevention

Perhaps the most obvious step in addressing the problem of ACEs is to ensure that health care providers screen for risky or maladaptive family conditions and intervene with families as needed. Several of the articles in this special issue focus on how health care providers can improve their screening and intervention procedures,^{35–38} which have proven benefit in helping families become less coercive and more nurturing.³⁹ Family-based programs focus on providing education to families, improving the quality of family relationships, and teaching key family management skills. The goal of these programs is to transform the way parents manage and monitor child behavior, how the family negotiates conflicts and solves problems, and the affective quality of the family environment. These programs view the family as the most influential and malleable context from which to promote long-lasting behavioral and emotional adjustment among children and youth.

Several systematic reviews and meta-analyses have found family-based programs to be effective at preventing or reducing a wide range of behavioral problems among children, including externalizing and disruptive behavior, attention-deficit/hyperactivity disorder, and oppositional defiant disorder, while also promoting social competencies and academic performance.^{40–45} Reviewers have drawn similar conclusions with regard to adolescents, finding significant reductions in behavioral problems such as delinquency, violence,

substance abuse, depression/anxiety, and HIV risk and noting enhancements to family and peer relations.^{46–53}

These evidence-based programs have such effects because they promote a wide range of effective parent behaviors^{44,45,51,54} and diminish child maltreatment and harsh and inconsistent discipline.^{55–57} They have proven benefit in preventing many of the psychological and behavioral problems known to predict the most common and costly physical illnesses, especially cardiovascular disease and cancer. Moreover, initial evidence indicates that nurturing family processes can directly prevent development of inflammatory processes that contribute to these diseases.⁵⁸ In one study,⁵⁹ researchers examined the effects of a family-based program on low-grade inflammation, a process that underlies many health problems to which low-socioeconomic status youth are vulnerable. Eight years after a randomized trial of the program ended, youth who participated had significantly less inflammation than controls did. In another example, Brody et al⁶⁰ found that a family-based prevention program had salutary effects on adolescent telomere length, an indicator of general systemic aging, with diminished telomere length associated with several chronic diseases of aging and heightened mortality risk.

Many examples of family-based prevention programs have demonstrated benefits in reducing ACEs and promoting nurturing family environments. The edited volume by Van Ryzin et al³⁹ includes several prominent examples, including the Family Check-Up (FCU), Parent Management Training – the Oregon Model (PMTO), Triple-P, and Treatment Foster Care Oregon (TFCO). These programs are often delivered in community settings but increasingly are available through health care providers.⁶¹

School-Based Prevention

Various programs have arisen in an attempt to transform schools into more nurturing environments for children. Many of them focus on social–emotional learning (SEL). A recent report showed that the United States is lowest among 32 high-resource countries in SEL in schools.⁶² Yet programs promoting SEL can provide explicit instruction in positive social interactions and effective problem solving.⁶³ These programs are effective at promoting social–emotional skills, reducing problem behavior, and enhancing academic achievement.^{61,64}

The Good Behavior Game (GBG) represents a somewhat different approach to establishing nurturing school environments.⁶⁵ GBG is a teaching strategy rather than a curriculum, operating on principles of social reinforcement of on-task and prosocial behavior. Children in GBG classrooms learn to inhibit impulses to act with aggression, disruption, and off-task behavior. They learn instead to regulate emotions and monitor their classmates' behavior in a gamelike setting. More specifically, GBG and related group- or team-based instructional approaches such as cooperative learning⁶⁶ emphasize the establishment of “positive interdependence” in classrooms, which implies that individuals attain their goals only if others around them also achieve theirs.

Under positive interdependence, within-group peer interaction, which previously may have been indifferent or even actively antagonistic, tends to promote the achievement of others

through mutual assistance and resource sharing.^{67,68} These positive social interactions in turn increase interpersonal attraction and acceptance, support development of new friendships, and, in an educational context, promote academic engagement and achievement.^{69,70} In fact, Bierman⁷¹ suggests that gains in social skills alone are not sufficient to reduce social isolation and rejection; instead, positive interdependence is required to motivate youth to reevaluate previous conclusions regarding the social desirability of others.

As social learning–based strategies, GBG, cooperative learning, and similar programs increase the likelihood that teachers and peers appropriately prompt and reward students' newly acquired social skills. The continual practice of inhibitory control and social reinforcement of prosocial behavior can serve to sharpen self-regulatory skills and enhance social competence. Research indicates that the GBG can reduce aggressive, disruptive, and off-task behaviors,^{72,73} later substance abuse, antisocial personality disorder,⁷⁴ use of mental health services,⁷⁵ and criminal behavior.⁷⁶ Robust empirical evidence also documents the significant positive effects of cooperative learning on interpersonal attraction, social acceptance, and academic achievement, along with reductions in social rejection and exclusion.^{77–80}

Prevention Programming in Medical Settings

The evidence on ACEs has already influenced a movement to increase screening and intervention to prevent ACEs and treat the consequences of exposure to adverse experiences.^{81–83} However, existing evidence indicates that despite most pediatricians' awareness of ACEs and the effect they have on children, the majority of pediatricians do not screen to detect ACEs. One reason may be that they cannot bill for these services.

Thus, a specific step in public policy is crucial: delivering prevention programming must become billable in medical settings. Pediatric and family practice physicians are trusted advisers to parents on all aspects of their children's health.⁸⁴ Yet current insurance and reimbursement policies discourage primary health care providers from implementing these tested and effective programs. The cost of not receiving these programs is high: behavioral health issues cost America \$247 billion per year.⁸⁵

Numerous barriers restrict the reach of effective family-focused programs in preventing behavioral health problems. One is the stigma associated with attending parenting workshops. Providing family-focused preventive services through primary health care settings could eliminate this stigma. If primary health care providers offer these programs, parents will see the value to their children's optimal health. The perceived stigma would fade and the number of families attending would increase.⁶¹ Implementation and adherence would likely increase as parents begin to follow advice from their child's primary health care provider to ensure their child's health.

Recent changes within health care make primary care settings an increasingly favorable home for family-focused prevention and suggest possibilities for sustainable funding of family-focused prevention programs.⁸⁶ To address children's problems, fewer reimbursement systems require a diagnostic code for diseases or disorders. Under current

policy, the US Preventive Services Task Force has identified clinical preventive services that must be provided without deductible or copay. Accountable care organizations focused on reducing later health care costs are encouraged to promote population health through prevention and intervention programs. Unfortunately, most currently funded innovative health research does not consider the multiple long-term beneficial outcomes for children in diverse arenas of life (ie, education, physical and mental health, employment, economic success, and criminal involvement) that result from parental participation in effective prevention programs. In fact, 10 of the 16 Blueprints-approved, family-focused prevention programs have undergone rigorous benefit–cost analyses.⁸⁷ Eight of the 10 programs produced more economic benefits to society than they cost because of their effects in preventing future behavioral health problems, including depression, violence, crime, and drug abuse.

Evolving a More Nurturing Society

Given the influence of poverty, discrimination, and economic inequality on ACEs, an exhaustive public health approach to preventing ACEs needs to address these problems and try to reach individual families and children with evidence-based programs.

The increases in poverty, discrimination, and inequality that have occurred over the last 50 years are due at least in part to a well-documented advocacy for free-market economics. Over the past half century, advocates for free markets have promoted a set of values and beliefs that led to policies that have undermined the middle class.⁸⁸ Advocacy for free markets was based on considerable evidence that market systems foster the selection of innovative and more efficient products and services that generally benefit everyone.⁸⁹ In this view, government programs were seen as less likely to contribute to well-being than unregulated free market activities would.

However, although advocacy for free markets has probably contributed useful adjustments to some government practices, it became exaggerated to such an extent that *any* pursuit of wealth and income came to be seen by many people as inherently beneficial to all. One result was that American society evolved toward greater materialism and lower levels of prosocial and communitarian values.⁹⁰ Another was that we abandoned necessary components of financial regulation, which led to the collapse of our economic system in 2008.⁹¹ These developments contributed to the hollowing out of the middle class that Putnam⁸ documented.

Fortunately, a nascent and growing movement is countering the view that the unfettered pursuit of wealth benefits everyone. Considerable criticism of free-market thinking has come to light in recent years.^{92–95} The ACEs movement has made a significant contribution to redirecting societal values to support nurturing the well-being of every child. Research on ACEs has found a set of interrelated adverse conditions that affect a wide set of outcomes. These findings underscore the need to persuade all sectors of society to work together to increase nurturance.

The work on ACEs is bolstered by growing evidence that people are most likely to thrive in conditions that minimize toxic social and biological influences, richly reinforce diverse forms of resilient and prosocial behavior, and limit opportunities and influences on problem behavior.^{96,97} It is further supported by evidence on the influence of adverse conditions on inflammatory processes,³ evidence from evolutionary analyses of the pivotal role of prosociality in human evolution,^{98–101} and the burgeoning research in clinical psychology on the value of compassion, mindfulness, and action in the pursuit of prosocial values (National Prevention Science Coalition, <http://www.npscoalition.org/>).^{102–104} Increasingly, these and many other efforts (eg, His Holiness the 14th Dalai Lama of Tibet; <http://www.dalailama.com/>) are forging a network with the potential to create a society with the fundamental value of nurturing the well-being of every person rather than pursuing individual wealth.

The Research We Need

Research must now painstakingly examine the influence of each sector of society on family and school conditions that directly influence development. For example, until recently, the deleterious effects on families of the criminal justice system's overly punitive practices¹⁰⁵ have been overlooked. Research that further documents how incarceration undermines family economic well-being and stability will be important in developing policies advocating for criminal justice to assess policies that harm families and to modify practices in light of the evidence. Similarly, research on the impact of workplace conditions on the quality of parenting and the economic well-being of families could help to support policies that reduce the harmful effects of working conditions on young people's development.

Research must also explore how to adapt evidence-based family and school interventions so that health care providers can efficiently and effectively deliver those interventions. For example, recent studies are examining whether effective family interventions can be delivered by health care providers via technology-based approaches.¹⁰⁶

Finally, we need research on how to influence the adoption of public policies that improve children's chances of developing successfully. For example, Komro et al¹⁰⁷ identified 46 policies that have consistently demonstrated beneficial effects on child well-being. Yet we know little about how to be effective in getting such policies adopted.

The Society We Could Have

The impact of adverse social conditions on human well-being is sufficiently clear to make it imperative that we evolve a health care system—indeed, a society—that makes preventing these conditions paramount. We have numerous tested and effective interventions to prevent or ameliorate adverse conditions. Now we must evolve the existing health care and human services systems to ensure wide, effective implementation of these interventions. Simultaneously, we must promote prosocial values and goals that support efforts to implement programs, policies, and cultural practices to increase the proportion of families, schools, and communities that nurture the well-being of every person. As the 2009 Institute of Medicine report on prevention noted, the foundation exists to achieve a society in which

nearly every young person arrives at adulthood with the skills, interests, values, and health habits to lead a productive life in caring relationships with others.¹⁰⁸

Acknowledgments

The National Institute on Alcohol Abuse and Alcoholism (R01AA021726-01A1) provided financial support for the completion of the work. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institute on Alcohol Abuse and Alcoholism or the National Institutes of Health.

Financial disclosure: Publication of this article was supported by the Promoting Early and Lifelong Health: From the Challenge of Adverse Childhood Experiences (ACEs) to the Promise of Resilience and Achieving Child Wellbeing project, a partnership between the Child and Adolescent Health Measurement Initiative (CAHMI) and Academy-Health, with support from the Robert Wood Johnson Foundation (#72512).

References

1. Szilagyi M, Halfon N. Pediatric adverse childhood experiences: implications for life course health trajectories. *Acad Pediatr.* 2015; 15:467–468. [PubMed: 26344714]
2. Anda RF, Felitti VJ, Bremner JD, et al. The enduring effects of abuse and related adverse experiences in childhood. A convergence of evidence from neurobiology and epidemiology. *Eur Arch Psychiatry Clin Neurosci.* 2006;256:174–186. [PubMed: 16311898]
3. Miller GE, Chen E, Parker KJ. Psychological stress in childhood and susceptibility to the chronic diseases of aging: moving toward a model of behavioral and biological mechanisms. *Psychol Bull.* 2011;137:959–997. [PubMed: 21787044]
4. Felitti VJ, Anda RF, Nordenberg D, et al. Relationship of childhood abuse and household dysfunction to many of the leading causes of death in adults: the Adverse Childhood Experiences (ACE) study. *Am J Prev Med.* 1998;14:245–258. [PubMed: 9635069]
5. Galobardes B, Lynch JW, Smith GD. Is the association between childhood socioeconomic circumstances and cause-specific mortality established? Update of a systematic review. *J Epidemiol Community Health.* 2008;62:387–390. [PubMed: 18413449]
6. Repetti RL, Taylor SE, Seeman TE. Risky families: family social environments and the mental and physical health of offspring. *Psychol Bull.* 2002;128:330–366. [PubMed: 11931522]
7. Miller GE, Lachman ME, Chen E, et al. Pathways to resilience maternal nurturance as a buffer against the effects of childhood poverty on metabolic syndrome at midlife. *Psychol Sci.* 2011;22:1591–1599. [PubMed: 22123777]
8. Putnam RD. *Our Kids: The American Dream in Crisis.* New York, NY: Simon & Schuster; 2015.
9. Pew Research Center. *The American Middle Class is Losing Ground.* Available at: <http://www.pewsocialtrends.org/2015/12/09/the-american-middle-class-is-losing-ground/>; 2015. Accessed July 7, 2017.
10. Proctor BD, Semega JL, Kollar MA. *Income and Poverty in the United States: 2015.* US Census Bureau. Available at: <http://www.census.gov/library/publications/2016/demo/p60-256.html>; 2016. Accessed July 7, 2017.
11. Dreyer B, Chung PJ, Szilagyi P, et al. Child poverty in the United States today: introduction and executive summary. *Acad Pediatr.* 2016;16:S1. [PubMed: 27044686]
12. Substance Abuse and Mental Health Services Administration. *Behavioral Health Trends in the United States: Results From the 2014 National Survey on Drug Use and Health.* HHS Publication No. SMA 15–4927, NSDUH Series H-50. Available at: <https://www.samhsa.gov/data/sites/default/files/NSDUH-FRR1-2014/NSDUH-FRR1-2014.pdf>; 2015. Accessed July 7, 2017.
13. US Centers for Disease Control. *Understanding the epidemic: Drug overdose deaths in the United States continue to increase in 2015.* Available at: <http://www.cdc.gov/drugoverdose/epidemic/index.html>. Accessed July 7, 2017.
14. Sampson RJ. Collective regulation of adolescent misbehavior: validation results from eighty Chicago neighborhoods. *J Adolesc Res.* 1997;12:227–244.
15. Landrine H, Klonoff EA. Racial segregation and cigarette smoking among blacks: findings at the individual level. *J Health Psychol.* 2000;5:211–219. [PubMed: 22049011]

16. Pascoe EA, Richman LS. Perceived discrimination and health: a meta-analytic review. *Psychol Bull.* 2009;135:531. [PubMed: 19586161]
17. Cozzarelli C, Wilkinson AV, Tagler MJ. Attitudes toward the poor and attributions for poverty. *J Soc Issues.* 2001;57:207–227.
18. Granic I, Patterson GR. Toward a comprehensive model of antisocial development: a dynamic systems approach. *Psychol Rev.* 2006;113: 101–131. [PubMed: 16478303]
19. Patterson GR. Performance models for antisocial boys. *Am Psychol.* 1986;41:432–444. [PubMed: 3717751]
20. Patterson GR, Reid JB, Dishion TJ. *Antisocial Boys: A Social Interactional Approach.* New York, NY: Castalia Publishing; 1992.
21. Van Ryzin MJ, Dishion TJ. The impact of a family-centered intervention on the ecology of adolescent antisocial behavior: modeling developmental sequelae and trajectories during adolescence. *Dev Psychopathol.* 2012;24:1139–1155. [PubMed: 22781876]
22. Van Ryzin MJ, Dishion TJ. From antisocial behavior to violence: a model for the amplifying role of coercive joining in adolescent friendships. *J Child Psychol Psychiatry.* 2013;54:661–669. [PubMed: 23130651]
23. Compton K, Snyder J, Schrepferman L, et al. The contribution of parents and siblings to antisocial and depressive behavior in adolescents: a double jeopardy coercion model. *Dev Psychopathol.* 2003;15:163–182. [PubMed: 12848440]
24. Dishion TJ, Snyder JJ, eds. *The Oxford Handbook of Coercive Relationship Dynamics.* Oxford: Oxford University Press; 2016.
25. Sijtsema JJ, Shoulberg EK, Murray-Close D. Physiological reactivity and different forms of aggression in girls: moderating roles of rejection sensitivity and peer rejection. *Biol Psychol.* 2011;86: 181–192. [PubMed: 21129435]
26. Stroud LR, Foster E, Papandonatos GD, et al. Stress response and the adolescent transition: performance versus peer rejection stressors. *Dev Psychopathol.* 2009;21:47–68. [PubMed: 19144222]
27. Rubin KH, Bukowski WM, Parker JG. Peer interactions, relationships, and groups. In: Eisenberg N, Damon W, Lerner RM, eds. *Handbook of Child Psychology. Social, Emotional, and Personality Development 6th ed Volume 3.* Hoboken, NJ: Wiley; 2006:571–652.
28. Steinberg L, Monahan KC. Age differences in resistance to peer influence. *Dev Psychol.* 2007;43:1531–1543. [PubMed: 18020830]
29. Steinberg L, Morris AS. Adolescent development. *Annu Rev Psychol.* 2001;52:83–110. [PubMed: 11148300]
30. Fareri DS, Martin LN, Delgado MR. Reward-related processing in the human brain: developmental considerations. *Dev Psychopathol.* 2008;20:1191–1211. [PubMed: 18838038]
31. Spear LP. The adolescent brain and age-related behavioral manifestations. *Neurosci Biobehav Rev.* 2000;24:417–463. [PubMed: 10817843]
32. Casey BJ, Geidd JN, Thomas KM. Structural and functional brain development and its relation to cognitive development. *Biol Psychol.* 2000;54:241–247. [PubMed: 11035225]
33. Pellegrini AD, Long JD. A longitudinal study of bullying, dominance, and victimization during the transition from primary school through secondary school. *Br J Dev Psychol.* 2002;20: 259–280.
34. Robers S, Kemp J, Truman J. *Indicators of School Crime and Safety: 2012.* National Center for Education Statistics; Bureau of Justice Statistics; US Department of Education; US Department of Justice Office of Justice Programs. NCES 2013–036/NCJ 241446. Available at: <https://nces.ed.gov/pubs2013/2013036.pdf>; 2013. Accessed July 7, 2017.
35. Bethell C, Carle A, Hudziak J, et al. Methods to assess adverse childhood experiences of children and families: towards approaches to promote child well being in policy and practice. *Acad Pediatr.* 2017;17:S51–S69. [PubMed: 28865661]
36. Davis M, Costigan T, Schubert K. Promoting lifelong health and well-being: staying the course to promote health and prevent the effects of adverse childhood and community experiences. *Acad Pediatr.* 2017;17:S4–S6. [PubMed: 28865660]

37. Srivastav A, Fairbrother G, Simpson L. Addressing adverse childhood experiences through the Affordable Care Act: promising advances and missed opportunities. *Acad Pediatr.* 2017;17:S136–S143. [PubMed: 28865646]
38. Brown JD, King MA, Wissow L. The central role of relationships to trauma-informed integrated care for children and youth. *Acad Pediatr.* 2017;17:S94–S101. [PubMed: 28185977]
39. Van Ryzin MJ, Kumpfer KL, Fosco GM, Greenberg MT, eds. *Family-Based Prevention Programs for Children and Adolescents: Theory, Research, and Large-Scale Dissemination.* New York NY: Psychology Press; 2015.
40. Blueprints for Healthy Youth Development. Model and promising programs. Available at: <http://www.blueprintsprograms.com/programs>. Accessed July 7, 2017.
41. Maughan DR, Christiansen E, Jenson WR, et al. Behavioral parent training as a treatment for externalizing behaviors and disruptive behavior disorders: a meta-analysis. *School Psychol Rev.* 2005;34: 267–286.
42. Nowak C, Heinrichs N. A comprehensive meta-analysis of Triple P-Positive Parenting Program using hierarchical linear modeling: effectiveness and moderating variables. *Clin Child Fam Psychol Rev.* 2008;11:114–144. [PubMed: 18509758]
43. Reyno SM, McGrath PJ. Predictors of parent training efficacy for child externalizing behavior problems—a meta-analytic review. *J Child Psychol Psychiatry.* 2006;47:99–111. [PubMed: 16405646]
44. Sanders MR, Kirby JN, Tellegen CL, et al. Towards a public health approach to parenting support: a systematic review and meta-analysis of the Triple P-Positive Parenting Program. *Clin Psychol Rev.* 2013;34:337–357.
45. United Nations Office on Drugs and Crime (UNODC). *Compilation of Evidence-Based Family Skills Training Programmes.* Vienna, Austria: UNODC; 2010.
46. Brody GH, Chen YF, Beach SR, et al. Participation in a family-centered prevention program decreases genetic risk for adolescents' risky behaviors. *Pediatrics.* 2009;124:911–917. [PubMed: 19706565]
47. Brody GH, Chen YF, Kogan SM, et al. Family-centered program to prevent substance use, conduct problems, and depressive symptoms in Black adolescents. *Pediatrics.* 2012;129:108–115. [PubMed: 22157131]
48. Dusenbury L. Family-based drug abuse prevention programs: a review. *J Prim Prev.* 2000;20:337–352.
49. Farrington DP, Welsh BC. Family-based prevention of offending: a meta-analysis. *Austr New Zealand J Criminol.* 2003;36:127–151.
50. Foxcroft DR, Tsertsvadze A. Universal alcohol misuse prevention programmes for children and adolescents: Cochrane systematic reviews. *Perspect Public Health.* 2012;132:128–134. [PubMed: 22700577]
51. Kumpfer KL, Alvarado R, Whiteside HO. Family-based interventions for substance use and misuse prevention. *Subst Use Misuse.* 2003;38:1759–1878. [PubMed: 14582577]
52. Lochman JE, van den Steenhoven A. Family-based approaches to substance abuse prevention. *J Prim Prev.* 2002;23:49–114.
53. Petrie J, Bunn F, Byrne G. Parenting programmes for preventing tobacco, alcohol, or drugs misuse in children <18: a systematic review. *Health Educ Res.* 2007;22:177–191. [PubMed: 16857779]
54. Kazdin AE. Parent management training: evidence, outcomes, issues. *J Am Acad Child Adolesc Psychiatry.* 1997;36:1349–1356. [PubMed: 9334547]
55. Brook J, McDonald TP, Yan Y. An analysis of the impact of the Strengthening Families Program on family reunification in child welfare. *Child Youth Serv Rev.* 2012;34:691–695.
56. Lundahl BW, Nimer J, Parsons B. Preventing child abuse: a meta-analysis of parent training programs. *Res Soc Work Prac.* 2006;16:251–262.
57. Patterson GR, Forgatch MS, DeGarmo DS. Cascading effects following intervention. *Dev Psychopathol.* 2010;22:949–970. [PubMed: 20883592]
58. Beach SR, Lei MK, Brody GH, et al. Higher levels of protective parenting are associated with better young adult health: exploration of mediation through epigenetic influences on pro-inflammatory processes. *Front Psychol.* 2015;6:1–11. [PubMed: 25688217]

59. Miller GE, Brody GH, Yu T, et al. A family-oriented psychosocial intervention reduces inflammation in low-SES African American youth. *Proc Natl Acad Sci U S A*. 2014;111:11287–11292. [PubMed: 25049403]
60. Brody GH, Yu T, Beach SR, et al. Prevention effects ameliorate the prospective association between nonsupportive parenting and diminished telomere length. *Prev Sci*. 2015;16:171–180. [PubMed: 24599483]
61. Leslie LK, Mehus CJ, Hawkins JD, et al. Primary health care: potential home for family-focused preventive interventions. *Am J Prev Med*. 2016;51:S106–S118. [PubMed: 27498167]
62. Organisation for Economic Co-operation and Development. *Skills for Social Progress: The Power of Social and Emotional Skills*. Paris: OECD; 2015. OECD Skills Studies.
63. Greenberg MT, Weissberg RP, O'Brien MU, et al. Enhancing school-based prevention and youth development through coordinated social, emotional, and academic learning. *Am Psychol*. 2003;58:466–474. [PubMed: 12971193]
64. Durlak JA, Weissberg RP, Dymnicki AB, et al. The impact of enhancing students' social and emotional learning: a meta-analysis of school-based universal interventions. *Child Dev*. 2011;82:405–432. [PubMed: 21291449]
65. Kellam SG, Mackenzie AC, Brown CH, et al. The good behavior game and the future of prevention and treatment. *Addict Sci Clin Pract*. 2011;6:73–84. [PubMed: 22003425]
66. Johnson DW, Johnson R, Holubec E. *Cooperation in the Classroom*. 8th ed. Edina, Minn: Interaction Book; 2008.
67. Deutsch M. A theory of cooperation and competition. *Hum Relat*. 1949;2:129–151.
68. Deutsch M. Cooperation and trust: some theoretical notes. In: Jones M, ed. *Nebraska Symposium on Motivation*. Lincoln, Neb: University of Nebraska Press; 1962:275–319.
69. Johnson DW, Johnson R. *Cooperation and Competition: Theory and Research*. Edina, Minn: Interaction Book; 1989.
70. Johnson DW, Johnson R. New developments in social interdependence theory. *Genet Soc Gen Psychol Monogr*. 2005; 131:285–358. [PubMed: 17191373]
71. Bierman KL. *Peer Rejection: Developmental Processes and Intervention Strategies*. New York, NY: Guilford; 2004.
72. Dolan LJ, Kellam SG, Brown CH, et al. The short-term impact of two classroom-based preventive interventions on aggressive and shy behaviors and poor achievement. *J Appl Dev Psychol*. 1993; 14:317–345.
73. Kellam SG, Rebok GW, Ialongo N, et al. The course and malleability of aggressive behavior from early first grade into middle school: results of a developmental epidemiologically based prevention trial. *J Child Psychol Psychiatry*. 1994;35:359–382.
74. Kellam SG, Brown CH, Poduska JM, et al. Effects of a universal classroom behavior management program in first and second grades on young adult behavioral, psychiatric, and social outcomes. *Drug Alcohol Depend*. 2008;95:5–28.
75. Poduska JM, Kellam SG, Wang W, et al. Impact of the Good Behavior Game, a universal classroom-based behavior intervention, on young adult service use for problems with emotions, behavior, or drugs or alcohol. *Drug Alcohol Depend*. 2008;95: S29–S44. [PubMed: 18249508]
76. Petras H, Kellam SG, Brown CH, et al. Developmental epidemiological courses leading to antisocial personality disorder and violent and criminal behavior: effects by young adulthood of a universal preventive intervention in first- and second-grade classrooms. *Drug Alcohol Depend*. 2008;95: S45–S59. [PubMed: 18243581]
77. Ginsburg-Block MD, Rohrbeck CA, Fantuzzo JW. A meta-analytic review of social, self-concept, and behavioral outcomes of peer-assisted learning. *J Educ Psychol*. 2006;98:732–749.
78. Mesch D, Lew M, Johnson DW, et al. Isolated teenagers, cooperative learning, and the training of social skills. *J Psychol*. 1986;120: 323–334. [PubMed: 3761218]
79. Mikami AY, Boucher MA, Humphreys K. Prevention of peer rejection through a classroom-level intervention in middle school. *J Prim Prev*. 2005;26:5–23. [PubMed: 15976927]
80. Roseth CJ, Johnson DW, Johnson RT. Promoting early adolescents' achievement and peer relationships: the effects of cooperative, competitive, and individualistic goal structures. *Psychol Bull*. 2008;134:223–246. [PubMed: 18298270]

81. Flynn AB, Fothergill KE, Wilcox HC, et al. Primary care interventions to prevent or treat traumatic stress in childhood: a systematic review. *Acad Pediatr.* 2015;15:480–492. [PubMed: 26344717]
82. Kerker BD, Storfer-Isser A, Szilagyi M, et al. Do pediatricians ask about adverse childhood experiences in pediatric primary care? *Acad Pediatr.* 2016;16:154–160. [PubMed: 26530850]
83. Szilagyi M, Kerker BD, Storfer-Isser A, et al. Factors associated with whether pediatricians inquire about parents' adverse childhood experiences. *Acad Pediatr.* 2016;16:668–675. [PubMed: 27157045]
84. Magen E, DeLisser HM. Best practices in relational skills training for medical trainees and providers: an essential element of addressing adverse childhood experiences and promoting resilience. *Acad Pediatr.* 2017;17:S102–S107. [PubMed: 28315415]
85. Hawkins JD, Jenson JM, Catalano R, et al. Unleashing the power of prevention [discussion paper]. Institute of Medicine of the National Academies. Available at: http://aaswsw.org/wp-content/uploads/2015/12/Unleashing-Nat-Academy-of-Medicine_Discussion-Paper-2015.pdf; 2015. Accessed July 7, 2017.
86. Perrin EC, Leslie LK, Boat T. Viewpoint: parenting as primary prevention. *JAMA Peds.* In press.
87. Washington State Institute for Public Policy. Benefit–Cost Technical Documentation. Olympia, Wash: Washington State Institute for Public Policy. Available at: <http://www.wsipp.wa.gov/BenefitCost>; 2015. Accessed July 7, 2017.
88. Hacker JS, Pierson P. Winner-Take-All Politics: How Washington Made the Rich Richer—And Turned Its Back on the Middle Class. New York, NY: Simon & Schuster; 2011.
89. Friedman M, Friedman R. Free to Choose: A Personal Statement. New York, NY: Houghton Mifflin Harcourt; 1990.
90. Biglan A. The healthy society in fifty years. *The Psych Report.* Available at: <http://thepsychreport.com/society/the-healthy-society-in-fifty-years/>. Accessed March 17, 2015.
91. Michael L. The Big Short: Inside the Doomsday Machine. New York, NY: Norton; 2010.
92. Biglan A, Cody C. Integrating the human sciences to evolve effective policies. *J Econ Behav Organ.* 2013;90:S152–S162. [PubMed: 23833332]
93. Wilson DS, Gowdy JM. Evolution as a general theoretical framework for economics and public policy. *J Econ Behav Organ.* 2013;90:S3–S10.
94. Biglan A. Evolving a more nurturing capitalism: a new Powell memo. *This View of Life.* Available at: <https://evolution-institute.org/article/evolving-a-more-nurturing-capitalism-a-new-powell-memo/?source=tvol>. Accessed May 20, 2015.
95. Brewer J. A new science of intentional change. *This View of Life.* Available at: <https://evolution-institute.org/article/the-new-science-of-intentional-change/>. Accessed May 17, 2015.
96. Biglan A. The Nurture Effect: How the Science of Human Behavior Can Improve Our Lives and Our World. Oakland, Calif: New Harbinger Press; 2015.
97. Biglan A, Flay BR, Embry DD, Sandler IN. The critical role of nurturing environments for promoting human well-being. *Am Psychol.* 2012;67:257–271. [PubMed: 22583340]
98. Sober E, Wilson DS. *Unto Others: The Evolution and Psychology of Unselfish Behavior.* Cambridge, Mass: Harvard University Press; 1999.
99. Wilson DS. *Evolution for Everyone.* New York, NY: Bantam Dell; 2007.
100. Wilson DS. *Darwin's Cathedral: Evolution, Religion, and the Nature of Society.* Chicago, Ill: University of Chicago Press; 2010.
101. Wilson DS. *The Neighborhood Project: Using Evolution to Improve My City, One Block at a Time.* New York, NY: Little, Brown; 2011.
102. Buchanan KE, Bardi A. Acts of kindness and acts of novelty affect life satisfaction. *J Soc Psychol.* 2010;150:235–237. [PubMed: 20575332]
103. Hayes SC, Strosahl KD, Wilson KG. *Acceptance and Commitment Therapy: The Process and Practice of Mindful Change.* New York, NY: Guilford Press; 2011.
104. Tirch DD. Mindfulness as a context for the cultivation of compassion. *Intl J Cogn Ther.* 2010;3:113–123.

105. Rankin K. Study reveals the financial impact of mass incarceration on families. Colorlines. Available at: <http://www.colorlines.com/articles/study-reveals-financial-impact-mass-incarceration-families>. Accessed September 16, 2015.
106. Breitenstein SM, Schoeny M, Risser H, et al. A study protocol testing the implementation, efficacy, and cost effectiveness of the ezParent program in pediatric primary care. *Contemp Clin Trials*. 2016;50:229–337. [PubMed: 27592122]
107. Komro KA, Tobler AL, Delisle AL, et al. Beyond the clinic: improving child health through evidence-based community development. *BMC Pediatr*. 2013;13:172. [PubMed: 24138839]
108. National Research Council; Institute of Medicine. Preventing Mental, Emotional, and Behavioral Disorders Among Young People: Progress and Possibilities. Washington, DC: NationalAcademies Press; 2009.