

Erratum

An injectable liposome for sustained release of tanshinone IIA to the treatment of acute blunt muscle injury by augmenting autophagy and alleviating oxidative stress: Am J Transl Res. 2020; 12(8): 4189-4203

Jinwu Wang^{1,2*}, Jie Cai^{1,2*}, Xingyu Wang^{1,2*}, Gaosheng Zhu^{1,2}, Yongzeng Feng^{1,2}, Hua Chen^{1,2#}, Leyi Cai^{1,2#}

¹Department of Orthopaedics, The Second Affiliated Hospital and Yuying Children's Hospital of Wenzhou Medical University, 109 Xue Yuan Xi Road, Wenzhou 325000, Zhejiang, China; ²Wenzhou Medical University, Wenzhou, Zhejiang, China. *Equal contributors and co-first authors. #Equal contributors.



Received March 22, 2021; Accepted April 6, 2021; Epub June 15, 2021; Published June 30, 2021

In this article, we have noticed an error in the **Figure 6A**, Day 7. The photograph in the panel of Blank liposome was used incorrectly due to the careless use of Photoshop software when inserting the picture. Now, the correct **Figure 6** is provided.

Hospital and Yuying Children's Hospital of Wenzhou Medical University, 109 Xue Yuan Xi Road, Wenzhou 325000, Zhejiang, China. Tel: +86-13905779564; E-mail: chenhua_fey@163.com (HC); Tel: +86-15088556021; E-mail: caileyi@wmu.edu.cn (LYC)

Address correspondence to: Hua Chen and Leyi Cai, Department of Orthopaedics, The Second Affiliated

The effects of tanshinone IIA liposome on acute blunt muscle injury



The effects of tanshinone IIA liposome on acute blunt muscle injury

Figure 6. A: Collagen I level in the muscle from each group by immunohistochemistry (IHC) (original magnification $\times 200$; scale bar, $50\ \mu\text{m}$), and the histograms of average optical density for collagen I by IHC in each group; B: The TNF- α expression in the muscle from each group by immunohistochemistry (IHC) (original magnification $\times 200$; scale bar, $50\ \mu\text{m}$), and the histograms of average optical density for collagen I by IHC in each group. Data are presented as mean \pm standard error, $n = 4$ per group. * represents a comparison with blank model group, $P < 0.05$; # represents a comparison with blank liposome group, $P < 0.05$; & represents a comparison with tanshinone IIA group, $P < 0.05$.