



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

**Correction to  
Lancet Psychiatry 2019;  
6: 1011–20**

Caldwell D M, et al. *School-based interventions to prevent anxiety and depression in children and young people: a systematic review and network meta-analysis*. *Lancet Psychiatry* 2019; **6**: 1011–20—In this Article, the standardised mean difference and 95% credible interval of third-wave interventions should have read  $-0.68$  ( $-1.83$  to  $0.47$ ) in figure 3B. In Results, reference to these data on the prevention of depressive symptoms has been removed. In figure 1, the final box should have read 109 studies included in meta-analysis. These corrections have been made to the online version as of Aug 20, 2020.

**Correction to  
Lancet Psychiatry 2020;  
7: 692–702**

Chevance A, Ravaud P, Tomlinson A, et al. *Identifying outcomes for depression that matter to patients, informal caregivers, and health-care professionals: qualitative content analysis of a large international online survey*. *Lancet Psychiatry* 2020; **7**: 692–702—In this Article, the journal name in reference 8 has been corrected. This correction has been made to the online version as of Aug 20, 2020.

**Correction to  
Lancet Psychiatry 2020;  
7: 731–33**

Bach P, Robinson S, Sutherland C, Brar R. *Innovative strategies to support physical distancing among individuals with active addiction*. *Lancet Psychiatry* 2020; **7**: 731–33—In paragraph two of this Comment, line three should have read “In the UK, the Advisory Council on the Misuse of Drugs has recommended that pharmacists be granted the authority to temporarily provide controlled medications without prescriptions and adjust dispensing of frequencies as needed”. This correction has been made to the online version as of July 13, 2020, and will be made to the printed version.



Published Online  
July 13, 2020  
[https://doi.org/10.1016/S2215-0366\(20\)30267-4](https://doi.org/10.1016/S2215-0366(20)30267-4)