

Erratum

Originally published in:

<https://doi.org/10.1148/radiol.2021204743>

Preoperative Breast MRI for Newly Diagnosed Ductal Carcinoma in Situ: Imaging Features and Performance in a Multicenter Setting (ECOG-ACRIN E4112 Trial)

Shinn-Huey S. Chou, Justin Romanoff, Constance D. Lehman, Seema A. Khan, Ruth Carlos, Sunil S. Badve, Jennifer Xiao, Ralph L. Corsetti, Sara H. Javid, Derrick W. Spell, Linda K. Han, Jennifer L. Sabol, John R. Bumberry, Ilana F. Gareen, Bradley S. Snyder, Constantine Gatsonis, Lynne I. Wagner, Antonio C. Wolff, Kathy D. Miller, Joseph A. Sparano, Christopher E. Comstock, Habib Rahbar

Erratum in:

<https://doi.org/10.1148/radiol.2021219016>

The data in Tables E2, E3 (online) were incorrect and have been amended as follows: in Table E2 (online), .00 should be **0.98**, 1.88 should be **1.87**, 0.63 should be **0.62**, and 0.60 should be **0.59**; in Table E3, 1.00 should be **0.97**, 0.58 should be **0.57**, -0.235 should be **-0.24**, and 1.84 should be **1.83**