


CORRECTION

Open Access



Correction to: Management of chronic knee pain caused by postsurgical or posttraumatic neuroma of the infrapatellar branch of the saphenous nerve

G. J. Regev^{1,2*} , D. Ben Shabat¹, M. Khashan¹, D. Ofir¹, K. Salame^{1,2}, Y. Shapira¹, R. Kedem³, Z. Lidar^{1,2} and S. Rochkind^{1,2}

Correction to: *Journal of Orthopaedic Surgery and Research*
(2021) 16:464
<https://doi.org/10.1186/s13018-021-02613-0>

Following publication of the original article [1], the authors identified an error in Figs. 2 and 3. The correct figures are given below.

The original article can be found online at <https://doi.org/10.1186/s13018-021-02613-0>.

*Correspondence: giladre@tlvmc.gov.il

¹ The Peripheral Nerve Reconstruction Unit, Department of Neurosurgery and Orthopedic Surgery, Tel Aviv University, Tel Aviv, Israel
Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 2 Multivariable logistic regression for independent predictors of clinically meaningful postoperative improvement in leg pain




Fig. 3 Multivariable logistic regression for independent predictors of postoperative improvement in EQ-5D

Author details

¹The Peripheral Nerve Reconstruction Unit, Department of Neurosurgery and Orthopedic Surgery, Tel Aviv University, Tel Aviv, Israel. ²Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel. ³Academic Branch, Medical Corps, IDF, Tel Aviv, Israel.

Publisher’s Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.