



HHS Public Access

Author manuscript

Arch Virol. Author manuscript; available in PMC 2022 December 01.

Published in final edited form as:

Arch Virol. 2021 December ; 166(12): 3513–3566. doi:10.1007/s00705-021-05143-6.

*Corresponding author: Jens H. Kuhn, Integrated Research Facility at Fort Detrick (IRF-Frederick), Division of Clinical Research (DCR), National Institute of Allergy and Infectious Diseases (NIAID), National Institutes of Health (NIH), B-8200 Research Plaza, Fort Detrick, Frederick, MD 21702, USA; Phone: +1-301-631-7245; Fax: +1-301-631-7389; kuhnjens@mail.nih.gov.
The 2017–2020 International Committee on Taxonomy of Viruses (ICTV) Study Groups:

I^aArenaviridae
II^aArtoviridae
III^aAspiviridae
IV^aBornaviridae
V^aBunyavirales
VI^aFiloviridae
VII^aFimoviridae
VIII^aHantaviridae
IX^aMonjiviricetes
X^aMyonnaviridae
XI^aNairoviridae
XII^aNegarnaviricota
XIII^aNyamiviridae
XIV^aOrthomyxoviridae
XV^aParamyxoviridae
XVI^aPeribunyaviridae
XVII^aPhasmaviridae
XVIII^a: Phenuiviridae
XIX^aPneumoviridae
XX^aRhabdoviridae
XXI^aSunviridae
XXII^aTenuivirus

XXIII^a: Tospoviridae

^a2017–2020 and 2020–2023 ICTV Chair of the Animal dsRNA and ssRNA- Viruses Subcommittee

^b2020–2023 ICTV Chair of the Archaeal Viruses Subcommittee

^c2020–2023 ICTV Data Secretary

^d2017–2020 Elected Member of the ICTV Executive Committee and 2020–2023 ICTV Chair of the Plant Viruses Subcommittee

^e2017–2020 Elected Member of the ICTV Executive Committee and 2020–2023 ICTV Chair Fungal and Protist Viruses Subcommittee

^g2020–2023 ICTV Vice-President

^h2017–2020 ICTV Chair of the Fungal and Protist Viruses Subcommittee and 2020–2023 ICTV Chair of the Animal ssRNA+ Viruses Subcommittee

ⁱ2017–2020 Elected Member of the ICTV Executive Committee and 2020–2023 ICTV Chair of the Animal DNA Viruses and Retroviruses Subcommittee

^j2017–2020 and 2020–2023 ICTV Proposal Secretary

^k2017–2020 ICTV Chair of the Plant Viruses Subcommittee and the 2020–2023 ICTV President

¹Chair of the 2017–2020 and 2020–2023 ICTV *Bunyavirales*, *Filoviridae*, and *Negarnaviricota* Study Groups

²Chair of the 2017–2020 and 2020–2023 ICTV *Arenaviridae* Study Group

³Chair of the 2020 and 2020–2023 ICTV *Jingchuvirales* Study Group

⁴Chair of the 2017–2020 and 2020–2023 ICTV *Artoviridae* and *Nyamiviridae* Study Groups

⁵Chair of the 2017–2020 and 2020–2023 ICTV *Pneumoviridae* Study Group

⁶Chair of the 2017–2020 (Peter J. Walker) and Co-Chairs of the 2020–2023 (Juliana Freitas-Astúa and Peter J. Walker) ICTV *Rhabdoviridae* Study Group

⁷Chair of the 2017–2020 and 2020–2023 ICTV *Orthomyxoviridae* Study Group

⁸Chair of the 2020–2023 ICTV *Peribunyaviridae* Study Group

⁹Chair of the 2017–2020 and 2020–2023 ICTV *Sunviridae* Study Group

¹⁰Chair of the 2017–2020 and 2020–2023 ICTV *Myonnaviridae* Study Group

¹¹Chair of the 2017–2020 and 2020–2023 ICTV *Phasmaviridae* Study Group

¹²Chair of the 2017–2020 and 2020–2023 ICTV *Hantaviridae* and *Monjiviricetes* Study Groups

¹³Chair of the 2017–2020 2020–2023 ICTV *Nairoviridae* and Study Group

¹⁴Chairs of the 2017–2020 (Gustavo Palacios) and Co-Chairs (Gustavo Palacios and Takahide Sasaya) of the 2020–2023 ICTV *Phenuiviridae* Study Group

¹⁵Chair of the 2017–2020 and 2020–2023 ICTV *Bornaviridae* Study Group

COMPLIANCE WITH ETHICAL STANDARDS

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the US Department of the Army, the US Department of Defense, the US Department of Health and Human Services, the US Department of Homeland Security (DHS) Science and Technology Directorate (S&T), or of the institutions and companies affiliated with the authors. In no event shall any of these entities have any responsibility or liability for any use, misuse, inability to use, or reliance upon the information contained herein. The US departments do not endorse any products or commercial services mentioned in this publication. The US Government retains and the publisher, by accepting the

2021 TAXONOMIC UPDATE OF PHYLUM *Negarnaviricota* (*Riboviria: Orthornavirae*), INCLUDING THE LARGE ORDERS *Bunyvirales* AND *Mononegavirales*

A full list of authors and affiliations appears at the end of the article.

Abstract

In March 2021, following the annual International Committee on Taxonomy of Viruses (ICTV) ratification vote on newly proposed taxa, the phylum *Negarnaviricota* was amended and emended. The phylum was expanded by four families (*Aliusviridae*, *Crepuscuviridae*, *Myriaviridae*, and *Natareviridae*), three subfamilies (*Alpharhabdovirinae*, *Betarhabdovirinae*, and *Gammarhabdovirinae*), 42 genera, and 200 species. Thirty-nine species were renamed and/or moved and seven species were abolished. This article presents the updated taxonomy of *Negarnaviricota* as now accepted by the ICTV.

Keywords

Aliusviridae; *Arenaviridae*; *Articulavirales*; *Artoviridae*; *Aspiviridae*; *Bornaviridae*; *Bunyvirales*; bunyavirus; *Crepuscuviridae*; *Filoviridae*; *Fimoviridae*; *Goujianvirales*; *Hantaviridae*; ICTV; International Committee on Taxonomy of Viruses; *Jingchuvirales*; megaclassification; megataxonomy; *Mononegavirales*; *Muvirales*; *Mymonaviridae*; *Myriaviridae*; *Nairoviridae*; *Natareviridae*; *Negarnaviricota*; *Nyamiviridae*; *Orthomyxoviridae*; *Orthornavirae*; *Paramyxoviridae*; *Peribunyaviridae*; *Phasmaviridae*; *Phenuiviridae*; *Pneumoviridae*; *Rhabdoviridae*; *Riboviria*; *Serpentovirales*; *Sunviridae*; *Tenuivirus*; *Tospoviridae*; virus classification; virus nomenclature; virus taxonomy

INTRODUCTION

Phylum *Negarnaviricota* was established in 2019 by the International Committee on Taxonomy of Viruses (ICTV) for negative-sense RNA viruses that can be connected evolutionarily through the possession of virally encoded RNA-directed RNA polymerases (RdRps). The phylum includes two subphyla, *Haploviricotina* and *Polyploviricotina*, for negative-sense RNA viruses that encode RdRps with or without mRNA capping activity, respectively. The two subphyla include four classes (*Chunquiuviricetes*, *Milneviricetes*, *Monjiviricetes*, and *Yunchangviricetes*) and two classes (*Ellioviricetes* and *Insthoviricetes*), respectively [56, 93, 109]. The phylum was last amended/emended in 2020 [57]. Here we present the changes that were proposed to the phylum via official taxonomic proposals

article for publication, acknowledges that the US Government retains a non-exclusive, paid up, irrevocable, world-wide license to publish or reproduce the published form of this manuscript, or allow others to do so, for US Government purposes.

Conflict of Interest

The authors declare no conflicts of interest.

Ethical approval

This article does not contain any studies with human participants or animals performed by any of the authors.

(TaxoProps) in 2020 and accepted by the ICTV in March 2021 (https://talk.ictvonline.org/files/ictv_official_taxonomy_updates_since_the_8th_report/). These changes are now part of the official ICTV taxonomy.

TAXONOMIC CHANGES ABOVE THE PHYLUM RANK

The type species concept was abolished throughout virus taxonomy (TaxoProp 2020.001G.A.v1.Abolish_type_species).

Taxonomic changes within order *Jingchuvirales* (*Haploviricotina*: *Monjiviricetes*)

The order *Jingchuvirales* was thoroughly revised (TaxoProps 2020.026M.A.v1.Jingchuvirales and 2020.030M.R.Negarnaviricota_corrections). Four new families were created:

- *Aliusviridae*: genus *Obscurivirus*, including a single species, *Obscurivirus quintum*, was created for Atrato chu-like virus 5 (ACIV-5), discovered in culicid mosquitoes (*Psorophora albipes* (Theobald, 1907)) sampled in Colombia [unpublished, GenBank #MN661033]. Genus *Ollusvirus* was created for species *Beetle mivirus*, *Shayang mivirus*, and *Taiyuan mivirus*, which were moved from *Chuviridae*: *Mivirus* and renamed *Ollusvirus coleopteri*, *Ollivirus shayangense*, and *Ollusvirus taiyuanense*, respectively. Five new species were included in the genus:
 - *Ollusvirus culvertonense* for Culverton virus (CvV), discovered by high-throughput sequencing (HTS) in a Hercules' flea (*Macropsylla hercules* Rothschild, 1905) sampled in Timbillica State Forest, New South Wales, Australia [41];
 - *Ollusvirus hanchengense* for Hánchéng leafhopper mivirus (HLMV), discovered by HTS in a leafhopper (*Psammotettix alienus* (Dahlbom 1850)) sampled in Hánchéng (韩城市), Shaanxi/Shǎnx Province (陕西省), China [39];
 - *Ollusvirus hymenopteri* for hymenopteran chu-related virus 123 (HCrV-123) discovered by HTS in a cleptoparasitic bee (*Dioxys cincta* (Jurine, 1807)) sampled in Lacs des Millefontes, Alpes-Maritimes, France [49];
 - *Ollusvirus insectii* for hymenopteran chu-related virus 126 (HCrV-126), discovered by HTS in a crabronid wasp (*Oxybelus bipunctatus* Olivier, 1812) sampled in Battenberg, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49]; and
 - *Ollusvirus scaldisense* for Scaldis River bee virus (SRBV), discovered by HTS in a European orchard bee (*Osmia cornuta* (Latreille, 1805)) sampled in Ghent, Flemish Region (Vlaams Gewest), Belgium [88];
- *Crepuscuviridae*: a single genus, *Aqualarivirus*, including a single species, *Aqualarivirus sialis*, was created for megalopteran chu-related virus 119

(MCRV-119), discovered by HTS in a corydalid fly sampled in Bejuma, Carabobo State (Estado Carabobo), Venezuela [49];

- *Myriaviridae*: a single genus, *Myriavirus*, was created for species *Myriapod mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Myriavirus myriapedis*; and
- *Natareviridae*: a single genus, *Charybdivirus*, was created for species *Charybdis mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Charybdivirus charybdis*.

In family *Chuviridae*, 13 new genera were created:

- genus *Boscovirus* was created for species *Hippoboscid mivirus* and *Louse fly mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Boscovirus hippoboscidae* and *Boscovirus hypoboscidae*, respectively;
- genus *Chuvivirus* was created for species *Brunnich mivirus* and *Crab mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Chuvivirus brunniichi* and *Chuvivirus canceris*, respectively;
- genus *Culicidavirus* was created for species *Imjin mivirus* and *Mosquito mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Culicidavirus imjinense* and *Culicidavirus culicidae*, respectively. Two new species were created:
 - *Culicidavirus culicis* for Culex mosquito virus 5 (CIMV-5), discovered by HTS in a *Culex* mosquito sampled in the USA [86]; and
 - *Culicidavirus quitotaense* for Culex mosquito virus 4 (CIMV-4), discovered by HTS in a culicid mosquito (*Culex* sp.) sampled in the USA [86];
- genus *Doliuvirus* was created for a single new species, *Doliuvirus culisetae*, for Mos8Chu0 chuvirus (MoCV), discovered by HTS in culicid mosquitoes (*Culiseta minnesotae* Barr, 1957) sampled in the USA [unpublished; GenBank #KX924630];
- genus *Demapteravirus* was created for a single new species, *Demapteravirus demapteri*, for demapteran chu-related virus 142 (DCrV-142), discovered by HTS in earwigs (*Gonolabis marginalis* (Dohrn, 1864)) sampled in Tsukuba (つくば市), Ibaraki Prefecture (茨城県), Japan [49];
- genus *Morsusvirus* was created for species *Argas mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Morsusvirus argatis*;
- genus *Nigecruvivirus* was created for a single new species, *Nigecruvivirus ixodes*, for blacklegged tick chuvirus-2 (BITC-2), discovered by HTS in a deer tick (*Ixodes scapularis* Say, 1821) sampled in the USA [100];

- genus *Odonatavirus* was created for species *Odonate mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Odonatavirus fabricii*. Two new species were created:
 - *Odonatavirus draconis* for odonatan chu-related virus 137 (OCrV-137), discovered by HTS in a common flatwing (*Austroargiolestes icteromelas* (Selys, 1862)) sampled in Uriarra State Forest, Australian Capital Territory, Australia [49]; and
 - *Odonatavirus odontis* for odonatan chu-related virus 136 (OCrV-136), discovered by HTS in a whitewater rockmaster (*Diphlebia lestoides* (Selys, 1853)) sampled in Gibraltar Creek, Australian Capital Territory, Australia, [49];
- genus *Pediavirus* was created for species *Barnacle mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Pediavirus cirripedis*;
- genus *Piscichuvirus* was created for species *Sanxia mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Piscichuvirus sanxiaense*. Three new species were created:
 - *Piscichuvirus franki* for Herr Frank virus 1 (HFrV-1), discovered by HTS in a Brazilian boa constrictor (*Boa constrictor* Linnaeus, 1758) [3];
 - *Piscichuvirus lycodontis* for Guǎngd ng red-banded snake chuvirus-like virus (GRSCV), discovered by HTS in a colubrid snake (*Lycodon rufozonatus* (Cantor, 1842) sampled in China [92]; and
 - *Piscichuvirus wenlingense* for W nling fish chu-like virus (WFCIV), discovered by HTS in a longspine snipefish (*Macroramphosus scolopax* (Linnaeus, 1758)) sampled in China [92];
- genus *Pterovirus* was created for a single new species, *Pterovirus chulinense*, for hymenopteran chu-related virus OKIAV147 (HCrV-147), discovered by HTS in an aphelinid wasp (*Aphelinus abdominalis* (Dalman, 1820)) in a laboratory culture of wasps of unknown geographical origin [49];
- genus *Scarabeuvirus* was created for species *Cockroach mivirus*, *Hubei odonate mivirus*, *Hubei mivirus*, and *Lishi mivirus*, which were moved from *Chuviridae: Mivirus* and renamed *Scarabeuvirus blattae*, *Scarabeuvirus dentati*, *Scarabeuvirus hubeiense*, and *Scarabeuvirus lishiense*, respectively. A new species, *Scarabeuvirus lampyris*, was created for Lampyris noctiluca chuvirus-like virus 1 (LNCIV-1), discovered by HTS in a common glow-worm (*Lampyris noctiluca* (Linnaeus, 1767)) sampled in Finland [102]; and
- genus *Taceavirus* was created for species *Wenling mivirus*, which was moved from *Chuviridae: Mivirus* and renamed *Taceavirus wenlingense*.

In chuvirid genus *Mivirus*, three new species were created:

- *Mivirus genovaense* for Genoa virus (GeV), discovered by HTS in an Australian paralysis tick (*Ixodes holocyclus* Neumann, 1899) sampled in New South Wales, Australia [42];
- *Mivirus karukeraense* for Karukera tick virus (KtV), discovered by HTS in ixodid ticks sampled in Guadeloupe/Martinique, France [38]; and
- *Mivirus rhipicephali* for brown dog tick mivirus 1 (BDTMV-1), discovered by HTS in brown dog ticks (*Rhipicephalus sanguineus* (Latreille, 1806)) sampled in Trinidad and Tobago [87].

Six mivirus species were renamed:

- *Lonestar mivirus* → *Mivirus amblyommae*;
- *Bole mivirus* → *Mivirus boleense*;
- *Changping mivirus* → *Mivirus changpingense*;
- *Dermacentor mivirus* → *Mivirus dermacentoris*;
- *Suffolk mivirus* → *Mivirus suffolkense*; and
- Wuhan mivirus → *Mivirus wuhanense*.

Four mivirus species were deleted:

- *Crustacean mivirus*;
- *Hermit mivirus*;
- *Lacewing mivirus*; and
- *Xin Zhou mivirus*.

Taxonomic changes within order *Mononegvirales* (*Haploviricotina*: *Monjiviricetes*)

Family *Mymonaviridae*—Family *Mymonaviridae* was thoroughly revised. Seven new genera were established:

- genus *Auricularimonavirus* was established for one new species, *Auricularimonavirus auriculariae*, for *Auricularia heimuer* negative-stranded RNA virus 1 (AhNRSV-1), discovered in a jelly fungus (*Auricularia heimuer* F. Wu, B. K. Cui & Y. C. Dai 2014) sampled in China [unpublished; GenBank #MT259204];
- genus *Botrytimonavirus* was established for one new species, *Botrytimonavirus botrytidis*, for *Botrytis cinerea* negative-stranded RNA virus 7 (BcNSRV-7), discovered in gray mold (*Botrytis cinerea* Pers. (1794)) sampled in Italy and Spain [84]. Species *Dadou sclerotimonavirus* and *Drop sclerotimonavirus* were moved from *Mymonaviridae*: *Sclerotimonavirus* and renamed *Botrytimonavirus glycinis* and *Botrytimonavirus sclerotinae*, respectively. *Sclerotinia sclerotiorum* negative-stranded RNA virus 2-A (SsNSRV-2-A) and *Sclerotinia sclerotiorum* negative-stranded RNA virus 4-A (SsNSRV-4-A), both discovered by HTS in

cottony rot fungi (*Sclerotinia sclerotiorum* (Lib.) de Bary (1884)) sampled in Australia [72], were moved into species *Botrytimonavirus sclerotinae*;

- genus *Lentimonavirus* was established for *Lentinula hubramonavirus*, which was moved from *Mymonaviridae*: *Hubramonavirus* and renamed *Lentimonavirus lentinulae*;
- genus *Penicillimonavirus* was established for ten novel species:
 - *Penicillimonavirus alphapenicillii* for *Penicillium adametzioides* negative-stranded RNA virus 1 (PaNsRV-1), discovered by HTS in a fungus (*Penicillium adametzioides* S. Abe ex G. Smith 1963) sampled in Spresiano, Veneto Region, Italy [73];
 - *Penicillimonavirus alphaplasmoparae* for *Plasmopara viticola* lesion associated mononegaambi virus 1 (PvaMV-1), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - *Penicillimonavirus betapenicillii* for *Penicillium glabrum* negative-stranded RNA virus 1 (PgRIV-1), discovered by HTS in a fungus (*Penicillium glabrum* (Wehmer) Westling, (1911)) sampled in Spresiano, Veneto Region, Italy [73];
 - *Penicillimonavirus betaplasmoparae* for *Plasmopara viticola* lesion associated mononegaambi virus 2 (PvaMV-2) and *Plasmopara viticola* lesion associated mononegaambi virus 4 (PvaMV-4), both discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy (PvaMV-2 and PvaMV-4) and Spain (PvaMV-2) [17];
 - *Penicillimonavirus deltaplasmoparae* for *Plasmopara viticola* lesion associated mononegaambi virus 5 (PvaMV-5), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - *Penicillimonavirus epsilonplasmoparae* for *Plasmopara viticola* lesion associated mononegaambi virus 6 (PvaMV-6), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy and Spain [17];
 - *Penicillimonavirus etaplasmoparae* for *Plasmopara viticola* lesion associated mononegaambi virus 9 (PvaMV-9), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
 - *Penicillimonavirus gammaplasmoparae* for *Plasmopara viticola* lesion associated mononegaambi virus 3 (PvaMV-3), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];

- *Penicillimonavirus kilnbarnense* for Kiln Barn virus (KBV), discovered by HTS in a spotted wing drosophila (*Drosophila suzukii* (Matsumura, 1931)) sampled in the UK [70]; and
- *Penicillimonavirus zetaplasmoparae* for Plasmopara viticola lesion associated mononegaambi virus 7 (PvaMV-7), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
- genus *Phyllomonavirus* was established for one new species, *Phyllomonavirus gysingense*, for Gysinge virus (GYSV), discovered by HTS in culicid mosquitoes (*Culex* sp.) or associated fungi sampled in Sweden [80]. Species *Phyllosphere sclerotimonavirus* was moved from *Mymonaviridae*: *Sclerotimonavirus* and renamed *Phyllomonavirus phyllosphaerae*;
- genus *Plasmopamonavirus* was established for one new species, *Plasmopamonavirus plasmoparae*, for Plasmopara viticola lesion associated mononegaambi virus 8 (PvaMV-8), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Spain [17]; and
- genus *Rhizomonavirus* was established for one new species, *Rhizomonavirus mali*, for apple virus B (APPV-B), discovered by HTS in apple trees (*Malus domestica* Borkh., 1803) sampled in Washington, USA [110].

Genus *Hubramonavirus* was expanded by one new species, *Hubramonavirus terrae*, for H2BulkLitter1223 virus, discovered by HTS in grassland soil collected in Hopland, California, USA [98]. Species *Hubei hubramonavirus* was renamed as *Hubramonavirus hubeiense* (TaxoProp 2020.004F.A.v1.Mymona). Species *Hubei sclerotimonavirus* was deleted (TaxoProp 2020.006M.A.v1.Corrections).

Genus *Sclerotimonavirus* was expanded by eight novel species (TaxoProp 2020.004F.A.v1.Mymona):

- *Sclerotimonavirus alphaclarireediae* for Sclerotinia homoeocarpa TSA contig 1 (ShTSA-1) and Sclerotinia homoeocarpa TSA contig 2 (ShTSA-2), both discovered by data mining of transcriptome shotgun assemblies (TSAs) of a fungus (*Sclerotinia homoeocarpa* (Bennett, 1937)) [54];
- *Sclerotimonavirus alphaplasmoparae* for Plasmopara viticola lesion associated mymonavirus 1 (PvaMV-1), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy [17];
- *Sclerotimonavirus alternariae* for Alternaria tenuissima negative-stranded RNA virus 1 (AtNsRV-1), discovered by HTS in a fungus (*Alternaria tenuissima* Samuel Paul Wiltshire (1933)) sampled in Spresiano, Veneto Region, Italy [73];

- *Sclerotimonavirus betaclarireediae* for *Sclerotinia homoeocarpa* TSA contig 3 (ShTSA-3), discovered by data mining of transcriptome shotgun assemblies (TSAs) of a fungus (*Sclerotinia homoeocarpa* (Bennett, 1937)) [54];
- *Sclerotimonavirus betaplasmoparae* for *Plasmopara viticola* lesion associated mononega virus 2 (PvaMV-2), discovered by HTS in grapevines (*Vitis* sp.) infected by an oomycete (*Plasmopara viticola* (Berk. & M.A. Curtis) Berl. & De Toni, (1888)) sampled in Italy and Spain [17];
- *Sclerotimonavirus botrytidis* for *Botrytis cinerea* mymonavirus 1 (BcMyV-1), discovered by HTS in a gray mold (*Botrytis cinerea* Pers. (1794)) [40] and *Sclerotinia sclerotiorum* negative-stranded RNA virus 7 (SsNSRV-7), discovered by HTS in cottony rot fungi (*Sclerotinia sclerotiorum* (Lib.) de Bary (1884)) [72] sampled in Australia;
- *Sclerotimonavirus penicillii* for *Penicillium cairnsense* negative-stranded RNA virus 1 (PcNsRV-1), discovered by HTS in a fungus (*Penicillium cairnsense* Houbraeken, J.; Frisvad, J.C.; Cole, T.; Samson, R.A. 2011) sampled in Spresiano, Veneto Region, Italy [73]; and
- *Sclerotimonavirus terrae* for H4BulkLitter234 virus, discovered by HTS in grassland soil collected in Hopland, California, USA [98].

Species *Glycine sclerotimonavirus*, *Illinois sclerotimonavirus*, and *Sclerotinia sclerotimonavirus* were renamed as *Sclerotimonavirus fusarii*, *Sclerotimonavirus illinoisense*, and *Sclerotimonavirus sclerotinae*, respectively. *Sclerotinia sclerotiorum* negative-stranded RNA virus 1-A (SsNSRV-1-A) and *Sclerotinia sclerotiorum* negative-stranded RNA virus 3-A (SsNSRV-3-A), both discovered by HTS in cottony rot (*Sclerotinia sclerotiorum* (Lib.) de Bary (1884)) sampled in Australia [72], were moved into the species *Sclerotimonavirus sclerotinae*.

Family Nyamiviridae—One new genus, *Formivirus*, was established for four novel species (TaxoProp 2020.024M.A.v1.Nyamiviridae_1ngen_5nsp):

- *Chalybion formivirus* for hymenopteran orino-related virus OKIAV87 (HORV-87), discovered by HTS in a blue mud dauber (*Chalybion californicum* (Saussure, 1867)) sampled in Tennessee, USA [49];
- *Exsecta formivirus* for *Formica exsecta* virus 4 (FeV-4), discovered by HTS in a narrow-headed ant (*Formica exsecta* Nylander, 1846) sampled on Hanko Peninsula (Hankoniemi), southwestern Finland [23];
- *Fusca formivirus* for *Formica fusca* virus 1 (FfusV-1), discovered by HTS in a formicid ant (*Formica fusca* Linnaeus, 1758) collected in Cambridge, East of England, UK [52]; and
- *Gorytes formivirus* for hymenopteran orino-related virus OKIAV85 (HORV-85), discovered by HTS in a sand wasp (*Gorytes laticinctus* (Lepelletier, 1832)) collected in Albersweiler, Rhineland-Palatinate (Rheinland-Pfalz), Germany in 2011 [49].

Genus *Nyavirus* was expanded by one species, *Jacinto nyavirus*, for San Jacinto virus (SJCIV) isolated from a common starling (*Sturnus vulgaris* Linnaeus, 1758) sampled in Harris County, Texas [104] (TaxoProp 2020.024M.A.v1.Nyamiviridae_1ngen_5nsp).

Family Paramyxoviridae—Genus *Metaavulavirus* was expanded by one species, *Avian metaavulavirus 22*, for avian paramyxovirus 22 (APMV-22) isolated from turtle doves (*Streptopelia tranquebarica* (Hermann, 1804)) sampled in Taiwan [64] (TaxoProp 2020.011M.A.v1.Metaavulavirus_1nsp).

Species *Avian orthovulavirus 21* [sic] was deleted (TaxoProp 2020.006M.A.v1.Corrections).

Family Rhabdoviridae—Family *Rhabdoviridae* was split into three subfamilies:

- *Alpharhabdovirinae* for genera *Almendravirus*, *Alphanemrhavirus*, *Arurhavirus*, *Barhavirus*, *Caligrhavirus*, *Curiovirus*, *Ephemerovirus*, *Hapavirus*, *Ledantevirus*, *Lostrhavirus*, *Lyssavirus*, *Mousrhavirus*, *Ohlsrhavirus*, *Perhabdovirus*, *Sawgrhavirus*, *Sigmavirus*, *Sprivivirus*, *Sripuvirus*, *Sunrhavirus*, *Tibrovirus*, *Tupavirus*, *Vesiculovirus*, and *Zarhavirus*;
- *Betarhabdovirinae* for genera *Alphanucleorhabdovirus*, *Betanucleorhabdovirus*, *Cytorhabdovirus*, *Dichorhavirus*, *Gammanucleorhabdovirus*, and *Varicosavirus*; and
- *Gammarhabdovirinae* for genus *Novirhabdovirus* (TaxoProp 2020.016M.A.v1.Rhabdoviridae_3subfam).

Three new genera were included in subfamily *Alpharhabdovirinae*:

- genus *Alphapaprhavirus*, including two novel species (TaxoProp 2020.014M.A.v1.Alphapaprhavirus_1gen2sp):
 - *Hubei alphapaprhavirus* for Hubei lepidoptera virus 2 (HbLV-2), discovered by HTS in insects (Lepidoptera) sampled in Húb i Province (湖北省), China [91]; and
 - *Pararge alphapaprhavirus* for Pararge aegeria rhabdovirus (PAeRV), discovered by HTS in speckled wood (*Pararge aegeria* (Linnaeus, 1758)) in Belgium [65]. Lepidopteran rhabdo-related virus OKIAV-12 [49] is a junior synonym of PAeRV;
- genus *Alpharicinrhavirus*, including three novel species (TaxoProp 2020.001M.A.v1.Alpharicinrhavirus):
 - *Blanchseco alpharicinrhavirus* for Blanchseco virus (BCOV), discovered by HTS in ixodid ticks (*Amblyomma ovale* Koch, 1844) sampled in Trinidad and Tobago [87];
 - *Bole alpharicinrhavirus* for Bole tick virus 2 (BITV-2), discovered by HTS in ixodid ticks (*Hyalomma asiaticum* Schulze et Schlottke, 1929) sampled in Bólè (博乐市), X nji ng Uygur Autonomous Region (新疆维吾尔自治区), China [61];

- *Wuhan alpharicintravirus* for Wuhan tick virus 1 (WhTV-1), discovered by HTS in Asian blue ticks (*Rhipicephalus microplus* (Canestrini, 1888)) sampled in Wūhàn (武汉市), Húb i Province (湖北省), China [61]. Rhipicephalus associated rhabdo-like virus (RaRLV/YN-rhabdoV1) [90] is a junior synonym of WhTV-1; and
- genus *Merhavirus*, including two novel species (TaxoProp 2020.015M.A.v1.Merhavirus_1gen2nsp):
 - *Merida merhavirus* for Merida virus (MERDV), discovered in southern house mosquitoes (*Culex quinquefasciatus* Say, 1823), black salt marsh mosquitoes (*Aedes taeniorhynchus* (Wiedemann, 1821)), and *Aedes trivittatus* (Coquillett, 1902) mosquitoes sampled on Yucatán Peninsula, Mexico [75]. *Culex* rhabdovirus (CXRV) [86] and Merida-like virus Turkey (MLVT) [28] are junior synonyms of MERDV; and
 - *Tritaeiorhynchus merhavirus* for *Culex tritaeiorhynchus* rhabdovirus (CTRV) isolated from culicid mosquitoes (*Aedes taeniorhynchus* (Wiedemann, 1821)) sampled in Chiba (千葉市), Chiba Prefecture (千葉県), Japan [58].

Seven new genera, not assigned to a subfamily, were included in the family:

- genus *Alphacrusrhavirus*, including two new species (TaxoProps 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp and 2020.030M.R.Negarnaviricota_corrections):
 - *Wenling alphacrusrhavirus* for Wenling crustacean virus 10 (WICV-10), discovered by HTS in a pool of marine crustaceans of multiple families sampled in Zhèjì ng Province (浙江省), China [91]; and
 - *Zhejiang alphacrusrhavirus* for Wenling crustacean virus 11 (WICV-11), discovered by HTS in a pool of marine crustaceans of multiple families sampled in Zhèjì ng Province (浙江省), China [91];
- genus *Alphadrosrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Hubei alphadrosrhavirus* for Wuhan house fly virus 2 (WhHFV-2), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) collected in Húb i Province (湖北省), China [61]; and
 - *Shayang alphadrosrhavirus* for Shayang fly virus 3 (SyFV-3), discovered by HTS in oriental latrine flies (*Chrysomya megacephala* (Fabricius, 1794)) collected in Húb i Province (湖北省), China [61];
- genus *Alphahymrhavirus*, including four new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Cinereus alphahymrhavirus* for hymenopteran rhabdo-related virus 38 (HyRRV-38), discovered in a TSA of a leaden spider wasp

- (*Pompilus cinereus* Fabricius, 1798) collected in Birkenheide, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49];
- *Hirtum alphahymrhavirus* for hymenopteran rhabdo-related virus 109 (HyRRV-109), discovered in a TSA of a cricket hunter wasp (*Chlorion hirtum* (Kohl, 1885)) collected in Ein Bokek (עֵין בּוֹכֵק), Israel [49];
- *Neglectus alphahymrhavirus* for *Lasius neglectus* virus 2 (LnegV-2), discovered in the transcriptome of an ant (*Lasius neglectus* Van Loon, Boomsma & Andrásfalvy, 1990) sampled in the UK [52]; and
- *Radians alphahymrhavirus* for hymenopteran rhabdo-related virus 46 (HyRRV-46) discovered in a TSA of a cuckoo wasp (*Chrysura radians* (Harris, 1776)) collected in Turlin, Italy, in 2012 [49];
- genus *Betahymrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Austriaca betahymrhavirus* for hymenopteran rhabdo-related virus 23 (HyRRV-23), discovered in a TSA of a cuckoo wasp (*Chrysura austriaca* (Fabricius, 1804)) collected in Battenberg, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49]. Hymenopteran rhabdo-related virus 22 (HyRRV-22) [49] is a junior synonym of HyRVV-23; and
 - *Heterodontonyx betahymrhavirus* for hymenopteran rhabdo-related virus 24 (HyRRV-24), discovered in a TSA of a spider wasp (*Heterodontonyx* sp.) collected in Western Australia [49];
- genus *Betanemrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Hubei betanemrhavirus* for Hubei rhabdo-like virus 9 (HbRLV-9) detected in large pig roundworms (*Ascaris suum* (Goeze, 1782)) sampled in Húb i Province (湖北省), China [91]; and
 - *Shayang betanemrhavirus* for Shayang ascaridia galli virus 2 (SyAGV-2) detected in roundworms (*Ascaridia galli* Schrank, 1788 and *Ascaris suum* (Goeze, 1782)) sampled in Húb i Province (湖北省), China, [91];
- genus *Betapaprhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Frugiperda betapaprhavirus* for Spodoptera frugiperda rhabdovirus (SfruRV) isolated originally in the Sf9 cell line derived from a fall armyworm (*Spodoptera frugiperda* (J. E. Smith, 1797)) [67]; and
 - *Sylvina betapaprhavirus* for lepidopteran rhabdo-related virus 34 (LeRRV-34), discovered in a TSA of an orange moth (*Triodia sylvina* (Linnaeus, 1761)) collected in Hóhbeck, Lower Saxony (Niedersachsen), Germany [49]; and

- genus *Betaricinrhavirus*, including two new species (TaxoProp 2020.023M.A.v1.Rhabdoviridae_7ngen_16nsp):
 - *Chimay betaricinrhavirus* for Chimay rhabdovirus (CRV), discovered by HTS in castor bean ticks (*Ixodes ricinus* (Linnaeus, 1758)) sampled in Belgium [unpublished; GenBank #MF975531]; and
 - *Scapularis betaricinrhavirus* for blacklegged tick rhabdovirus 1 (BLTRV-1), discovered by HTS in deer ticks (*Ixodes scapularis* Say, 1821) sampled in Connecticut and New York, USA [100].

Genus *Alphanucleorhabdovirus* was expanded by two species (TaxoProp 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Constricta yellow dwarf alphanucleorhabdovirus* for constricta yellow dwarf virus (CYDV) first isolated from potato (*Solanum tuberosum* L.) in New Jersey, USA [11]. Potato yellow dwarf virus New Jersey (PYDV-New Jersey) is a junior synonym of CYDV [48]; and
- *Peach alphanucleorhabdovirus* for peach virus 1 (PeV1), discovered by HTS in peach (*Prunus persica* L.) trees sampled in China [115];

Genus *Betanucleorhabdovirus* was expanded by three species (TaxoProp 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Apple betanucleorhabdovirus* for apple rootstock virus A (ApRVA), discovered by HTS in apple (*Malus* spp.) trees in North Gyeongsang Province (경상북도), South Korea [4];
- *Cardamom betanucleorhabdovirus* for cardamom vein clearing virus (CdVCV), discovered by HTS in green cardamom (*Elettaria cardamomum* (L.) Maton) sampled in India [9]; and
- *Pepper betanucleorhabdovirus* for Zhuye pepper nucleorhabdovirus (ZPNRV), discovered by HTS in winged prickly ash (*Zanthoxylum armatum* DC. v. *novemfolius*) sampled in China [15].

Genus *Cytorhabdovirus* was expanded by five species (TaxoProps 2020.004M.A.v1.Cytorhabdovirus_3nsp and 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Strawberry cytorhabdovirus 1* for strawberry virus 1 (StrV-1) and strawberry-associated virus 1 (SaV-1), discovered by HTS in garden strawberries (*Fragaria × ananassa* Duchesne and *Fragaria vesca* var. *semperflorens* ujaná) and woodland strawberries (*Fragaria vesca* L.) sampled in China [25] and the Czech Republic [31];
- *Trichosanthes cytorhabdovirus 1* for Trichosanthes associated rhabdovirus 1 (TrARV1) identified in the transcriptome of cucurbit flowering plant (*Trichosanthes krilowii* Maxim.) sampled in China [37];

- *Trifolium pratense cytorhabdovirus A* for Trifolium pratense virus A (TpVA) isolated from red clovers (*Trifolium pratense* L.) sampled in Hladké Životice, Moravian-Silesian Region (Moravskoslezský kraj), Czech Republic [32];
- *Trifolium pratense cytorhabdovirus B* for Trifolium pratense virus B (TpVB)), discovered by HTS in red clovers (*Trifolium pratense* L.) sampled in Boršov nad Vltavou, South Bohemia Region (Jiho český kraj), Czech Republic [32]; and
- *Yerba mate cytorhabdovirus* for yerba mate virus A (YmVA), discovered by HTS in yerba mate (*Ilex paraguariensis* A.St.-Hil.) sampled in Gobernador Virasoro, Province of Corrientes (Provincia de Corrientes), Argentina [6].

Genus *Ephemerovirus* was expanded by three species (TaxoProp 2020.005M.A.v1.Ephemerovirus_3nsp):

- *Hayes ephemerovirus* for Hayes Yard virus (HYV) isolated from a zebu (*Bos taurus indicus* Linnaeus, 1758) sampled in Northern Territory, Australia [12];
- *Kent ephemerovirus* for New Kent County virus (NKCV), discovered by HTS in a deer tick (*Ixodes scapularis* Say, 1821) sampled in New Kent County, Virginia, USA [100]; and
- *Puchong ephemerovirus* for Puchong virus (PUCV) first isolated in 1965 from culicid mosquitoes (*Mansonia uniformis* (Theobald, 1901)) collected in Selangor Darul Ehsan State (سلاڠور دار الإحسان), Malaysia [51].

Genus *Ledantavirus* was expanded by one species, *Bughendera ledantavirus*, for Bughendera virus (BUGV), discovered by HTS in nycteribiid bat flies (Dipselipoda) sampled in Bundibugyo District, Western Region, Uganda [7] (TaxoProp 2020.021M.A.v1.Ledantavirus_1nsp).

Genus *Lostrhavirus* was expanded by one species: *Hyalomma lostrhavirus*, for Xinjiang tick rhabdovirus (XjTRV), discovered by HTS in ixodid ticks (*Hyalomma asiaticum* Schulze et Schlotke, 1929) collected in Xinjiang Uygur Autonomous Region (新疆维吾尔自治区), China [unpublished; GenBank #MH688524] (TaxoProp 2020.010M.A.v1.Lostrhavirus_1nsp). Species name *Lonestar zarhavirus* was corrected to *Lonestar lostrhavirus* (TaxoProp 2020.006M.A.v1.Corrections).

Genus *Ohlsrhavirus* was expanded by three species (TaxoProp 2020.007M.A.v1.Ohlsrhavirus_3nsp)

- *Angeles ohlsrhavirus* for Culex rhabdo-like virus Los Angeles (CRLVLA) detected by HTS in culicid mosquitoes (*Culex* sp.) collected in California, USA [86];
- *Lobeira ohlsrhavirus* for Lobeira virus (LOBV), discovered by HTS in culicid mosquitoes (*Psorophora albigena* (Peryassú, 1908) and *Aedes albopictus* (Skuse, 1894)) collected in Mato Grosso State, Brazil [21, 94]; and

- *Pseudovishnui ohlsthavirus* for *Culex pseudovishnui* rhabdo-like virus (CpRLV), discovered by HTS in culicid mosquitoes (*Culex pseudovishnui* Colless, 1957) collected in Isahaya (諫早市), Nagasaki Prefecture (長崎県), Japan [30].

Genus *Sigmavirus* was expanded by ten species (TaxoProp 2020.003M.A.v1.Sigmavirus_10nsp):

- *Capitata sigmavirus* for *Ceratitis capitata* sigmavirus (CCapSV), discovered by HTS in Mediterranean fruit flies (*Ceratitis capitata* (Wiedemann, 1824)) sampled in Hawaii, USA [65];
- *Domestica sigmavirus* for Wuhan fly virus 2 (WhFV-2), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) sampled in Wǔhàn (武汉市), Húb i Province (湖北省), China [61];
- *Hippoboscid sigmavirus* for Wuhan louse fly virus 9 (WhLFV-9), discovered by HTS in louse flies (Hippoboscidae) sampled in Wǔhàn (武汉市), Húb i Province (湖北省), China [61];
- *Hubei sigmavirus* for Hubei diptera virus 9 (HbDV-9), discovered by HTS in unidentified flies (Diptera) sampled in Húb i Province (湖北省), China [91];
- *Lousefly sigmavirus* for Wuhan louse fly virus 10 (WhLFV-10), discovered by HTS in louse flies (Hippoboscidae) sampled in Wǔhàn (武汉市), Húb i Province (湖北省), China [61];
- *Myga sigmavirus* for Hubei diptera virus 10 (HbDV-10), discovered by HTS in unidentified flies (Diptera) sampled in Húb i Province (湖北省), China [91];
- *Shayang sigmavirus* for Shayang fly virus 2 (SyFV-1), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) sampled in Sh yáng County (沙洋县), Húb i Province (湖北省), China [61];
- *Sturtevantii sigmavirus* for *Drosophila sturtevantii* sigmavirus (DStuSV), discovered by HTS in fruit flies (*Drosophila sturtevantii* Duda, 1927) sampled in Granada, Andalusia, Spain [65];
- *Wuhan sigmavirus* for Wuhan house fly virus 1 (WhHFV-1), discovered by HTS in houseflies (*Musca domestica* Linnaeus, 1758) sampled in Wǔhàn (武汉市), Húb i Province (湖北省), China [61, 91]; and
- *Ying sigmavirus* for Hubei dimarhabdovirus 1 (HbDRV-1), discovered by HTS in unidentified flies (Diptera) sampled in Húb i Province (湖北省), China [91].

Genus *Sunrhavirus* was expanded by one species, *Dillard sunrhavirus*, for Dillard's Draw virus (DDRV), discovered by HTS in culicid mosquitoes (*Culex tarsalis* Linnaeus, 1758) sampled in New Mexico, USA [82] (TaxoProp 2020.008M.A.v1.Sunrhavirus_1nsp).

Genus *Varicosavirus* was expanded by two species (TaxoProp 2020.013M.A.v1.Plant_rhabdoviruses_9nsp):

- *Alopecurus varicosavirus* for *Alopecurus myosuroides* varicosavirus 1 (AMVV-1) identified by transcriptome sequencing in black-grass (*Alopecurus myosuroides* Huds.) in the UK [85]; and
- *Trifolium varicosavirus* for red clover associated varicosavirus (RCaVV), discovered by HTS in red clover (*Trifolium pratense* L.) sampled in Hladké Životice, Moravian-Silesian Region (Moravskoslezský kraj), Czech Republic [53].

Genus *Vesiculovirus* was expanded by one species, *Rhinolophus vesiculovirus*, for Jinghong bat virus (JhBV), discovered in an intermediate horseshoe bat (*Rhinolophus affinis* Horsfield, 1823) sampled in Jǐnghóng (景洪市), Yúnnán Province (云南省), China [111] (TaxoProp 2020.009M.A.v1.Vesiculovirus_1nsp_ren1sp). Species *American bat vesiculovirus* was renamed *Eptesicus vesiculovirus* (TaxoProp 2020.009M.A.v1.Vesiculovirus_1nsp_ren1sp).

Taxonomic changes within order *Bunyvirales* (*Polyploviricotina*: *Ellioviricetes*)

Family Arenaviridae—Genus *Antennavirus* was expanded by one species, *Salmon antennavirus*, for salmon pescarenavirus 1 (SPAV-1), discovered by HTS in Chinook salmon (*Oncorhynchus tshawytscha* (Walbaum, 1792)) and salmon pescarenavirus 2 (SPAV-2) in sockeye salmon (*Oncorhynchus nerka* (Walbaum, 1792)) [71] (TaxoProp 2020.018M.A.v1.Antennavirus).

Genus *Hartmanivirus* was expanded by two species: *Heimat hartmanivirus* for andere Heimat virus 1 (aHeV-1) and *Setpatvet hartmanivirus* for SetPatVet virus 1 (SPVV-1), both discovered by HTS in Brazilian boa constrictors (*Boa constrictor* Linnaeus, 1758) [3, 43] (TaxoProp 2020.019M.A.v2.Hartmanivirus).

Genus *Mammarenavirus* was expanded by one species, *Kitale mammarenavirus*, for Kitale virus (KTLV) first discovered by HTS in a Macmillan's grammomys (*Grammomys macmillani* (Wroughton, 1907)), sampled in Kitale, Trans-Nzoia County, Kenya [76] (TaxoProp 2020.017M.A.v2.Mammarenavirus).

Family Cruliviridae—In genus *Lincruvirus*, two new species were established (TaxoProp 2020.002M.A.v2.Lincruvirus_2nsp):

- *Lincruvirus europense* for European shore crab virus 1 (EscV-1; previously named “*Carcinus maenas* Portunibunyavirus 1”), discovered by HTS in European shore crabs (*Carcinus maenas* (Linnaeus, 1758)) [13]; and
- *Lincruvirus sinense* for Chinese mitten crab virus 1 (CmcV-1; previously named “*Eriocheir sinensis* Bunya like virus”), discovered by HTS in Chinese mitten crabs (*Eriocheir sinensis* Milne-Edwards, 1853) [44].

Species *Crustacean lincruvirus* was renamed *Lincruvirus wenlingense* (TaxoProp 2020.002M.A.v2.Lincruvirus_2nsp).

Family Fimoviridae—Genus *Emaravirus* was expanded by ten species:

- *Actinidia emaravirus 2* for Actinidia virus 2 (AcV-2), discovered by RT-PCR in kiwifruit (*Actinidia* sp.) collected in Zhèjī ng Province (浙江省), China [106] (TaxoProp 2020.012P.A.v1.Emaravirus_AcV-2);
- *Aspen mosaic-associated emaravirus* for aspen mosaic-associated virus (AsMaV), discovered by HTS in Eurasian aspen (*Populus tremula* L.) sampled in Sweden [103] (TaxoProp 2020.013P.A.v1.Emaravirus_AsMaV);
- *Camellia japonica-associated emaravirus 1* for Camellia japonica-associated virus 1 (CjaV-1), discovered by HTS in common camellia (*Camellia japonica* L.) sampled at Lake Maggiore, Piedmont, Italy [78, 114] (TaxoProp 2020.018P.A.v1.Emaravirus_CjaV-1);
- *Camellia japonica-associated emaravirus 2* for Camellia japonica-associated virus 2 (CjaV-2), discovered by HTS in common camellia (*Camellia japonica* L.) sampled at Lake Maggiore, Piedmont, Italy [78, 114] TaxoProp 2020.019P.A.v1.Emaravirus_CjaV-2);
- *Jujube yellow mottle-associated emaravirus* for jujube yellow mottle-associated virus (JYMaV), discovered by HTS in jujube (*Ziziphus jujuba* Mill.) sampled in Cháoyáng (朝阳市), Liáoníng Province (辽宁省), China [112] (TaxoProp 2020.020P.A.v1.Emaravirus_JYMaV);
- *Lilac chlorotic ringspot-associated emaravirus* for lilac chlorotic ringspot-associated virus (LiCRaV), discovered by HTS in lilac (*Syringa vulgaris* L.) sampled in Yán' n (延安市), Shaanxi/Shǎnx Province (陕西省), China [105] (TaxoProp 2020.014P.A.v1.Emaravirus_LiCRaV);
- *Palo verde broom emaravirus* for palo verde broom virus (PVBV), discovered by HTS in a blue palo verde tree (*Parkinsonia florida* (Benth. ex A.Gray) S. Wats.) sampled in Arizona, USA [47] (TaxoProp 2020.015P.A.v1.Emaravirus_PVBV);
- *Pear chlorotic leaf spot-associated emaravirus* for pear chlorotic leaf spot-associated virus (PCLSaV), discovered by HTS in Asian pear plants (*Pyrus pyrifolia* (Burm.) Nak.) sampled in southern China [63] (TaxoProp 2020.016P.A.v1.Emaravirus_PCLSaV);
- *Perilla mosaic emaravirus* for perilla mosaic virus (PerMV), discovered in perilla (*Perilla frutescens* (L.) Britton) sampled in Japan [55] (TaxoProp 2020.021P.A.v1.Emaravirus_PerMV); and
- *Ti ringspot-associated emaravirus* for ti ringspot-associated virus (TiRSaV), discovered in ti (*Cordyline fruticosa* L.) sampled on the islands of Oahu, Maui, and Hawaii, USA [74] (TaxoProp 2020.017P.A.v1.Emaravirus_TiRSaV).

Family Hantaviridae—Genus *Actinivirus* was expanded by one species, *Perch actinivirus*, for Bern perch virus (BRPV), discovered by HTS in European perch (*Perca fluviatilis* Linnaeus, 1758) sampled in Switzerland [unpublished; GenBank # [MN510769/MN510770/MN510771](#)] (TaxoProp 2020.025M.A.v2.Hantaviridae_5nsp).

Genus *Mobatvirus* was expanded by two species (TaxoProp 2020.025M.A.v2.Hantaviridae_5nsp):

- *Lena mobatvirus* for Lena virus (LENV), discovered by RT-PCR in a Laxmann's shrew (*Sorex caecutiens* Laxmann, 1785) sampled in Khabarovsk (Хабаровск), Khabarovsk Krai (Хабаровский край,)Russia [113]; and
- *Xuan Son mobatvirus* for Xuân Sơn virus (XSV), discovered by RT-PCR in a Pomona leaf-nosed bat (*Hipposideros pomona* K. Andersen, 1918) in Xuân Sơn National Park, Phú Thọ Province, Vietnam [2].

Genus *Orthohantavirus* was expanded by two species (TaxoProp 2020.025M.A.v2.Hantaviridae_5nsp):

- *Robina orthohantavirus* for Robina virus (ROBV), discovered in a black flying fox (*Pteropus alecto* Temminck, 1837) sampled near Robina, Queensland, Australia [unpublished; GenBank #MK165653/MK165654/MK165655]; and
- *Tatenale orthohantavirus* for Tatenale virus (TATV) first discovered by RT-PCR in a field vole (*Microtus agrestis* (Linnaeus, 1761)) trapped in North West England, UK [16, 81].

Family *Nairoviridae*—Family *Nairoviridae* was thoroughly revised (TaxoProps 2020.027M.A.v1.Nairoviridae_4ngen_30nsp and 2020.030M.R.Negarnaviricota_corrections). Four new genera were added:

- Genus *Norwavirus* was created for a single new species, *Grotenhout norwavirus*, for Grotenhout virus (GRHV), discovered by HTS in a castor bean tick (*Ixodes ricinus* (Linnaeus, 1758)) sampled in Grotenhout, Belgium [101]. Junior synonyms for Grotenhout virus are Norway nairovirus 1 [79] and Pustyn virus [unpublished; GenBank #KT007142/KT007143];
- Genus *Ocetevirus* was created for a single new species, *Blattodean ocetevirus*, for blattodean nairo-related virus 321 (BNRV-321), now renamed red goblin roach virus 1 (RGRV-1), discovered by HTS in a red goblin roach (*Paratemnopteryx coulöniana* (Saussure, 1863)) sampled in Germany [49];
- Genus *Sabavirus* was created for a single new species, *South Bay sabavirus*, for South Bay virus (SBV), discovered by HTS in a deer tick (*Ixodes scapularis* Say, 1821) in Great South Bay, New York, USA [99]; and
- Genus *Xinspivirus* was created for a single new species, *Xinzhou xinspivirus*, for X nzh u spider virus (XSV), discovered by HTS in a brown sailor spider (*Neoscona nautica* (L. Koch, 1875)) in X nzh u District (新洲区), Wùhàn (武汉市), Húb i Province (湖北省), China [61].

Genus *Orthonairovirus* was expanded by 26 species:

- *Abu Hammad orthonairovirus* for Ab Ḥamm d (AHV) was moved from *Dera Ghazi Khan orthonairovirus*;

- *Abu Mina orthonairovirus* for Abu Mina virus (AMV) was moved from *Dera Ghazi Khan orthonairovirus*;
- *Avalon orthonairovirus* for Avalon virus (AVAV) was moved from *Sakhalin orthonairovirus*;
- *Bandia orthonairovirus* for Bandia virus (BDV) was moved from *Qalyub orthonairovirus*;
- *Burana orthonairovirus* for Burana virus (BURV) was moved from *Tamdy orthonairovirus*;
- *Congoid orthonairovirus* for Crimean-Congo hemorrhagic fever virus (CCHFV) genogroup VI (Europe 2), now renamed Aigai virus (AIGV), isolated in 1975 from an ixodid tick (*Rhipicephalus bursa* Canestrini & Fanzago, 1878) sampled in Vergina (Βεργίνα; ancient Aigai [Αἰγαί]), Central Macedonia Region (Περιφέρεια Κεντρικής Μακεδονίας), Greece [77, 116];
- *Erve orthonairovirus* for Erve virus (ERVEV) was moved from *Thiafora orthonairovirus*;
- *Gossas orthonairovirus* for Gossas virus (GOSV) was moved from *Keterah orthonairovirus*;
- *Huangpi orthonairovirus* for Huángpí tick virus 1 (HpTV-1) was moved from *Tamdy orthonairovirus*;
- *Issyk-kul orthonairovirus* for Issyk-kul virus (ISKV) was moved from *Keterah orthonairovirus*;
- *Kupe orthonairovirus* for kupe virus (KUPEV) was moved from *Dugbe orthonairovirus*;
- *Leopards Hill orthonairovirus* for Leopards Hill virus (LPHV) was moved from *Keterah orthonairovirus*;
- *Meram orthonairovirus* for Meram virus (MEMV), discovered by HTS in an ixodid tick (*Hyalomma aegyptium* Linnaeus, 1758) sampled in Konya, Central Anatolia Region (Ç Anadolu Bölgesi), Turkey [29];
- *Pacific Coast orthonairovirus* for Pacific Coast tick nairovirus (PCTNV), discovered by HTS in a Pacific Coast tick (*Dermacentor occidentalis* Marx, 1892) sampled in Mendocino County, California, USA [14];
- *Punta orthonairovirus* for Punta Salinas virus (PSV) was moved from *Hughes orthonairovirus*;
- *Sapphire orthonairovirus* for Sapphire II virus (SAPV) was moved from *Dera Ghazi Khan orthonairovirus*;
- *Scot orthonairovirus* for Clo Mor virus (CLMV) was moved from *Sakhalin orthonairovirus*;

- *Soldado orthonairovirus* for Soldado virus (SOLV) was moved from *Hughes orthonairovirus*;
- *Tacheng orthonairovirus* for Táchéng tick virus 1 (TcTV-1) was moved from *Tamdy orthonairovirus*;
- *Taggert orthonairovirus* for Taggert virus (TAGV) was moved from *Sakhalin orthonairovirus*;
- *Tofla orthonairovirus* for tofla virus (TFLV) was moved from *Hazara orthonairovirus*;
- *Tunis orthonairovirus* for Tunis virus (TUNV) was moved from *Abu Hammad orthonairovirus*;
- *Vinegar Hill orthonairovirus* for Vinegar Hill virus (VINHV) isolated in 1981 from ixodid ticks (*Argas robertsi* Hoogstraal, Kaiser & Kohls, 1968) sampled in Gatton, Queensland, Australia [36, 97];
- *Wenzhou orthonairovirus* for Wenzhou tick virus (WzTV) was moved from *Tamdy orthonairovirus*;
- *Yogue orthonairovirus* for Yogue virus (YOGV) was moved from *Keterah orthonairovirus*; and
- *Zirqa orthonairovirus* for Zirqa virus (ZIRV) was moved from *Hughes orthonairovirus*.

Family Peribunyaviridae—Genus *Orthobunyavirus* was expanded by 16 species (TaxoProps 2020.012M.A.v1.Orthobunyavirus_16new_sp_abolish_1sp and 2020.030M.R.Negarnaviricota_corrections):

- *Brazoran orthobunyavirus* for brazoran virus (BRAZV) isolated from culicid mosquitoes (*Culex* sp.) in Brazoria and Montgomery Counties, Texas, USA [59];
- *Buffalo Creek orthobunyavirus* for Buffalo Creek virus (BUCV) first isolated in 1982 from culicid mosquitoes (*Anopheles meraukensis* Venhuis, 1932) in Darwin, Northern Territory, Australia [34, 107];
- *Gan Gan orthobunyavirus* for Gan Gan virus (GGV) first isolated in 1970 from culicid mosquitoes (*Ochlerotatus vigilax* (Skuse, 1889)) collected at Nelson Bay, New South Wales, Australia [33, 35, 69];
- *Mapputta orthobunyavirus* for Mapputta virus (MAPV) first isolated in 1960 from culicid mosquitoes (*Anopheles meraukensis* Venhuis, 1932) collected in Queensland, Australia [10, 26, 34];
- *Maprik orthobunyavirus* for Maprik virus (MPKV) first isolated in 1966 from culicid mosquitoes (*Verrallina funerea* (Theobald, 1903)) sampled in Maprik, East Sepik Province, Papua New Guinea [27, 34];
- *Oyo orthobunyavirus* for Oyo virus (OYOV) first isolated in 1964 in Nigeria [unpublished; GenBank #[HM63977](#)/[HM63979](#)/[HM63980](#)];

- *Sedlec orthobunyavirus* for Sedlec virus (SEDV) first isolated in 1984 from a Eurasian reed warbler (*Acrocephalus scirpaceus* (Hermann, 1804)) sampled in South Moravian Region (Jihomoravský kraj), Czech Republic [45, 46, 50];
- *Trinita orthobunyavirus* for Trinita virus (TNTV) isolated first in 1955 from a culicid mosquito (*Trichoprosopon* sp.) sampled in Port of Spain, Trinidad and Tobago [62, 96];
- Abras virus (ABRV) was moved from species *Patois orthobunyavirus* into new species *Abras orthobunyavirus*;
- Ananindeua virus (ANUV) was moved from species *Guama orthobunyavirus* into new species *Ananindeua orthobunyavirus*;
- Apeú virus (APEUV) was moved from species *Caraparu orthobunyavirus* into new species *Apeu orthobunyavirus*;
- Bruconha virus (BRUV) was moved from species *Caraparu orthobunyavirus* into new species *Bruconha orthobunyavirus*;
- Mahogany Hammock virus (MHV) was moved from species *Guama orthobunyavirus* into new species *Mahogany Hammock orthobunyavirus*;
- Matruh virus (MTRV) was moved from species *Tete orthobunyavirus* into new species *Matruh orthobunyavirus*;
- Moju virus (MOJUV) was moved from species *Guama orthobunyavirus* into new species *Moju orthobunyavirus*; and
- Shark River virus (SRV) was moved from species *Patois orthobunyavirus* into new species *Shark River orthobunyavirus*.

Species *Zegla orthobunyavirus* was abolished (TaxoProp 2020.012M.A.v1.Orthobunyavirus_16new_sp_abolish_1sp).

Family Phasmaviridae—The family was expanded by new genus *Hymovirus* for two new species (TaxoProp 2020.020M.A.v1.Phasmaviridae):

- *Hymenopteran hymovirus 1* for hymenopteran phasma-related virus OKIAV252 (HyHV-1), discovered by HTS in cuckoo wasps (*Chrysura cuprea* (Rossi, 1790)) in Pondel, Aosta Valley (Valle d'Aosta), Italy [49]; and
- *Hymenopteran hymovirus 2* for hymenopteran phasma-related virus OKIAV250 (HyHV-2) detected in cuckoo wasps (*Chrysis gracillima* Foerster, 1853) in Büchlberg/Godramstein, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49].

Genus *Feravirus* was expanded by two novel species (TaxoProp 2020.020M.A.v1.Phasmaviridae):

- *Hemipteran feravirus* for hemipteran phasma-related virus OKIAV247 (HeFV), discovered by HTS in a hawthorn shield bug (*Acanthosoma haemorrhoidale* (Linnaeus, 1758)) sampled in Donrath, North Rhine-Westphalia (Nordrhein-Westfalen), Germany [49]; and

- *Neuropteran feravirus* for neuropteran phasma-related virus OKIAV248 (NeFV), discovered by HTS in a green lacewing (*Peyerimhoffina gracilis* (Schneider, 1851)) sampled in Dürnstein, Lower Austria (Niederösterreich), Austria [49].

Genus *Orthophasmavirus* was expanded by four novel species (TaxoProp 2020.020M.A.v1.Phasmaviridae):

- *Coleopteran orthophasmavirus* for coleopteran phasma-related virus OKIAV235 (CPRV), discovered by HTS in a harlequin ladybeetle (*Harmonia axyridis* (Pallas, 1773)) sampled in Jena, Thuringia (Thüringen), Germany [49];
- *Hymenopteran orthophasmavirus 1* for hymenopteran phasma-related virus OKIAV228 (HyOV-1), discovered by HTS in a cuckoo wasp (*Philoctetes bogdanovii* (Radoszkowski, 1877)) in Pondel, Aosta Valley (Valle d' Aosta), Italy [49];
- *Hymenopteran orthophasmavirus 2* for hymenopteran phasma-related virus OKIAV227 for (HyOV-2), discovered by HTS in a cuckoo wasp (*Chrysis fasciata* Olivier, 1790) in Bellheim, Rhineland-Palatinate (Rheinland-Pfalz), Germany [49]; and
- *Niukluk phantom orthophasmavirus* for Niukluk phantom virus (NUKV), discovered by HTS in a phantom midge (*Chaoborus americanus* (Johannsen, 1903)) sampled in the Niukluk River valley, Nome Census Area, Alaska, USA [5].

Family Phenuiviridae—The family was expanded by new genus *Tanzavirus* including a single new species, *Human tanzavirus*, for Dar es Salaam virus (DeSV), discovered by HTS in a human plasma sample collected in Dar es Salaam (دار السلام), Tanzania [60] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

Genus *Bandavirus* was expanded by one new species, *Razdan bandavirus*, for Razdan virus (RAZV) isolated from ixodid ticks (*Dermacentor marginatus* Sulzer, 1776) in Armenia in 1973 [66, 117] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp). Species name *Lone Star bandavirus* was corrected to *Lone star bandavirus* (TaxoProp 2020.006M.A.v1.Corrections).

Genus *Coguvirus* was expanded by one new species, *Grapevine coguvirus*, for grapevine associated cogu-like virus 1 (GaCLV-1), discovered by HTS in downy mildew-infected grapevines (*Vitis* sp.) sampled in Italy [18]. (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

Genus *Horwuvirus* was expanded by one new species, *Kimberley horwuvirus*, for Fitzroy Crossing tenui-like virus 1 (FCTenV1) detected in culicid mosquitoes (*Culex annulirostris* Skuse, 1889) sampled in Kimberley Region, Australia [108] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

Genus *Laulavirus* was expanded by three new species: *Grapevine laulavirus 2, 3, and 4* for grapevine associated cogu-like viruses 2, 3, and 4 (GaCLV-2, GaCLV-3, GaCLV-4),

respectively, discovered by HTS in downy mildew-infected grapevines (*Vitis* sp.) (GaCLV-2 and GaCLV-3) and esca-diseased grapevines (GaCLV-4) sampled in Italy [8, 18] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

Genus *Mobuvirus* was expanded by one new species, *Narangué mobuvirus*, for Ñarangué virus (NRGV), discovered by HTS in a culicid mosquito (*Mansonia titillans* (Walker, 1848)) sampled in Colombia [unpublished; GenBank #MN661012/MN661013/MN661014] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

Genus *Phasivirus* was expanded by two new species:

- *Guadeloupe phasivirus* for Guadeloupe mosquito phasivirus (GMPV), discovered by HTS in mosquitoes (*Aedes* sp.) collected in Les Abymes, Guadeloupe, France [89]; and
- *Kimberley phasivirus* for Parry's Creek phasivirus 1 (PCPhasV1), discovered by HTS in culicid mosquitoes (*Culex annulirostris* Skuse, 1889) sampled in Kimberley Region, Australia [108] (TaxoProps 2020.029M.A.v2.Phenuiviridae_1gen16sp and 2020.030M.R.Negarnaviricota_corrections).

Genus *Phlebovirus* was expanded by six species:

- *Bogoria phlebovirus* for Bogoria virus (BGRV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp);
- *Corfou phlebovirus* for Corfou virus (CFUV) isolated from psychodid sandflies (*Phlebotomus major* Annandale, 1910) sampled in Corfou (Κέρκυρα), Ionian Islands (Περιφέρεια Ιονίων Νήσων), Greece, 1981 [1, 83] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp);
- *Embossos phlebovirus* for Embossos virus (EMBV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp);
- *Kiborgoch phlebovirus* for Kiborgoch virus (KBGV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp);
- *Penshurt phlebovirus* for Penshurt virus (PEHV), discovered by RT-PCR in a Hoffmann's two-toed sloth (*Choloepus hoffmanni* Peters, 1858) sampled in Limón Province, Costa Rica [22] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp); and
- *Perkerra phlebovirus* for Perkerra virus (PKEV), discovered by HTS in phlebotomine sandflies sampled in Kapkuikui, Rift Valley Province, Kenya [68] (TaxoProp 2020.022M.A.v1.Phlebovirus_4sp).

Species names *Salobo phlebovirus* and *Tico phlebovirus* were corrected to *Salobo phlebovirus* and *Tico phlebovirus*, respectively (TaxoProp 2020.006M.A.v1.Corrections).

Genus *Pidchovirus* was expanded by one new species, *Coleopteran pidchovirus*, for coleopteran phenui-related virus 308 (CoPrV-308), discovered by HTS in spider mite destroyers (*Stethorus* sp.) sampled on Mount Tamborine, Queensland, Australia [49]. (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

Genus *Rubodvirus* was expanded by two new species: *Grapevine rubodvirus 1* and *2* for grapevine Garan dmak virus (GGDV) and grapevine Muscat rose virus for (GMRV), discovered by HTS in grapevines (*Vitis vinifera* L.) samples from Armenia and Argentina, respectively [24] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

Genus *Tenuivirus* was expanded by one new species, *European wheat striate mosaic tenuivirus*, for European wheat striate mosaic virus (EWSMV) originally discovered in oats (*Avena sativa* L. cv. Pepino) in the 1960s [95] (TaxoProp 2020.029M.A.v2.Phenuiviridae_1gen16sp).

In genus *Wenrivirus*, Mourilyan virus (MoV), first discovered in 1996 in giant tiger prawns (*Penaeus monodon* Fabricius, 1798) sampled in Mourilyan, Queensland, Australia [19], was recognized as a senior synonym of W nzh u shrimp virus 1 (WzSV-1) [20].

SUMMARY

A summary of the current, ICTV-accepted taxonomy of the phylum *Negarnaviricota* is presented in an order-specific manner in Table 1 (*Goujianvirales*), Table 2 (*Jingchuvirales*), Table 3 (*Mononegavirales*), Table 4 (*Muvirales*), Table 5 (*Serpentovirales*), Table 6 (*Articulavirales*), and Table 7 (*Bunyavirales*) and in form of two posters (Supplementary Figure 1).

Supplementary Material

Refer to Web version on PubMed Central for supplementary material.

Authors

Jens H. Kuhn^{I,II,IV,V,VI,IX,XI,XII,XIII,a,1,*},

Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA

Scott Adkins^{V,XVI,XXIII},

United States Department of Agriculture, Agricultural Research Service, US Horticultural Research Laboratory, Fort Pierce, Florida, USA

Bernard R. Agwanda,

Zoology Department, National Museums of Kenya, Nairobi, Kenya; Jomo Kenyatta University of Agriculture & Technology, Kenya

Rim Alg Kubrusli,

Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences, Germany

Sergey V. Alkhovsky^{XI,XVI},
D.I. Ivanovsky Institute of Virology of N.F. Gamaleya National Center on
Epidemiology and Microbiology of Ministry of Health of Russian Federation, Russia

Gaya K. Amarasinghe^{VI},
Department of Pathology and Immunology, Washington University School of
Medicine, St. Louis, Missouri, USA

Tatjana Avši -Županc^{XI},
University of Ljubljana, Ljubljana Faculty of Medicine, Slovenia

María A. Ayllón^X,
Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de
Madrid—Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria,
Campus de Montegancedo, Pozuelo de Alarcón, Madrid, Spain; Departamento
de Biotecnología-Biología Vegetal, Escuela Técnica Superior de Ingeniería
Agronómica, Alimentaria y de Biosistemas, Universidad Politécnica de Madrid,
Madrid, Spain

Justin Bahl^{XIV},
Center for Ecology of Infectious Diseases, Department of Infectious Diseases,
Department of Epidemiology and Biostatistics, Institute of Bioinformatics, University
of Georgia, Athens GA, USA

Anne Balkema-Buschmann^{XV},
Friedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Institute of
Novel and Emerging Infectious Diseases, Greifswald-Insel Riems, Germany

Matthew J. Ballinger^{XVII},
Department of Biological Sciences, Mississippi State University, Mississippi State,
Mississippi, USA

Christopher F. Basler^{VI},
Center for Microbial Pathogenesis, Institute for Biomedical Sciences, Georgia State
University, Atlanta, Georgia, USA

Sina Bavari^{VI},
Edge BioInnovation Consulting and Mgt, Frederick, Maryland, USA

Martin Beer^{XVI},
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems,
Germany

Nicolas Bejerman,
UFyMA, INTA-CONICET, Cordoba, Argentina

Andrew J. Bennett,
Genomics and Bioinformatics Department, Biological Defense Research
Directorate, Naval Medical Research Center—Frederick, Fort Detrick, Frederick, MD,
USA

Dennis A. Bente^{XI},

University of Texas Medical Branch, Galveston, Texas, USA

Éric Bergeron^{XI},
Viral Special Pathogens Branch, Division of High-Consequence Pathogens and
Pathology, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Brian H. Bird,
School of Veterinary Medicine, One Health Institute, University of California, Davis
California USA

Carol D. Blair^{XVI},
Dept. of Microbiology, Immunology & Pathology, Colorado State University, Fort
Collins, CO USA

Kim R. Blasdell^{XX},
Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australian
Centre for Disease Preparedness, Geelong, Victoria, Australia

Dag-Ragnar Blystad,
NIBIO - Norwegian Institute of Bioeconomy Research

Jamie Bojko,
School of Health and Life Sciences, Teesside University, Middlesbrough, TS1 3BX,
United Kingdom; National Horizons Centre, Teesside University, Darlington, DL1
1HG, United Kingdom

Wayne B. Borth,
University of Hawaii, Honolulu, HI, USA

Steven Bradfute^{VIII},
University of New Mexico Health Sciences Center, Albuquerque, New Mexico, USA

Rachel Breyta^{XX},
University of Washington, Seattle, Washington, USA; US Geological Survey,
Western Fisheries Research Center, Seattle, Washington, USA

Thomas Briese^{IV,XVIII},
Center for Infection and Immunity, and Department of Epidemiology, Mailman
School of Public Health, Columbia University, New York, New York, USA

Paul A. Brown^{XIX},
French Agency for Food, Environmental and Occupational Health Safety ANSES,
Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France

Judith K. Brown,
School of Plant Sciences, University of Arizona, Tucson, Arizona, USA

Ursula J. Buchholz^{XIX},
RNA Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy
and Infectious Diseases, National Institutes of Health, Bethesda, Maryland, USA

Michael J. Buchmeier^I,

Department of Molecular Biology and Biochemistry, University of California, Irvine, California, USA

Alexander Bukreyev^{VI},
The University of Texas Medical Branch at Galveston, Galveston National Laboratory, Galveston, Texas, USA; Galveston National Laboratory, The University of Texas, Medical Branch at Galveston, Galveston, TX, USA

Felicity Burt^{XI},
Division of Virology, National Health Laboratory Service and Division of Virology, University of the Free State, Bloemfontein, Republic of South Africa

Carmen Büttner,
Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences, Germany

Charles H. Calisher^{VIII,XVI},
Colorado State University, Fort Collins, Colorado

Mengji Cao,
National Citrus Engineering and Technology Research Center, Citrus Research Institute, Southwest University, Beibei, Chongqing, China

Inmaculada Casas^{XIV},
Respiratory Virus and Influenza Unit, National Microbiology Center, Instituto de Salud Carlos III, Madrid, Spain

Kartik Chandran^{VI},
Department of Microbiology and Immunology, Albert Einstein College of Medicine, Bronx, New York, USA

Rémi N. Charrel^{I,XVIII},
Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU Méditerranée Infection), Marseille, France

Qi Cheng,
State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University, Hangzhou, China

Yuya Chiaki,
Grape and Persimmon Research Station, Institute of Fruit tree and Tea Science, NARO, Higashihiroshima, Hiroshima, Japan

Marco Chiapello,
Institute for Sustainable Plant Protection, National Research Council of Italy (CNR), Strada delle Cacce 73, 10135 Torino, Italy

Il-Ryong Choi^{XXII},
Plant Breeding Genetics and Biotechnology Division and International Rice Research Institute, Los Baños, Philippines

Marina Ciuffo,

Institute for Sustainable Plant Protection, National Research Council of Italy (CNR),
Strada delle Cacce 73, 10135 Torino, Italy

J. Christopher S. Clegg^I,
Les Mandinaux, Le Grand Madieu, France

Ian Crozier^{VI},
Clinical Monitoring Research Program Directorate, Frederick National Laboratory for
Cancer Research, Frederick, Maryland USA

Elena Dal Bó^{III},
CIDEFI. Facultad de Ciencias Agrarias y Forestales, Universidad de La Plata, La
Plata, Argentina

Xavier De Lamballerie^{XVIII},
Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU
Méditerranée Infection), Marseille, France

Juan Carlos de la Torre^{I,V,2},
Department of Immunology and Microbiology IMM-6, The Scripps Research
Institute, La Jolla, California, USA

Rik L. de Swart^{XIX},
Department Viroscience, Erasmus MC, University Medical Centre Rotterdam, The
Netherlands

Humberto Debat,
Centro de Investigaciones Agropecuarias, Instituto Nacional de Tecnología
Agropecuaria (IPAVE-CIAP-INTA), Córdoba, Argentina; Unidad de Fitopatología y
Modelización Agrícola, Consejo Nacional de Investigaciones Científicas y Técnicas
(UFYMA-CONICET), Córdoba, Argentina

Nolwenn M. Dheilly,
UMR 1161 Virology ANSES/INRAE/ENVA, ANSES Animal Health Laboratory,
94704 Maisons-Alfort, France

Emiliano Di Cicco,
Pacific Salmon Foundation, Vancouver, British Columbia, Canada

Nicholas Di Paola^{XI,3},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick,
Frederick, Maryland, USA

Francesco Di Serio,
Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle
Ricerche, Bari, Italy

Ralf G. Dietzgen^{II,IX,XIII,XX,4},
Queensland Alliance for Agriculture and Food Innovation, The University of
Queensland, St. Lucia, Queensland, Australia

Michele Digiaro^{VII},

CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy

Olga Dolnik^{VI},
Institute of Virology, Philipps University Marburg, Marburg, Germany

Michael A. Drebot^{XVI},
Zoonotic Diseases and Special Pathogens, National Microbiology Laboratory, Public Health Agency of Canada, Winnipeg, Manitoba, Canada

J. Felix Drexler^{XIX},
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt Universität Berlin, Berlin, Germany

Ralf Dürrwald^{IV},
Robert Koch Institut, Berlin, Germany

William G. Dundon^{XV},
Animal Production and Health Laboratory, Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Department of Nuclear Sciences and Applications, International Atomic Energy Agency, Vienna, Austria

W. Paul Duprex^{IX,XV,XIX,5},
University of Pittsburgh, School of Medicine, Pittsburgh, Pennsylvania, USA

John M. Dye^{VI},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA

Andrew J. Easton^{XV,XIX},
School of Life Sciences, University of Warwick, Coventry, UK

Hideki Ebihara^{XVIII},
Department of Molecular Medicine, Mayo Clinic, Rochester, Minnesota, USA

Toufic Elbeaino^{VII},
Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy

Koray Ergünay^{XI},
Virology Unit, Department of Medical Microbiology, Hacettepe University Faculty of Medicine, Ankara, Turkey

Hugh W. Ferguson,
School of Veterinary Medicine, St George's University, True Blue, Grenada, West Indies

Anthony R. Fooks^{XX},
Animal and Plant Health Agency, Weybridge, Surrey, UK

Marco Forgia,
Institute for sustainable plant protection - CNR, Torino, Italy

Pierre B. H. Formenty^{VI},
World Health Organization, Geneva, Switzerland

Jana Fránová,
Plant Virology Department, Institute of Plant Molecular Biology, Biology Centre
CAS, Czech Republic

Juliana Freitas-Astúa^{XX,6},
Embrapa Cassava and Fruits, Cruz das Almas, Bahia, Brazil

Jingjing Fu,
College of Life Science and Engineering, Shenyang University, Shenyang, Liaoning,
China

Stephanie Fühl,
Humboldt-Universität zu Berlin, Albrecht Daniel Thaer-Institute for Crop and Animal
Sciences, Division Phytomedicine, Berlin, Germany

Selma Gago-Zachert^{II},
Institute of Biochemistry and Biotechnology, Martin Luther University Halle-
Wittenberg, Halle/Saale, Germany

George Fú G o^{XVIII},
National Institute for Viral Disease Control and Prevention, Chinese Center for
Disease Control and Prevention, Beijing, China

María Laura García^{III},
Instituto de Biotecnología y Biología Molecular, Facultad de Ciencias Exactas,
CONICET UNLP, La Plata, Argentina

Adolfo García-Sastre^{XIV,7},
Icahn School of Medicine at Mount Sinai, New York, NY, USA

Aura R. Garrison^{XI},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick,
Frederick, Maryland, USA

Thomas Gaskin,
Landesamt für ländliche Entwicklung, Landwirtschaft und Flurneuordnung, Frankfurt
(Oder), Germany.; Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty
of Life Sciences, Germany

Tony L. Goldberg,
Department of Pathobiological Sciences, School of Veterinary Medicine, University
of Wisconsin-Madison, Madison Wisconsin, USA

Jean-Paul J. Gonzalez^I,
Department of Microbiology & Immunology, Division of Biomedical Graduate
Research Organization, School of Medicine, Georgetown University, Washington,
DC 20057, USA; Centaurus Biotechnologies, CTP, Manassas, VA, USA

Anthony Griffiths^{VI},
Department of Microbiology and National Emerging Infectious Diseases
Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA

Martin H. Groschup^{XVIII},
Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut,
Greifswald-Insel Riems, Germany

Stephan Günther^I,
Bernhard-Nocht Institute for Tropical Medicine, WHO Collaborating Centre for
Arboviruses and Hemorrhagic Fever Reference and Research, Department of
Virology, Hamburg, Germany

Roy A. Hall^{XVII},
Australian Infectious Diseases Research Centre, School of Chemistry and
Molecular Biosciences, The University of Queensland, Brisbane, Australia

John Hammond^{III},
United States Department of Agriculture, Agricultural Research Service, USNA,
Floral and Nursery Plants Research Unit, Beltsville, Maryland, USA

Tong Han,
College of Life Science and Engineering, Shenyang University, Shenyang, Liaoning,
China

Jussi Hepojoki^I,
University of Helsinki, Medicum, Department of Virology, Helsinki, Finland; Institute
of Veterinary Pathology, Vetsuisse Faculty, University of Zurich, Zurich, Switzerland

Roger Hewson^{VI,XI},
London School of Hygiene and Tropical Medicine, London, UK

Jiang Hong,
Analysis Center of Agrobiological Sciences, Zhejiang University,
Hangzhou, China

Ni Hong,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

Seiji Hongo^{XIV},
Department of Infectious Diseases, Yamagata University Faculty of Medicine,
Yamagata, Japan

Masayuki Horie^{IV},
Hakubi Center for Advanced Research, Kyoto University, Kyoto, Japan; Division of
Veterinary Sciences, Graduate School of Life and Environmental Sciences, Osaka
Prefecture University, Izumisano, Japan

John S. Hu,
University of Hawaii, Honolulu, HI, USA

Tao Hu,
State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University,
Hangzhou, China

- Holly R. Hughes^{XVI,8},
Centers for Disease Control and Prevention, Fort Collins, Colorado, USA
- Florian Hüttner,
Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences,
Germany
- Timothy H. Hyndman^{IV,XXI,9},
School of Veterinary Medicine, Murdoch University, Murdoch, Western Australia,
Australia
- M. Ilyas,
Entomology and Plant Pathology, North Carolina State University, Raleigh, North
Carolina, USA
- Risto Jalkanen,
Silva Lapponica, Rovaniemi, Finland
- Dàohóng Ji ng^{II,IX,X,XIII,10},
State Key Laboratory of Agricultural Microbiology, Huazhong Agricultural University,
Wuhan, Hubei Province, China
- Gilda B. Jonson^{XXII},
Rice Breeding Innovations Platform, International Rice Research Institute, Los
Baños, Laguna, Philippines
- Sandra Junglen^{V,XVII,11},
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free
University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin,
Germany; German Centre for Infection Research, Berlin, Germany
- Fujio Kadono,
Department of Clinical Plant Science, Faculty of Bioscience and Applied Chemistry,
Hosei University, Koganei, Tokyo, Japan
- Karia H. Kaukinen,
Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, British
Columbia, Canada
- Michael Kawate,
University of Hawaii, Honolulu, HI, USA
- Boris Klempa^{VIII},
Institute of Virology, Biomedical Research Center, Slovak Academy of Sciences,
Bratislava, Slovakia
- Jonas Klingström^{VIII},
Center for Infectious Medicine, Department of Medicine Huddinge, Karolinska
Institutet, Karolinska University Hospital, Stockholm, Sweden
- Gary Kobinger^{VI},

Department of Microbiology, Immunology & Infectious Diseases, Université Laval,
Quebec City, Canada

Igor Koloniuk,
Plant Virology Department, Institute of Plant Molecular Biology, Biology Centre
CAS, Czech Republic

Hideki Kond ^{XX},
Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan

Eugene V. Koonin^{XII},
National Center for Biotechnology Information, National Library of Medicine,
National Institutes of Health, Bethesda, Maryland, USA

Mart Krupovic^{XII,b},
Archaeal Virology Unit, Institut Pasteur, Paris, France

Kenji Kubota,
Central Region Agricultural Research Center, NARO, Tsukuba, Ibaraki, Japan

Gael Kurath^{XV,XX,XXI},
US Geological Survey Western Fisheries Research Center, Seattle, Washington,
USA

Lies Laenen^{VIII},
KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium;
Department of Laboratory Medicine, University Hospitals Leuven, Leuven, Belgium

Amy J. Lambert^{V,XVI,XXIII},
Centers for Disease Control and Prevention, Fort Collins, Colorado, USA

Stanley L. Langevin^{XVII},
Department of Microbiology, University of Washington, Washington, USA

Benhur Lee^{XV},
Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York,
New York, USA

Elliot J. Lefkowitz^C,
The University of Alabama at Birmingham, Birmingham, AL, USA

Eric M. Leroy^{VI},
MIVEGEC (IRD-CNRS-Montpellier university) unit, French National Research
Institute for Sustainable Development (IRD), Montpellier, France

Jiànróng Lǐ^{XIX},
Department of Veterinary Biosciences, College of Veterinary Medicine, The Ohio
State University, Columbus, Ohio, USA

Longhui Li,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

Shaorong Li,

Fisheries and Oceans Canada, Pacific Biological Station, 3190 Hammond Bay Road, Nanaimo, British Columbia, V9T 6N7, Canada

Huazhen Liu,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

Igor S. Lukashevich^I,
Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, Kentucky, USA

Piet Maes^{V, VIII, IX, 12},
KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium

William Marciel de Souza^{XVI},
Virology Research Center, University of São Paulo, Ribeirão Preto, Brazil

Marco Marklewitz^{V, XVI},
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany; German Center for Infection Research (DZIF), Berlin, Germany

Sergio H. Marshall^{XIV},
C Biology Department Faculty of Sciences Pontifical Catholic University of Valparaíso -Curauma Campus-Valparaíso-Chile; Pontificia Universidad Católica de Valparaíso, Campus Curauma, Valparaíso, Chile

Shin-Yi L. Marzano^X,
United States Department of Agriculture, Agricultural Research Service

John W. McCauley^{XIV},
Worldwide Influenza Centre, Francis Crick Institute, London, UK

Michael Melzer,
Plant and Environmental Protection Sciences, University of Hawai'i at Mānoa, Honolulu, Hawaii, USA

Nicole Mielke-Ehret^{VII},
Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany

Kristina M. Miller,
Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, British Columbia, Canada

Tobi J. Ming,
Molecular Genetics, Pacific Biological Station, Department of Fisheries and Oceans, Canada

Ali Mirazimi^{XI},
Folkhälsomyndigheten, Stockholm, Sweden

Gideon J. Mordecai,

Department of Medicine, University of British Columbia, Vancouver, Canada.

Hans-Peter Mühlbach^{VII},
Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany

Elke Mühlberger^{VI},
Department of Microbiology and National Emerging Infectious Diseases
Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA

Rayapati Naidu^{XXIII},
Washington State University, Department of Plant Pathology, Irrigated Agricultural
Research and Extension Center, Prosser, Washington, USA

Tomohide Natsuaki^{III},
School of Agriculture, Utsunomiya University, Utsunomiya, Tochigi, Japan

José A. Navarro^{III},
Instituto de Biología Molecular y Celular de Plantas, Universitat Politècnica de
València-Consejo Superior de Investigaciones Científicas, Valencia, Spain

Sergey V. Netesov^{VI},
Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia

Gabriele Neumann^{XIV},
Influenza Research Institute, Dept. of Pathobiological Sciences, University of
Wisconsin-Madison

Norbert Nowotny^{IV},
Institute of Virology, University of Veterinary Medicine Vienna, Vienna, Austria;
College of Medicine, Mohammed Bin Rashid University of Medicine and Health
Sciences, Dubai, United Arab Emirates

Márcio R. T. Nunes^{XVI, XVIII},
Evandro Chagas Institute, Ministry of Health, Pará, Brazil

Alejandro Olmedo-Velarde,
University of Hawaii, Honolulu, Hawaii, USA

Gustavo Palacios^{V, VI, XI, XVIII, 13, 14},
United States Army Medical Research Institute of Infectious Diseases, Fort Detrick,
Frederick, Maryland, USA

Vicente Pallás^{III},
Instituto de Biología Molecular y Celular de Plantas (IBMCP), Consejo Superior de
Investigaciones Científicas-Universidad Politécnica de Valencia, Valencia, Spain

Bernadett Pályi^{VI},
National Biosafety Laboratory, National Public Health Center, Budapest, Hungary

Anna Papa^{XI},
National Reference Centre for Arboviruses and Haemorrhagic Fever viruses,
Department of Microbiology, Medical School, Aristotle University of Thessaloniki,
Thessaloniki, Greece

Sofia Paraskevopoulou,
Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie
Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health,
Berlin, Germany

Adam C. Park,
University of Hawaii, Honolulu, Hawaii, USA; Hawaii Department of Agriculture,
Honolulu, HI, USA

Colin R. Parrish^{XIV},
Baker Institute for Animal Health, College of Veterinary Medicine, Cornell University,
Ithaca, New York, USA

David A. Patterson,
Fisheries and Oceans Canada, Resource and Environmental Management, Simon
Fraser University, Burnaby, BC, Canada

Alex Pauvolid-Corrêa^{XVII},
Department of Veterinary Integrated Biosciences and Department of Entomology,
Texas A&M University, College Station, USA; Laboratory of Respiratory Viruses and
Measles, Fiocruz, Rio de Janeiro, Brazil

Janusz T. Pawłska^{VI,IX},
Center for Emerging Zoonotic and Parasitic Diseases, National Institute for
Communicable Diseases of the National Health Laboratory Service, Sandringham-
Johannesburg, Gauteng, South Africa

Susan Payne^{IV},
Department of Veterinary Pathobiology, College of Veterinary Medicine and
Biomedical Sciences, Texas A&M University, College Station, Texas, USA

Carlotta Peracchio,
Institute for Sustainable Plant Protection, National Research Council of Italy (CNR),
Strada delle Cacce 73, 10135 Torino, Italy

Daniel R. Pérez^{XIV},
Department of Population Health, College of Veterinary Medicine, University of
Georgia, Athens, Georgia, USA

Thomas S. Postler,
Department of Microbiology & Immunology, Vagelos College of Physicians &
Surgeons, Columbia University Irving Medical Center, New York, NY 10032, U.S.A.

Liyong Qi,
Jiangxi Academy of Agricultural Sciences, Nanchang, Jiangxi, China

Sheli R. Radoshitzky^I,
The Geneva Foundation, Tacoma, Washington, USA

Renato O. Resende^{XXIII},
Departamento de Biologia Celular, Universidade de Brasília, Brasília, Brazil

Carina A. Reyes^{III},
Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La Plata, Buenos Aires, Argentina

Bertus K. Rima^{IX,XV},
Centre for Experimental Medicine, School of Medicine, Dentistry and Biomedical Sciences, The Queen's University of Belfast, Belfast, Northern Ireland, UK

Gabriel Robles Luna^{III},
Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La Plata, Buenos Aires, Argentina

Víctor Romanowski^I,
Instituto de Biotecnología y Biología Molecular, Centro Científico Tecnológico-La Plata, Consejo Nacional de Investigaciones Científico Tecnológico—Universidad Nacional de La Plata, La Plata, Argentina

Paul Rota^{XV},
National Center for Immunization and Respiratory Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Dennis Rubbenstroth^{IV,IX,15},
Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald – Insel Riems, Germany

Luisa Rubino^d,
Consiglio Nazionale delle Ricerche, Istituto per la Protezione Sostenibile delle Piante, Bari, Italy

Jonathan A. Runstadler^{XIV},
Department of Infectious Disease & Global Health, Tufts University Cummings School of Veterinary Medicine, 200 Westboro Road, North Grafton, MA 01536 USA

Sead Sabanadzovic^f,
Department of Biochemistry, Molecular Biology, Entomology and Plant Pathology, Mississippi State University, Mississippi State, Mississippi, USA

Amadou Alpha Sall^{XI},
Institut Pasteur de Dakar, Dakar, Senegal

Maria S. Salvato^I,
Institute of Human Virology, University of Maryland School of Medicine, Baltimore, Maryland, USA

Rosemary Sang,
International Centre of Insect Physiology and Ecology, Nairobi, Kenya

Takahide Sasaya^{III,V,XVIII,XXII,14},
Institute for Plant Protection, National Agriculture and Food Research Organization, Tsukuba, Japan

Angela D. Schulze,

Molecular Genetics Lab, Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, B.C.

Martin Schwemmler^{XIV},
University Medical Center-University Freiburg, Faculty of Medicine, Freiburg, Germany

Mang Shi,
Sun Yat-sen University, Shenzhen, China

Xiāohóng Shí^{XVI},
MRC-University of Glasgow Centre for Virus Research, Glasgow, Scotland, UK

Zhènglì Shí,
CAS Key Laboratory of Special Pathogens, Wuhan Institute of Virology, Center for Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, Hubei, People's Republic of China.

Yoshifumi Shimomoto,
Kochi Agricultural Research Center, Nankoku, Kochi, Japan

Yukio Shirako^{XXII},
Asian Center for Bioresources and Environmental Sciences, University of Tokyo, Tokyo, Japan

Stuart G. Siddell^g,
School of Cellular and Molecular Medicine, University of Bristol, Bristol, UK

Peter Simmonds^h,
Nuffield Department of Medicine, University of Oxford, Oxford, UK

Manuela Sironi^l,
Bioinformatics Unit, Scientific Institute IRCCS "E. Medea," Bosisio Parini, Italy

Guy Smagghe,
Ghent University, Faculty of Bioscience Engineering, Department of Plants and Crops, Ghent, Belgium

Sophie Smither^{VI},
CBR Division, Dstl, Porton Down, Salisbury, Wiltshire, UK

Jin-Won Song^{VIII, XVIII},
Department of Microbiology, College of Medicine, Korea University, Seoul, Republic of Korea

Kirsten Spann^{XIX},
School of Biomedical Sciences, Faculty of Health, Queensland University of Technology, Brisbane, Queensland, Australia

Jessica R. Spengler^{XI},
Viral Special Pathogens Branch, Division of High-Consequence Pathogens & Pathology, Centers for Disease Control & Prevention

Mark D. Stenglein^{I, IV},

Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, Colorado, USA

David M. Stone^{XX},
Centre for Environment, Fisheries and Aquaculture Science, Weymouth, Dorset, UK

Jari Sugano,
University of Hawaii, Honolulu, HI, USA

Curtis A. Suttle,
Departments of Earth, Ocean & Atmospheric Sciences, Microbiology & Immunology, and Botany, and the Institute for Oceans & Fisheries, University of British Columbia, Vancouver, Canada

Amy Tabata,
Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, British Columbia, Canada

Ayato Takada^{VI},
Division of Global Epidemiology, Research Center for Zoonosis Control, Hokkaido University, Sapporo, Japan

Shigeharu Takeuchi,
Japan Plant Protection Association Kochi Experiment Station, Konan, Kochi, Japan

David P. Tchouassi,
International Centre of Insect Physiology and Ecology, Nairobi, Kenya

Amy Teffer,
Department of Forest Sciences, University of British Columbia, Vancouver, Canada

Robert B. Tesh^{XX},
The University of Texas Medical Branch, Galveston, Texas, USA

Natalie J. Thornburg^{XIX},
Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Yasuhiro Tomitaka,
Kyushu Okinawa Agricultural Research Center, NARO, Koshi, Kumamoto, Japan

Keiz Tomonaga^{IV},
Institute for Frontier Life and Medical Sciences (inFront), Kyoto University, Kyoto, Japan

Noël Tordo^{XX},
Institut Pasteur, Unité des Stratégies Antivirales, WHO Collaborative Centre for Viral Haemorrhagic Fevers and Arboviruses, OIE Reference Laboratory for RVFV & CCHFV, Paris, France & Institut Pasteur de Guinée, Conakry, Guinea

Baldwyn Torto,
International Centre of Insect Physiology and Ecology, Nairobi, Kenya

Jonathan S. Towner^{VI},

Viral Special Pathogens Branch, Division of High-Consequence Pathogens Pathology, National Center for Emerging and Zoonotic Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Shinya Tsuda,
Department of Clinical Plant Science, Faculty of Bioscience and Applied Chemistry, Hosei University, Koganei, Tokyo, Japan

Changchun Tu,
Changchun Veterinary Research Institute, Chinese Academy of Agricultural Sciences, Changchun, Jilin Province, China

Massimo Turina^{XXIII},
National Institute of Optics, National Research Council of Italy (INO-CNR), Via Branze 45, 25123 Brescia, Italy

Ioannis E. Tzanetakis^{III},
Dept. of Entomology & Plant Pathology, Division of Agriculture, University of Arkansas System, Fayetteville, AR 72701

Janice Uchida,
University of Hawaii, Honolulu, HI, USA

Tomio Usugi,
Central Region Agricultural Research Center, NARO, Tsukuba, Ibaraki, Japan

Anna Maria Vaira^{III},
Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), 73 Strada delle Cacce, 10135 Torino, Italy

Marta Vallino,
Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), 73 Strada delle Cacce, 10135 Torino, Italy

Bernadette van den Hoogen^{XIX},
Department of Viroscience, Erasmus MC, University Medical Centre Rotterdam, Rotterdam, the Netherlands

Arvind Varsaniⁱ,
The Biodesign Center for Fundamental and Applied Microbiomics, Center for Evolution and Medicine School of Life Sciences, Arizona State University, Tempe, Arizona, USA; Structural Biology Research Unit, Department of Clinical Laboratory Sciences, University of Cape Town, Observatory, Cape Town, South Africa

Nikos Vasilakis^{II,XIII,XX},
The University of Texas Medical Branch, Galveston, Texas, USA

Martin Verbeek^{III},
Wageningen University and Research, Biointeractions and Plant Health, Wageningen, The Netherlands

Susanne von Bargaen,

Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences,
Germany

Victoria Wahl^{VI},
National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick,
MD, USA

Jiro Wada,
Integrated Research Facility at Fort Detrick, National Institute of Allergy and
Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA

Peter J. Walker^{IX,XX,j,6},
School of Chemistry and Molecular Biosciences, University of Queensland, St.
Lucia, Queensland, Australia

Guoping Wang,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

Lin-Fa Wang^{XV},
Programme in Emerging Infectious Diseases, Duke-NUS Medical School,
Singapore

Yanxiang Wang,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

Yaqin Wang,
State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University,
Hangzhou, China

Muhammad Waqas,
Key Laboratory of Crop Disease Monitoring & Safety Control in Hubei Province,
College of Plant Science and Technology, Huazhong Agricultural University, Wuhan,
Hubei

Tàiyún Wèi^{XXII},
Fujian Province Key Laboratory of Plant Virology, Institute of Plant Virology, Fujian
Agriculture and Forestry University, Fuzhou, Fujian, China

Shaohua Wen,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

Anna E. Whitfield^{XX,XXIII},
Department of Entomology and Plant Pathology, North Carolina State University,
Raleigh, North Carolina, USA

John V. Williams^{XIX},
School of Medicine, University of Pittsburgh, School of Medicine, Pittsburgh,
Pennsylvania, USA

Yuri I. Wolf^{XII},
National Center for Biotechnology Information, National Library of Medicine,
National Institutes of Health, Bethesda, Maryland, USA

Jiangxiang Wu,
State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University,
Hangzhou, China

Lei Xu,
Jiangxi Academy of Agricultural Sciences, Nanchang, Jiangxi, China

Hironobu Yanagisawa,
Narita Branch, Yokohama Plant Protection Station, Narita, Chiba, Japan

Caixia Yang,
College of Life Science and Engineering, Shenyang University, Shenyang, Liaoning,
China

Zuokun Yang,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

F. Murilo Zerbini^k,
Departamento de Fitopatologia, Instituto de Biotecnologia Aplicada à Agropecuária,
Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil

Lifeng Zhai,
Key Laboratory of Horticultural Plant Biology, Ministry of Education, Wuhan, Hubei
430070, China

Song Zhang,
National Citrus Engineering and Technology Research Center, Citrus Research
Institute, Southwest University, Beibei, Chongqing, China

Jinguo Zhang,
National Sand Pear Germplasm Repository in Wuchang, Research Institute of Fruit
and Tea, Hubei Academy of Agricultural Science, Wuhan, Hubei, China

Yong-Zhen Zhang^{V,VIII,IX},
National Institute for Communicable Disease Control and Prevention, Chinese
Center for Disease Control and Prevention, Changping, Beijing, China; Shanghai
Public Health Clinical Center & Institutes of Biomedical Sciences, Fudan University,
Shanghai, China

Zhe Zhang,
Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

Xueping Zhou^{XXII}
State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of
Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China

Affiliations

Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA

United States Department of Agriculture, Agricultural Research Service, US Horticultural Research Laboratory, Fort Pierce, Florida, USA

Zoology Department, National Museums of Kenya, Nairobi, Kenya; Jomo Kenyatta University of Agriculture & Technology, Kenya

Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences, Germany

D.I. Ivanovsky Institute of Virology of N.F. Gamaleya National Center on Epidemiology and Microbiology of Ministry of Health of Russian Federation, Russia

Department of Pathology and Immunology, Washington University School of Medicine, St. Louis, Missouri, USA

University of Ljubljana, Ljubljana Faculty of Medicine, Slovenia

Centro de Biotecnología y Genómica de Plantas, Universidad Politécnica de Madrid—Instituto Nacional de Investigación y Tecnología Agraria y Alimentaria, Campus de Montegancedo, Pozuelo de Alarcón, Madrid, Spain; Departamento de Biotecnología-Biología Vegetal, Escuela Técnica Superior de Ingeniería Agronómica, Alimentaria y de Biosistemas, Universidad Politécnica de Madrid, Madrid, Spain

Center for Ecology of Infectious Diseases, Department of Infectious Diseases, Department of Epidemiology and Biostatistics, Institute of Bioinformatics, University of Georgia, Athens GA, USA

Friedrich-Loeffler-Institut, Federal Research Institute for Animal Health, Institute of Novel and Emerging Infectious Diseases, Greifswald-Insel Riems, Germany

Department of Biological Sciences, Mississippi State University, Mississippi State, Mississippi, USA

Center for Microbial Pathogenesis, Institute for Biomedical Sciences, Georgia State University, Atlanta, Georgia, USA

Edge BioInnovation Consulting and Mgt, Frederick, Maryland, USA

Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald-Insel Riems, Germany

UFyMA, INTA-CONICET, Cordoba, Argentina

Genomics and Bioinformatics Department, Biological Defense Research Directorate, Naval Medical Research Center—Frederick, Fort Detrick, Frederick, MD, USA

University of Texas Medical Branch, Galveston, Texas, USA

Viral Special Pathogens Branch, Division of High-Consequence Pathogens and Pathology, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

School of Veterinary Medicine, One Health Institute, University of California, Davis California USA

Dept. of Microbiology, Immunology & Pathology, Colorado State University, Fort Collins, CO USA

Commonwealth Scientific and Industrial Research Organisation (CSIRO), Australian Centre for Disease Preparedness, Geelong, Victoria, Australia

NIBIO - Norwegian Institute of Bioeconomy Research

School of Health and Life Sciences, Teesside University, Middlesbrough, TS1 3BX, United Kingdom; National Horizons Centre, Teesside University, Darlington, DL1 1HG, United Kingdom

University of Hawaii, Honolulu, HI, USA

University of New Mexico Health Sciences Center, Albuquerque, New Mexico, USA

University of Washington, Seattle, Washington, USA; US Geological Survey, Western Fisheries Research Center, Seattle, Washington, USA

Center for Infection and Immunity, and Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, New York, USA

French Agency for Food, Environmental and Occupational Health Safety ANSES, Laboratory of Ploufragan-Plouzané-Niort, Ploufragan, France

School of Plant Sciences, University of Arizona, Tucson, Arizona, USA

RNA Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland, USA

Department of Molecular Biology and Biochemistry, University of California, Irvine, California, USA

The University of Texas Medical Branch at Galveston, Galveston National Laboratory, Galveston, Texas, USA; Galveston National Laboratory, The University of Texas, Medical Branch at Galveston, Galveston, TX, USA

Division of Virology, National Health Laboratory Service and Division of Virology, University of the Free State, Bloemfontein, Republic of South Africa

Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences, Germany

Colorado State University, Fort Collins, Colorado

National Citrus Engineering and Technology Research Center, Citrus Research Institute, Southwest University, Beibei, Chongqing, China

Respiratory Virus and Influenza Unit, National Microbiology Center, Instituto de Salud Carlos III, Madrid, Spain

Department of Microbiology and Immunology, Albert Einstein College of Medicine, Bronx, New York, USA

Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU Méditerranée Infection), Marseille, France

State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University, Hangzhou, China

Grape and Persimmon Research Station, Institute of Fruit tree and Tea Science, NARO, Higashihiroshima, Hiroshima, Japan

Institute for Sustainable Plant Protection, National Research Council of Italy (CNR), Strada delle Cacce 73, 10135 Torino, Italy

Plant Breeding Genetics and Biotechnology Division and International Rice Research Institute, Los Baños, Philippines

Institute for Sustainable Plant Protection, National Research Council of Italy (CNR), Strada delle Cacce 73, 10135 Torino, Italy

Les Mandinaux, Le Grand Madieu, France

Clinical Monitoring Research Program Directorate, Frederick National Laboratory for Cancer Research, Frederick, Maryland USA

CIDEFI. Facultad de Ciencias Agrarias y Forestales, Universidad de La Plata, La Plata, Argentina

Unité des Virus Emergents (Aix-Marseille Univ – IRD 190 – Inserm 1207 – IHU Méditerranée Infection), Marseille, France

Department of Immunology and Microbiology IMM-6, The Scripps Research Institute, La Jolla, California, USA

Department Viroscience, Erasmus MC, University Medical Centre Rotterdam, The Netherlands

Centro de Investigaciones Agropecuarias, Instituto Nacional de Tecnología Agropecuaria (IPAVE-CIAP-INTA), Córdoba, Argentina; Unidad de Fitopatología y Modelización Agrícola, Consejo Nacional de Investigaciones Científicas y Técnicas (UFYMA-CONICET), Córdoba, Argentina

UMR 1161 Virology ANSES/INRAE/ENVA, ANSES Animal Health Laboratory, 94704 Maisons-Alfort, France

Pacific Salmon Foundation, Vancouver, British Columbia, Canada

United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA

Istituto per la Protezione Sostenibile delle Piante, Consiglio Nazionale delle Ricerche, Bari, Italy

Queensland Alliance for Agriculture and Food Innovation, The University of Queensland, St. Lucia, Queensland, Australia

CIHEAM, Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy

Institute of Virology, Philipps University Marburg, Marburg, Germany

Zoonotic Diseases and Special Pathogens, National Microbiology Laboratory, Public Health Agency of Canada, Winnipeg, Manitoba, Canada

Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt Universität Berlin, Berlin, Germany

Robert Koch Institut, Berlin, Germany

Animal Production and Health Laboratory, Joint FAO/IAEA Division of Nuclear Techniques in Food and Agriculture, Department of Nuclear Sciences and Applications, International Atomic Energy Agency, Vienna, Austria

University of Pittsburgh, School of Medicine, Pittsburgh, Pennsylvania, USA

United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA

School of Life Sciences, University of Warwick, Coventry, UK

Department of Molecular Medicine, Mayo Clinic, Rochester, Minnesota, USA

Istituto Agronomico Mediterraneo di Bari, Valenzano, Italy

Virology Unit, Department of Medical Microbiology, Hacettepe University Faculty of Medicine, Ankara, Turkey

School of Veterinary Medicine, St George's University, True Blue, Grenada, West Indies

Animal and Plant Health Agency, Weybridge, Surrey, UK

Institute for sustainable plant protection - CNR, Torino, Italy

World Health Organization, Geneva, Switzerland

Plant Virology Department, Institute of Plant Molecular Biology, Biology Centre CAS, Czech Republic

Embrapa Cassava and Fruits, Cruz das Almas, Bahia, Brazil

College of Life Science and Engineering, Shenyang University, Shenyang, Liaoning, China

Humboldt-Universität zu Berlin, Albrecht Daniel Thaer-Institute for Crop and Animal Sciences, Division Phytomedicine, Berlin, Germany

Institute of Biochemistry and Biotechnology, Martin Luther University Halle-Wittenberg, Halle/Saale, Germany

National Institute for Viral Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Beijing, China

Instituto de Biotecnología y Biología Molecular, Facultad de Ciencias Exactas,
CONICET UNLP, La Plata, Argentina

Icahn School of Medicine at Mount Sinai, New York, NY, USA

United States Army Medical Research Institute of Infectious Diseases, Fort Detrick,
Frederick, Maryland, USA

Landesamt für ländliche Entwicklung, Landwirtschaft und Flurneuordnung, Frankfurt
(Oder), Germany.; Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty
of Life Sciences, Germany

Department of Pathobiological Sciences, School of Veterinary Medicine, University
of Wisconsin-Madison, Madison Wisconsin, USA

Department of Microbiology & Immunology, Division of Biomedical Graduate
Research Organization, School of Medicine, Georgetown University, Washington,
DC 20057, USA; Centaurus Biotechnologies, CTP, Manassas, VA, USA

Department of Microbiology and National Emerging Infectious Diseases
Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA

Institute of Novel and Emerging Infectious Diseases, Friedrich-Loeffler-Institut,
Greifswald-Insel Riems, Germany

Bernhard-Nocht Institute for Tropical Medicine, WHO Collaborating Centre for
Arboviruses and Hemorrhagic Fever Reference and Research, Department of
Virology, Hamburg, Germany

Australian Infectious Diseases Research Centre, School of Chemistry and
Molecular Biosciences, The University of Queensland, Brisbane, Australia

United States Department of Agriculture, Agricultural Research Service, USNA,
Floral and Nursery Plants Research Unit, Beltsville, Maryland, USA

College of Life Science and Engineering, Shenyang University, Shenyang, Liaoning,
China

University of Helsinki, Medicum, Department of Virology, Helsinki, Finland; Institute
of Veterinary Pathology, Vetsuisse Faculty, University of Zurich, Zurich, Switzerland

London School of Hygiene and Tropical Medicine, London, UK

Analysis Center of Agrobiolgy and Environmental Sciences, Zhejiang University,
Hangzhou, China

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and
Technology, Huazhong Agricultural University, Wuhan, China

Department of Infectious Diseases, Yamagata University Faculty of Medicine,
Yamagata, Japan

Hakubi Center for Advanced Research, Kyoto University, Kyoto, Japan; Division of
Veterinary Sciences, Graduate School of Life and Environmental Sciences, Osaka
Prefecture University, Izumisano, Japan

University of Hawaii, Honolulu, HI, USA

State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University, Hangzhou, China

Centers for Disease Control and Prevention, Fort Collins, Colorado, USA

Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences, Germany

School of Veterinary Medicine, Murdoch University, Murdoch, Western Australia, Australia

Entomology and Plant Pathology, North Carolina State University, Raleigh, North Carolina, USA

Silva Lapponica, Rovaniemi, Finland

State Key Laboratory of Agricultural Microbiology, Huazhong Agricultural University, Wuhan, Hubei Province, China

Rice Breeding Innovations Platform, International Rice Research Institute, Los Baños, Laguna, Philippines

Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany; German Centre for Infection Research, Berlin, Germany

Department of Clinical Plant Science, Faculty of Bioscience and Applied Chemistry, Hosei University, Koganei, Tokyo, Japan

Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, British Columbia, Canada

University of Hawaii, Honolulu, HI, USA

Institute of Virology, Biomedical Research Center, Slovak Academy of Sciences, Bratislava, Slovakia

Center for Infectious Medicine, Department of Medicine Huddinge, Karolinska Institutet, Karolinska University Hospital, Stockholm, Sweden

Department of Microbiology, Immunology & Infectious Diseases, Université Laval, Quebec City, Canada

Plant Virology Department, Institute of Plant Molecular Biology, Biology Centre CAS, Czech Republic

Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan

National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, USA

Archaeal Virology Unit, Institut Pasteur, Paris, France

Central Region Agricultural Research Center, NARO, Tsukuba, Ibaraki, Japan

US Geological Survey Western Fisheries Research Center, Seattle, Washington, USA

KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium; Department of Laboratory Medicine, University Hospitals Leuven, Leuven, Belgium

Centers for Disease Control and Prevention, Fort Collins, Colorado, USA

Department of Microbiology, University of Washington, Washington, USA

Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, New York, USA

The University of Alabama at Birmingham, Birmingham, AL, USA

MIVEGEC (IRD-CNRS-Montpellier university) unit, French National Research Institute for Sustainable Development (IRD), Montpellier, France

Department of Veterinary Biosciences, College of Veterinary Medicine, The Ohio State University, Columbus, Ohio, USA

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

Fisheries and Oceans Canada, Pacific Biological Station, 3190 Hammond Bay Road, Nanaimo, British Columbia, V9T 6N7, Canada

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

Department of Pharmacology and Toxicology, School of Medicine, and the Center for Predictive Medicine for Biodefense and Emerging Infectious Diseases, University of Louisville, Louisville, Kentucky, USA

KU Leuven, Rega Institute, Zoonotic Infectious Diseases unit, Leuven, Belgium

Virology Research Center, University of São Paulo, Ribeirão Preto, Brazil

Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Free University Berlin, Humboldt-University Berlin, and Berlin Institute of Health, Berlin, Germany; German Center for Infection Research (DZIF), Berlin, Germany

C Biology Department Faculty of Sciences Pontifical Catholic University of Valparaíso -Curauma Campus-Valparaíso-Chile; Pontificia Universidad Católica de Valparaíso, Campus Curauma, Valparaíso, Chile

United States Department of Agriculture, Agricultural Research Service

Worldwide Influenza Centre, Francis Crick Institute, London, UK

Plant and Environmental Protection Sciences, University of Hawai'i at Mānoa, Honolulu, Hawaii, USA

Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany

Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, British Columbia, Canada

Molecular Genetics, Pacific Biological Station, Department of Fisheries and Oceans, Canada

Folkhalsomyndigheten, Stockholm, Sweden

Department of Medicine, University of British Columbia, Vancouver, Canada.

Biocentre Klein Flottbek, University of Hamburg, Hamburg, Germany

Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA

Washington State University, Department of Plant Pathology, Irrigated Agricultural Research and Extension Center, Prosser, Washington, USA

School of Agriculture, Utsunomiya University, Utsunomiya, Tochigi, Japan

Instituto de Biología Molecular y Celular de Plantas, Universitat Politècnica de València-Consejo Superior de Investigaciones Científicas, Valencia, Spain

Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia

Influenza Research Institute, Dept. of Pathobiological Sciences, University of Wisconsin-Madison

Institute of Virology, University of Veterinary Medicine Vienna, Vienna, Austria; College of Medicine, Mohammed Bin Rashid University of Medicine and Health Sciences, Dubai, United Arab Emirates

Evandro Chagas Institute, Ministry of Health, Pará, Brazil

University of Hawaii, Honolulu, Hawaii, USA

United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA

Instituto de Biología Molecular y Celular de Plantas (IBMCP), Consejo Superior de Investigaciones Científicas-Universidad Politécnica de Valencia, Valencia, Spain

National Biosafety Laboratory, National Public Health Center, Budapest, Hungary

National Reference Centre for Arboviruses and Haemorrhagic Fever viruses, Department of Microbiology, Medical School, Aristotle University of Thessaloniki, Thessaloniki, Greece

Institute of Virology, Charité-Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Berlin, Germany

University of Hawaii, Honolulu, Hawaii, USA; Hawaii Department of Agriculture, Honolulu, HI, USA

Baker Institute for Animal Health, College of Veterinary Medicine, Cornell University, Ithaca, New York, USA

Fisheries and Oceans Canada, Resource and Environmental Management, Simon Fraser University, Burnaby, BC, Canada

Department of Veterinary Integrated Biosciences and Department of Entomology, Texas A&M University, College Station, USA; Laboratory of Respiratory Viruses and Measles, Fiocruz, Rio de Janeiro, Brazil

Center for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases of the National Health Laboratory Service, Sandringham-Johannesburg, Gauteng, South Africa

Department of Veterinary Pathobiology, College of Veterinary Medicine and Biomedical Sciences, Texas A&M University, College Station, Texas, USA

Institute for Sustainable Plant Protection, National Research Council of Italy (CNR), Strada delle Cacce 73, 10135 Torino, Italy

Department of Population Health, College of Veterinary Medicine, University of Georgia, Athens, Georgia, USA

Department of Microbiology & Immunology, Vagelos College of Physicians & Surgeons, Columbia University Irving Medical Center, New York, NY 10032, U.S.A.

Jiangxi Academy of Agricultural Sciences, Nanchang, Jiangxi, China

The Geneva Foundation, Tacoma, Washington, USA

Departamento de Biología Celular, Universidade de Brasília, Brasília, Brazil

Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La Plata, Buenos Aires, Argentina

Centre for Experimental Medicine, School of Medicine, Dentistry and Biomedical Sciences, The Queen's University of Belfast, Belfast, Northern Ireland, UK

Instituto de Biotecnología y Biología Molecular, CCT-La Plata, CONICET-UNLP, La Plata, Buenos Aires, Argentina

Instituto de Biotecnología y Biología Molecular, Centro Científico Tecnológico-La Plata, Consejo Nacional de Investigaciones Científico Tecnológico—Universidad Nacional de La Plata, La Plata, Argentina

National Center for Immunization and Respiratory Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Institute of Diagnostic Virology, Friedrich-Loeffler-Institut, Greifswald – Insel Riems, Germany

Consiglio Nazionale delle Ricerche, Istituto per la Protezione Sostenibile delle Piante, Bari, Italy

Department of Infectious Disease & Global Health, Tufts University Cummings
School of Veterinary Medicine, 200 Westboro Road, North Grafton, MA 01536 USA

Department of Biochemistry, Molecular Biology, Entomology and Plant Pathology,
Mississippi State University, Mississippi State, Mississippi, USA

Institut Pasteur de Dakar, Dakar, Senegal

Institute of Human Virology, University of Maryland School of Medicine, Baltimore,
Maryland, USA

International Centre of Insect Physiology and Ecology, Nairobi, Kenya

Institute for Plant Protection, National Agriculture and Food Research Organization,
Tsukuba, Japan

Molecular Genetics Lab, Pacific Biological Station, Fisheries and Oceans Canada,
Nanaimo, B.C.

University Medical Center-University Freiburg, Faculty of Medicine, Freiburg,
Germany

Sun Yat-sen University, Shenzhen, China

MRC-University of Glasgow Centre for Virus Research, Glasgow, Scotland, UK

CAS Key Laboratory of Special Pathogens, Wuhan Institute of Virology, Center for
Biosafety Mega-Science, Chinese Academy of Sciences, Wuhan, Hubei, People's
Republic of China.

Kochi Agricultural Research Center, Nankoku, Kochi, Japan

Asian Center for Bioresources and Environmental Sciences, University of Tokyo,
Tokyo, Japan

School of Cellular and Molecular Medicine, University of Bristol, Bristol, UK

Nuffield Department of Medicine, University of Oxford, Oxford, UK

Bioinformatics Unit, Scientific Institute IRCCS "E. Medea," Bosisio Parini, Italy

Ghent University, Faculty of Bioscience Engineering, Department of Plants and
Crops, Ghent, Belgium

CBR Division, Dstl, Porton Down, Salisbury, Wiltshire, UK

Department of Microbiology, College of Medicine, Korea University, Seoul, Republic
of Korea

School of Biomedical Sciences, Faculty of Health, Queensland University of
Technology, Brisbane, Queensland, Australia

Viral Special Pathogens Branch, Division of High-Consequence Pathogens &
Pathology, Centers for Disease Control & Prevention

Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, Colorado, USA

Centre for Environment, Fisheries and Aquaculture Science, Weymouth, Dorset, UK

University of Hawaii, Honolulu, HI, USA

Departments of Earth, Ocean & Atmospheric Sciences, Microbiology & Immunology, and Botany, and the Institute for Oceans & Fisheries, University of British Columbia, Vancouver, Canada

Pacific Biological Station, Fisheries and Oceans Canada, Nanaimo, British Columbia, Canada

Division of Global Epidemiology, Research Center for Zoonosis Control, Hokkaido University, Sapporo, Japan

Japan Plant Protection Association Kochi Experiment Station, Konan, Kochi, Japan

International Centre of Insect Physiology and Ecology, Nairobi, Kenya

Department of Forest Sciences, University of British Columbia, Vancouver, Canada

The University of Texas Medical Branch, Galveston, Texas, USA

Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Kyushu Okinawa Agricultural Research Center, NARO, Koshi, Kumamoto, Japan

Institute for Frontier Life and Medical Sciences (inFront), Kyoto University, Kyoto, Japan

Institut Pasteur, Unité des Stratégies Antivirales, WHO Collaborative Centre for Viral Haemorrhagic Fevers and Arboviruses, OIE Reference Laboratory for RVFV & CCHFV, Paris, France & Institut Pasteur de Guinée, Conakry, Guinea

International Centre of Insect Physiology and Ecology, Nairobi, Kenya

Viral Special Pathogens Branch, Division of High-Consequence Pathogens Pathology, National Center for Emerging and Zoonotic Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA

Department of Clinical Plant Science, Faculty of Bioscience and Applied Chemistry, Hosei University, Koganei, Tokyo, Japan

Changchun Veterinary Research Institute, Chinese Academy of Agricultural Sciences, Changchun, Jilin Province, China

National Institute of Optics, National Research Council of Italy (INO-CNR), Via Branze 45, 25123 Brescia, Italy

Dept. of Entomology & Plant Pathology, Division of Agriculture, University of Arkansas System, Fayetteville, AR 72701

University of Hawaii, Honolulu, HI, USA

Central Region Agricultural Research Center, NARO, Tsukuba, Ibaraki, Japan

Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), 73 Strada delle Cacce, 10135 Torino, Italy

Institute for Sustainable Plant Protection, National Research Council of Italy (IPSP-CNR), 73 Strada delle Cacce, 10135 Torino, Italy

Department of Viroscience, Erasmus MC, University Medical Centre Rotterdam, Rotterdam, the Netherlands

The Biodesign Center for Fundamental and Applied Microbiomics, Center for Evolution and Medicine School of Life Sciences, Arizona State University, Tempe, Arizona, USA; Structural Biology Research Unit, Department of Clinical Laboratory Sciences, University of Cape Town, Observatory, Cape Town, South Africa

The University of Texas Medical Branch, Galveston, Texas, USA

Wageningen University and Research, Biointeractions and Plant Health, Wageningen, The Netherlands

Humboldt-Universität zu Berlin, Division Phytomedicine, Faculty of Life Sciences, Germany

National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick, MD, USA

Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA

School of Chemistry and Molecular Biosciences, University of Queensland, St. Lucia, Queensland, Australia

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

Programme in Emerging Infectious Diseases, Duke-NUS Medical School, Singapore

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University, Hangzhou, China

Key Laboratory of Crop Disease Monitoring & Safety Control in Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, Hubei

Fujian Province Key Laboratory of Plant Virology, Institute of Plant Virology, Fujian Agriculture and Forestry University, Fuzhou, Fujian, China

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

Department of Entomology and Plant Pathology, North Carolina State University, Raleigh, North Carolina, USA

School of Medicine, University of Pittsburgh, School of Medicine, Pittsburgh, Pennsylvania, USA

National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, USA

State Key Laboratory of Rice Biology, Institute of Biotechnology, Zhejiang University, Hangzhou, China

Jiangxi Academy of Agricultural Sciences, Nanchang, Jiangxi, China

Narita Branch, Yokohama Plant Protection Station, Narita, Chiba, Japan

College of Life Science and Engineering, Shenyang University, Shenyang, Liaoning, China

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

Departamento de Fitopatologia, Instituto de Biotecnologia Aplicada à Agropecuária, Universidade Federal de Viçosa, Viçosa, Minas Gerais, Brazil

Key Laboratory of Horticultural Plant Biology, Ministry of Education, Wuhan, Hubei 430070, China

National Citrus Engineering and Technology Research Center, Citrus Research Institute, Southwest University, Beibei, Chongqing, China

National Sand Pear Germplasm Repository in Wuchang, Research Institute of Fruit and Tea, Hubei Academy of Agricultural Science, Wuhan, Hubei, China

National Institute for Communicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Changping, Beijing, China; Shanghai Public Health Clinical Center & Institutes of Biomedical Sciences, Fudan University, Shanghai, China

Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhan, China

State Key Laboratory for Biology of Plant Diseases and Insect Pests, Institute of Plant Protection, Chinese Academy of Agricultural Sciences, Beijing, China

ACKNOWLEDGEMENTS

We thank Anya Crane (IRF-Frederick) for editing the manuscript.

Funding

This work was supported in part through Laulima Government Solutions, LLC prime contract with the US National Institute of Allergy and Infectious Diseases (NIAID) under Contract No. HHSN272201800013C. J.H.K. performed this work as an employee of Tunnell Government Services (TGS), a subcontractor of Laulima Government Solutions, LLC under Contract No. HHSN272201800013C. This work was also supported in part with federal funds from the National Cancer Institute (NCI), National Institutes of Health (NIH), under Contract

No. 75N91019D00024, Task Order No. 75N91019F00130 to I.C., who was supported by the Clinical Monitoring Research Program Directorate, Frederick National Lab for Cancer Research. This work was also funded in part by Contract No. HSHQDC-15-C-00064 awarded by DHS S&T for the management and operation of The National Biodefense Analysis and Countermeasures Center, a federally funded research and development center operated by the Battelle National Biodefense Institute (V.W.); and NIH contract HHSN272201000040I/HHSN27200004/D04 and grant R24AI120942 (N.V., R.B.T.). S.S. acknowledges partial support from the Special Research Initiative of Mississippi Agricultural and Forestry Experiment Station (MAFES), Mississippi State University, and the National Institute of Food and Agriculture, US Department of Agriculture, Hatch Project 1021494. Part of this work was supported by the Francis Crick Institute which receives its core funding from Cancer Research UK (FC001030), the UK Medical Research Council (FC001030), and the Wellcome Trust (FC001030).

REFERENCES

1. Alkan C, Erisoz Kasap O, Alten B, de Lamballerie X, Charrel RN (2016) Sandfly-borne phlebovirus isolations from Turkey: new insight into the *Sandfly fever Sicilian* and *Sandfly fever Naples* species. *PLoS Negl Trop Dis* 10:e0004519 [PubMed: 27007326]
2. Arai S, Nguyen ST, Boldgiv B, Fukui D, Araki K, Dang CN, Ohdachi SD, Nguyen NX, Pham TD, Boldbaatar B, Satoh H, Yoshikawa Y, Morikawa S, Tanaka-Taya K, Yanagihara R, Oishi K (2013) Novel bat-borne hantavirus, Vietnam. *Emerg Infect Dis* 19:1159–61 [PubMed: 23763849]
3. Argenta FF, Hepojoki J, Smura T, Szivovics L, Hammerschmitt ME, Driemeier D, Kipar A, Hetzel U (2020) Identification of reptarenaviruses, hartmanviruses, and a novel chuvirus in captive native Brazilian boa constrictors with boid inclusion body disease. *J Virol* 94:e00001–20 [PubMed: 32238580]
4. Baek D, Lim S, Ju H-J, Kim H-R, Lee S-H, Moon JS (2019) The complete genome sequence of apple rootstock virus A, a novel nucleorhabdovirus identified in apple rootstocks. *Arch Virol* 164:2641–2644 [PubMed: 31375908]
5. Ballinger MJ, Taylor DJ (2019) Evolutionary persistence of insect bunyavirus infection despite host acquisition and expression of the viral nucleoprotein gene. *Virus Evol* 5:vez017 [PubMed: 31308960]
6. Bejerman N, Acevedo RM, de Breuil S, Ruiz OA, Sansberro P, Dietzgen RG, Nome C, Debat H (2020) Molecular characterization of a novel cytorhabdovirus with a unique genomic organization infecting yerba mate (*Ilex paraguariensis*) in Argentina. *Arch Virol* 165:1475–1479 [PubMed: 32246285]
7. Bennett AJ, Paskey AC, Kuhn JH, Bishop-Lilly KA, Goldberg TL (2020) Diversity, transmission, and cophylogeny of ledanteviruses (*Rhabdoviridae: Ledantavirus*) and nycteribiid bat flies parasitizing Angolan soft-furred fruit bats in Bundibugyo District, Uganda. *Microorganisms* 8:750
8. Bertazzon N, Chitarra W, Angelini E, Nerva L (2020) Two new putative plant viruses from wood metagenomics analysis of an esca diseased vineyard. *Plants (Basel)* 9:835
9. Bhat AI, Pamitha NS, Naveen KP, Biju CN (2020) Identification and characterization of cardamom vein clearing virus, a novel aphid-transmitted nucleorhabdovirus. *Eur J Plant Pathol* 156:1053–1062
10. Bishop DHL, Calisher CH, Casals J, Chumakov MP, Gaidamovich SY, Hannoun C, Lvov DK, Marshall ID, Oker-Blom N, Pettersson RF, Porterfield JS, Russell PK, Shope RE, Westaway EG (1980) Bunyaviridae. *Intervirology* 14:125–43 [PubMed: 6165702]
11. Black L (1940) Strains of potato yellow-dwarf virus. *Am J Bot* 27
12. Blasdel KR, Davis SS, Voysey R, Bulach DM, Middleton D, Williams S, Harmsen MB, Weir RP, Crameri S, Walsh SJ, Peck GR, Tesh RB, Boyle DB, Melville LF, Walker PJ (2020) Hayes Yard virus: a novel ephemerovirus isolated from a bull with severe clinical signs of bovine ephemeral fever is most closely related to Puchong virus. *Vet Res* 51:58 [PubMed: 32349781]
13. Bojko J, Subramaniam K, Waltzek TB, Stentiford GD, Behringer DC (2019) Genomic and developmental characterisation of a novel bunyavirus infecting the crustacean *Carcinus maenas*. *Sci Rep* 9:12957 [PubMed: 31506463]
14. Bouquet J, Melgar M, Swei A, Delwart E, Lane RS, Chiu CY (2017) Metagenomic-based surveillance of Pacific Coast tick *Dermacentor occidentalis* identifies two novel bunyaviruses and an emerging human rickettsial pathogen. *Sci Rep* 7:12234 [PubMed: 28947798]

15. Cao M, Zhang S, Li M, Liu Y, Dong P, Li S, Kuang M, Li R, Zhou Y (2019) Discovery of four novel viruses associated with flower yellowing disease of green Sichuan pepper (*Zanthoxylum armatum*) by virome analysis. *Viruses* 11:696
16. Chappell JG, Tsoleridis T, Onianwa O, Drake G, Ashpole I, Dobbs P, Edema W, Kumi-Ansah F, Bennett M, Tarlinton RE, Ball JK, McClure CP (2020) Retrieval of the complete coding sequence of the UK-endemic Tatenale orthohantavirus reveals extensive strain variation and supports its classification as a novel species. *Viruses* 12:454
17. Chiapello M, Rodríguez-Romero J, Ayllón MA, Turina M (2020) Analysis of the virome associated to grapevine downy mildew lesions reveals new mycovirus lineages. *Virus Evol* 6:veaa058 [PubMed: 33324489]
18. Chiapello M, Rodríguez-Romero J, Nerva L, Forgia M, Chitarra W, Ayllón MA, Turina M (2020) Putative new plant viruses associated with *Plasmopara viticola*-infected grapevine samples. *Ann Appl Biol* 176:180–191
19. Cowley JA, McCulloch RJ, Spann KM, Cadogan LC, Walker PJ (2005) Preliminary molecular and biological characterisation of Mourilyan virus (MoV): a new bunya-related virus of penaeid prawns. In: *Diseases in Asian aquaculture V Proceedings of the 5th symposium on diseases in Asian aquaculture, Gold Coast, Australia*. Asian Fisheries Society, Manila, Philippines, pp 113–124
20. Cowley JA (2021) The genomes of Mourilyan virus and W nzh u shrimp virus 1 of prawns comprise 4 RNA segments. *Virus Res* 292:198225 [PubMed: 33181202]
21. de Lara Pinto AZ, Santos de Carvalho M, de Melo FL, Ribeiro ALM, Morais Ribeiro B, Dezengrini Slhessarenko R (2017) Novel viruses in salivary glands of mosquitoes from sylvatic Cerrado, Midwestern Brazil. *PLoS One* 12:e0187429 [PubMed: 29117239]
22. de Oliveira Filho EF, Moreira-Soto A, Fischer C, Rasche A, Sander AL, Avey-Arroyo J, Arroyo-Murillo F, Corrales-Aguilar E, Drexler JF (2020) Sloths host Anhangá virus-related phleboviruses across large distances in time and space. *Transbound Emerg Dis* 67:11–17 [PubMed: 31420970]
23. Dhaygude K, Johansson H, Kulmuni J, Sundström L (2019) Genome organization and molecular characterization of the three *Formica exsecta* viruses—FeV1, FeV2 and FeV4. *PeerJ* 6:e6216 [PubMed: 30809424]
24. Diaz-Lara A, Navarro B, Di Serio F, Stevens K, Hwang MS, Kohl J, Vu ST, Falk BW, Golino D, Al Rwahnih M (2019) Two novel negative-sense RNA viruses infecting grapevine are members of a newly proposed genus within the family *Phenuiviridae*. *Viruses* 11:685
25. Ding X, Chen D, Du Z, Zhang J, Wu Z (2019) The complete genome sequence of a novel cytorhabdovirus identified in strawberry (*Fragaria ananassa* Duch.). *Arch Virol* 164:3127–3131 [PubMed: 31559494]
26. Doherty RL, Carley JG, Mackerras MJ, Marks EN (1963) Studies of arthropod-borne virus infections in Queensland. III. Isolation and characterization of virus strains from wild-caught mosquitoes in North Queensland. *Aust J Exp Biol Med Sci* 41:17–39 [PubMed: 14028387]
27. Doherty RL, Whitehead RH, Wetters EJ, Gorman BM (1968) Studies of the epidemiology of arthropod-borne virus infections at Mitchell River Mission, Cape York Peninsula, North Queensland. II. Arbovirus infections of mosquitoes, man and domestic fowls, 1963–1966. *Trans R Soc Trop Med Hyg* 62:430–8 [PubMed: 4385483]
28. Ergünay K, Brinkmann A, Litzba N, Günay F, Kar S, Öter K, Örsten S, Sarıkaya Y, Alten B, Nitsche A, Linton Y-M (2017) A novel rhabdovirus, related to Merida virus, in field-collected mosquitoes from Anatolia and Thrace. *Arch Virol* 162:1903–1911 [PubMed: 28283817]
29. Ergünay K, Dinçer E, Kar S, Emanet N, Yalçınkaya D, Polat Dinçer PF, Brinkmann A, Hacıo lu S, Nitsche A, Özkul A, Linton YM (2020) Multiple orthonairoviruses including Crimean-Congo hemorrhagic fever virus, Tamdy virus and the novel Meram virus in Anatolia. *Ticks Tick Borne Dis* 11:101448 [PubMed: 32723637]
30. Faizah AN, Kobayashi D, Isawa H, Amoa-Bosompem M, Murota K, Higa Y, Futami K, Shimada S, Kim KS, Itokawa K, Watanabe M, Tsuda Y, Minakawa N, Miura K, Hirayama K, Sawabe K (2020) Deciphering the virome of *Culex vishnui* subgroup mosquitoes, the major vectors of Japanese encephalitis, in Japan. *Viruses* 12:264

31. Fránová J, P iblylová J, Koloniuk I (2019) Molecular and biological characterization of a new strawberry cytorhabdovirus. *Viruses* 11:982
32. Fránová J, Sarkisova T, Jakešová H, Koloniuk I (2019) Molecular and biological properties of two putative new cytorhabdoviruses infecting *Trifolium pratense*. *Plant Pathol* 68:1276–1286
33. Gard G, Marshall ID, Woodroffe GM (1973) Annually recurrent epidemic polyarthritis and Ross River virus activity in a coastal area of New South Wales. II. Mosquitoes, viruses, and wildlife. *Am J Trop Med Hyg* 22:551–60 [PubMed: 4146218]
34. Gauci PJ, McAllister J, Mitchell IR, Boyle DB, Bulach DM, Weir RP, Melville LF, Gubala AJ (2015) Genomic characterisation of three Mapputta group viruses, a serogroup of Australian and Papua New Guinean bunyaviruses associated with human disease. *PLoS One* 10:e0116561 [PubMed: 25588016]
35. Gauci PJ, McAllister J, Mitchell IR, Weir RP, Melville LF, Gubala AJ (2016) Genomic characterization of Trubanaman and Gan Gan viruses, two bunyaviruses with potential significance to public health in Australia. *Virol Rep* 6:1–10
36. Gauci PJ, McAllister J, Mitchell IR, Cybinski D, St George T, Gubala AJ (2017) Genomic characterisation of Vinegar Hill virus, an Australian nairovirus Isolated in 1983 from *Argas robertsi* ticks collected from cattle egrets. *Viruses* 9:373
37. Goh CJ, Park D, Hahn Y (2020) Identification of Trichosanthes associated rhabdovirus 1, a novel member of the genus *Cytorhabdovirus* of the family *Rhabdoviridae*, in the *Trichosanthes kirilowii* transcriptome. *Acta Virol* 64:36–43 [PubMed: 32180417]
38. Gondard M, Temmam S, Devillers E, Pinarello V, Bigot T, Chrétien D, Aprelon R, Vayssier-Taussat M, Albina E, Eloit M, Moutailler S (2020) RNA Viruses of *Amblyomma variegatum* and *Rhipicephalus microplus* and cattle susceptibility in the French Antilles. *Viruses* 12:144
39. Han X, Wang H, Wu N, Liu W, Cao M, Wang X (2020) Leafhopper *Psammotettix alienus* hosts chuviruses with different genomic structures. *Virus Res* 285:197992 [PubMed: 32371097]
40. Hao F, Wu M, Li G (2018) Molecular characterization and geographic distribution of a mymonavirus in the population of *Botrytis cinerea*. *Viruses* 10:432
41. Harvey E, Rose K, Eden J-S, Lawrence A, Doggett SL, Holmes EC (2019) Identification of diverse arthropod associated viruses in native Australian fleas. *Virology* 535:189–199 [PubMed: 31319276]
42. Harvey E, Rose K, Eden JS, Lo N, Abeyasuriya T, Shi M, Doggett SL, Holmes EC (2019) Extensive diversity of RNA viruses in Australian ticks. *J Virol* 93:e01358–18 [PubMed: 30404810]
43. Hepojoki J, Hepojoki S, Smura T, Szirovicza L, Dervas E, Prähäuser B, Nufer L, Schraner EM, Vapalahti O, Kipar A, Hetzel U (2018) Characterization of Haartman Institute snake virus-1 (HISV-1) and HISV-like viruses - The representatives of genus *Hartmanivirus*, family *Arenaviridae*. *PLoS Pathog* 14:e1007415 [PubMed: 30427944]
44. Huang P, Zhang X, Ame KH, Shui Y, Xu Z, Serwadda A, Shen H (2019) Genomic and phylogenetic characterization of a bunya-like virus from the freshwater Chinese mitten crab *Eriocheir sinensis*. *Acta Virol* 63:433–438 [PubMed: 31802686]
45. Hubálek Z, Juricová Z, Halouzka J, Pellantová J, Hudec K (1989) Arboviruses associated with birds in southern Moravia, Czechoslovakia. *Acta Sci Nat Brno* 23:1–50
46. Hubálek Z, Juricová Z, Halouzka J, Butenko AM, Kondrasina NG, Guscina EA, Morozova TN (1990) Isolation and characterization of Sedlec virus, a new bunyavirus from birds. *Acta Virol* 34:339–45 [PubMed: 1981444]
47. Ilyas M, Avelar S, Schuch UK, Brown JK (2018) First report of an emaravirus associated with witches' broom disease and eriophyid mite infestations of the blue palo verde tree in Arizona. *Plant Disease* 102:1863–1863
48. Jang C, Wang R, Wells J, Leon F, Farman M, Hammond J, Goodin MM (2017) Genome sequence variation in the constricta strain dramatically alters the protein interaction and localization map of *Potato yellow dwarf virus*. *J Gen Virol* 98:1526–1536 [PubMed: 28635588]
49. Käfer S, Paraskevopoulou S, Zirkel F, Wieseke N, Donath A, Petersen M, Jones TC, Liu S, Zhou X, Middendorf M, Junglen S, Misof B, Drosten C (2019) Re-assessing the diversity of negative strand RNA viruses in insects. *PLoS Pathog* 15:e1008224 [PubMed: 31830128]

50. Kapuscinski ML, Bergren NA, Russell BJ, Lee JS, Borland EM, Hartman DA, King DC, Hughes HR, Burkhalter KL, Kading RC, Stenglein MD (2021) Genomic characterization of 99 viruses from the bunyavirus families *Nairoviridae*, *Peribunyaviridae*, and *Phenuiviridae*, including 35 previously unsequenced viruses. *PLoS Pathog* 17:e1009315 [PubMed: 33647063]
51. Karabatsos N (1985) International catalogue of arboviruses including certain other viruses of vertebrates, 3rd edn. American Society for Tropical Medicine and Hygiene, San Antonio, Texas, USA
52. Kleanthous E, Olenraite I, Lukhovitskaya NI, Firth AE (2019) Discovery of three RNA viruses using ant transcriptomic datasets. *Arch Virol* 164:643–647 [PubMed: 30415391]
53. Koloniuk I, Fránová J, Sarkisova T, P iblylová J, Lenz O, Petrzik K, Špak J (2018) Identification and molecular characterization of a novel varicosa-like virus from red clover. *Arch Virol* 163:2213–2218 [PubMed: 29619600]
54. Kondo H, Chiba S, Toyoda K, Suzuki N (2013) Evidence for negative-strand RNA virus infection in fungi. *Virology* 435:201–9 [PubMed: 23099204]
55. Kubota K, Usugi T, Tomitaka Y, Shimomoto Y, Takeuchi S, Kadono F, Yanagisawa H, Chiaki Y, Tsuda S (2020) Perilla mosaic virus is a highly divergent emaravirus transmitted by *Shevtschenkella* sp. (Acari: Eriophyidae). *Phytopathology* 110:1352–1361 [PubMed: 32202482]
56. Kuhn JH, Wolf YI, Krupovic M, Zhang Y-Z, Maes P, Dolja VV, Koonin EV (2019) Classify viruses—the gain is worth the pain. *Nature* 566:318–20 [PubMed: 30787460]
57. Kuhn JH, Adkins S, Alioto D, Alkhovsky SV, Amarasinghe GK, Anthony SJ, Avši -Županc T, Ayllón MA, Bahl J, Balkema-Buschmann A, Ballinger MJ, Bartonika T, Basler C, Bavari S, Beer M, Bente DA, Bergeron É, Bird BH, Blair C, Blasdel KR, Bradfute SB, Breyta R, Briese T, Brown PA, Buchholz UJ, Buchmeier MJ, Bukreyev A, Burt F, Buzkan N, Calisher CH, Cao M, Casas I, Chamberlain J, Chandran K, Charrel RN, Chen B, Chiumenti M, Choi I-R, Clegg JCS, Crozier I, da Graça JV, Dal Bó E, Dávila AMR, de la Torre JC, de Lamballerie X, de Swart RL, Di Bello PL, Di Paola N, Di Serio F, Dietzgen RG, Digiaro M, Dolja VV, Dolnik O, Drebot MA, Drexler JF, Dürrwald R, Dufkova L, Dundon WG, Duprex WP, Dye JM, Easton AJ, Ebihara H, Elbeaino T, Ergünay K, Fernandes J, Fooks AR, Formenty PBH, Forth LF, Fouchier RAM, Freitas-Astúa J, Gago-Zachert S, G o GF, García ML, García-Sastre A, Garrison AR, Gbakima A, Goldstein T, Gonzalez J-PJ, Griffiths A, Groschup MH, Günther S, Guterres A, Hall RA, Hammond J, Hassan M, Hepojoki J, Hepojoki S, Hetzel U, Hewson R, Hoffmann B, Hongo S, Höper D, Horie M, Hughes HR, Hyndman TH, Jambai A, Jardim R, Ji ng D, Jin Q, Jonson GB, Junglen S, Karada S, Keller KE, Klempa B, Klingström J, Kobinger A, Kond H, Koonin EV, Krupovic M, Kurath G, Kuzmin IV, Laenen L, Lamb RA, Lambert AJ, Langevin SL, Lee B, Lemos ERS, Leroy EM, Li D, Li J, Liang M, Liú W, Liú Y, Lukashovich IS, Maes P, Marciel de Souza W, Marklewitz M, Marshall SH, Martelli GP, Martin RR, Marzano S-YL, Massart S, McCauley JW, Mielke-Ehret N, Minafra A, Minutolo M, Mirazimi A, Mühlbach H-P, Mühlberger E, Naidu R, Natsuaki T, Navarro B, Navarro JA, Netesov SV, Neumann G, Nowotny N, Nunes MRT, Nylund A, Økland AL, Oliveira RC, Palacios G, Pallas V, Pályi B, Papa A, Parrish CR, Pauvolid-Corrêa A, Paw ska JT, Payne S, Pérez DR, Pfaff F, Radoshitzky SR, Rahman A-u, Ramos-González PL, Resende RO, Reyes CA, Rima BK, Romanowski V, Robles Luna G, Rota P, Rubbenstroth D, Runstadler JA, Ruzek D, Sabanadzovic S, Salát J, Sall AA, Salvato MS, Sarpkaya K, Sasaya T, Schwemmle M, Shabbir MZ, Shí X, Shí Z, Shirako Y, Simmonds P, Širmarová J, Sironi M, Smither S, Smura T, Song J-W, Spann KM, Spengler JR, Stenglein MD, Stone DM, Straková P, Takada A, Tesh RB, Thornburg NJ, Tomonaga K, Tordo N, Towner JS, Turina M, Tzanetakis I, Ulrich RG, Vaira AM, van den Hoogen B, Varsani A, Vasilakis N, Verbeek M, Wahl V, Walker PJ, Wang H, Wang J, Wang X, Wang L-F, Wèi T, Wells H, Whitfield AE, Williams JV, Wolf YI, Wú Z, Yang X, Yáng X, Yu X, Yutin N, Zerbini FM, Zhang T, Zhang Y-Z, Zhou G, Zhou X (2020) 2020 taxonomic update for phylum *Negarnaviricota* (*Riboviria*: *Orthornavirae*), including the large orders *Bunyavirales* and *Mononegavirales*. *Arch Virol* 165:3023–3072 [PubMed: 32888050]
58. Kuwata R, Isawa H, Hoshino K, Tsuda Y, Yanase T, Sasaki T, Kobayashi M, Sawabe K (2011) RNA splicing in a new rhabdovirus from *Culex* mosquitoes. *J Virol* 85:6185–96 [PubMed: 21507977]
59. Lanciotti RS, Kosoy OI, Bosco-Lauth AM, Pohl J, Stuchlik O, Reed M, Lambert AJ (2013) Isolation of a novel orthobunyavirus (Brazoran virus) with a 1.7 kb S segment that encodes

- a unique nucleocapsid protein possessing two putative functional domains. *Virology* 444:55–63 [PubMed: 23791018]
60. Laubscher F, Cordey S, Hartley M-A, Vieille G, Boillat-Blanco N, Samaka J, Mlaganile T, d'Acremont V, Kaiser L (2019) Nearly complete genome sequence of a novel phlebovirus-like virus detected in a human plasma sample by high-throughput sequencing. *Microbiol Resour Announc* 8:e00764–19 [PubMed: 31467101]
 61. Li CX, Shi M, Tian JH, Lin XD, Kang YJ, Chen LJ, Qin XC, Xu J, Holmes EC, Zhang YZ (2015) Unprecedented genomic diversity of RNA viruses in arthropods reveals the ancestry of negative-sense RNA viruses. *Elife* 4:e05378
 62. Lima JA, Nunes Neto JP, Castro KS, Travassos da Rosa APA, Tesh R, Nunes MRT, Popov VL, Vasilakis N, Guzman H, Widen S, Silva SPD, Medeiros DBA, Cardoso JF, Martins LC, Azevedo R, Vasconcelos P, Chiang JO (2019) Characterization of *Trinita virus* supports its reclassification in the family *Peribunyaviridae*. *J Gen Virol* 100:137–144 [PubMed: 30547856]
 63. Liu H, Wang G, Yang Z, Wang Y, Zhang Z, Li L, Waqas M, Hong N, Liu H, Wang G, Hong N, Hong J, Zhang J, Xu L, Qi L (2020) Identification and characterization of a pear chlorotic leaf spot-associated virus, a novel emaravirus associated with a severe disease of pear trees in China. *Plant Dis* 104:2786–2798 [PubMed: 32997610]
 64. Liu YP, Kuo S-T, Chiou C-J, Terregino C, Tsai H-J (2019) Novel avian metaavulavirus isolated from birds of the family Columbidae in Taiwan. *Vet Microbiol* 236:108377 [PubMed: 31500723]
 65. Longdon B, Murray GG, Palmer WJ, Day JP, Parker DJ, Welch JJ, Obbard DJ, Jiggins FM (2015) The evolution, diversity, and host associations of rhabdoviruses. *Virus Evol* 1:vev014 [PubMed: 27774286]
 66. Lvov DK, Gromashevsky VL, Zakaryan VA, Skvortsova TM, Berezina LK, Gofman YP, Klimenko SM, Chubkova AL (1978) Razdan virus, a new ungrouped bunyavirus isolated from *Dermacentor marginatus* ticks in Armenia. *Acta Virol* 22:506–8 [PubMed: 35950]
 67. Ma H, Galvin TA, Glasner DR, Shateduzzaman S, Khan AS (2014) Identification of a novel rhabdovirus in *Spodoptera frugiperda* cell lines. *J Virol* 88:6576–85 [PubMed: 24672045]
 68. Marklewitz M, Tchouassi DP, Hieke C, Heyde V, Torto B, Sang R, Junglen S (2020) Insights into the evolutionary origin of Mediterranean sandfly fever viruses. *mSphere* 5:e00598–20 [PubMed: 32878929]
 69. Marshall ID, Woodroffe GM, Gard GP (1980) Arboviruses of coastal south-eastern Australia. *Aust J Exp Biol Med Sci* 58:91–102 [PubMed: 6108758]
 70. Medd NC, Fellous S, Waldron FM, Xuéreb A, Nakai M, Cross JV, Obbard DJ (2018) The virome of *Drosophila suzukii*, an invasive pest of soft fruit. *Virus Evol* 4:vey009 [PubMed: 29644097]
 71. Mordecai GJ, Miller KM, Di Cicco E, Schulze AD, Kaukinen KH, Ming TJ, Li S, Tabata A, Teffer A, Patterson DA, Ferguson HW, Suttle CA (2019) Endangered wild salmon infected by newly discovered viruses. *Elife* 8:e47615 [PubMed: 31478480]
 72. Mu F, Xie J, Cheng S, You MP, Barbetti MJ, Jia J, Wang Q, Cheng J, Fu Y, Chen T, Jiang D (2017) Virome characterization of a collection of *S. sclerotiorum* from Australia. *Front Microbiol* 8:2540 [PubMed: 29375495]
 73. Nerva L, Turina M, Zanzotto A, Gardiman M, Gaiotti F, Gambino G, Chitarra W (2019) Isolation, molecular characterization and virome analysis of culturable wood fungal endophytes in esca symptomatic and asymptomatic grapevine plants. *Environ Microbiol* 21:2886–2904 [PubMed: 31081982]
 74. Olmedo-Velarde A, Park AC, Sugano J, Uchida JY, Kawate M, Borth WB, Hu JS, Melzer MJ (2019) Characterization of Ti ringspot-associated virus, a novel emaravirus associated with an emerging ringspot disease of *Cordyline fruticosa*. *Plant Dis* 103:2345–2352 [PubMed: 31306086]
 75. Öncü C, Brinkmann A, Günay F, Kar S, Öter K, Sarıkaya Y, Nitsche A, Linton Y-M, Alten B, Ergünay K (2018) West Nile virus, Anopheles flavivirus, a novel flavivirus as well as Merida-like rhabdovirus Turkey in field-collected mosquitoes from Thrace and Anatolia. *Infect Genet Evol* 57:36–45 [PubMed: 29128516]
 76. Onyok SO, Hu B, Li B, Fan Y, Kering K, Ochola GO, Zheng X-S, Obanda V, Ommeh S, Yang X-L, Agwanda B, Shi Z-L (2019) Molecular detection and genetic characterization of novel RNA

- viruses in wild and synanthropic rodents and shrews in Kenya. *Front Microbiol* 10:2696 [PubMed: 31824465]
77. Papadopoulos O, Koptopoulos G (1980) Crimean-Congo hemorrhagic fever (CCHF) in Greece: isolation of the virus from *Rhipicephalus bursa* ticks and a preliminary serological survey. In: Vesjenjak-Hirjan J (ed) *Arboviruses in the Mediterranean countries*. Gustav Fischer Verlag, Stuttgart, Germany, pp 117–121
 78. Peracchio C, Forgia M, Chiapello M, Vallino M, Turina M, Ciuffo M (2020) A complex virome including two distinct emaraviruses associated with virus-like symptoms in *Camellia japonica*. *Virus Res* 286:197964 [PubMed: 32445873]
 79. Pettersson JH-O, Shi M, Bohlin J, Eldholm V, Brynildsrud OB, Paulsen KM, Andreassen Å, Holmes EC (2017) Characterizing the virome of *Ixodes ricinus* ticks from northern Europe. *Sci Rep* 7:10870 [PubMed: 28883464]
 80. Pettersson JH-O, Shi M, Eden J-S, Holmes EC, Hesson JC (2019) Meta-transcriptomic comparison of the RNA viromes of the mosquito vectors *Culex pipiens* and *Culex torrentium* in Northern Europe. *Viruses* 11:1033
 81. Pounder KC, Begon M, Sironen T, Henttonen H, Watts PC, Voutilainen L, Vapalahti O, Klempa B, Fooks AR, McElhinney LM (2013) Novel hantavirus in wildlife, United Kingdom. *Emerg Infect Dis* 19:673–5 [PubMed: 23750506]
 82. Reeves WK, Miller MM, Gruner WE (2018) Two *Rhabdoviridae*: Dillard's Draw virus, a putative new virus, and Merida virus from *Culex tarsalis* (Diptera: Culicidae) in New Mexico, USA. *Acta Virol* 62:326–329 [PubMed: 30160148]
 83. Rodhain F, Maduloleblond G, Hannoun C, Tesh RB (1985) Le virus Corfou : un nouveau *Phlebovirus* isolé de phlébotomes en Grèce. *Ann Inst Pasteur Virol* 136E:161–166
 84. Ruiz-Padilla A, Rodríguez-Romero J, Gómez-Cid I, Pacifico D, Ayllón MA (2021) Novel mycoviruses discovered in the mycovirome of a necrotrophic fungus. *MBio* 12:e03705–20 [PubMed: 33975945]
 85. Sabbadin F, Glover R, Stafford R, Rozado-Aguirre Z, Boonham N, Adams I, Mumford R, Edwards R (2017) Transcriptome sequencing identifies novel persistent viruses in herbicide resistant wild-grasses. *Sci Rep* 7:41987 [PubMed: 28165016]
 86. Sadeghi M, Altan E, Deng X, Barker CM, Fang Y, Coffey LL, Delwart E (2018) Virome of > 12 thousand *Culex* mosquitoes from throughout California. *Virology* 523:74–88 [PubMed: 30098450]
 87. Sameroff S, Tokarz R, Charles RA, Jain K, Oleynik A, Che X, Georges K, Carrington CV, Lipkin WI, Oura C (2019) Viral diversity of tick species parasitizing cattle and dogs in Trinidad and Tobago. *Sci Rep* 9:10421 [PubMed: 31320705]
 88. Schoonvaere K, De Smet L, Smagghe G, Vierstraete A, Braeckman BP, de Graaf DC (2016) Unbiased RNA shotgun metagenomics in social and solitary wild bees detects associations with eukaryote parasites and new viruses. *PLoS One* 11:e0168456 [PubMed: 28006002]
 89. Shi C, Beller L, Deboutte W, Yinda KC, Delang L, Vega-Rúa A, Failloux AB, Matthijnsens J (2019) Stable distinct core eukaryotic viromes in different mosquito species from Guadeloupe, using single mosquito viral metagenomics. *Microbiome* 7:121 [PubMed: 31462331]
 90. Shi J, Shen S, Wu H, Zhang Y, Deng F (2021) Metagenomic profiling of viruses associated with *Rhipicephalus microplus* ticks in Yunnan Province, China. *Virol Sin*
 91. Shi M, Lin X-D, Tian J-H, Chen L-J, Chen X, Li CX, Qin X-C, Li J, Cao J-P, Eden J-S, Buchmann J, Wang W, Xu J, Holmes EC, Zhang Y-Z (2016) Redefining the invertebrate RNA virosphere. *Nature* 540:539–543 [PubMed: 27880757]
 92. Shi M, Lin X-D, Chen X, Tian J-H, Chen L-J, Li K, Wang W, Eden J-S, Shen J-J, Liu L, Holmes EC, Zhang Y-Z (2018) The evolutionary history of vertebrate RNA viruses. *Nature* 556:197–202 [PubMed: 29618816]
 93. Siddell SG, Walker PJ, Lefkowitz EJ, Mushegian AR, Adams MJ, Dutilh BE, Gorbalenya AE, Harrach Bz, Harrison RL, Junglen S, Knowles NJ, Kropinski AM, Krupovic M, Kuhn JH, Nibrel M, Rubino L, Sabanadzovic S, Sanfaçon H, Simmonds P, Varsani A, Zerbini FM, Davison AJ (2019) Additional changes to taxonomy ratified in a special vote by the International Committee on Taxonomy of Viruses (October 2018). *Arch Virol* 164:943–6 [PubMed: 30663020]

94. Siqueira Maia LM, de Lara Pinto AZ, Santos de Carvalho M, de Melo FL, Morais Ribeiro B, Dezengrini Shessarenko R (2019) Novel viruses in mosquitoes from Brazilian Pantanal. *Viruses* 11:957
95. Sömera M, Kvarnheden A, Desbiez C, Blystad DR, Sooväli P, Kundu JK, Gantsovski M, Nygren J, Lecoq H, Verdin E, Spetz C, Tamisier L, Truve E, Massart S (2020) Sixty years after the first description: genome sequence and biological characterization of European wheat striate mosaic virus infecting cereal crops. *Phytopathology* 110:68–79 [PubMed: 31631806]
96. Spence L, Anderson CR, Aitken TH, Downs WG (1964) Trinita virus, a new agent isolated from Trinidadian mosquitoes. *Am J Trop Med Hyg* 13:114–7 [PubMed: 14106041]
97. St George TD (2012) Research on milk fever, bluetongue, Akabane, ephemeral fever and other arboviruses at CSIRO Long Pocket Laboratories, Brisbane, Australia. Ph.D. Thesis, University of Queensland, Brisbane, Australia.
98. Starr EP, Nuccio EE, Pett-Ridge J, Banfield JF, Firestone MK (2019) Metatranscriptomic reconstruction reveals RNA viruses with the potential to shape carbon cycling in soil. *Proc Natl Acad Sci U S A* 116:25900–25908 [PubMed: 31772013]
99. Tokarz R, Williams SH, Sameroff S, Sanchez Leon M, Jain K, Lipkin WI (2014) Virome analysis of *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis* ticks reveals novel highly divergent vertebrate and invertebrate viruses. *J Virol* 88:11480–92 [PubMed: 25056893]
100. Tokarz R, Sameroff S, Tagliafierro T, Jain K, Williams SH, Cucura DM, Rochlin I, Monzon J, Carpi G, Tufts D, Diuk-Wasser M, Brinkerhoff J, Lipkin WI (2018) Identification of novel viruses in *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis* ticks. *mSphere* 3:e00614–17 [PubMed: 29564401]
101. Vanmechelen B, Laenen L, Vergote V, Maes P (2017) Grotenhout virus, a novel nairovirus found in *Ixodes ricinus* in Belgium. *Genome Announc* 5:e00288–17 [PubMed: 28546475]
102. Viljakainen L, Borshagovski AM, Saarenpää S, Kaitala A, Jurvansuu J (2020) Identification and characterisation of common glow-worm RNA viruses. *Virus Genes* 56:236–248 [PubMed: 31900852]
103. von Barga S, Al Kubrusli R, Gaskin T, Fül S, Hüttner F, Blystad D-R, Karlin DG, Jalkanen R, Büttner C (2020) Characterisation of a novel emaravirus identified in mosaic-diseased Eurasian aspen (*Populus tremula*). *Ann Appl Biol* 176:210–222
104. Walker PJ, Tesh RB, Guzman H, Popov VL, Travassos da Rosa APA, Reyna M, Nunes MRT, de Souza WM, Contreras-Gutierrez MA, Patroca S, Vela J, Salvato V, Bueno R, Widen SG, Wood TG, Vasilakis N (2019) Characterization of three novel viruses from the families *Nyamiviridae*, *Orthomyxoviridae*, and *Peribunyaviridae*, isolated from dead birds collected during West Nile virus surveillance in Harris County, Texas. *Viruses* 11:927
105. Wang Y-q, Song Y, Cao M-j, Cheng Q, Wu J-x, Hu T (2020) Identification of a novel emaravirus infecting lilac through next-generation sequencing. *J Integr Agricult* 19:2064–2071
106. Wang Y, Zhai L, Wen S, Yang Z, Wang G, Hong N (2020) Molecular characterization of a novel emaravirus infecting *Actinidia* spp. in China. *Virus Res* 275:197736 [PubMed: 31626876]
107. Weir R (2002) Classification and identification of viruses isolated from mosquitoes in the Northern Territory, 1982–1992, using a range of techniques. PhD Thesis, University of Sydney, Sydney, Australia.
108. Williams SH, Levy A, Yates RA, Somaweera N, Neville PJ, Nicholson J, Lindsay MDA, Mackenzie JS, Jain K, Imrie A, Smith DW, Lipkin WI (2020) The diversity and distribution of viruses associated with *Culex annulirostris* mosquitoes from the Kimberley Region of Western Australia. *Viruses* 12:717
109. Wolf YI, Kazlauskas D, Iranzo J, Lucía-Sanz A, Kuhn JH, Krupovic M, Dolja VV, Koonin EV (2018) Origins and Evolution of the Global RNA Virome. *MBio* 9:e02329–18 [PubMed: 30482837]
110. Wright AA, Cross AR, Harper SJ (2020) A bushel of viruses: Identification of seventeen novel putative viruses by RNA-seq in six apple trees. *PLoS One* 15:e0227669 [PubMed: 31929569]
111. Xu L, Wu J, Jiang T, Qin S, Xia L, Li X, He B, Tu C (2018) Molecular detection and sequence characterization of diverse rhabdoviruses in bats, China. *Virus Res* 244:208–212 [PubMed: 29196194]

112. Yang C, Zhang S, Han T, Fu J, Di Serio F, Cao M (2019) Identification and characterization of a novel emaravirus associated with jujube (*Ziziphus jujuba* Mill.) yellow mottle disease. *Front Microbiol* 10:1417 [PubMed: 31293549]
113. Yashina LN, Kartashov MY, Wang W, Li K, Zdanovskaya NI, Ivanov LI, Zhang Y-Z (2019) Co-circulation of distinct shrew-borne hantaviruses in the far east of Russia. *Virus Res* 272:197717 [PubMed: 31422116]
114. Zhang S, Yang L, Ma L, Tian X, Li R, Zhou C, Cao M (2020) Virome of *Camellia japonica*: discovery of and molecular characterization of new viruses of different taxa in camellias. *Front Microbiol* 11:945 [PubMed: 32499772]
115. Zhou J, Cao K, Zhang Z, Wang L, Li S (2020) Identification and characterization of a novel rhabdovirus infecting peach in China. *Virus Res* 280:197905 [PubMed: 32105763]
116. Παπαδόπουλος Ο, Κοπτόπουλος Γ (1978) Απομόνωση ιού της ομάδας κριμαϊκού αιμορραγικού πυρετού-κογκο από κροτώνες *Rhipicephalus bursa*. ελτίον Ελληνικής Μικροβιολογικής Εταιρείας 23:20–28
117. Альховский СВ, Львов ДК, Щелканов МЮ, Щетинин АМ, Краснослободцев КГ, Дерябин ПГ, Самохвалов ЕИ, Ботиков АГ, Закарян ВА (2013) Молекулярногенетическая характеристика вирусов Бханджа (BHAV) и Раздан (RAZV) (*Bunyaviridae*, *Phlebovirus*), изолированных от иксодовых клещей *Rhipicephalus bursa* Canestrini & Fanzago, 1878, и *Dermacentor marginatus* Sulzer, 1776, в Закавказье. *Вопр вирусол* 58:14–9

ICTV-accepted taxonomy of the order *Goujianvirales* (Negarnaviricota: *Haploviricotina*: *Yunchangviricetes*) as of March 2021.

Table 1.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Yueviridae</i>		
<i>Yiyuevirus</i>	<i>Beihai yiyuevirus</i>	B ihǎi sesarmid crab virus 3 (BhSCV-3)
	<i>Shahé yuyuevirus</i>	Sh hé yuèvirus-like virus 1 (ShYLY-1)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

[#]Taxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

ICTV-accepted taxonomy of the order *Jingchuvirales* (Negarnaviricota: *Haploviricota*: *Monjiviricetes*) as of March 2021.

Table 2.

Genus	Species [¶]	Virus (Abbreviation) ^{&}
Family <i>Alusviridae</i>		
<i>Obscurivirus</i>	<i>Obscurivirus quintum</i>	Atrato chu-like virus 5 (ACIV-5)
<i>Ollusvirus</i>	<i>Ollusvirus coleopteri</i>	Hüb i coleoptera virus 3 (HbCV-3)
	<i>Ollusvirus culvertonense</i>	Culverton virus (CVV)
	<i>Ollusvirus hanchengense</i>	Hánchéng leafhopper mivirus (HLMV)
	<i>Ollusvirus hymenopteri</i>	hymenopteran chu-related virus 123 (HCvV-123)
	<i>Ollusvirus insecti</i>	hymenopteran chu-related virus 126 (HCvV-126)
	<i>Ollusvirus scaldense</i>	Scaldis River bee virus (SRBV)
	<i>Ollusvirus shayangense</i>	Sh yáng fly virus 1 (SyFV-1)
	<i>Ollusvirus taiyuanense</i>	Tàiyuán leafhopper virus (TYLeV)
Family <i>Chuviridae</i>		
<i>Boscovirus</i>	<i>Boscovirus hippoboscidae</i>	Wùhàn louse fly virus 7 (WhLFV-7)
	<i>Boscovirus hypoboscidae</i>	Wùhàn louse fly virus 6 (WhLFV-6)
<i>Chuvivirus</i>	<i>Chuvivirus brunniichi</i>	W nling crustacean virus 14 (WICV-14)
	<i>Chuvivirus canceris</i>	W nzh u crab virus 2 (WzCV-2)
<i>Culicidavirus</i>	<i>Culicidavirus culicidae</i>	Wùhàn mosquito virus 8 (WhMV-8)
	<i>Culicidavirus culicis</i>	Culex mosquito virus 5 (CIMV-5)
	<i>Culicidavirus injinense</i>	Injin River virus 1 (IJRV-1)
	<i>Culicidavirus quitolaense</i>	Culex mosquito virus 4 (CIMV-4)
<i>Demapteravirus</i>	<i>Demapteravirus demapteri</i>	demapteran chu-related virus 142 (DCvV-142)
<i>Doliavirus</i>	<i>Doliavirus culisetae</i>	Mos8Chu0 chuvirus (MoCV)
<i>Mivirus</i>	<i>Mivirus amblyommae</i>	lone star tick chuvirus 1 (LSTCV-1)
	<i>Mivirus boleense</i>	Bólé tick virus 3 (BTV-3)
	<i>Mivirus changpingense</i>	Ch ngping tick virus 2 (CpTV-2)
	<i>Mivirus dermatentoris</i>	Ch ngping tick virus 3 (CpTV-3)
		Tàchéng tick virus 5 (TcTV-5)

Genus	Species [¶]	Virus (Abbreviation) [¶]
	<i>Mivirus genovaense</i>	Genoa virus (GeV)
	<i>Mivirus karukeraense</i>	Karukera tick virus (KtV)
	<i>Mivirus rhipicephali</i>	brown dog tick mivirus 1 (BDTMV-1)
	<i>Mivirus suffolkense</i>	Suffolk virus (SFKV)
	<i>Mivirus wuhanense</i>	Wùhàn tick virus 2 (WhTV-2)
<i>Morsusvirus</i>	<i>Morsusvirus aigatis</i>	Tāchéng tick virus 4 (TcTV-4)
<i>Nigecruvirus</i>	<i>Nigecruvirus ixodes</i>	blacklegged tick chuvirus-2 (BITC-2)
<i>Odonatavirus</i>	<i>Odonatavirus draconis</i>	odonatan chu-related virus 137 (OCtV-137)
	<i>Odonatavirus fabricii</i>	Hùb i odonate virus 11 (HboV-11)
	<i>Odonatavirus odontis</i>	odonatan chu-related virus 136 (OCtV-136)
<i>Pediavirus</i>	<i>Pediavirus citripedis</i>	B ihài barnacle virus 9 (BhBV-9)
<i>Piscichuvirus</i>	<i>Piscichuvirus franki</i>	Herr Frank virus 1 (HFrV-1)
	<i>Piscichuvirus lycodontis</i>	Guāngd ng red-banded snake chuvirus-like virus (GRSCV)
	<i>Piscichuvirus sauxiaense</i>	S nxiá atyid shrimp virus 4 (SxASC-4)
	<i>Piscichuvirus wenlingense</i>	W nling fish chu-like virus (WFCLV)
<i>Pterovirus</i>	<i>Pterovirus chulinense</i>	hymenopteran chu-related virus OKIAV147 (HCtV-147)
<i>Scarabeuvirus</i>	<i>Scarabeuvirus blattae</i>	Wùch ng cockroach virus 3 (WcLFV-3)
	<i>Scarabeuvirus dentati</i>	Hùb i chuvirus-like virus 3 (HbCLV-3)
	<i>Scarabeuvirus hubeiense</i>	Hùb i chuvirus-like virus 1 (HbCLV-1)
	<i>Scarabeuvirus lampyris</i>	Lampyrus noctiluca chuvirus-like virus 1 (LNCIV-1)
	<i>Scarabeuvirus lishuiense</i>	Lìshì spider virus 1 (LsSV-1)
<i>Taceavirus</i>	<i>Taceavirus wenlingense</i>	W nling crustacean virus 15 (WICV-15)
Family Crepuscuviridae		
<i>Aqualarivirus</i>	<i>Aqualarivirus sialis</i>	megalopteran chu-related virus 119 (MCtV-119)
Family Myriaviridae		
<i>Myriavirus</i>	<i>Myriavirus myriapedis</i>	Hùb i myriapoda virus 8 (HbMV-8)
Family Nataviridae		
<i>Charybdivirus</i>	<i>Charybdivirus charybdis</i>	W nzh u crab virus 3 (WzCV-3)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

Taxon names are always italicized and always begin with a capital letter.

⌘ Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

Table 3.

ICTV-accepted taxonomy of the order *Mononegavirales* (*Negarnaviricota*: *Haploviricotina*: *Monjiviricetes*) as of March 2021.

Genus	Species ^{f/}	Virus (Abbreviation) ^g &
Family <i>Artoviridae</i>		
<i>Hexartovirus</i>	<i>Barnacle hexartovirus</i>	B ihai barnacle virus 8 (BhBV-8)
	<i>Calligid hexartovirus</i>	Lepeophtheirus salmónis negative-stranded RNA virus 1 (LsNSRV-1)
<i>Peropuvirus</i>	<i>Beihai peropuvirus</i>	B ihai rhabdo-like virus 1 (BhRLV-1)
	<i>Hubei peropuvirus</i>	Húb i rhabdo-like virus 6 (HbRLV-6)
	<i>Odonate peropuvirus</i>	Húb i rhabdo-like virus 8 (HbRLV-8)
	<i>Pillworm peropuvirus</i>	Húb i rhabdo-like virus 5 (HbRLV-5)
	<i>Pteromalus puparum peropuvirus</i>	Pteromalus puparum negative-strand RNA virus 1 (PpNSRV-1)
	<i>Woodlouse peropuvirus</i>	B ihai rhabdo-like virus 2 (BhRLV-2)
Family <i>Bornaviridae</i>		
<i>Carbovirus</i>	<i>Queensland carbovirus</i>	jungle carpet python virus (JCPV)
	<i>Southwest carbovirus</i>	southwest carpet python virus (SWCPV)
<i>Cultervirus</i>	<i>Sharpbelly cultervirus</i>	Wúhán sharpbelly bornavirus (W/hsBV)
<i>Orthobornavirus</i>	<i>Elapid 1 orthobornavirus</i>	Loveidge's garter snake virus 1 (LGSV-1)
	<i>Mammalian 1 orthobornavirus</i>	Borna disease virus 1 (BoDV-1)
		Borna disease virus 2 (BoDV-2)
	<i>Mammalian 2 orthobornavirus</i>	variegated squirrel bornavirus 1 (VSBV-1)
	<i>Passeriform 1 orthobornavirus</i>	canary bornavirus 1 (CnBV-1)
		canary bornavirus 2 (CnBV-2)
		canary bornavirus 3 (CnBV-3)
	<i>Passeriform 2 orthobornavirus</i>	estrildid finch bornavirus 1 (ESBV-1)
	<i>Psittaciform 1 orthobornavirus</i>	parrot bornavirus 1 (PaBV-1)
		parrot bornavirus 2 (PaBV-2)
		parrot bornavirus 3 (PaBV-3)
		parrot bornavirus 4 (PaBV-4)
		parrot bornavirus 7 (PaBV-7)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Psittaciform 2 orthobornavirus</i>	parrot bornavirus 5 (PaBV-5)
	<i>Waterbird 1 orthobornavirus</i>	aquatic bird bornavirus 1 (ABBV-1)
		aquatic bird bornavirus 2 (ABBV-2)
Family <i>Filoviridae</i>		
<i>Cuevavirus</i>	<i>Lloviu cuevavirus</i>	Lloviu virus (LLOV)
<i>Dianlovirus</i>	<i>Mengla dianlovirus</i>	Mengla virus (MLAV)
<i>Ebolavirus</i>	<i>Bombali ebolavirus</i>	Bombali virus (BOMV)
	<i>Bundibugyo ebolavirus</i>	Bundibugyo virus (BDBV)
	<i>Reston ebolavirus</i>	Reston virus (RESTV)
	<i>Sudan ebolavirus</i>	Sudan virus (SUDV)
	<i>Tai Forest ebolavirus</i>	Tai Forest virus (TAFV)
	<i>Zaire ebolavirus</i>	Ebola virus (EBOV)
<i>Marburgvirus</i>	<i>Marburg marburgvirus</i>	Marburg virus (MARV)
		Ravn virus (RAVV)
<i>Striavirus</i>	<i>Xilang striavirus</i>	Xilang virus (XILV)
<i>Thannovirus</i>	<i>Huangjiao thannovirus</i>	Huangjiao virus (HUJV)
Family <i>Lispiviridae</i>		
<i>Arivirus</i>	<i>Genrid arivirus</i>	Saxia water strider virus 4 (SxWSV-4)
	<i>Hubei arivirus</i>	Húb 1 rhabdo-like virus 3 (HbRLV-3)
	<i>Lishi arivirus</i>	Lishi spider virus 2 (LsSV-2)
	<i>Odonate arivirus</i>	Húb 1 odonate virus 10 (HbOV-10)
	<i>Tacheng arivirus</i>	Táchéng tick virus 6 (TcTV-6)
	<i>Wuchang arivirus</i>	Wúcháng romanomermis nematode virus 2 (WcRNV-2)
Family <i>Mymonaviridae</i>		
<i>Auricularimonavirus</i>	<i>Auricularimonavirus auriculariae</i>	Auricularia heimmer negative-stranded RNA virus 1 (AhNRSV-1)
<i>Botrytimonavirus</i>	<i>Botrytimonavirus botrytidis</i>	Botrytis cinerea negative-stranded RNA virus 7 (BcNSRV-7)
	<i>Botrytimonavirus glycinis</i>	soybean leaf-associated negative-stranded RNA virus 3 (SLaNSRV-3)
	<i>Botrytimonavirus sclerotinae</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 2 (SsNSRV-2)
		Sclerotinia sclerotiorum negative-stranded RNA virus 2-A (SsNSRV-2-A)

Genus	Species ^f	Virus (Abbreviation) ^g
		Sclerotinia sclerotiorum negative-stranded RNA virus 4 (SsNSRV-4)
		Sclerotinia sclerotiorum negative-stranded RNA virus 4-A (SsNSRV-4-A)
<i>Hubramonavirus</i>	<i>Hubramonavirus hubetense</i>	Húb 1 rhabdo-like virus 4 (HbRLV-4)
	<i>Hubramonavirus terrae</i>	H2BulkLiter1223 virus
<i>Lentimonavirus</i>	<i>Lentimonavirus lentinulae</i>	Lentinula edodes negative-strand RNA virus 1 (LeNSRV-1)
<i>Penicillimonavirus</i>	<i>Penicillimonavirus alphapenicillii</i>	Penicillium adametzoides negative-stranded RNA virus 1 (PaNsRV-1)
	<i>Penicillimonavirus alphaplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 1 (PvaMV-1)
	<i>Penicillimonavirus betapenicillii</i>	Penicillium glabrum negative-stranded RNA virus 1 (PgRIV-1)
	<i>Penicillimonavirus betaplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 2 (PvaMV-2)
		Plasmopara viticola lesion associated mononegaambi virus 4 (PvaMV-4)
	<i>Penicillimonavirus deltaplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 5 (PvaMV-5)
	<i>Penicillimonavirus epsiloplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 6 (PvaMV-6)
	<i>Penicillimonavirus etaplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 9 (PvaMV-9)
	<i>Penicillimonavirus gammaplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 3 (PvaMV-3)
	<i>Penicillimonavirus kinbarnense</i>	Kiln Barn virus (KBV)
	<i>Penicillimonavirus zetaplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 7 (PvaMV-7)
<i>Plasmopamonavirus</i>	<i>Plasmopamonavirus plasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 8 (PvaMV-8)
<i>Phyllomonavirus</i>	<i>Phyllomonavirus gysingense</i>	Gysinge virus (GYSV)
	<i>Phyllomonavirus phyllosptherae</i>	soybean leaf-associated negative-stranded RNA virus 4 (SLaNSRV-4)
<i>Rhizomonavirus</i>	<i>Rhizomonavirus mali</i>	apple virus B (APPV-B)
<i>Sclerotimonavirus</i>	<i>Sclerotimonavirus alphaclariiceidae</i>	Sclerotinia homoeocarpa TSA contig 1 (ShTSA-1)
		Sclerotinia homoeocarpa TSA contig 2 (ShTSA-2)
	<i>Sclerotimonavirus alphaplasmaparae</i>	Plasmopara viticola lesion associated mymonavirus 1 (PvaMV-1)
	<i>Sclerotimonavirus alternariae</i>	Alternaria tenuissima negative-stranded RNA virus 1 (AiNsRV-1)
	<i>Sclerotimonavirus betaclariiceidae</i>	Sclerotinia homoeocarpa TSA contig 3 (ShTSA-3)
	<i>Sclerotimonavirus betaplasmaparae</i>	Plasmopara viticola lesion associated mononegaambi virus 2 (PvaMV-2)
	<i>Sclerotimonavirus botrytidis</i>	Botrytis cinerea mymonavirus 1 (BeMyV-1)
		Sclerotinia sclerotiorum negative-stranded RNA virus 7 (SsNSRV-7)
	<i>Sclerotimonavirus fusarii</i>	Fusarium graminearum negative-stranded RNA virus 1 (FgNSRV-1)

Genus	Species ^f	Virus (Abbreviation) ^g
		soybean leaf-associated negative-stranded RNA virus 1 (SLaNSRV-1)
		soybean leaf-associated negative-stranded RNA virus 2 (SLaNSRV-2)
	<i>Sclerotimonavirus illinoisense</i>	soybean leaf-associated negative-stranded RNA virus 2 (SLaNSRV-2)
	<i>Sclerotimonavirus penicillii</i>	Penicillium caimsense negative-stranded RNA virus 1 (PcNSRV-1)
	<i>Sclerotimonavirus sclerotinae</i>	Sclerotinia sclerotiorum negative-stranded RNA virus 1 (SsNSRV-1)
		Sclerotinia sclerotiorum negative-stranded RNA virus 1-A (SsNSRV-1-A)
		Sclerotinia sclerotiorum negative-stranded RNA virus 3 (SsNSRV-3)
		Sclerotinia sclerotiorum negative-stranded RNA virus 3-A (SsNSRV-3-A)
	<i>Sclerotimonavirus terrae</i>	H4BulkLitter234 virus
Family Nyamiviridae		
<i>Berhavirus</i>	<i>Beihai berhavirus</i>	B ihai rhabdo-like virus 4 (BhRLV-4)
	<i>Echinoderm berhavirus</i>	B ihai rhabdo-like virus 5 (BhRLV-5)
	<i>Sipunculid berhavirus</i>	B ihai rhabdo-like virus 3 (BhRLV-3)
<i>Crustavirus</i>	<i>Beihai crustavirus</i>	B ihai rhabdo-like virus 6 (BhRLV-6)
	<i>Wenling crustavirus</i>	W nling crustacean virus 12 (WICV-12)
	<i>Wenzhou crustavirus</i>	W nzh u crab virus 1 (WzCV-1)
<i>Formivirus</i>	<i>Chalybion formivirus</i>	hymenopteran orino-related virus OKIAV87 (HORV-87)
	<i>Exsecta formivirus</i>	Formica exsecta virus 4 (FeV-4)
	<i>Fusca formivirus</i>	Formica fusca virus 1 (FfusV-1)
	<i>Gorytes formivirus</i>	hymenopteran orino-related virus OKIAV85 (HORV-85)
<i>Nyavirus</i>	<i>Jacinto nyavirus</i>	San Jacinto virus (SJCY)
	<i>Midway nyavirus</i>	Midway virus (MIDWV)
	<i>Nyamanini nyavirus</i>	Nyamanini virus (NYMV)
	<i>Sierra Nevada nyavirus</i>	Sierra Nevada virus (SNVV)
<i>Orinovirus</i>	<i>Orinoco orinovirus</i>	Orinoco virus (ONCV)
<i>Socyvirus</i>	<i>Soybean cyst nematode socyvirus</i>	soybean cyst nematode virus 1 (SbCNCV-1)
<i>Tapwovirus</i>	<i>Tapeworm tapwovirus</i>	W nzh u tapeworm virus 1 (WzTWV-1)
Family Paramyxoviridae		
Subfamily Avulavirinae		
<i>Metaavulavirus</i>	<i>Avian metaavulavirus 2</i>	avian paramyxovirus 2 (APMV-2)

Genus	Species ^f	Virus (Abbreviation) ^g
	<i>Avian metaaavulavirus 5</i>	avian paramyxovirus 5 (APMV-5)
	<i>Avian metaaavulavirus 6</i>	avian paramyxovirus 6 (APMV-6)
	<i>Avian metaaavulavirus 7</i>	avian paramyxovirus 7 (APMV-7)
	<i>Avian metaaavulavirus 8</i>	avian paramyxovirus 8 (APMV-8)
	<i>Avian metaaavulavirus 10</i>	avian paramyxovirus 10 (APMV-10)
	<i>Avian metaaavulavirus 11</i>	avian paramyxovirus 11 (APMV-11)
	<i>Avian metaaavulavirus 14</i>	avian paramyxovirus 14 (APMV-14)
	<i>Avian metaaavulavirus 15</i>	avian paramyxovirus 15 (APMV-15)
	<i>Avian metaaavulavirus 20</i>	avian paramyxovirus 20 (APMV-20)
	<i>Avian metaaavulavirus 22</i>	avian paramyxovirus 22 (APMV-22)
<i>Orthoavulavirus</i>	<i>Avian orthoavulavirus 1</i>	avian paramyxovirus 1 (APMV-1) ^f
	<i>Avian orthoavulavirus 9</i>	avian paramyxovirus 9 (APMV-9)
	<i>Avian orthoavulavirus 12</i>	avian paramyxovirus 12 (APMV-12)
	<i>Avian orthoavulavirus 13</i>	avian paramyxovirus 13 (APMV-13)
	<i>Avian orthoavulavirus 16</i>	avian paramyxovirus 16 (APMV-16)
	<i>Avian orthoavulavirus 17</i>	Antarctic penguin virus A (APV-A)
	<i>Avian orthoavulavirus 18</i>	Antarctic penguin virus B (APV-B)
	<i>Avian orthoavulavirus 19</i>	Antarctic penguin virus C (APV-C)
	<i>Avian orthoavulavirus 21</i>	avian paramyxovirus 21 (APMV-21)
<i>Paraavulavirus</i>	<i>Avian paraavulavirus 3</i>	avian paramyxovirus 3 (APMV-3)
	<i>Avian paraavulavirus 4</i>	avian paramyxovirus 4 (APMV-4)
		Subfamily <i>Metaparamyxovirinae</i>
<i>Synodovirus</i>	<i>Synodus synodovirus</i>	W nling triplecross lizardfish paramyxovirus (WTL.PV)
		Subfamily <i>Orthoparamyxovirinae</i>
<i>Aquaparamyxovirus</i>	<i>Oncorhynchus aquaparamyxovirus</i>	Pacific salmon paramyxovirus (PSPV)
	<i>Salmo aquaparamyxovirus</i>	Atlantic salmon paramyxovirus (AsaPV)
<i>Ferlavirus</i>	<i>Reptilian ferlavirus</i>	fer-de-lance virus (FDLV)
<i>Henipavirus</i>	<i>Cedar henipavirus</i>	Cedar virus (CedV)
	<i>Ghanaian bat henipavirus</i>	Ghana virus (GhV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Hendra henipavirus</i>	Hendra virus (HeV)
	<i>Mojiang henipavirus</i>	Mojiang virus (MojV)
	<i>Nipah henipavirus</i>	Nipah virus (NiV)
<i>Jeilongvirus</i>	<i>Beilong jeilongvirus</i>	Beilong virus (BeiV)
	<i>Jun jeilongvirus</i>	J virus (JV)
	<i>Lophuromys jeilongvirus 1</i>	Mount Mabu Lophuromys virus 1 (MMLV-1)
	<i>Lophuromys jeilongvirus 2</i>	Mount Mabu Lophuromys virus 2 (MMLV-2)
	<i>Miniopteran jeilongvirus</i>	Shaan virus (ShaV)
	<i>Myodes jeilongvirus</i>	Pohorje Myodes paramyxovirus 1 (PMPV-1)
	<i>Tailam jeilongvirus</i>	Tailam virus (TaiV)
<i>Morbillivirus</i>	<i>Canine morbillivirus</i>	canine distemper virus (CDV)
	<i>Cetacean morbillivirus</i>	cetacean morbillivirus (CeMV)
	<i>Feline morbillivirus</i>	feline morbillivirus (FeMV)
	<i>Measles morbillivirus</i>	measles virus (MeV)
	<i>Phocine morbillivirus</i>	phocine distemper virus (PDV)
	<i>Rinderpest morbillivirus</i>	rinderpest virus (RPV)
	<i>Small ruminant morbillivirus</i>	peste-des-petits-ruminants virus (PPRV)
<i>Narmovirus</i>	<i>Mossman narmovirus</i>	Mossman virus (MossV)
	<i>Myodes narmovirus</i>	bank vole virus 1 (BaV-1)
	<i>Nariva narmovirus</i>	Nariva virus (NarV)
	<i>Tupaia narmovirus</i>	Tupaia paramyxovirus (TupV)
<i>Respirovirus</i>	<i>Bovine respirovirus 3</i>	bovine parainfluenza virus 3 (BPiV-3)
	<i>Caprine respirovirus 3</i>	caprine parainfluenzavirus 3 (CPiV-3)
	<i>Human respirovirus 1</i>	human parainfluenza virus 1 (HPiV-1)
	<i>Human respirovirus 3</i>	human parainfluenza virus 3 (HPiV-3)
	<i>Murine respirovirus</i>	Sendai virus (SeV)
	<i>Porcine respirovirus 1</i>	porcine parainfluenza virus 1 (PPiV-1)
	<i>Squirrel respirovirus</i>	giant squirrel virus (GSqV)
<i>Salemvirus</i>	<i>Salem salemvirus</i>	Salem virus (SalV)

Genus	Species ^f	Virus (Abbreviation) ^g
Subfamily <i>Rubulavirinae</i>		
<i>Orthorubulavirus</i>	<i>Human orthorubulavirus 2</i>	human parainfluenza virus 2 (HPIV-2)
	<i>Human orthorubulavirus 4</i>	human parainfluenza virus 4a (HPIV-4a)
		human parainfluenza virus 4b (HPIV-4b)
	<i>Mammalian orthorubulavirus 5</i>	parainfluenza virus 5 (PIV-5)
	<i>Mammalian orthorubulavirus 6</i>	Alston virus (AlSV)
	<i>Mapuera orthorubulavirus</i>	Mapuera virus (MapV)
	<i>Mumps orthorubulavirus</i>	mumps virus (MuV)
	<i>Porcine orthorubulavirus</i>	La Piedad Michoacán Mexico virus (LPMV)
	<i>Simian orthorubulavirus</i>	simian virus 41 (SV-41)
<i>Pararubulavirus</i>	<i>Achimota pararubulavirus 1</i>	Achimota virus 1 (AchPV-1)
	<i>Achimota pararubulavirus 2</i>	Achimota virus 2 (AchPV-2)
	<i>Hervey pararubulavirus</i>	Hervey virus (HerV)
	<i>Menangle pararubulavirus</i>	Menangle virus (MenPV)
	<i>Sosuga pararubulavirus</i>	Sosuga virus (SOSV)
	<i>Teviot pararubulavirus</i>	Teviot virus (TevPV)
	<i>Tioman pararubulavirus</i>	Tioman virus (TioPV)
	<i>Tuhoko pararubulavirus 1</i>	Tuhoko virus 1 (ThkPV-1)
	<i>Tuhoko pararubulavirus 2</i>	Tuhoko virus 2 (ThkPV-2)
	<i>Tuhoko pararubulavirus 3</i>	Tuhoko virus 3 (ThkPV-3)
Unassigned (to subfamilies)		
<i>Cynoglossivirus</i>	<i>Cynoglossus cynoglossivirus</i>	W nling tonguesole paramyxovirus (WTSPV)
<i>Hoplichthysvirus</i>	<i>Hoplichthys hoplichthysvirus</i>	W nling hoplichthys paramyxovirus (WHPV)
<i>Scoliodonvirus</i>	<i>Scoliodon scoliodonvirus</i>	W nzh u pacific spadenose shark paramyxovirus (WPSSPV)
Family <i>Pneumoviridae</i>		
<i>Metapneumovirus</i>	<i>Avian metapneumovirus</i>	avian metapneumovirus (AMPV)
	<i>Human metapneumovirus</i>	human metapneumovirus (HMPV)
<i>Orthopneumovirus</i>	<i>Bovine orthopneumovirus</i>	bovine respiratory syncytial virus (BRSV)
	<i>Human orthopneumovirus</i>	human respiratory syncytial virus (HRSV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Murine orthopneumovirus</i>	murine pneumonia virus (MPV)
Family Rhabdoviridae		
Subfamily <i>Alpharhabdovirinae</i>		
<i>Almendravirus</i>	<i>Arboretum alمندravirus</i>	Arboretum virus (ABTV)
	<i>Balsa alمندravirus</i>	Balsa virus (BALV)
	<i>Coot Bay alمندravirus</i>	Coot Bay virus (CBV)
	<i>Menghai alمندravirus</i>	Menghai virus (MRV)
	<i>Puerto Almendras alمندravirus</i>	Puerto Almendras virus (PTAMV)
	<i>Rio Chico alمندravirus</i>	Rio Chico virus (RCHV)
<i>Alphanemthavirus</i>	<i>Xingshan alphanemthavirus</i>	Xingshan nematode virus 4 (XsNV-4)
	<i>Xinzhou alphanemthavirus</i>	Xinzhou nematode virus 4 (XzNV-4)
<i>Alphapapthavirus</i>	<i>Hubei alphapapthavirus</i>	Hubei lepidoptera virus 2 (HbLV-2)
	<i>Parage alphapapthavirus</i>	Parage aegeria rhabdovirus (PAeRV)
<i>Alpharicinivirus</i>	<i>Blancheco alpharicinivirus</i>	Blancheco virus (BCOV)
	<i>Bole alpharicinivirus</i>	Bole tick virus 2 (BITV-2)
	<i>Wuhan alpharicinivirus</i>	Wuhan tick virus 1 (WhTV-1)
<i>Aruravirus</i>	<i>Arnac aruravirus</i>	Arnac virus (ARUV)
	<i>Inhangapi aruravirus</i>	Inhangapi virus (INHV)
	<i>Santabarbara aruravirus</i>	Santa Barbara virus (SBAV)
	<i>Xiburena aruravirus</i>	Xiburena virus (XIBV)
<i>Barhavirus</i>	<i>Bahia barhavirus</i>	Bahia Grande virus (BGV)
		Harlingen virus (HARV)
	<i>Muir barhavirus</i>	Muir Springs virus (MSV)
<i>Caligrhavirus</i>	<i>Caligus caligrhavirus</i>	Caligus rogerresseyi rhabdovirus (CRogRV)
	<i>Lepeophtheirus caligrhavirus</i>	Lepeophtheirus salmonis rhabdovirus 127 (LSaIRV-127)
	<i>Salmonlouse caligrhavirus</i>	Lepeophtheirus salmonis rhabdovirus 9 (L-SaIRV-9)
<i>Curiovirus</i>	<i>Curionopolis curiovirus</i>	Curionopolis virus (CURV)
	<i>Iriti curiovirus</i>	Iriti virus (IRIV)
	<i>Itacaiunas curiovirus</i>	Itacaiunas virus (ITAV)

Genus	Species [¶]	Virus (Abbreviation) [§]
	<i>Rochambeau curtovirus</i>	Rochambeau virus (RBUV)
<i>Ephemerovirus</i>	<i>Adelaide River ephemerovirus</i>	Adelaide River virus (ARV)
	<i>Berrimah ephemerovirus</i>	Berrimah virus (BRMV)
	<i>Bovine fever ephemerovirus</i>	bovine ephemeral fever virus (BEFV)
	<i>Hayes ephemerovirus</i>	Hayes Yard virus (HYV)
	<i>Kent ephemerovirus</i>	New Kent County virus (NKCVC)
	<i>Kimberley ephemerovirus</i>	Kimberley virus (KIMV)
		Malakal virus (MALV)
	<i>Koolpinyah ephemerovirus</i>	Koolpinyah virus (KOOLV)
	<i>Kotonkan ephemerovirus</i>	kotonkan virus (KOTV)
	<i>Obodhiang ephemerovirus</i>	Obodhiang virus (OBOV)
	<i>Puchong ephemerovirus</i>	Puchong virus (PUCV)
	<i>Yata ephemerovirus</i>	Yata virus (YATV)
<i>Hapavirus</i>	<i>Flanders hapavirus</i>	Flanders virus (FLAV)
	<i>Gray Lodge hapavirus</i>	Gray Lodge virus (GLOV)
	<i>Hart Park hapavirus</i>	Hart Park virus (HPV)
	<i>Holmes hapavirus</i>	Holmes Jungle virus (HOJV)
	<i>Joinjakaka hapavirus</i>	Joinjakaka virus (JOIV)
	<i>Kamese hapavirus</i>	Kamese virus (KAMV)
	<i>La Joya hapavirus</i>	La Joya virus (LJV)
	<i>Landjia hapavirus</i>	Landjia virus (LANV = LJAV)
	<i>Manitoba hapavirus</i>	Manitoba virus (MANV = MNTBV)
	<i>Marco hapavirus</i>	Marco virus (MCOV)
	<i>Mosqueiro hapavirus</i>	Mosqueiro virus (MQOV)
	<i>Mossuril hapavirus</i>	Mossuril virus (MOSV)
	<i>Ngaingan hapavirus</i>	Ngaingan virus (NGAV)
	<i>Ord River hapavirus</i>	Ord River virus (ORV)
	<i>Parry Creek hapavirus</i>	Parry Creek virus (PCV)
	<i>Wongabel hapavirus</i>	Wongabel virus (WONV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
<i>Ledantevirus</i>	<i>Barur ledantevirus</i>	Barur virus (BARV)
	<i>Bughendera ledantevirus</i>	Bughendera virus (BUGV)
	<i>Fikirini ledantevirus</i>	Fikirini virus (FKRV)
	<i>Fukuoka ledantevirus</i>	Fukuoka virus (FUKV)
	<i>Kanyawara ledantevirus</i>	Kanyawara virus (KYAV)
	<i>Kern Canyon ledantevirus</i>	Kern Canyon virus (KCV)
	<i>Keuraliba ledantevirus</i>	Keuraliba virus (KEUV)
	<i>Kolente ledantevirus</i>	Kolente virus (KOLEV)
	<i>Kumasi ledantevirus</i>	Kumasi rhabdovirus (KRV)
	<i>Le Dantec ledantevirus</i>	Le Dantec virus (LDV)
	<i>Mount Elgon bat ledantevirus</i>	Mount Elgon bat virus (MEBV)
	<i>Nishimuro ledantevirus</i>	Nishimuro virus (NISV)
	<i>Nkolbisson ledantevirus</i>	Nkolbisson virus (NKOV)
	<i>Oita ledantevirus</i>	Oita virus (OITAV)
	<i>Vaprio ledantevirus</i>	Vaprio virus (VAPV)
	<i>Wuhan ledantevirus</i>	Wuhan louse fly virus 5 (WLFV-5)
	<i>Yongjia ledantevirus</i>	Yongjia tick virus 2 (YTV-2)
<i>Lostravirus</i>	<i>Hyalomma lostravirus</i>	Xinjiang tick rhabdovirus (XJTRV)
	<i>Lonestar lostravirus</i>	lone star tick rhabdovirus (LITRV)
<i>Lyssavirus</i>	<i>Aravan lyssavirus</i>	Aravan virus (ARAV)
	<i>Australian bat lyssavirus</i>	Australian bat lyssavirus (ABLY)
	<i>Bokeloh bat lyssavirus</i>	Bokeloh bat lyssavirus (BBLV)
	<i>Duvenhage lyssavirus</i>	Duvenhage virus (DUVV)
	<i>European bat 1 lyssavirus</i>	European bat lyssavirus 1 (EBLV-1)
	<i>European bat 2 lyssavirus</i>	European bat lyssavirus 2 (EBLV-2)
	<i>Gannoruwa bat lyssavirus</i>	Gannoruwa bat lyssavirus (GBLV)
	<i>Ikoma lyssavirus</i>	Ikoma lyssavirus (IKOV)
	<i>Irkut lyssavirus</i>	Irkut virus (IRKV)
	<i>Khujiand lyssavirus</i>	Khujiand virus (KHUV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Lagos bat lyssavirus</i>	Lagos bat virus (LBV)
	<i>Lleida bat lyssavirus</i>	Lleida bat lyssavirus (LLEBV)
	<i>Mokola lyssavirus</i>	Mokola virus (MOKV)
	<i>Rabies lyssavirus</i>	rabies virus (RABV)
	<i>Shimoni bat lyssavirus</i>	Shimoni bat virus (SHIBV)
	<i>Taiwan bat lyssavirus</i>	Taiwan bat lyssavirus (TWBLV)
	<i>West Caucasian bat lyssavirus</i>	West Caucasian bat virus (WCBV)
<i>Merhavirus</i>	<i>Merida merhavirus</i>	Merida virus (MERDV)
	<i>Tritaeiorhynchus merhavirus</i>	Culex tritaeniorhynchus rhabdovirus (CTRV)
<i>Mousrhavirus</i>	<i>Moussa mousrhavirus</i>	Moussa virus (MOUV)
<i>Ohlsrhavirus</i>	<i>Angeles ohlsrhavirus</i>	Culex rhabdo-like virus Los Angeles (CRLVLA)
	<i>Culex ohlsrhathavirus</i>	Culex rhabdo-like virus (CRLV)
	<i>Lobeira ohlsrhavirus</i>	Lobeira virus (LOBV)
	<i>Northcreek ohlsrhavirus</i>	North Creek virus (NORCV)
	<i>Ohlsdorf ohlsrhavirus</i>	Ohlsdorf virus (OHLDV)
	<i>Pseudovishnui ohlsrhavirus</i>	Culex pseudovishnui rhabdo-like virus (CpRLV)
	<i>Riverside ohlsrhavirus</i>	Riverside virus (RISV)
	<i>Tongilchon ohlsrhavirus</i>	Tongilchon virus 1 (TCHV-1)
<i>Perhabdovirus</i>	<i>Anguillid perhabdovirus</i>	eel virus European X (EVEX)
	<i>Perch perhabdovirus</i>	perch rhabdovirus (PRV)
	<i>Sea trout perhabdovirus</i>	lake trout rhabdovirus (LTRV)
<i>Sawgrhavirus</i>	<i>Connecticut sawgrhavirus</i>	Connecticut virus (CNTV)
	<i>Island sawgrhavirus</i>	Long Island tick rhabdovirus (LITRV)
	<i>Minto sawgrhavirus</i>	New Minto virus (NMV)
	<i>Sawgrass sawgrhavirus</i>	Sawgrass virus (SAWV)
<i>Sigmavirus</i>	<i>Capitata sigmavirus</i>	Ceratitis capitata sigmavirus (CCapSV)
	<i>Domestica sigmavirus</i>	Wuhan fly virus 2 (WhFV-2)
	<i>Drosophila affinis sigmavirus</i>	Drosophila affinis sigmavirus (DAfISV)
	<i>Drosophila ananassae sigmavirus</i>	Drosophila ananassae sigmavirus (DAnaSV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Drosophila immigrans sigmavirus</i>	Drosophila immigrans sigmavirus (DImmSV)
	<i>Drosophila melanogaster sigmavirus</i>	Drosophila melanogaster sigmavirus (DMelSV)
	<i>Drosophila obscura sigmavirus</i>	Drosophila obscura sigmavirus (DObsSV)
	<i>Drosophila tristis sigmavirus</i>	Drosophila tristis sigmavirus (DTrisSV)
	<i>Hippoboscids sigmavirus</i>	Wuhan louse fly virus 9 (WhLFV-9)
	<i>Hubei sigmavirus</i>	Hubei diptera virus 9 (HbDV-9)
	<i>Lousefly sigmavirus</i>	Wuhan louse fly virus 10 (WhLFV-10)
	<i>Muscina stabulans sigmavirus</i>	Muscina stabulans sigmavirus (MStaSV)
	<i>Myga sigmavirus</i>	Hubei diptera virus 10 (HbDV-10)
	<i>Shayang sigmavirus</i>	Shayang fly virus 2 (SyFV-1)
	<i>Sturtevanti sigmavirus</i>	Drosophila sturtevanti sigmavirus (DStusSV)
	<i>Wuhan sigmavirus</i>	Wuhan house fly virus 1 (WhHFV-1)
	<i>Ying sigmavirus</i>	Hubei dimarhabdovirus 1 (HbDRV-1)
<i>Sprivirus</i>	<i>Cap sprivirus</i>	spring viremia of cap virus (SVCV)
	<i>Pike fry sprivirus</i>	grass carp rhabdovirus (GrCRV)
		pike fry rhabdovirus (PFRV)
		tench rhabdovirus (TenRV)
<i>Sripuvirus</i>	<i>Alpiwar sripuvirus</i>	Alpiwar virus (ALMV)
	<i>Chaco sripuvirus</i>	Chaco virus (CHOV)
	<i>Charleville sripuvirus</i>	Charleville virus (CHVV)
	<i>Cuiaba sripuvirus</i>	Cuiaba virus (CUIV)
	<i>Hainan sripuvirus</i>	Hainan black-speckled toad rhabdovirus (HnBSTRV)
	<i>Niakha sripuvirus</i>	Niakha virus (NIAV)
	<i>Sena Madureira sripuvirus</i>	Sena Madureira virus (SMV)
	<i>Sripur sripuvirus</i>	Sripur virus (SRIV)
<i>Sunthavirus</i>	<i>Dillard sunthavirus</i>	Dillard's Draw virus (DDRV)
	<i>Garba sunthavirus</i>	Garba virus (GARV)
	<i>Harrison Dam sunthavirus</i>	Harrison Dam virus (HARDV)
	<i>Kwatta sunthavirus</i>	Kwatta virus (KWAV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Oakvale sunthavirus</i>	Oak Vale virus (OVV)
	<i>Sunguru sunthavirus</i>	Sunguru virus (SUNV)
	<i>Walkabout sunthavirus</i>	Walkabout Creek virus (WACV)
<i>Tibrovirus</i>	<i>Bas Congo tibrovirus</i>	Bas-Congo virus (BASV)
	<i>Beatrice Hill tibrovirus</i>	Beatrice Hill virus (BHV)
	<i>Coastal Plains tibrovirus</i>	Coastal Plains virus (CPV)
	<i>Ekpoma 1 tibrovirus</i>	Ekpoma virus 1 (EKV-1)
	<i>Ekpoma 2 tibrovirus</i>	Ekpoma virus 2 (EKV-2)
	<i>Sweetwater Branch tibrovirus</i>	Sweetwater Branch virus (SWBV)
	<i>Tibrogagan tibrovirus</i>	Bivens Arm virus (BAV)
		Tibrogagan virus (TIBV)
<i>Tupavirus</i>	<i>Durham tupavirus</i>	Durham virus (DURV)
	<i>Klamath tupavirus</i>	Klamath virus (KLAV)
	<i>Tupaia tupavirus</i>	tupaia rhabdovirus (TUPV)
<i>Vesiculovirus</i>	<i>Alagoas vesiculovirus</i>	vesicular stomatitis Alagoas virus (VSAV)
	<i>Carajas vesiculovirus</i>	Carajás virus (CJSV)
	<i>Chandipura vesiculovirus</i>	Chandipura virus (CHPV)
	<i>Cocal vesiculovirus</i>	Cocal virus (COCV)
	<i>Eptesicus vesiculovirus</i>	American bat vesiculovirus (ABVV)
	<i>Indiana vesiculovirus</i>	vesicular stomatitis Indiana virus (VSVI)
	<i>Isfahan vesiculovirus</i>	Isfahan virus (ISFV)
	<i>Jurona vesiculovirus</i>	Jurona virus (JURV)
	<i>Malpais Spring vesiculovirus</i>	Malpais Spring virus (MSPV)
	<i>Maraba vesiculovirus</i>	Maraba virus (MARAV)
	<i>Morretton vesiculovirus</i>	Morretton virus (MORV)
	<i>New Jersey vesiculovirus</i>	vesicular stomatitis New Jersey virus (VSNJV)
	<i>Perinet vesiculovirus</i>	Perinet virus (PERV)
	<i>Piry vesiculovirus</i>	Piry virus (PIRYV)
	<i>Radi vesiculovirus</i>	Radi virus (RADV)

Genus	Species [¶]	Virus (Abbreviation) ^{&}
	<i>Rhinolophus vesiculovirus</i>	Jinghong bat virus (JhBV)
	<i>Yug Bogdanovac vesiculovirus</i>	Yug Bogdanovac virus (YBV)
<i>Zarhavirus</i>	<i>Zabedan zarhavirus</i>	Zabedan rhabdovirus (ZARV)
Subfamily <i>Betarhabdovirinae</i>		
<i>Alphanucleorhabdovirus</i>	<i>Constricta yellow dwarf alphanucleorhabdovirus</i>	constricta yellow dwarf virus (CYDV)
	<i>Eggplant mottled dwarf alphanucleorhabdovirus</i>	eggplant mottled dwarf virus (EMDV)
	<i>Maize Iranian mosaic alphanucleorhabdovirus</i>	maize Iranian mosaic virus (MIMV)
	<i>Maize mosaic alphanucleorhabdovirus</i>	maize mosaic virus (MMV)
	<i>Morogoro maize-associated alphanucleorhabdovirus</i>	Morogoro maize-associated virus (MMAV)
	<i>Peach alphanucleorhabdovirus</i>	peach virus 1 (PeV1)
	<i>Physostegia chlorotic mottle alphanucleorhabdovirus</i>	Physostegia chlorotic mottle virus (PhCMoV)
	<i>Potato yellow dwarf alphanucleorhabdovirus</i>	potato yellow dwarf virus (PYDV)
	<i>Rice yellow stunt alphanucleorhabdovirus</i>	rice yellow stunt virus (RYSV)
		rice transitory yellowing virus (RTYV)
	<i>Taro vein chlorosis alphanucleorhabdovirus</i>	taro vein chlorosis virus (TaVCV)
	<i>Wheat yellow striate alphanucleorhabdovirus</i>	wheat yellow striate virus (WYSV)
<i>Betanucleorhabdovirus</i>	<i>Alfalfa betanucleorhabdovirus</i>	alfalfa-associated nucleorhabdovirus (AaNv)
	<i>Apple betanucleorhabdovirus</i>	apple rootstock virus A (ApRVA)
	<i>Blackcurrant betanucleorhabdovirus</i>	blackcurrant-associated rhabdovirus (BCaRV)
	<i>Cardamom betanucleorhabdovirus</i>	cardamom vein clearing virus (CdVCV)
	<i>Datura yellow vein betanucleorhabdovirus</i>	datura yellow vein virus (DYVV)
	<i>Pepper betanucleorhabdovirus</i>	Zhuye pepper nucleorhabdovirus (ZPNRV)
	<i>Sonchus yellow net betanucleorhabdovirus</i>	Sonchus yellow net virus (SYNV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Sowthistle yellow vein betanucleorhabdovirus</i>	sowthistle yellow vein virus (SYVV)
	<i>Trefoil betanucleorhabdovirus</i>	birds-foot trefoil-associated virus (BFTV)
<i>Cytorhabdovirus</i>	<i>Alfalfa dwarf cytorhabdovirus</i>	alfalfa dwarf virus (ADV)
	<i>Barley yellow striate mosaic cytorhabdovirus</i>	barley yellow striate mosaic virus (BYSMV)
	<i>Broccoli necrotic yellows cytorhabdovirus</i>	broccoli necrotic yellows virus (BNYV)
	<i>Cabbage cytorhabdovirus</i>	cabbage cytorhabdovirus 1 (CCyV-1)
	<i>Colocasia bobone disease-associated cytorhabdovirus</i>	Colocasia bobone disease-associated virus (CBDAV)
	<i>Festuca leaf streak cytorhabdovirus</i>	Festuca leaf streak virus (FLSV)
	<i>Lettuce necrotic yellows cytorhabdovirus</i>	lettuce necrotic yellows virus (LNYV)
	<i>Lettuce yellow mottle cytorhabdovirus</i>	lettuce yellow mottle virus (LYMoV)
	<i>Maize-associated cytorhabdovirus</i>	maize-associated cytorhabdovirus (MaCV)
	<i>Maize yellow striate cytorhabdovirus</i>	maize yellow striate virus (MYSV)
	<i>Northern cereal mosaic cytorhabdovirus</i>	northern cereal mosaic virus (NCMV)
	<i>Papaya cytorhabdovirus</i>	papaya virus E (PpVE)
	<i>Persimmon cytorhabdovirus</i>	persimmon virus A (PeVA)
	<i>Raspberry vein chlorosis cytorhabdovirus</i>	raspberry vein chlorosis virus (RYCV)
	<i>Rice stripe mosaic cytorhabdovirus</i>	rice stripe mosaic virus (RSMV)
	<i>Sonchus cytorhabdovirus 1</i>	Sonchus virus (SonV)
	<i>Strawberry crinkle cytorhabdovirus</i>	strawberry crinkle virus (SCV)
	<i>Strawberry cytorhabdovirus 1</i>	strawberry-associated virus 1 (SaV-1)
		strawberry virus 1 (StrV-1)
	<i>Trichosanthes cytorhabdovirus</i>	Trichosanthes associated rhabdovirus 1 (TrARV1)
	<i>Trifolium pratense cytorhabdovirus A</i>	Trifolium pratense virus A (TpVA)
	<i>Trifolium pratense cytorhabdovirus B</i>	Trifolium pratense virus B (TpVB)
	<i>Tomato yellow mottle-associated cytorhabdovirus</i>	tomato yellow mottle-associated virus (TYMaV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Wheat American striate mosaic cytorhabdovirus</i>	wheat American striate mosaic virus (WASMV)
	<i>Wuhan 4 insect cytorhabdovirus</i>	Wuhan insect virus 4 (WuIV-4)
	<i>Wuhan 5 insect cytorhabdovirus</i>	Wuhan insect virus 5 (WuIV-5)
	<i>Wuhan 6 insect cytorhabdovirus</i>	Wuhan insect virus 6 (WuIV-6)
	<i>Yerba mate chlorosis-associated cytorhabdovirus</i>	yerba mate chlorosis-associated virus (YmCaV)
	<i>Yerba mate cytorhabdovirus</i>	yerba mate virus A (YmVA)
<i>Dichorhavirus</i>	<i>Citrus chlorotic spot dichorhavirus</i>	citrus chlorotic spot virus (CiCSV)
	<i>Citrus leprosis N dichorhavirus</i>	citrus leprosis virus N (CILVN)
	<i>Clerodendrum chlorotic spot dichorhavirus</i>	clerodendrum chlorotic spot virus (CiCSV)
	<i>Coffee ringspot dichorhavirus</i>	coffee ringspot virus (CoRSV)
	<i>Orchid fleck dichorhavirus</i>	orchid fleck virus (OFV)
<i>Gammanucleorhabdovirus</i>	<i>Maize fine streak gammanucleorhabdovirus</i>	maize fine streak virus (MFSV)
<i>Varicosavirus</i>	<i>Alopecurus varicosavirus</i>	Alopecurus myosuroides varicosavirus 1 (AMVV-1)
	<i>Lettuce big-vein associated varicosavirus</i>	lettuce big-vein associated virus (LBVaV)
	<i>Trifolium varicosavirus</i>	red clover associated varicosavirus (RCaVV)
		Subfamily <i>Gammarhabdovirinae</i>
<i>Novirhabdovirus</i>	<i>Hirame novirhabdovirus</i>	hirame rhabdovirus (HIRRV = HIRV)
	<i>Piscine novirhabdovirus</i>	viral hemorrhagic septicemia virus (VHSV)
	<i>Salmoid novirhabdovirus</i>	infectious hematopoietic necrosis virus (IHNV)
	<i>Snakehead novirhabdovirus</i>	snakehead rhabdovirus (SHRV)
		Unassigned (to subfamilies)
<i>Alphacrusthavirus</i>	<i>Wenling alphacrusthavirus</i>	Wenling crustacean virus 10 (WICV-10)
	<i>Zhejiang alphacrusthavirus</i>	Wenling crustacean virus 10 (WICV-11)
<i>Alphadrosrhavirus</i>	<i>Hubei alphadrosrhavirus</i>	Wuhan house fly virus 2 (WhHFV-2)
	<i>Shayang alphadrosrhavirus</i>	Shayang fly virus 3 (SyFV-3)
<i>Alphahymrhavirus</i>	<i>Cinereus alphahymrhavirus</i>	hymenopteran rhabdo-related virus 38 (HyRRV-38)

Genus	Species ^{1/}	Virus (Abbreviation) ^{&}
	<i>Hirum alphahymnithavirus</i>	hymenopteran rhabdo-related virus 109 (HyRRV-109)
	<i>Neglectus alphahymnithavirus</i>	Lasius neglectus virus 2 (LnegV-2)
	<i>Radians alphahymnithavirus</i>	hymenopteran rhabdo-related virus 46 (HyRRV-46)
	<i>Austriaca betahymnithavirus</i>	hymenopteran rhabdo-related virus 23 (HyRRV-23)
<i>Betahymnithavirus</i>	<i>Heterodontonyx betahymnithavirus</i>	hymenopteran rhabdo-related virus 24 (HyRRV-24)
<i>Betanemithavirus</i>	<i>Hubei betanemithavirus</i>	Hubei rhabdo-like virus 9 (HbRLV-9)
	<i>Shayang betanemithavirus</i>	Shayang ascaridia galli virus 2 (SyAGV-2)
<i>Betapaprhavirus</i>	<i>Frugiperda betapaprhavirus</i>	Spodoptera frugiperda rhabdovirus (SfruRV)
	<i>Sylvina betapaprhavirus</i>	lepidopteran rhabdo-related virus 34 (LeRRV-34)
<i>Betaricinivirus</i>	<i>Chimay betaricinivirus</i>	Chimay rhabdovirus (CRV)
	<i>Scapularis betaricinivirus</i>	blacklegged tick rhabdovirus 1 (BLTRV-1)
Family <i>Sumviridae</i>		
<i>Sunshinevirus</i>	<i>Reptile sunshinevirus 1</i>	Sunshine Coast virus (SunCV)
Family <i>Ximoviridae</i>		
<i>Anphevirus</i>	<i>Bolahun anphevirus</i>	Bolahun virus (BLHV)
		Gambie virus (GAMV)
	<i>Dipteran anphevirus</i>	Hüb i diptera virus 11 (HbDV-11)
	<i>Drosophilid anphevirus</i>	Drosophila unispina virus 1 (DuniV-1)
	<i>Odonate anphevirus</i>	Hüb i rhabdo-like virus 7 (HbRLV-7)
	<i>Orthopteran anphevirus</i>	Hüb i orthoptera virus 5 (HbOV-5)
	<i>Shuangao anphevirus</i>	Shu ngào fly virus 2 (SgFV-2)
	<i>Xincheng anphevirus</i>	X nchéng mosquito virus (XcMV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa.

^{1/} Includes: Newcastle disease virus (NDV).

^{2/} Taxon names are always italicized and always begin with a capital letter.

[&] Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.

ICTV-accepted taxonomy of the order *Murvirales* (*Negarnaviricota*: *Haploviricotina*: *Chunqiuviricetes*) as of March 2021.

Table 4.

Genus	Species [#]	Virus (Abbreviation) ^{&}
Family <i>Qinviridae</i>		
<i>Yingvirus</i>	<i>Beihai yingvirus</i>	B ihai sesamid crab virus 4 (BHSCV-4)
	<i>Charybdis yingvirus</i>	W nzh u qinvirus-like virus 2 (WzQLV-2)
	<i>Hubei yingvirus</i>	Húb i qinvirus-like virus 1 (HbQLV-1)
	<i>Sanxia yingvirus</i>	S nxiá qinvirus-like virus 1 (SxQLV-1)
	<i>Shahe yingvirus</i>	Sh hé qinvirus-like virus 1 (ShQLV-1)
	<i>Wenzhou yingvirus</i>	W nzh u qinvirus-like virus 1 (WzQLV-1)
	<i>Wuhan yingvirus</i>	Wúhàn insect virus 15 (WhIV-15)
	<i>Xinzhou yingvirus</i>	X nzh u nematode virus 3 (XzNV-3)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

[#]Taxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

ICTV-accepted taxonomy of the order *Serpentovirales* (*Negamaviricota: Haploviricotina: Milneviricetes*) as of March 2021.

Table 5.

Genus	Species [¶]	Virus (Abbreviation) ^{&}
Family <i>Aspiviridae</i>		
<i>Ophiovirus</i>	<i>Blueberry mosaic associated ophiovirus</i>	blueberry mosaic associated virus (BIMaV)
	<i>Citrus psorosis ophiovirus</i>	citrus psorosis virus (CPsV)
	<i>Freesia sneak ophiovirus</i>	freesia sneak virus (FreSV)
	<i>Lettuce ring necrosis ophiovirus</i>	lettuce ring necrosis virus (LRNV)
	<i>Mirafiori lettuce big-vein ophiovirus</i>	Mirafiori lettuce big-vein virus (MLBVV)
	<i>Ranunculus white mottle ophiovirus</i>	ranunculus white mottle virus (RWMV)
	<i>Tulip mild mottle mosaic ophiovirus</i>	tulip mild mottle mosaic virus (TMMMV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

[¶]Taxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

ICTV-accepted taxonomy of the order *Articulavirales* (*Negamaviricota: Polyploviricota: Insthoviricetes*) as of March 2021.

Table 6.

Genus	Species ^f	Virus (Abbreviation) ^{&}
Family Amnooviridae		
<i>Tilapiaevirus</i>	<i>Tilapia tilapiaevirus</i>	tilapia lake virus (TILV)
Family Orthomyxoviridae		
<i>Alphainfluenzavirus</i>	<i>Influenza A virus</i>	influenza A virus (FLUAV)
<i>Betainfluenzavirus</i>	<i>Influenza B virus</i>	influenza B virus (FLUBV)
<i>Deltainfluenzavirus</i>	<i>Influenza D virus</i>	influenza D virus (FLUDV)
<i>Gammainfluenzavirus</i>	<i>Influenza C virus</i>	influenza C virus (FLUCV)
<i>Isavirus</i>	<i>Salmon isavirus</i>	infectious salmon anemia virus (ISAV)
<i>Quaranjavirus</i>	<i>Johnston Atoll quaranjavirus</i>	Johnston Atoll virus (JAV)
	<i>Quaranfil quaranjavirus</i>	Quaranfil virus (QRFV)
<i>Thogotovirus</i>	<i>Dhori thogotovirus</i>	Dhori virus (DHOV)
	<i>Thogoto thogotovirus</i>	Thogoto virus (THOV)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa.

^fTaxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

Table 7.

ICTV-accepted taxonomy of the order *Bunyvirales* (*Negarnaviricota: Polyploviricotina: Ellioviricetes*) as of March 2020.

Genus	Species [¶]	Virus (Abbreviation) ^{&}
Family Arenaviridae		
<i>Antennavirus</i>	<i>Hairy antennavirus</i>	W nling frogfish arenavirus 2 (WIFAV-2)
	<i>Salmon antennavirus</i>	salmon pescarenavirus 1 (SPAV-1)
		salmon pescarenavirus 2 (SPAV-2)
	<i>Striated antenna virus</i>	W nling frogfish arenavirus 1 (WIFAV-1)
<i>Hartmanivirus</i>	<i>Haartman hartmanivirus</i>	Haartman Institute snake virus 1 (HISV-1)
		Haartman Institute snake virus 2 (HISV-2)
	<i>Heimat hartmanivirus</i>	andere Heimat virus 1 (aHeV-1)
	<i>Muikkunen hartmanivirus</i>	Dante Muikkunen virus 1 (DaMV-1)
	<i>Schoolhouse hartmanivirus</i>	old schoolhouse virus 1 (OScV-1)
		old schoolhouse virus 2 (OScV-2)
	<i>Seppatvet hartmanivirus</i>	SePatVet virus 1 (SPVV-1)
	<i>Zurich hartmanivirus</i>	veterinary pathology Zurich virus 1 (VPZV-1)
		veterinary pathology Zurich virus 2 (VPZV-2)
<i>Mammarenavirus</i>	<i>Alpahuayo mammarenavirus</i>	Alpahuayo virus (ALLV)
	<i>Alxa mammarenavirus</i>	Alxa virus (ALXV)
	<i>Argentinian mammarenavirus</i>	Junin virus (JUNV)
	<i>Bear Canyon mammarenavirus</i>	Bear Canyon virus (BCNV)
	<i>Brazilian mammarenavirus</i>	Sabiá virus (SBAV)
	<i>Cali mammarenavirus</i>	Pichindé virus (PICHV)
	<i>Chapare mammarenavirus</i>	Chapare virus (CHAPV)
	<i>Chevrier mammarenavirus</i>	Liji ng virus (LIJV)
	<i>Cupixi mammarenavirus</i>	Cupixi virus (CUPXV)
	<i>Flexal mammarenavirus</i>	Flexal virus (FLEV)
	<i>Gairo mammarenavirus</i>	Gairo virus (GAIV)
	<i>Guanarito mammarenavirus</i>	Guanarito virus (GTOV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Ippy mammarenavirus</i>	Ippy virus (IPPYV)
	<i>Kitale mammarenavirus</i>	Kitale virus (KITLV)
	<i>Lassa mammarenavirus</i>	Lassa virus (LASV)
	<i>Latino mammarenavirus</i>	Latino virus (LATV)
	<i>Loei River mammarenavirus</i>	Loei River virus (LORV)
	<i>Lujo mammarenavirus</i>	Lujo virus (LUJV)
	<i>Lula mammarenavirus</i>	Lula virus (LULV)
	<i>Luna mammarenavirus</i>	Luna virus (LUAV)
	<i>Lunk mammarenavirus</i>	Lunk virus (LNKV)
	<i>Lymphocytic choriomeningitis mammarenavirus</i>	Dandenong virus (DANV) lymphocytic choriomeningitis virus (LCMV)
	<i>Machupo mammarenavirus</i>	Machupo virus (MACV)
	<i>Mariental mammarenavirus</i>	Mariental virus (MRELV)
	<i>Merino Walk mammarenavirus</i>	Merino Walk virus (MRWV)
	<i>Mobala mammarenavirus</i>	mobala virus (MOBV)
	<i>Mopeia mammarenavirus</i>	Mopeia virus (MPOV)
		Morogoro virus (MORV)
		Okahandja virus (OKAV)
		Oliveros virus (OLVV)
		Paraná virus (PRAV)
		Aporé virus (APOV)
		Piritai virus (PIRV)
		Ryukyu virus (RYKV)
		Amaparí virus (AMAV)
		Solwezi virus (SOLV)
		souris virus (SOUV)
		Tacaribe virus (TCRV)
		Tamiami virus (TMMV)
		W nzh u virus (WENV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Whitewater Arroyo mammarenavirus</i>	Big Brushy Tank virus (BBRTV)
		Catarina virus (CTNV)
		Skimmer Tank virus (SKTV)
		Tonto Creek virus (TTCV)
		Whitewater Arroyo virus (WWAV)
	<i>Xapuri mammarenavirus</i>	Xapuri virus (XAPV)
<i>Reptarenavirus</i>	<i>California reptarenavirus</i>	CAS virus (CASV)
	<i>Giessen reptarenavirus</i>	University of Giessen virus 1 (UGV-1)
		University of Giessen virus 2 (UGV-2)
		University of Giessen virus 3 (UGV-3)
	<i>Golden reptarenavirus</i>	Golden Gate virus (GOGV)
	<i>Ordinary reptarenavirus</i>	tavallinen suomalainen mies virus 2 (TSMV-2)
	<i>Rotterdam reptarenavirus</i>	ROUT virus (ROUTV)
		University of Helsinki virus 1 (UHV-1)
Family Crulviridae		
<i>Lincivirus</i>	<i>Lincivirus europense</i>	European shore crab virus 1 (EscV-1)
	<i>Lincivirus sinense</i>	Chinese mitten crab virus 1 (CmcV-1)
	<i>Lincivirus wellingense</i>	W nling crustacean virus 9 (WICV-9)
Family Fimoviridae		
<i>Emaravirus</i>	<i>Actinidia chlorotic ringspot-associated emaravirus</i>	Actinidia chlorotic ringspot-associated virus (AcCRaV)
	<i>Actinidia emaravirus 2</i>	Actinidia virus 2 (AcV-2)
	<i>Aspen mosaic-associated emaravirus</i>	aspen mosaic-associated virus (AsMaV)
	<i>Blackberry leaf mottle associated emaravirus</i>	blackberry leaf mottle-associated virus (BLMaV)
	<i>Camellia japonica-associated emaravirus 1</i>	Camellia japonica-associated virus 1 (CjaV-1)
	<i>Camellia japonica-associated emaravirus 2</i>	Camellia japonica-associated virus 2 (CjaV-2)
	<i>European mountain ash ringspot-associated emaravirus</i>	European mountain ash ringspot-associated virus (EMARaV)
	<i>Fig mosaic emaravirus</i>	fig mosaic virus (FMV)
	<i>High Plains wheat mosaic emaravirus</i>	High Plains wheat mosaic virus (HPWMoV)
	<i>Jujube yellow mottle-associated emaravirus</i>	jujube yellow mottle-associated virus (JYMaV)

Genus	Species [¶]	Virus (Abbreviation) [§]
	<i>Lilac chlorotic ringspot-associated virus</i>	lilac chlorotic ringspot-associated virus (LiCRaV)
	<i>Palo verde broom emaravirus</i>	palo verde broom virus (PVBV)
	<i>Pear chlorotic leaf spot-associated emaravirus</i>	pear chlorotic leaf spot-associated virus (PCLSaV)
	<i>Perilla mosaic emaravirus</i>	perilla mosaic virus (PerMV)
	<i>Pigeonpea sterility mosaic emaravirus 1</i>	pigeonpea sterility mosaic virus 1 (PPSMV-1)
	<i>Pigeonpea sterility mosaic emaravirus 2</i>	pigeonpea sterility mosaic virus 2 (PPSMV-2)
	<i>Pistacia emaravirus B</i>	pistacia virus B (PIVB)
	<i>Raspberry leaf blotch emaravirus</i>	raspberry leaf blotch virus (RLBV)
	<i>Redbud yellow ringspot-associated emaravirus</i>	redbud yellow ringspot-associated virus (RYRaV)
	<i>Rose rosette emaravirus</i>	rose rosette virus (RRV)
	<i>Ti ringspot-associated emaravirus</i>	ti ringspot-associated virus (TIRSaV)
Family <i>Hantaviridae</i>		
Subfamily <i>Actantavirinae</i>		
<i>Actinivirus</i>	<i>Batfish actinivirus</i>	W nling minipizza batfish virus (WEMBV)
	<i>Goosefish actinivirus</i>	W nling yellow goosefish virus (WEYGV)
	<i>Perch actinivirus</i>	Bern perch virus (BRPV)
	<i>Spikefish actinivirus</i>	W nling red spikefish virus (WERSV)
Subfamily <i>Agantavirinae</i>		
<i>Agnavirus</i>	<i>Hagfish agnavirus</i>	W nling hagfish virus (WEHV)
Subfamily <i>Mammantavirinae</i>		
<i>Loanvirus</i>	<i>Brno loanvirus</i>	Brno virus (BRNV)
	<i>Longquan loanvirus</i>	Lóngquán virus (LQUV)
<i>Mobavirus</i>	<i>Laitin mobavirus</i>	Láib n virus (LAIV)
	<i>Lena mobavirus</i>	Lena virus (LENV)
	<i>Nova mobavirus</i>	Nova virus (NVAV)
	<i>Quezon mobavirus</i>	Quezon virus (QZNV)
	<i>Xuan Son mobavirus</i>	Xuán Són virus (XSV)
<i>Orthohantavirus</i>	<i>Andes orthohantavirus</i>	Andes virus (ANDV)
		Castelo dos Sonhos virus (CASV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
		Lechiguana virus (LECV = LECHV)
		Orán virus (ORNV)
	<i>Asama orthohantavirus</i>	Asama virus (ASAV)
	<i>Asikkala orthohantavirus</i>	Asikkala virus (ASIV)
	<i>Bayou orthohantavirus</i>	bayou virus (BAYV)
		Catacamas virus (CATV)
	<i>Black Creek Canal orthohantavirus</i>	Black Creek Canal virus (BCCV)
	<i>Bowe orthohantavirus</i>	Bowé virus (BOWV)
	<i>Bruges orthohantavirus</i>	Bruges virus (BRGV)
	<i>Cano Delgado orthohantavirus</i>	Caño Delgado virus (CADV)
	<i>Cao Bang orthohantavirus</i>	Cao Bằng virus (CBNV)
		Liánhé virus (LHEV)
	<i>Choclo orthohantavirus</i>	Choclo virus (CHOV)
	<i>Dabieshan orthohantavirus</i>	Dabiésh n virus (DBSV)
	<i>Dobrava-Belgrade orthohantavirus</i>	Dobrava virus (DOBV)
		Kurkino virus (KURV)
		Saaremaa virus (SAAV)
		Sochi virus (SOCV)
		Carrizal virus (CARV)
	<i>El Moro Canyon orthohantavirus</i>	El Moro Canyon virus (ELMCV)
		Huitzilac virus (HUIV)
	<i>Fugong orthohantavirus</i>	Fúgòng virus (FUGV)
	<i>Fusong orthohantavirus</i>	Fús ng virus (FUSV)
	<i>Hantaan orthohantavirus</i>	Amur virus (AMRV)
		Hantaan virus (HTNV)
		Soochong virus (SOOV)
	<i>Jeju orthohantavirus</i>	Jeju virus (JJUV)
	<i>Kenkeme orthohantavirus</i>	Kenkeme virus (KKMV)
	<i>Khabarovsk orthohantavirus</i>	Khabarovsk virus (KHAV)

Genus	Species ^f	Virus (Abbreviation) ^g
		Topografov virus (TOPV)
	<i>Laguna Negra orthohantavirus</i>	Laguna Negra virus (LANV)
		Maripa virus (MARV)
		Rio Mamoré virus (RIOMV)
	<i>Luxi orthohantavirus</i>	Lúx virus (LUXV)
	<i>Maporal orthohantavirus</i>	Maporal virus (MAPV)
	<i>Montano orthohantavirus</i>	Montaño virus (MTNV)
	<i>Necocli orthohantavirus</i>	Necocli virus (NECV)
	<i>Oxbow orthohantavirus</i>	Oxbow virus (OXBV)
	<i>Prospect Hill orthohantavirus</i>	Prospect Hill virus (PHV)
	<i>Puumala orthohantavirus</i>	Hokkaido virus (HOKV)
		Muju virus (MUJV)
		Puumala virus (PUUV)
	<i>Robina orthohantavirus</i>	Robina virus (ROBV)
	<i>Rockport orthohantavirus</i>	Rockport virus (RKPV)
	<i>Sangassou orthohantavirus</i>	Sangassou virus (SANGV)
	<i>Seewis orthohantavirus</i>	Seewis virus (SWSV)
	<i>Seoul orthohantavirus</i>	g u virus (GOUV)
		Seoul virus (SEOV)
	<i>Sin Nombre orthohantavirus</i>	New York virus (NYV)
		Sin Nombre virus (SNV)
	<i>Tatnale orthohantavirus</i>	Tatnale virus (TATV)
	<i>Thailand orthohantavirus</i>	Anjzorobe virus (ANIZV)
		Serang virus (SERV)
		Thailand virus (THAIV)
	<i>Tigray orthohantavirus</i>	Tigray virus (TIGV)
	<i>Tula orthohantavirus</i>	Adler virus (ADLV)
		Tula virus (TULV)
	<i>Yakeshi orthohantavirus</i>	Yákeshí virus (YKSV)

Genus	Species [¶]	Virus (Abbreviation) [§]
<i>Thottimvirus</i>	<i>Injin thottimvirus</i>	Injin virus (MINV)
	<i>Thottapalayam thottimvirus</i>	Thottapalayam virus (TPMV)
	Subfamily <i>Repantavirinae</i>	
<i>Reptillovirus</i>	<i>Gecko reptillovirus</i>	Hainán oriental leaf-toed gecko virus (HOLGV)
	Family <i>Leishbuviridae</i>	
<i>Shilevirus</i>	<i>Leptomomas shilevirus</i>	Leptomomas moramango virus (LEPMV)
	Family <i>Myopoviridae</i>	
<i>Hubavirus</i>	<i>Myriapod hubavirus</i>	Húb i myriapoda virus 5 (HbMV-5)
	Family <i>Nairoviridae</i>	
<i>Norwavirus</i>	<i>Groenhout norwavirus</i>	Groenhout virus (GRHV)
<i>Ocetevirus</i>	<i>Blattodean ocetevirus</i>	red goblin roach virus 1 (RGRV-1)
<i>Orthonaivirus</i>	<i>Abu Hamid orthonaivirus</i>	Ab Hamid virus (AHV)
	<i>Abu Mina orthonaivirus</i>	Ab M n virus (AMV)
	<i>Artashat orthonaivirus</i>	Artashat virus (ARTSV)
	<i>Avalon orthonaivirus</i>	Avalon virus (AVAV)
	<i>Chim orthonaivirus</i>	Chim virus (CHIMV)
	<i>Bandia orthonaivirus</i>	Bandia virus (BDAV)
	<i>Burana orthonaivirus</i>	Burana virus (BURV)
	<i>Congoid orthonaivirus</i>	Aigai virus (AIGV)
	<i>Crimean-Congo hemorrhagic fever orthonaivirus</i>	Crimean-Congo hemorrhagic fever virus (CCHFV)
	<i>Dera Ghazi Khan orthonaivirus</i>	Dera Ghazi Khan virus (DGKV)
	<i>Dugbe orthonaivirus</i>	Dugbe virus (DUGV)
	<i>Erve orthonaivirus</i>	Erve virus (ERVEV)
	<i>Estero Real orthonaivirus</i>	Estero Real virus (ERV)
	<i>Gossas orthonaivirus</i>	Gossas virus (GOSV)
	<i>Hazara orthonaivirus</i>	Hazara virus (HAZV)
	<i>Huangpi orthonaivirus</i>	Huangpi tick virus 1 (HpTV-1)
	<i>Hughes orthonaivirus</i>	Caspiy virus (CASV)
		Farallon virus (FARV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
		Great Saltee virus (GRSV)
		Hughes virus (HUGV)
		Raza virus (RAZAV)
	<i>Issyk-kul orthonairovirus</i>	Issyk-kul virus (ISKV)
	<i>Kasokero orthonairovirus</i>	Kasokero virus (KASV = KASOV)
	<i>Keterah orthonairovirus</i>	Keterah virus (KTRV)
		Uzun-Agach virus (UZAV)
	<i>Kupe orthonairovirus</i>	kupe virus (KUPEV)
	<i>Leopards Hill orthonairovirus</i>	Leopards Hill virus (LPHV)
	<i>Meram orthonairovirus</i>	Meram virus (MEMV)
	<i>Nairobi sheep disease orthonairovirus</i>	Nairobi sheep disease virus (NSDV)
	<i>Pacific Coast orthonairovirus</i>	Pacific Coast tick nairovirus (PCTNV)
	<i>Punta Salinas orthonairovirus</i>	Punta Salinas virus (PSV)
	<i>Qalyub orthonairovirus</i>	Geran virus (GERV)
		Qalyub virus (QYBV)
	<i>Sakhalin orthonairovirus</i>	Sakhalin virus (SAKV)
		Tillamook virus (TILLY)
	<i>Sapphire orthonairovirus</i>	Sapphire II virus (SAPV)
	<i>Scot orthonairovirus</i>	Clo Mor virus (CMV = CLMV)
	<i>Soldado orthonairovirus</i>	Soldado virus (SOLV)
	<i>Tacheng orthonairovirus</i>	Táchéng tick virus 1 (TcTV-1)
	<i>Taggert orthonairovirus</i>	Taggert virus (TAGV)
	<i>Tamdy orthonairovirus</i>	Tamdy virus (TAMV)
	<i>Thiafora orthonairovirus</i>	Thiafora virus (TFAV)
	<i>Tofla orthonairovirus</i>	tofla virus (TFLV)
	<i>Tunis orthonairovirus</i>	Tunis virus (TUNV)
	<i>Vinegar Hill orthonairovirus</i>	Vinegar Hill virus (VINHV)
	<i>Wenzhou orthonairovirus</i>	W nzh u tick virus (WzTV)
	<i>Yogue orthonairovirus</i>	Yogue virus (YOGV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Zirqa orthonatovirus</i>	Zirqa virus (ZIRV)
<i>Sabavirus</i>	<i>South Bay sabavirus</i>	South Bay virus (SBV)
<i>Shaspiavirus</i>	<i>Spider shaspiavirus</i>	Sh yáng spider virus 1 (SySV-1)
<i>Striavirus</i>	<i>Strider striavirus</i>	S nxiá water strider virus 1 (SxWSV-1)
<i>Xinpiavirus</i>	<i>Xinzhou xinpiavirus</i>	X nzh u spider virus (XSV)
Family Peribunyaviridae		
<i>Herbevirus</i>	<i>Herbert herbevirus</i>	Herbert virus (HEBV)
	<i>Kibale herbevirus</i>	Kibale virus (KIBV)
	<i>Tai herbevirus</i>	Tai virus (TAIV)
<i>Orthobunyavirus</i>	<i>Abras orthobunyavirus</i>	Abras virus (ABRV)
	<i>Acara orthobunyavirus</i>	Acara virus (ACAV)
		Moriche virus (MORV)
	<i>Aino orthobunyavirus</i>	Aino virus (AINOV)
	<i>Akabane orthobunyavirus</i>	Akabane virus (AKAV)
		Tinaroo virus (TINV)
		Yaba-7 virus (Y7V)
	<i>Alajuela orthobunyavirus</i>	Alajuela virus (ALJV)
		San Juan virus (SJV)
	<i>Anadyr orthobunyavirus</i>	Anadyr virus (ANADV)
	<i>Ananindeua orthobunyavirus</i>	Ananindeua virus (ANUV)
	<i>Anhembi orthobunyavirus</i>	Anhembi virus (AMBV)
	<i>Anopheles A orthobunyavirus</i>	Anopheles A virus (ANAV)
		Arumateua virus (ARTV = ARMTV)
		Caraipé virus (CPEV = CRPV)
		Las Maloyas virus (LMV)
		Lukuni virus (LUKV)
		Trombetas virus (TRMV)
		Tucuruí virus (TUCV = TUCRV)
	<i>Anopheles B orthobunyavirus</i>	Anopheles B virus (ANBV)

Genus	Species ^f	Virus (Abbreviation) ^g
		Boracéia virus (BORV)
	<i>Apeu orthobunyavirus</i>	Apeú virus (APEUV)
	<i>Bakau orthobunyavirus</i>	Bakau virus (BAKV)
		Ketapang virus (KETV)
		Nola virus (NOLAV)
		Tanjong Rabok virus (TRV)
		Telok Forest virus (TFV)
	<i>Batai orthobunyavirus</i>	Batai virus (BATV)
	<i>Batama orthobunyavirus</i>	Batama virus (BMAV)
	<i>Bellavista orthobunyavirus</i>	Bellavista virus (BELLV)
	<i>Benevides orthobunyavirus</i>	Benevides virus (BVSV = BENV)
	<i>Bertioga orthobunyavirus</i>	Bertioga virus (BERV)
		Cananóia virus (CNAV)
		Guaratuba virus (GTBV)
		Itimirim virus (ITIV)
		Mirim virus (MIRV)
		bimitti virus (BIMV)
	<i>Bimitti orthobunyavirus</i>	Bimitti virus (BIMV)
	<i>Birao orthobunyavirus</i>	Birao virus (BIRV)
	<i>Botambi orthobunyavirus</i>	Botambi virus (BOTV)
	<i>Bozo orthobunyavirus</i>	Bozo virus (BOZOV)
	<i>Brazoran orthobunyavirus</i>	brazoran virus (BRAZV)
	<i>Bruconha orthobunyavirus</i>	Bruconha virus (BRUV)
	<i>Buffalo Creek orthobunyavirus</i>	Buffalo Creek virus (BUCV)
	<i>Bunyanwera orthobunyavirus</i>	Bunyanwera virus (BUNV)
		Germiston virus (GERV)
		Lokem virus (LOKV)
		Mboké virus (MBOV)
		Ngari virus (NRIV)
		Northway virus (NORV)

Genus	Species ^f	Virus (Abbreviation) ^g
		Santa Rosa virus (SARV)
		Shokwe virus (SHOV)
		Stanfield virus (STAV)
		Xingu virus (XINV)
	<i>Bushbush orthobunyavirus</i>	Benfica virus (BENV = BNFV)
		Bushbush virus (BSBV)
		Juan Díaz virus (JDV)
	<i>Buttonwillow orthobunyavirus</i>	Buttonwillow virus (BUTV)
	<i>Bwamba orthobunyavirus</i>	Bwamba virus (BWAV)
		Pongola virus (PGAV)
	<i>Cache Valley orthobunyavirus</i>	Cache Valley virus (CVV)
		Cholut virus (CHLV)
		Tlacotalpan virus (TLAV)
	<i>Cachoeira Porteira orthobunyavirus</i>	Cachoeira Porteira virus (CPOV)
	<i>California encephalitis orthobunyavirus</i>	California encephalitis virus (CEV)
		Morro Bay virus (MBV)
	<i>Capim orthobunyavirus</i>	Capim virus (CAPV)
	<i>Caraparú orthobunyavirus</i>	Caraparú virus (CARV)
		El Huayo virus (EHUV)
		Itaya virus (ITYV)
		Ossa virus (OSSAV)
		Vinces virus (VINV)
	<i>Cat Que orthobunyavirus</i>	Cát Qué virus (CQV)
		Oya virus (OYAV)
	<i>Catú orthobunyavirus</i>	Catú virus (CATUV)
	<i>Enseada orthobunyavirus</i>	Enseada virus (ENSV)
	<i>Faceys paddock orthobunyavirus</i>	Facey's paddock virus (FPV)
	<i>Fort Sherman orthobunyavirus</i>	Fort Sherman virus (FSV)
	<i>Gamboia orthobunyavirus</i>	Brus Laguna virus (BLAV)

Genus	Species ^f	Virus (Abbreviation) ^g
		Calchaquí virus (CQIV)
		Gamboia virus (GAMV)
		Pueblo Viejo virus (PVV)
		Soberanía virus (SOBV)
	<i>Gan Gan orthobunyavirus</i>	Gan Gan virus (GGV)
	<i>Guajara orthobunyavirus</i>	Guajará virus (GJAV)
	<i>Guama orthobunyavirus</i>	Guamá virus (GMAV)
	<i>Guaroa orthobunyavirus</i>	Guaroa virus (GROV)
	<i>Iaco orthobunyavirus</i>	Iaco virus (IACOV)
	<i>Ilesha orthobunyavirus</i>	Ilesha virus (ILEV)
	<i>Ingwavuma orthobunyavirus</i>	Ingwavuma virus (INGV)
	<i>Jamestown Canyon orthobunyavirus</i>	Inkoo virus (INKV)
		Jamestown Canyon virus (JCV)
		Jerry Slough virus (JSV)
		South River virus (SORV)
	<i>Jatobal orthobunyavirus</i>	Jatobal virus (JATV)
	<i>Kaeng Khoi orthobunyavirus</i>	Kaeng Khoi virus (KKV)
	<i>Kairi orthobunyavirus</i>	kairi virus (KRIV)
	<i>Keystone orthobunyavirus</i>	Keystone virus (KEYV)
	<i>Koongol orthobunyavirus</i>	koongol virus (KOOV)
		wongal virus (WONV)
	<i>La Crosse orthobunyavirus</i>	La Crosse virus (LACV)
	<i>Leanyer orthobunyavirus</i>	Leanyer virus (LEAV)
	<i>Lumbo orthobunyavirus</i>	Lumbo virus (LUMV)
	<i>Macaua orthobunyavirus</i>	Macauá virus (MCAV)
	<i>Madrid orthobunyavirus</i>	Madrid virus (MADV)
	<i>Maguari orthobunyavirus</i>	Maguari virus (MAGV)
		Playas virus (PLAV)
	<i>Mahogany Hammock orthobunyavirus</i>	Mahogany Hammock virus (MHV)

Genus	Species ^f	Virus (Abbreviation) ^g
	<i>Main Drain orthobunyavirus</i>	Main Drain virus (MDV)
	<i>Manzanilla orthobunyavirus</i>	Manzanilla virus (MANV)
		Inini virus (INIV)
	<i>Mapputa orthobunyavirus</i>	Mapputa virus (MAPV)
	<i>Maprik orthobunyavirus</i>	Maprik virus (MPKV)
	<i>Marituba orthobunyavirus</i>	Gumbo Limbo virus (GLV)
		Marituba virus (MTBV)
		Murutueti virus (MURV)
		Nepuyo virus (NEPV)
		Restan virus (RESV)
		Zungarococha virus (ZUNV)
	<i>Matruh orthobunyavirus</i>	Matruh virus (MTRV)
	<i>Melao orthobunyavirus</i>	Melao virus (MELV)
	<i>Moju orthobunyavirus</i>	Moju virus (MOJUV)
	<i>Mermet orthobunyavirus</i>	Mermet virus (MERV)
	<i>Minatitlan orthobunyavirus</i>	Minatitlan virus (MINTV)
		Palestina virus (PLSV)
	<i>MPoko orthobunyavirus</i>	M'Poko virus (MPOV)
		Yaba-1 virus (Y1V)
	<i>Nyando orthobunyavirus</i>	Eretmapodites virus (ERETV)
		Mojú dos Campos virus (MDCV)
		Nyando virus (NDV)
	<i>Olifantsvlei orthobunyavirus</i>	Bobia virus (BIAV)
		Dabakala virus (DABV)
		Olifantsvlei virus (OLIV)
		Oubi virus (OUBIV)
	<i>Oriboca orthobunyavirus</i>	Itaqui virus (ITQV)
		Oriboca virus (ORIV)
	<i>Oropouche orthobunyavirus</i>	Iquitos virus (IQTV)

Genus	Species [¶]	Virus (Abbreviation) [§]
		Madre de Dios virus (MDDV)
		Oropouche virus (OROV)
		Perdões virus (PDEV)
		Pintupo virus (PINTV)
	<i>Oyo orthobunyavirus</i>	Oyo virus (YOYV)
	<i>Patois orthobunyavirus</i>	Babahoya virus (BABV)
		Pahayokee virus (PAHV)
		Patois virus (PATV)
	<i>Peaton orthobunyavirus</i>	peaton virus (PEAV)
	<i>Potosi orthobunyavirus</i>	Potosi virus (POTV)
	<i>Sabo orthobunyavirus</i>	Sabo virus (SABOV)
	<i>San Angelo orthobunyavirus</i>	San Angelo virus (SAV)
	<i>Sango orthobunyavirus</i>	Sango virus (SANV)
	<i>Schmallenberg orthobunyavirus</i>	Douglas virus (DOUV)
		Sathuperi virus (SATV)
		Schmallenberg virus (SBV)
		Shamonda virus (SHAV)
	<i>Sedlec orthobunyavirus</i>	Sedlec virus (SEDV)
	<i>Serra do Navio orthobunyavirus</i>	Serra do Navio virus (SDNV)
	<i>Shark River orthobunyavirus</i>	Shark River virus (SRV)
	<i>Shuni orthobunyavirus</i>	Kaikalur virus (KAIV)
		Shuni virus (SHUV)
	<i>Simbu orthobunyavirus</i>	Para virus (PARAV)
		Simbu virus (SIMV)
	<i>Snowshoe hare orthobunyavirus</i>	Khatanga virus (KHATV)
		snowshoe hare virus (SSHV)
	<i>Sororoca orthobunyavirus</i>	Sororoca virus (SORV)
	<i>Tacaiuna orthobunyavirus</i>	CoAr 1071 virus (CA1071V)
		CoAr 3627 virus (CA3626V)

Genus	Species [¶]	Virus (Abbreviation) [§]
		Tacatuma virus (TCMV)
		Virgin River virus (VRV)
	<i>Tahyna orthobunyavirus</i>	ahya virus (TAHV)
	<i>Tataguine orthobunyavirus</i>	Tataguine virus (TATV)
	<i>Tensaw orthobunyavirus</i>	Tensaw virus (TENV)
	<i>Tete orthobunyavirus</i>	Bahig virus (BAHV)
		Tete virus (TETEV)
		Tsuruse virus (TSUV)
		Weldonia virus (WELV)
	<i>Thimiri orthobunyavirus</i>	Thimiri virus (THIV)
	<i>Timboteua orthobunyavirus</i>	Timboteua virus (TBTV)
	<i>Tinititi orthobunyavirus</i>	Tinititi virus (TNTV)
	<i>Trivittatus orthobunyavirus</i>	Achiote virus (ACHOV)
		Trivittatus virus (TVTIV)
	<i>Turlock orthobunyavirus</i>	Lednice virus (LEDV)
		Turlock virus (TURV)
		Umbre virus (UMBV)
	<i>Utinga orthobunyavirus</i>	Utinga virus (UTIV)
	<i>Witwatersrand orthobunyavirus</i>	Witwatersrand virus (WITTV)
	<i>Wolkberg orthobunyavirus</i>	Wolkberg virus (WBV)
	<i>Wyeomyia orthobunyavirus</i>	Rio Pracupti virus
		Taiassui virus (TAIAV)
		Tucunduba virus (TUCV)
		Wyeomyia virus (WYOV)
<i>Pacuvirus</i>	<i>Caimito pacuvirus</i>	Caimito virus (CAIV)
	<i>Chilibre pacuvirus</i>	Chilibre virus (CHIV)
	<i>Pacui pacuvirus</i>	Pacui virus (PACV)
	<i>Rio Preto da Eva pacuvirus</i>	Rio Preto da Eva virus (RPEV)
	<i>Tapirapé pacuvirus</i>	Tapirapé virus (TAPV)

Genus	Species [¶]	Virus (Abbreviation) [§]
<i>Shangavirus</i>	<i>Insect shangavirus</i>	Shu ngáo insect virus 1 (SgIV-1)
Family Phasmaviridae		
<i>Feravirus</i>	<i>Ferak feravirus</i>	Ferak virus (FRKV)
	<i>Hemipteran feravirus</i>	hemipteran phasma-related virus OKIAV247 (HeFV)
	<i>Neuropteran feravirus</i>	neuropteran phasma-related virus OKIAV248 (NeFV)
<i>Hymovirus</i>	<i>Hymenopteran hymovirus 1</i>	hymenopteran phasma-related virus OKIAV252 (HyHV-1)
	<i>Hymenopteran hymovirus 2</i>	hymenopteran phasma-related virus OKIAV250 (HyHV-2)
<i>Jonvirus</i>	<i>Jonchet jonvirus</i>	jonchet virus (JONV)
<i>Orthophasnavirus</i> _s	<i>Anopheles orthophasnavirus</i>	Anopheles triannulatus orthophasnavirus (AIOPV)
	<i>Coleopteran orthophasnavirus</i>	coleopteran phasma-related virus OKIAV235 (CPRV)
	<i>Culex orthophasnavirus</i>	Culex phasma-like virus (CPLY)
	<i>Ganda orthophasnavirus</i>	Ganda bee virus (GBEEV)
	<i>Hymenopteran orthophasnavirus 1</i>	hymenopteran phasma-related virus OKIAV228 (HyOV-1)
	<i>Hymenopteran orthophasnavirus 2</i>	hymenopteran phasma-related virus OKIAV227 (HyOV-2)
	<i>Kigluaik phantom orthophasnavirus</i>	Kigluaik phantom virus (KIGV)
	<i>Niukluk phantom orthophasnavirus</i>	Niukluk phantom virus (NUKV)
	<i>Odonate orthophasnavirus</i>	Húb i odonate virus 8 (HbOV-8)
	<i>Qingling orthophasnavirus</i>	Húb i odonate virus 9 (HbOV-9)
	<i>Wuchang cockroach orthophasnavirus 1</i>	Wúch ng cockroach virus 1 (WcCV-1)
	<i>Wuhan mosquito orthophasnavirus 1</i>	Wúhàn mosquito virus 1 (WhMV-1)
	<i>Wuhan mosquito orthophasnavirus 2</i>	Wúhàn mosquito virus 2 (WhMV-2)
<i>Sawastivirus</i>	<i>Saxia sawastivirus</i>	S nxiá water strider virus 2 (SxWSV-2)
<i>Wuhivirus</i>	<i>Insect wuhivirus</i>	Wúhàn insect virus 2 (WhIV-2)
Family Pheniviridae		
<i>Bandavirus</i>	<i>Bhanja bandavirus</i>	Bhanja virus (BHAV)
	<i>Dabie bandavirus</i>	severe fever with thrombocytopenia syndrome virus (SFTSV)
	<i>Guertu bandavirus</i>	Gü rtü virus (GTV)
	<i>Heartland bandavirus</i>	Heartland virus (HRTV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Hunter Island bandavirus</i>	Albattross Island virus (ABIV)
	<i>Kismaayo bandavirus</i>	Kismaayo virus (KISV)
	<i>Lone star bandavirus</i>	lone star virus (LSV)
	<i>Razdan bandavirus</i>	Razdan virus (RAZV)
<i>Beidivirus</i>	<i>Dipteran beidivirus</i>	Húb i diptera virus 3 (HbDV-3)
<i>Coguvirus</i>	<i>Citrus coguvirus</i>	citrus concave gum-associated virus (CCGaV)
	<i>Coguvirus eburii</i>	citrus virus A (CIV-A)
	<i>Grapevine coguvirus</i>	grapevine associated cogu-like virus 1 (GaCLV-1)
<i>Entovirus</i>	<i>Entoleuca entovirus</i>	Entoleuca phenui-like virus 1 (EnPLV-1)
<i>Goukovirus</i>	<i>Cumuto goukovirus</i>	Cumuto virus (CUMV)
	<i>Gouleako goukovirus</i>	Gouléako virus (GOLV)
	<i>Yichang insect goukovirus</i>	Yích ng insect virus (YcIV)
<i>Horwuvirus</i>	<i>Horsefly horwuvirus</i>	Wùhàn horsefly virus (WhHV)
	<i>Kimberley horwuvirus</i>	Fitzroy Crossing tenui-like virus 1 (FCTenV1)
<i>Hudivirus</i>	<i>Dipteran hudivirus</i>	Húb i diptera virus 4 (HbDV-4)
<i>Hudovirus</i>	<i>Lepidopteran hudovirus</i>	Húb i lepidoptera virus 1 (HbLV-1)
<i>Ixovirus</i>	<i>Blackleg ixovirus</i>	blacklegged tick virus 1 (BLTV-1)
	<i>Norway ixovirus</i>	Fairhair virus (FHAV)
	<i>Scapularis ixovirus</i>	blacklegged tick virus 3 (BLTV-3)
<i>Laulavirus</i>	<i>Grapevine laulavirus 2</i>	grapevine associated cogu-like virus 2 (GaCLV-2)
	<i>Grapevine laulavirus 3</i>	grapevine associated cogu-like virus 3 (GaCLV-3)
	<i>Grapevine laulavirus 4</i>	grapevine associated cogu-like virus 4 (GaCLV-4)
	<i>Laurel Lake laulavirus</i>	Laurel Lake virus (LLV)
<i>Lentinivirus</i>	<i>Lentinula lentinivirus</i>	Lentinula edodes negative-strand RNA virus 2 (LeNSRV-2)
<i>Mobuvirus</i>	<i>Mothra mobuvirus</i>	Mothra virus (MTHV)
	<i>Narangue mobuvirus</i>	Ñarangue virus (NRGV)
<i>Phasivirus</i>	<i>Badu phasivirus</i>	Badu virus (BADUV)
	<i>Dipteran phasivirus</i>	Húb i diptera virus 5 (HbDV-5)
	<i>Fly phasivirus</i>	Wùhàn fly virus 1 (WhFV-1)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Guadeloupe phasivirus</i>	Guadeloupe mosquito phasivirus (GMPV)
	<i>Kimberley phasivirus</i>	Parry's Creek phasivirus 1 (PCPhasV1)
	<i>Phasi Charoen-like phasivirus</i>	Phasi Charoen-like virus (PCLV)
	<i>Witai mosquito phasivirus</i>	Witai mosquito virus (WtMV)
<i>Phlebovirus</i>	<i>Adana phlebovirus</i>	Adana virus (ADAV)
	<i>Aguacate phlebovirus</i>	Aguacate virus (AGUV)
	<i>Alcube phlebovirus</i>	Alcube virus (ACBV)
	<i>Alenquer phlebovirus</i>	Alenquer virus (ALEV)
	<i>Ambe phlebovirus</i>	Ambé virus (ABEV)
	<i>Anhangá phlebovirus</i>	Anhangá virus (ANHV)
	<i>Arumowot phlebovirus</i>	Arumowot virus (AMTV)
	<i>Buenaventura phlebovirus</i>	Buenaventura virus (BUEV)
	<i>Bogoria phlebovirus</i>	Bogoria virus (BGRV)
	<i>Bujaru phlebovirus</i>	Bujaru virus (BUJV)
	<i>Cacao phlebovirus</i>	Cacao virus (CACV)
	<i>Campana phlebovirus</i>	Campana virus (CMAV)
	<i>Candiru phlebovirus</i>	Ariquemes virus (ARQV)
		Candiru virus (CDUV)
		Jacundá virus (JCNV)
		Morumbi virus (MR(M)BV)
		Mucura virus (MCRV/MRAV)
		Serra Norte virus (SRNV)
	<i>Chagres phlebovirus</i>	Chagres virus (CHGV)
	<i>Cocle phlebovirus</i>	Cocle virus (CCLV)
	<i>Corfou phlebovirus</i>	Corfou virus (CFUV)
	<i>Dashli phlebovirus</i>	D shi virus (DASV)
	<i>Durania phlebovirus</i>	Durania virus (DRNV)
	<i>Echarate phlebovirus</i>	Echarate virus (ECHV)
	<i>Embossos phlebovirus</i>	Embossos virus (EMBV)

Genus	Species [¶]	Virus (Abbreviation) [Ⓔ]
	<i>Gabek phlebovirus</i>	Gabek forest virus (GFV)
	<i>Gordil phlebovirus</i>	Gordil virus (GORV)
	<i>Icoaraci phlebovirus</i>	Icoaraci virus (ICOV)
	<i>Itaituba phlebovirus</i>	Itaituba virus (ITAV)
	<i>Itaporanga phlebovirus</i>	Itaporanga virus (ITPV)
	<i>Ixcanal phlebovirus</i>	Ixcanal virus (IXCV)
	<i>Karimabad phlebovirus</i>	Karimabad virus (KARV)
	<i>Kiborgoch phlebovirus</i>	Kiborgoch virus (KBGV)
	<i>La Gloria phlebovirus</i>	La Gloria virus (LAGV)
	<i>Lara phlebovirus</i>	Rio Claro virus (RICV)
	<i>Leticia phlebovirus</i>	Leticia virus (LTCV)
	<i>Maldonado phlebovirus</i>	Maldonado virus (MLOV)
	<i>Mariquita phlebovirus</i>	Mariquita virus (MRQV)
	<i>Massilia phlebovirus</i>	Massilia virus (MASV)
	<i>Medjerda phlebovirus</i>	Medjerda Valley virus (MVV)
	<i>Mona Grita phlebovirus</i>	Mona Grita virus (MOGV)
	<i>Mukawa phlebovirus</i>	Mukawa virus (MKWV)
	<i>Munguba phlebovirus</i>	Munguba virus (MUNV)
	<i>Naples phlebovirus</i>	Arrávida virus (ARRV)
		Balkan virus (BALKV)
		Fermo virus (FERV)
		Granada virus (GRV = GRAV)
		Saddaguia virus (SADV)
		sandfly fever Naples virus (SFNV)
	<i>Nique phlebovirus</i>	Nique virus (NIQV)
	<i>Ntepes phlebovirus</i>	Ntepes virus (NTPV)
	<i>Odrénistrou phlebovirus</i>	Odrénistrou virus (ODRV)
	<i>Oriximina phlebovirus</i>	Oriximiná virus (ORXV)
	<i>Peña Blanca phlebovirus</i>	Peña Blanca virus (PEBV)

Genus	Species ^f	Virus (Abbreviation) ^g
	<i>Penshurst phlebovirus</i>	Penshurst virus (PEHV)
	<i>Perkerra phlebovirus</i>	Perkerra virus (PKEY)
	<i>Punique phlebovirus</i>	Punique virus (PUNV)
	<i>Punta Toro phlebovirus</i>	Capira virus (CAPIV)
		Punta Toro virus (PTV)
	<i>Rift Valley fever phlebovirus</i>	Rift Valley fever virus (RVFV)
	<i>Río Grande phlebovirus</i>	Río Grande virus (RGV)
	<i>Saint Floris phlebovirus</i>	Saint-Floris virus (SAFV)
	<i>Salanga phlebovirus</i>	Salanga virus (SLGV)
	<i>Salehabad phlebovirus</i>	Adria virus (ADRV)
		Arbia virus (ARBV)
		Bregalaka virus (BREV)
		Olbia virus (OLBV)
		Salehabad virus (SALV)
		Zaba virus (ZABAV)
	<i>Salobo phlebovirus</i>	Salobo virus (SLBOV)
	<i>Sicilian phlebovirus</i>	sandfly fever Sicilian virus (SFSV)
	<i>Tapara phlebovirus</i>	Tapará virus (TPRV)
	<i>Tehran phlebovirus</i>	Tehran virus (THEV)
	<i>Tico phlebovirus</i>	Tico virus (TICV)
	<i>Toros phlebovirus</i>	Toros virus (TORV)
	<i>Toscana phlebovirus</i>	Toscana virus (TOSV)
	<i>Tres Almendras phlebovirus</i>	Tres Almendras virus (TRAV)
	<i>Turuna phlebovirus</i>	Turuna virus (TUAV)
	<i>Uriurana phlebovirus</i>	Uriurana virus (URIV)
	<i>Urucuri phlebovirus</i>	Urucuri virus (URUV)
	<i>Viola phlebovirus</i>	viola virus (VIOV)
	<i>Zerdali phlebovirus</i>	Zerdali virus (ZERV)
<i>Pidchovirus</i>	<i>Coleopteran pidchovirus</i>	coolepteran phenui-related virus 308 (CoPv-308)

Genus	Species [¶]	Virus (Abbreviation) [§]
	<i>Pidgey pidgeovirus</i>	Pidgey virus (PGYV)
<i>Rubodvirus</i>	<i>Apple rubodvirus 1</i>	apple rubbery wood virus 1 (ARWV-1)
	<i>Apple rubodvirus 2</i>	apple rubbery wood virus 2 (ARWV-2)
	<i>Grapevine rubodvirus 1</i>	grapevine Garan dnak virus (GGDV)
	<i>Grapevine rubodvirus 2</i>	grapevine Muscat rose virus (GMRV)
<i>Tanzavirus</i>	<i>Human tanzavirus</i>	Dar es Salaam virus (DeSV)
<i>Tenuivirus</i>	<i>Echinochloa hoja blanca tenuivirus</i>	Echinochloa hoja blanca virus (EHBV)
	<i>European wheat striate mosaic tenuivirus</i>	European wheat striate mosaic virus (EWSMV)
	<i>Iranian wheat stripe tenuivirus</i>	Iranian wheat stripe virus (IWSV)
	<i>Maize stripe tenuivirus</i>	maize stripe virus (MSV = MSPV)
	<i>Melon tenuivirus</i>	melon chlorotic spot virus (MeCSV)
	<i>Rice grassy stunt tenuivirus</i>	rice grassy stunt virus (RGSV)
	<i>Rice hoja blanca tenuivirus</i>	rice hoja blanca virus (RHBV)
	<i>Rice stripe tenuivirus</i>	rice stripe virus (RSV = RStV)
	<i>Urochloa hoja blanca tenuivirus</i>	Urochloa hoja blanca virus (UHBV)
<i>Uukuvirus</i>	<i>American dog uukuvirus</i>	American dog tick virus (ADAV)
	<i>Dabieshan uukuvirus</i>	Dabiesh n tick virus (DBSH)
	<i>Grand Arbaud uukuvirus</i>	Grand Arbaud virus (GAV)
	<i>Huangpi uukuvirus</i>	Huangpi tick virus 2 (HpTV-2)
	<i>Kabuto mountain uukuvirus</i>	Kabuto mountain virus (KAMV)
	<i>Kaisodi uukuvirus</i>	Kaisodi virus (KASDV)
	<i>Lihan uukuvirus</i>	Lihan tick virus (LITV)
	<i>Manawa uukuvirus</i>	Manawa virus (MWAV)
	<i>Murre uukuvirus</i>	murre virus (MURY)
	<i>Pacific coast uukuvirus</i>	Pacific coast tick virus (PACV)
	<i>Precarious Point uukuvirus</i>	Precarious Point virus (PPV)
	<i>Rukutama uukuvirus</i>	Rukutama virus (RUKV)
	<i>Schmid uukuvirus</i>	Nile Warbler virus (NIWV)
	<i>Silverwater uukuvirus</i>	Silverwater virus (SILV)

Genus	Species [¶]	Virus (Abbreviation) [§]
	<i>Tacheng uukuvirus</i>	Táchéng tick virus 2 (TCGV)
	<i>Uukuniemi uukuvirus</i>	Chizé virus (CHZV)
		Fin V 707 virus (FINV)
		Oceanside virus (OCV = OCEV)
		Pontevès virus (PTVV)
		St. Abbas Head virus (SAHV)
		Uukuniemi virus (UUKV)
	<i>Yongjia uukuvirus</i>	Yóngjǐ tick virus (YONV)
	<i>Zaliv Terpeniya uukuvirus</i>	Zaliv Terpeniya virus (ZTV)
<i>Wenivirus</i>	<i>Shrimp wenivirus</i>	Mourliyan virus (MoV)
Family <i>Tospoviridae</i>		
<i>Orthotospovirus</i>	<i>Alstroemeria necrotic streak orthotospovirus</i>	Alstroemia necrotic streak virus (ANSV)
	<i>Alstroemeria yellow spot orthotospovirus</i>	Alstroemia yellow spot virus (AYSV)
	<i>Bean necrotic mosaic orthotospovirus</i>	bean necrotic mosaic virus (BeNMV)
	<i>Calla lily chlorotic spot orthotospovirus</i>	calla lily chlorotic spot virus (CCSV)
	<i>Capsicum chlorosis orthotospovirus</i>	Capsicum chlorosis virus (CaCV)
	<i>Chrysanthemum stem necrosis orthotospovirus</i>	Chrysanthemum stem necrosis virus (CSNV)
	<i>Groundnut bud necrosis orthotospovirus</i>	groundnut bud necrosis virus (GBNV)
	<i>Groundnut chlorotic fan spot orthotospovirus</i>	groundnut chlorotic fan-spot virus (GCFSV)
	<i>Groundnut ringspot orthotospovirus</i>	groundnut ringspot virus (GRSV)
	<i>Groundnut yellow spot orthotospovirus</i>	groundnut yellow spot virus (GYSV)
	<i>Hippeastrum chlorotic ringspot orthotospovirus</i>	Hippeastrum chlorotic spot virus (HCRV)
	<i>Impatiens necrotic spot orthotospovirus</i>	impatiens necrotic spot virus (INSV)
	<i>Iris yellow spot orthotospovirus</i>	iris yellow spot virus (IYSV)
	<i>Melon severe mosaic orthotospovirus</i>	melon severe mosaic virus (MSMV)
	<i>Melon yellow spot orthotospovirus</i>	melon yellow spot virus (MYSV)
	<i>Mulberry vein banding associated orthotospovirus</i>	mulberry vein banding-associated virus (MVBaV)
	<i>Pepper chlorotic spot orthotospovirus</i>	pepper chlorotic spot virus (PCSV)
	<i>Polygonum ringspot orthotospovirus</i>	Polygonum ringspot virus (PolRSV)

Genus	Species ^f	Virus (Abbreviation) ^{&}
	<i>Soybean vein necrosis orthotospovirus</i>	soybean vein necrosis virus (SVNV)
	<i>Tomato chlorotic spot orthotospovirus</i>	tomato chlorotic spot virus (TCSV)
	<i>Tomato spotted wilt orthotospovirus</i>	tomato spotted wilt virus (TSWV)
	<i>Tomato yellow ring orthotospovirus</i>	tomato yellow ring virus (TYRV)
	<i>Tomato zonate spot orthotospovirus</i>	tomato zonate spot virus (TZSV)
	<i>Watermelon bud necrosis orthotospovirus</i>	watermelon bud necrosis virus (WBNV)
	<i>Watermelon silver mottle orthotospovirus</i>	watermelon silver mottle virus (WSMoV)
	<i>Zucchini lethal chlorosis orthotospovirus</i>	zucchini lethal chlorosis virus (ZLCV)
Family <i>Wupedeviridae</i>		
<i>Wumivirus</i>	<i>Millipede wumivirus</i>	Wuhan millipede virus 2 (WhMV-2)

Note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, subfamilies, families, and orders are taxa.

^fTaxon names are always italicized and always begin with a capital letter.

[&]Virus names are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization. Lists of viruses within a given species are provisional at this point and will likely be amended in the near future.