

Therapeutic potentials of fasudil in liver fibrosis

Yue Xi, Peng-Fei Xu

ORCID number: Yue Xi [0000-0003-1265-6624](https://orcid.org/0000-0003-1265-6624); Peng-Fei Xu [0000-0001-6854-6040](https://orcid.org/0000-0001-6854-6040).

Author contributions: Xu PF designed the framework and supervised the preparation; both authors have wrote the letter, prepared the figures, read and approved the final letter.

Conflict-of-interest statement: The authors declare that they have no conflict of interest.

Country/Territory of origin: United States

Specialty type: Gastroenterology and hepatology

Provenance and peer review: Invited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0
Grade B (Very good): B
Grade C (Good): 0
Grade D (Fair): 0
Grade E (Poor): 0

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution

Yue Xi, Peng-Fei Xu, Center for Pharmacogenetics and Department of Pharmaceutical Sciences, University of Pittsburgh, Pittsburgh, PA 15261, United States

Corresponding author: Peng-Fei Xu, PhD, Academic Research, Postdoctoral Fellow, Research Associate, Center for Pharmacogenetics and Department of Pharmaceutical Sciences, University of Pittsburgh, 323 Salk Pavilion, 335 Sutherland Drive, Pittsburgh, PA 15261, United States. pex9@pitt.edu

Abstract

Fasudil has the potential to prevent liver fibrosis by activating natural killer cells and inhibiting the proliferation of hepatic stellate cells. Fasudil may be a promising clinical therapeutic drug for the prevention and treatment of liver fibrosis.

Key Words: Fasudil; Liver fibrosis; Natural killer cell; Hepatic stellate cell; Clinical therapeutic drug

©The Author(s) 2021. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: This letter to the editor is to supplement the ongoing discussion on the therapeutic potentials of Fasudil in the treatment of hepatic fibrosis. Fasudil is potential for the treatment of liver fibrosis through activating natural killer cells and inhibiting the proliferation of hepatic stellate cells. Fasudil, a vasodilator used in clinical treatment of cerebral vasospasm, exhibits the protective and therapeutic effect on liver fibrosis.

Citation: Xi Y, Xu PF. Therapeutic potentials of fasudil in liver fibrosis. *World J Gastroenterol* 2021; 27(45): 7859-7861

URL: <https://www.wjgnet.com/1007-9327/full/v27/i45/7859.htm>

DOI: <https://dx.doi.org/10.3748/wjg.v27.i45.7859>

TO THE EDITOR

We read with great interest the recent basic study by Han *et al*[1], that reported Fasudil, a potent RhoA/ROCK inhibitor and vasodilator, prevents and treats liver fibrosis and liver injury. They found Fasudil alleviates thioacetamide (TAA)-induced liver fibrosis in mice. The anti-fibrotic phenotypic exhibition of Fasudil is impressive.

NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>

Received: July 4, 2021

Peer-review started: July 4, 2021

First decision: August 8, 2021

Revised: August 11, 2021

Accepted: November 24, 2021

Article in press: November 24, 2021

Published online: December 7, 2021

P-Reviewer: Zhang J

S-Editor: Wang LL

L-Editor: A

P-Editor: Wang LL




Figure 1 Schematic illustration depicting that fasudil prevents and treats liver fibrosis by activating natural killer cells and inhibiting hepatic stellate cells proliferation. NK: Natural killer; HSCs: Hepatic stellate cells.

Hepatic fibrosis is the formation of scar tissue in response to chronic liver damage, such as chronic hepatitis and hepatic steatosis[2]. Currently, there is no pharmacotherapy available approved by Food and Drug Administration (FDA) in the treatment of liver fibrosis[3]. Fasudil has been approved in Japan and China for the prevention of artery tightening and ischemia caused by cerebral vasospasm and pulmonary hypertension[4]. Due to its safety and efficacy, Fasudil might be a promising clinic agent for the prevention and treatment of liver fibrosis.

Hepatic stellate cells (HSCs) and natural killer (NK) cells play key roles in the pathogenesis of liver fibrosis. They isolated NK cells from mice treated with vehicle, TAA, or TAA and Fasudil and treated the NK-92 cells with different concentrations of Fasudil. These results showed that Fasudil robustly promotes NK cell activation. When discussing the effect of Fasudil on HSCs, they used human stellate cell line LX2 cells and observed that Fasudil directly induces apoptosis and inhibits the proliferation of LX2 cells. LX2 cell is indeed a model for the study of HSC activation. But to investigate HSCs activation, the model of primary HSCs subjected to culture activation and LX2 cells subjected to the stimulation of the potent profibrogenic cytokine transforming growth factor-beta 1 (TGF-β1) and then treated with the drugs under study are more widely accepted. Here, the authors proposed that Fasudil inhibited liver fibrosis by blocking HSCs activation by directly using the LX2 cells treated with Fasudil, which is far-fetched and hard to interpret. As primary HSCs are activated by prolonged culture, HSCs isolated from human or mouse livers and treated with the studied drug may be a more comprehensive approach to evaluate HSC activation.

Other studies also showed that Fasudil has anti-fibrotic phenotypic exhibition in rat models of hepatic fibrosis, such as Fasudil alleviated hepatic fibrosis in type 1 and 2 diabetic rats and carbon tetrachloride (CCl₄)-induced rat liver injury[5-7]. Combined with these studies, we proposed that Fasudil is potential for the treatment of liver fibrosis through multitargeted effects, as outlined in Figure 1. Taken together, Fasudil is a promising medication for the prevention and treatment of liver fibrosis.

REFERENCES

- Han QJ, Mu YL, Zhao HJ, Zhao RR, Guo QJ, Su YH, Zhang J. Fasudil prevents liver fibrosis via activating natural killer cells and suppressing hepatic stellate cells. *World J Gastroenterol* 2021; **27**: 3581-3594 [PMID: 34239271 DOI: 10.3748/wjg.v27.i24.3581]
- Tanwar S, Rhodes F, Srivastava A, Trembling PM, Rosenberg WM. Inflammation and fibrosis in chronic liver diseases including non-alcoholic fatty liver disease and hepatitis C. *World J Gastroenterol* 2020; **26**: 109-133 [PMID: 31969775 DOI: 10.3748/wjg.v26.i2.109]
- Alukal JJ, Thuluvath PJ. Reversal of NASH fibrosis with pharmacotherapy. *Hepatology* 2019; **13**: 534-545 [PMID: 31363910 DOI: 10.1007/s12072-019-09970-3]

- 4 **Zhao J**, Zhou D, Guo J, Ren Z, Zhou L, Wang S, Xu B, Wang R. Effect of fasudil hydrochloride, a protein kinase inhibitor, on cerebral vasospasm and delayed cerebral ischemic symptoms after aneurysmal subarachnoid hemorrhage. *Neurol Med Chir (Tokyo)* 2006; **46**: 421-428 [PMID: [16998274](#) DOI: [10.2176/nmc.46.421](#)]
- 5 **Xie Y**, Song T, Huo M, Zhang Y, Zhang YY, Ma ZH, Wang N, Zhang JP, Chu L. Fasudil alleviates hepatic fibrosis in type 1 diabetic rats: involvement of the inflammation and RhoA/ROCK pathway. *Eur Rev Med Pharmacol Sci* 2018; **22**: 5665-5677 [PMID: [30229844](#) DOI: [10.26355/eurev_201809_15834](#)]
- 6 **Zhou H**, Fang C, Zhang L, Deng Y, Wang M, Meng F. Fasudil hydrochloride hydrate, a Rho-kinase inhibitor, ameliorates hepatic fibrosis in rats with type 2 diabetes. *Chin Med J (Engl)* 2014; **127**: 225-231 [PMID: [24438608](#)]
- 7 **Ikeda H**, Kume Y, Tejima K, Tomiya T, Nishikawa T, Watanabe N, Ohtomo N, Arai M, Arai C, Omata M, Fujiwara K, Yatomi Y. Rho-kinase inhibitor prevents hepatocyte damage in acute liver injury induced by carbon tetrachloride in rats. *Am J Physiol Gastrointest Liver Physiol* 2007; **293**: G911-G917 [PMID: [17761835](#) DOI: [10.1152/ajpgi.00210.2007](#)]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA
Telephone: +1-925-3991568
E-mail: bpgoffice@wjgnet.com
Help Desk: <https://www.f6publishing.com/helpdesk>
<https://www.wjgnet.com>

