

Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

Virtual Non-Technical Skills Assessment Training is an Effective, Scalable **Approach for Novice Raters**



James C. Etheridge, MD, *^{,†} Rachel Moyal-Smith, MS, PAC, * Yves Sonnay, BSc, * Tze Tein Yong, MBBS,[‡] Shu Rong Lim, MSc,[§] Nurul Shafiqah, RN,^{II} Yupar Aung, RN,[§] Hiang Khoon Tan, MBBS, PhD,[‡] and Joaquim M. Havens, MD*^{,†}

*Ariadne Labs at Brigham and Women's Hospital and the Harvard T.H. Chan School of Public Health, Boston, Massachusetts; [†]Department of Surgery, Brigham and Women's Hospital, Boston, Massachusetts; [‡]Division of Surgery and Surgical Oncology, Singapore General Hospital, Singapore; [§]Health Services Research Unit, Singapore General Hospital, Singapore; and ^{II}Division of Nursing, Singapore General Hospital, Singapore

OBJECTIVES: The COVID-19 pandemic has forced a creative transition to virtual platforms due to physical distancing and travel restrictions. We designed and tested a highly scalable virtual training curriculum for novice raters using the Oxford NOTECHS non-technical skills rating system.

DESIGN: A three-day training course comprising virtual didactics, virtually facilitated simulations, and independent live observations was implemented. NOTECHS scores were submitted for eleven standardized video simulations and four live operations. Intraclass correlation coefficients (ICCs) were calculated for total NOTECHS scores and subcomponent scores. Raters previously trained in-person with the same standardized videos served as a comparator group for equivalence testing.

SETTING: All study activities were conducted in a large academic tertiary referral center in Singapore as part of an ongoing surgical safety initiative.

PARTICIPANTS: Seven staff members underwent training (three virtually and four in-person). None had prior surgical experience or non-technical skills assessment training.

RESULTS: ICCs for total NOTECHS scores were 0.85 (95% CI, 0.73-0.98) for virtually trained raters and 0.83 for those trained in-person (95% CI, 0.68-0.99). Scores were equivalent between groups within a 10% margin.

CONCLUSIONS: Non-technical skills assessment can be reliably taught in a highly scalable virtual format. Virtual NOTECHS training is a valuable tool for educational and quality improvement initiatives during the COVID-19 pandemic and for centers that lack ready access to onsite non-technical skills training expertise. (J Surg Ed 79:51-55. © 2021 Association of Program Directors in Surgery. Published by Elsevier Inc. All rights reserved.)

ABBREVIATIONS: ICC, intraclass correlation coefficient OR operating room

KEY WORDS: Non-Technical Skills, NOTECHS, virtual Training, clinical competencies, reliability of results

COMPETENCY: Interpersonal and Communication Skills

INTRODUCTION

Non-technical skills development is increasingly recognized as critical to patient safety.¹⁻⁴ Many quality improvement initiatives and surgical training curricula have now embraced non-technical skills education.^{5,6} The Accreditation Council for Graduate Medical Education includes Interpersonal and Communication Skills as one of its six Core Competencies for resident education, and non-technical skills training is specifically identified as a curriculum resource in the Surgery Milestones Supplemental Guide.7,8

Evaluating interventions to improve non-technical skills requires high-fidelity assessment tools. The most common behavioral marker system for surgical teams is the Oxford NOTECHS system.⁹ The NOTECHS rating system, which assesses leadership, teamwork, problem

Correspondence: Inquiries to Dr. James C. Etheridge, MD, Ariadne Labs at Brigham and Women's Hospital and the Harvard T.H. Chan School of Public Health, 401 Park Drive, 3rd Floor West, Boston, MA 02215; e-mail: jetheridge@bwh. harvard.edu

solving, and situational awareness for each subteam in the operating room (OR), is well-validated with excellent inter-rater and test-retest reliability.^{10,11} However, NOTECHS generally requires expert raters; the majority of studies relied on attending surgeons.¹²

Previous work from our group established the feasibility of a NOTECHS training program for novice raters, the need for on-site expert trainers limits scalability.¹³ The COVID-19 pandemic has underscored the need for robust virtual approaches to education, which can also benefit lower-resourced institutions outside of pandemic conditions. We therefore developed and tested a virtual NOTECHS training program for novice raters.

MATERIALS AND METHODS

Setting and participants

The virtual NOTECHS training curriculum was created as part of a surgical safety initiative in Singapore. Ethical approval was obtained from the Harvard T.H. Chan School of Public Health Institutional Review Board and waived by the SingHealth Centralized Institutional Review Board. All training activities took place at an academic tertiary referral center in Singapore. Virtual training sessions were conducted in January 2021. In-person training conducted at the same center in May 2019 provided a comparator group.¹³ All participants were female, and none had prior OR experience or non-technical skills assessment training (Table 1).

Curriculum

Adapting our training program to a virtual format presented several challenges. The original training program

TABLE 1. Participant Characteristics		
	Virtual training (n = 3)	In-person training (n = 4)
Female Primary role	3 (100%)	4 (100%)
Nurse Research associate	2 (67%) 1 (33%)	2 (50%) 1 (25%)
Speech therapist Years of clinical experience	0	1 (25%)
None 1-5 years	1 (33%) O	1 (25%) O
6-10 years >10 years	2 (67%) 0	2 (50%) 1 (25%)
Prior OR experience	0	0

OR, operating room

Our adapted curriculum is shown in Figure 1. Two experienced facilitators led each virtual session. We first introduced non-technical skills, NOTECHS categories, and instructions for scoring OR teams. We cut all extraneous background material to prioritize practice time and added prompts for participants to share their experiences to make the session as interactive as possible.

Simulated observations provided opportunities for practice and iterative improvement. Video simulations were drawn from the widely available eNOTSS platform, which provided a common basis to compare ratings (http://enotss.herokuapp.com/).¹⁴ Participants began with four training videos, each representing one NOTECHS category. Group discussions after each video focused on behaviors that positively or negatively impacted NOTECHS scores. Facilitators provided feedback on scores and identified additional behaviors not recognized by participants. Training videos also provided an opportunity to set the expectation that participants provide thoughtful scores with specific examples. A total of eleven formally scored simulations were conducted over the course of two sessions. Scores were recorded and group debriefings were held after each video simulation.

Live OR observations were the most challenging to convert to the virtual format. Previously, facilitators had escorted participants to the OR, introduced them, and observed operations together, debriefing immediately thereafter. We added a brief session during didactics to practice introductions, and a senior OR nurse guided participants to appropriate cases. However, there was no way for a facilitator to accompany participants to the OR. Participants instead conducted observations as a group, recording their responses independently. Each participant also took detailed notes. Because of the time difference between facilitators and participants, debriefing sessions for live observations could not be held until the subsequent morning. However, this delay did not appreciably affect recall, particularly given the quality of notes taken by participants.

Analysis

Inter-rater reliability was assessed with intraclass correlation coefficients (ICCs) for each pair of raters for all simulated or live OR encounters. Generalized estimating equations were used to derive a common point estimate




FIGURE 1. Virtual NOTECHS training curriculum.

and confidence interval for NOTECHS scores.¹⁵ Equivalence between training methods was assessed using the 90% confidence interval of the mean difference between scores. A 10% margin of equivalence was set a priori. All analyses were conducted using SAS v9.4 (SAS Institute Inc, Cary, NC).

RESULTS

Virtually trained raters achieved excellent inter-rater reliability. The ICC for total NOTECHS ratings was 0.85 (95% CI, 0.73-0.98), comparing favorably to that of the in-person training group (0.83; 95% CI, 0.68-0.99). Scores for all subcomponents also demonstrated excellent ICCs (Fig. 2). Total and subcomponent ICCs did not differ significantly between virtual and in-person training groups. NOTECHS scores were equivalent between groups (90% CI, -8.2%-5.1%).

CONCLUSIONS

The virtual NOTECHS training curriculum for novice raters was equivalent to in-person training, yielding excellent inter-rater reliability. Measuring non-technical skills with robust rating systems like NOTECHS is crucial to many educational and quality improvement initiatives. Given the effects of the COVID-19 pandemic on medical education and healthcare quality, these initiatives are more crucial than ever.^{16,17} However, these same conditions make it difficult to identify and train reliable OR observers. Travel bans and capacity restrictions make live training impossible for many centers. Existing virtual platforms such as eNOTSS are useful, but they require baseline knowledge and experience in the OR that novice raters lack. With millions of backlogged surgical cases, few centers can dedicate experienced surgical personnel to such resource intensive work.¹⁸ The ability to train novice raters using a virtual format is therefore critical.

It is tempting to further streamline the curriculum described here. Groups may consider eliminating the need for expert facilitators or live OR observations. We would caution against such steps. Novice raters require calibration of expectations and perceptions through debriefing with experienced facilitators to provide reliable data. They are prone to misperception of actions in the OR which were easily corrected in debriefing. In the absence of prior OR experience, raters were also somewhat apprehensive about working in this environment; group observations provided an easy transition in addition to a valuable training experience.

This study was limited by its small sample size and single center design. Our participants were highly engaged and interactive. As the COVID-19 pandemic abates and virtual interaction becomes less commonplace,




FIGURE 2. Inter-rater reliability for NOTECHS scores.

achieving this level of engagement may become more difficult. Furthermore, the academic center in which this curriculum was tested is poorly representative of the institutions most likely to benefit from virtual NOTECHS training. Nonetheless, this study provides proof of concept for a highly scalable and effective means of training novice raters to assess OR team non-technical skills.

DISCLOSURES

This work was supported by Medical Devices and Diagnostic Global Services, LLC.

REFERENCES

1. Carthey J, de Leval MR, Reason JT. The human factor in cardiac surgery: errors and near misses in a high technology medical domain. *Ann Thorac Surg.* 2001;72:300–305.

- **2.** Gawande AA, Zinner MJ, Studdert DM, Brennan TA. Analysis of errors reported by surgeons at three teaching hospitals. *Surgery*. 2003;133:614-621.
- **3.** Greenberg CC, Regenbogen SE, Studdert DM, et al. Patterns of communication breakdowns resulting in injury to surgical patients. *J Am Coll Surg.* 2007;204:533–540.
- **4.** Mishra A, Catchpole K, Dale T, McCulloch P. The influence of non-technical performance on technical outcome in laparoscopic cholecystectomy. *Surg Endosc.* 2008;22:68–73.
- **5.** Yule S, Paterson-Brown S. Surgeons' non-technical skills. *Surg Clin North Am*. 2012;92:37–50.
- **6.** Jones M, Howells N, Mitchell S, Burnand H, Mutimer J, Longman R. Human-factors training for surgical trainees. *Clin Teach*. 2014;11:165–169.
- **7.** Accreditation Council for Graduate Medical Education. The ACGME Outcome Project: An Introduction. Available at: http://www.acgme.org/Portals/0/

PDFs/SlideDecks/SLIDEDECK-FDMilestones2013. pptx. Accessed March 27, 2021.

- **8.** Accreditation Council for Graduate Medical Education. Supplemental Guide: Surgery. Available at: https://www.acgme.org/Portals/0/PDFs/Milestones/SurgerySupplementalGuide.pdf?ver=2019-07-24-112347-453. Accessed March 27, 2021.
- **9.** Wood TC, Raison N, Haldar S, et al. Training Tools for Nontechnical Skills for Surgeons-A Systematic Review. *J Surg Educ.* 2017;74:548–578.
- **10.** Mishra A, Catchpole K, McCulloch P. The Oxford NOTECHS System: reliability and validity of a tool for measuring teamwork behaviour in the operating theatre. *Qual Saf Health Care*. 2009;18:104–108.
- **11.** Li N, Marshall D, Sykes M, McCulloch P, Shalhoub J, Maruthappu M. Systematic review of methods for quantifying teamwork in the operating theatre. *BJS Open.* 2018;2:42–51.
- Vergis A, Leung C, Roberston R. Rater training in medical education: A scoping review. *Cureus*. 2020;12:e11363.

- **13.** Pradarelli JC, George E, Kavanagh J, Sonnay Y, Khoon TH, Havens JM. Training novice raters to assess nontechnical skills of operating room teams. *J Surg Educ.* 2020;78(2):386–390.
- **14.** Pradarelli JC, Yule S, Smink DS. The eNOTSS Platform for Surgeons' Nontechnical Skills Performance Improvement. *JAMA Surg*. 2020;155:438-439.
- **15.** Gonin R, Lipsitz SR, Fitzmaurice GM, Molenberghs G. Regression modelling of weighted *κ* by using generalized estimating equations. *J Royal Statistical Soc.* 2000;49:1–18.
- 16. Aziz H, James T, Remulla D, et al. Effect of COVID-19 on Surgical Training Across the United States: A National Survey of General Surgery Residents. J Surg Educ. 2021;78:431–439.
- **17.** Graham RNJ, Woodhead T. Leadership for continuous improvement in healthcare during the time of COVID-19. *Clin Radiol*. 2021;76:67–72.
- **18.** Carr A, Smith JA, Camaradou J, Prieto-Alhambra D. Growing backlog of planned surgery due to covid-19. *BMJ*. 2021;372:n339.