

RESEARCH ARTICLE

One Health, One Hive: A scoping review of honey bees, climate change, pollutants, and antimicrobial resistance

Etienne J. de Jongh^{1,2,3,4,5}, Sherilee L. Harper², Shelby S. Yamamoto², Carlee J. Wright², Craig W. Wilkinson¹, Soumyaditya Ghosh³, Simon J. G. Otto^{1,2,3,5,6*}

1 Faculty of Agriculture, Life, and Environmental Sciences, Department of Agricultural, Food and Nutritional Science, University of Alberta, Edmonton, Canada, **2** School of Public Health, University of Alberta, Edmonton, Canada, **3** HEAT-AMR (Human-Environment-Animal Transdisciplinary Antimicrobial Resistance) Research Group, School of Public Health, University of Alberta, Edmonton, Canada, **4** Faculty of Veterinary Medicine, University of Calgary, Calgary, Canada, **5** Antimicrobial Resistance—One Health Consortium, Calgary, Canada, **6** Healthy Environment Lead, Centre for Health Communities, School of Public Health, University of Alberta, Edmonton, Canada

* simon.otto@ualberta.ca



OPEN ACCESS

Citation: de Jongh EJ, Harper SL, Yamamoto SS, Wright CJ, Wilkinson CW, Ghosh S, et al. (2022) One Health, One Hive: A scoping review of honey bees, climate change, pollutants, and antimicrobial resistance. PLoS ONE 17(2): e0242393. <https://doi.org/10.1371/journal.pone.0242393>

Editor: Guy Smagghe, Ghent University, BELGIUM

Received: October 30, 2020

Accepted: January 25, 2022

Published: February 16, 2022

Peer Review History: PLOS recognizes the benefits of transparency in the peer review process; therefore, we enable the publication of all of the content of peer review and author responses alongside final, published articles. The editorial history of this article is available here: <https://doi.org/10.1371/journal.pone.0242393>

Copyright: © 2022 de Jongh et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Data Availability Statement: All relevant data are within the manuscript and its [Supporting Information](#) files.

Funding: EJDJ: no number, University of Alberta Undergraduate Research Initiative, <https://www.ualberta.ca/ugri/>

Abstract

Anthropogenic climate change and increasing antimicrobial resistance (AMR) together threaten the last 50 years of public health gains. Honey bees are a model One Health organism to investigate interactions between climate change and AMR. The objective of this scoping review was to examine the range, extent, and nature of published literature on the relationship between AMR and honey bees in the context of climate change and environmental pollutants. The review followed systematic search methods and reporting guidelines. A protocol was developed *a priori* in consultation with a research librarian. Resulting Boolean search strings were used to search Embase® via Ovid®, MEDLINE®, Scopus®, AGRICOLA™ and Web of Science™ databases. Two independent reviewers conducted two-stage screening on retrieved articles. To be included, the article had to examine honey bees, AMR, and either climate change or environmental pollution. Data, in accordance with Joanna Briggs Institute guidelines, were extracted from relevant articles and descriptively synthesized in tables, figures, and narrative form. A total of 22 articles met the inclusion criteria, with half of all articles being published in the last five years ($n = 11/22$). These articles predominantly investigated hive immunocompetence and multi-drug resistance transporter downregulation ($n = 11/22$), susceptibility to pests ($n = 16/22$), especially American foul-brood ($n = 9/22$), and hive product augmentation ($n = 3/22$). This review identified key themes and gaps in the literature, including the need for future interdisciplinary research to explore the link between AMR and environmental change evidence streams in honey bees. We identified three potential linkages between pollutive and climatic factors and risk of AMR. These interconnections reaffirm the necessity of a One Health framework to tackle global threats and investigate complex issues that extend beyond honey bee research into the public health sector. It is integral that we view these “wicked” problems through an interdisciplinary lens to explore long-term strategies for change.

ualberta.ca/current-students/undergraduate-research-initiative/index.html. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing interests: The authors have declared that no competing interests exist.

Introduction

The global rise of antimicrobial resistance (AMR) over the past 50 years presents troubling health projections for both public and environment sectors [1]. Antimicrobial resistance has global consequences for human health, resulting in approximately 700,000 deaths each year. By 2050, it is projected that the number of AMR-related deaths could rise to 10 million annually, with an estimated economic impact of \$100 trillion USD [2]. Also at the forefront of global grand challenges lies climate change. The dire consequences of climate change have captured the focus and driven the collaboration of notable organizations such as NASA, the United Nations, and governments the world over [3–6].

Seeded into these critical contemporary issues are complex interactions that necessitate the conduct of interdisciplinary research [7,8]. Reports such as the World Health Organization (WHO) Antimicrobial Resistance Global Report, three recent Special Reports published by the Intergovernmental Panel on Climate Change (IPCC), and the Lancet Commission on Pollution and Health provide detailed insights into AMR, climate change, and environmental quality, respectively [1,9–12]. However, these reports neglect to substantially address these components through an interdisciplinary lens that links the three issues. Increasing communication between disciplines is not only helpful in understanding complex multidimensional problems, but is essential for implementing long-term solutions for mitigation [13,14].

While growing interest in areas such as One Health has helped bridge the topics of AMR, climate change, and environmental research, the majority of studies are still concerningly limited to the silo of each individual issue [1]. One Health is described as an approach to global health that focuses on linkages between the health of humans, animals, and the environment by improving intersectional communication and collaboration through research and policy [15].

Honey bees can serve as a model One Health organism to investigate the interactions between environmental change and AMR due to their inseparable symbiosis with the determinants of environmental health [16,17]. For example, environmental pollutants in water, soil, and air can negatively impact honey bee and hive health through leaching into pollen and honey foodstuffs [18,19]. Moreover, warming temperatures and other climatic factors related to climate change can increase the prevalence and spread of honey bee diseases and decrease the efficacy of antimicrobials in treating pests and pathogens [20–22]. Drug efficacy is further challenged by years of liberal antibiotic use [22,23], contributing to an increase in multidrug-resistant microorganisms. Apiaries globally are reporting greater colony losses than ever before [24,25]. It is generally believed that complex interactions between multiple environmental, pathogenic, and climatic factors are responsible for the majority of these losses, which have come to be referred to under the umbrella term of “colony collapse disorder” [26,27]. Interdisciplinary research into these interactions is therefore highly beneficial and inherently relevant to honey bee health.

How do environmental and climatic factors interact with each other to exacerbate AMR in honey bees? Given the limited evidence currently available, the objective of this scoping review was to examine the range, extent, and nature of published literature on the relationship between AMR and honey bees in the context of climate change and environmental pollutants through a One Health lens.

Materials and methods

Protocol and search strategy

The review followed systematic search methods outlined in the Joanna Briggs Institute (JBI) Reviewer’s Manual and is reported according to the PRISMA Scoping Review reporting

guidelines [28–33]. A time-stamped protocol was developed *a priori* in consultation with a research librarian (S1 File). The PRISMA-ScR checklist is provided in S1 Checklist.

A comprehensive search strategy was developed to identify articles that discussed AMR in honey bees in the context of environmental or climatic factors. No search restrictions were placed on language, publishing date, or geography. An example search string for Embase® via Ovid® is shown in Table 1. The complete search strings (S1 Table) were used to search Embase® via Ovid®, MEDLINE®, Scopus®, AGRICOLA™ and Web of Science™ databases on July 10, 2019.

After downloading all retrieved articles within Mendeley® (Elsevier, Amsterdam, Netherlands), articles were collated and de-duplicated in DistillerSR® (Evidence Partners, Ottawa, ON, Canada) and screened for eligibility via a two-stage screening process by two independent reviewers. Article titles, abstracts, and key words were screened in the first stage, followed by full-text screening in the second stage. To be included, the article had to examine honey bees, AMR, and either climate change or environmental pollution (S2 File). Antimicrobial resistance

Table 1. Search string used to search Embase® via Ovid® database for articles about honey bees, antimicrobial resistance, and environmental and/or climatic factors.

Component	Search Terms
Honey Bees	(bee OR bees OR honey?bee* OR honeybee* OR honey OR beekeep* OR apiar* OR arvicide* OR apis mellifera OR apidae OR (hive AND (health OR success OR collapse OR product* OR stability)))
AND	
AMR	((resistan* OR stewardship) AND (antibiotic* OR antimicrobial* OR anti-microbial* OR anti-bacterial* OR antibacterial* OR anti?viral* OR antiviral* OR anti?fungal* OR antifungal* OR anti?helminthic* OR antihelminthic* OR anthelmintic* OR anti?parasitic* OR antiparasitic* OR parasiticide* OR biocid* OR antiseptic* OR disinfectant* OR sterilant* OR sterili?er* OR chemosterilant* OR multidrug OR multi?drug)) OR AMR OR XDR OR TDR OR super?bug* OR superbug*)
AND	
Climatic Factors	((climat* adj15 (chang* OR model?ing OR predict* OR resilience OR sensitivity)) OR (environment* adj15 chang*)) OR climate variability OR climatic variability OR global warm* OR greenhouse effect OR climate disaster OR (storm NOT (electrical OR autonomic OR thyroid*)) OR wind OR atmospheric pressure OR season* OR precipitation OR snow* OR ice OR humid* OR rain* OR flood OR drought OR wildfire* OR (heat adj15 (wave* OR extreme* OR event)) OR temperature* OR cool OR cold OR weather OR ultraviolet radiation OR UV OR El Nino-Southern Oscillation OR El Nino OR La Nina)
OR	
Environmental Factors	(air pollut* OR persistent organic pollut* OR particulate matter OR atmospheric contamin* OR atmospheric pollut* OR volatile organic compound* OR volatile organic pollutant OR VOC OR VOCs OR ambient air pollution OR household air pollution OR criteria air pollutant* OR biological air pollutant* OR physical pollutant* OR chemical pollutant* OR gases OR ((fossil fuel OR arvicid*) AND pollut*) OR ((air OR water* OR soil) AND (contamin* OR toxic* OR environment* health OR quality OR disease* OR particulate* OR metal OR metals OR lead OR lead?II* OR Pb OR pb?+ OR zinc* OR Zn OR Zn?+ OR silver* OR Ag OR Ag+ OR copper* OR Cu OR Cu?+ OR Gallium* OR Ga OR Ga?+ OR cobalt* OR Co OR Co?+ OR Mercury* OR Hg OR Hg?+ OR Arsenic* OR As OR As?+ OR Nickel* OR Ni OR Ni?+ OR vehicle* OR automobile* OR exhaust OR motorway* OR roadway* OR highway* OR freeway* OR road* OR traffic OR urban OR Nox OR nitrogen oxides OR ozone OR particle*)) OR dust OR dusts OR PM?2?5 OR PM?10 OR ultrafine particle* OR polycyclic aromatic hydrocarbon* OR PAH OR POPS OR smog OR water pollut* OR (water* AND (potable OR healthy OR drink* OR safe OR suitab* OR palatable OR edible OR tap OR fresh OR supply OR microbial contamin*)) OR waterborne OR water?borne OR aquifer OR groundwater OR pesticide* OR herbicide* OR insecticide* OR acaricide* OR fungicide* OR molluscicide* OR larvicide* OR fumigant OR anti?fouling agent* OR agricultural chemical* OR agrochemical* OR (defoliant* AND (chemical* OR agent*)) OR (hazardous AND substance*) OR (toxic AND action*) OR chemically?induced disorder* OR furfural OR aculeximycin OR aluminum phosphide OR chromated copper arsenate OR CCA OR creosote)

<https://doi.org/10.1371/journal.pone.0242393.t001>

was defined as the ability of a pathogen to resist or reduce the effects of a drug or treatment meant to adversely affect its normal function [34]. Environmental change variables were defined as changes in climate due to natural or anthropogenic causes (climate change), or as an increase in organic or inorganic contaminants of soil, air, or water that alters their natural role or effect in honey bee colonies (environmental pollutants) [35]. Articles about season, weather, climate, and climate hazards in the context of climate change were also included. Honey bees were defined within the taxum *Apis mellifera* due to their agricultural importance, though articles using the terms “bees” or “honey bees” were considered relevant if no taxum was mentioned. The initial protocol required articles to include honey bees, AMR, climate change, and environmental pollutants. However, after screening articles to the data extraction level, a lack of articles containing all components prompted a revision of our inclusion criteria. This second round of screening included articles that studied honey bees, AMR and at least one of either climate change or environmental pollutants. This amendment was reflected within the protocol, which was re-time-stamped on December 9, 2019. The amendment was deemed necessary to provide sufficient evidence for discussion, to allow for better identification of gaps in literature, and to provide a more meaningful project outcome as a result. Articles were excluded if they were books, book chapters, theses, dissertations, or commentaries. Conflicts between reviewers were resolved via discussion if necessary.

Data charting process and data items

Data regarding authorship, publication date, location of study, type of antimicrobial and target microbe, environmental and/or climatic factor assessed, research study design type, associated organizations, and outcomes of interest were extracted from relevant articles by two reviewers using DistillerSR®. Article information was exported to a pre-developed data extraction form within Excel® (Microsoft, Redmond, WA) for analysis (S2 Table). Articles were partitioned into thematic categories for further exploration, including: immunocompetence and multi-drug resistance (MDR) transporter downregulation, susceptibility to pests, and in-hive products.

Results were synthesized in tables, graphs, and narrative to present the comprehensive scope of current research in a concise and effective manner. Tables and figures present key findings in the results, while supplementary materials provide comprehensive results from the study to allow for replication in future research.

Results

The initial search recovered 1,402 articles, with 1,146 remaining after deduplication (Fig 1). First-stage screening excluded 1,018 articles. 128 articles were eligible for second-stage, full-text screening, which reduced this number to 22. The majority of articles were excluded in this stage due to lacking mention of environmental variables or antibiotic resistance ($n = 42$), and failure to frame these topics in the context of honey bee health ($n = 28$). Despite our efforts to locate articles through both the University of Alberta and University of Guelph libraries, we were unable to locate full-text pdfs for 36 articles (S3 File). These articles were additionally requested through the University of Alberta and University of Guelph interlibrary loan systems to ensure minimal loss of articles. This process returned six additional articles that were screened, but 36 could not be obtained and were excluded.

Characteristics of sources of evidence

Twenty-two articles met the inclusion criteria and were included in our analysis. An overview of these articles is included in Table 2, while a complete listing of included articles and study characteristics is available in S2 Table. Articles were published between 1993 and 2019. Research on




Fig 1. PRISMA-ScR flow diagram of study selection process for the systematic scoping review of the impacts of climate change, environmental pollution, and antimicrobial resistance on honey bee health.

<https://doi.org/10.1371/journal.pone.0242393.g001>

AMR and effects of environmental change in honey bees steadily increased in recent years with half ($n = 11/22$) of included articles published in the last five years alone (2014–2019) (Fig 2).

Fig 3 shows the study location in a global context. Article publication represented research from ten countries that was distributed globally. While some articles did not specify a geographical origin ($n = 4$), the majority of publications occurred in high-income nations ($n = 13$; Czech Republic, Germany, Italy, Japan, Norway, Spain, United States) [56]. The United States constituted the largest proportion of location-specific publications ($n = 6$). A large proportion of articles also came from Europe, with a total of seven articles spread over six European countries (Germany, $n = 2$; Czech Republic, $n = 1$; Italy, $n = 1$; Norway, $n = 1$; Spain, $n = 1$; Turkey, $n = 1$).

Out of the 22 articles, 64% ($n = 14/22$) followed an experimental study design, with the rest being observational or descriptive studies ($n = 16$), or review articles ($n = 2$). There were relatively few studies with broader scope that investigated AMR and environmental change from a global or ecological perspective.

Synthesis of results

Table 3 summarizes environmental factors of interest by climatic or pollutive basis. Environmental factors of interest varied greatly, with environmental insecticides being the most common pollutive factors ($n = 7$) and indirect geographical differences (different climate zones as

Table 2. Summary of article characteristics captured by this study and deemed eligible for review.

Reference number	Author(s)	Year	Location	Hive/honey bee health aspects of concern	Antimicrobial	Target microbe	Climate variable of interest	Environmental quality factor of interest
[20]	Regueira Neto et al.	2017	Tamandare, Brazil	Immunocompet-ence, self-treatment	Red propolis, gentamicin, imipenem	<i>Escherichia coli</i> , <i>Pseudomonas aeruginosa</i> , <i>Staphylococcus aureus</i>	Precipitation, Seasonal variability (Wet vs Dry season)	--
[36]	Ueno et al.	2018	17 prefectures in Japan	American foulbrood	Mirosamicin, Oxytetracycline, Tylosin, Lincomycin, chloramphenicol, streptomycin, erythromycin	<i>Paenibacillus</i> larvae	Geography/general variations in climate	--
[37]	Ebrahimi, and Lotfalian	2005	Shahrekkord, Central Iran	Honey bee dysbiosis	Gentamicin, Streptomycin, Kanamycin, Amikacin, Penicillin Chloramphenicol, Nalidixic Acid, Oxytetracycline, Erythromycin, Vancomycin, and Nitrofurantoin	<i>Escherichia coli</i> , <i>Staphylococcus aureus</i>	Temperature, seasonal variability (Spring vs Fall)	--
[38]	James and Xu	2011	Not Stated/ Global	Immunocompetence, antimicrobial peptides, behavioural immunity	Antimicrobial peptides, reactive oxygen species, RNA interference	Bacteria, viruses, fungi, parasites	--	Environmental pesticides, botanical insecticides (Acacia senega extract/ Artemisia annua extract/ Azadirachtin/Quercetin/Terpinen-4-ol), inorganic insecticides (Sodium tetraborate), insect growth regulators (Buprofezin/Fenoxycarb/ Flufenoxuron/Pyriproxyfen), neonicotinoids (Imidacloprid), organochlorines (Endosulfan/ Dieldrin), organophosphates (Dimethoate/Malathion/Quinalphos)
[39]	Travis et al.	2014	Not Stated/ Global	General honey bee morbidity related to increasing agriculture, such as pesticide use and monoculture	General/not stated	General/not stated	--	General Insecticide and pesticide use associated with intensive agriculture
[40]	Bernal et al.	2011	Marchamalo, Spain	American foulbrood	Tylosins A, B, C, D	<i>Paenibacillus</i> larvae	Temperature, light	--
[41]	Hawthorne et al.	2011	United States	American foulbrood, Varroa mite, Multidrug resistance transporters	Coumaphos, t-fluvalinate, oxytetracycline	<i>Paenibacillus</i> larvae, varroa mite	--	Environmental insecticides, neonicotinoids (imidacloprid, acetamiprid, and thiacloprid)
[42]	Guseman et al.	2016	United States	Nosema, Multidrug resistance transporters	Verapamil, pristine, fumagillin, quercetin	<i>Nosema</i> sp.	--	Environmental ivermectin and ivermectin-like pesticides, neonicotinoids
[43]	Brandt et al.	2016	Germany	Immunocompet-ence	Honey bee hemolymph	General/not stated	--	Environmental neonicotinoids (thiacloprid, imidacloprid, and clothianidin)
[44]	Brandt et al.	2017	Germany	Immunocompet-ence	Honey bee hemolymph	General	--	Environmental neonicotinoids
[45]	O'Neal et al.	2019	United States	Immunocompet-ence, social immunity	Innate antimicrobials	Viruses	--	Environmental fungicides (chlorothalonil)
[46]	Prodelalová et al.	2017	Czech Republic	General viral infection	Peracetic acid, iodophors	<i>Paenibacillus</i> larvae, deformed wing virus, Sacbrood virus, black slow bee paralysis virus, black queen cell virus, acute paralysis complex viruses	Temperature	--
[47]	Ozkirim, Aktas, and Keskin	2007	Turkey	American foulbrood	Sulbactam ampicillin, amoxycillin clavulanic acid, tobramycin, erythromycin, azithromycin, and rifampin	<i>Paenibacillus</i> Larvae	Geography/general variations in climate	--

(Continued)

Table 2. (Continued)

Reference number	Author(s)	Year	Location	Hive/honey bee health aspects of concern	Antimicrobial	Target microbe	Climate variable of interest	Environmental quality factor of interest
[48]	Alippi et al;	2005	Not Stated/ Global	American foulbrood	Tylosin	<i>Paenibacillus</i> larvae, <i>Pseudomonas aeruginosa</i> , <i>Escherichia coli</i> , <i>Staphylococcus aureus</i>	Geography/general variations in climate	--
[49]	Erler and Moritz	2015	Not Stated/ Global	American foulbrood, European foulbrood, varroa mite, deformed wing virus immunocompetence, chalkbrood, self-medication.	Beeswax, bee food jelly including royal jelly, bee venom, resin, propolis	<i>Enterococcus faecalis</i> , <i>Paenibacillus</i> larvae, acute bee paralysis virus, black queen cell virus, deformed wing virus, sacbrood virus, <i>Paenibacillus alvei</i> , <i>Galleria mellonella</i> , <i>Apis flavus</i> , <i>Aspergillus fumigatus</i> , <i>Aspergillus niger</i> , <i>Nosema apis</i> , <i>Nosema ceranae</i> , <i>Aethina tumida</i> , <i>Ooophylla smaragdina</i> , insects, dead mammals	Temperature, precipitation, climate type	--
[50]	Chaimanee et al.	2013	Thailand	Nosema	Immunocompetence, Antimicrobial peptides	<i>Nosema ceranae</i> from Canada and Thailand	Geography/general variations in climate	--
[51]	Bastos et al.	2007	Brazil	American foulbrood	Propolis, Vancomycin, Tetracycline, Tylosin	<i>Paenibacillus</i> larvae	Indirect, general climate affecting hive product antimicrobial strength	--
[52]	Krongdang et al.	2017	United States	American foulbrood	Oxytetracycline, tetracycline, tylosin, lincomycin	<i>Paenibacillus</i> larvae	Geography/general variations in climate	--
[53]	Gregorc et al.	2012	United States	Varroa mite, immunocompetence	Antimicrobial peptides (abaecin, hymenoptaecin, defensin)	Deformed Wing Virus	--	Environmental pesticides (chlorpyrifos, imidacloprid, amitraz, fluralinate, coumaphos, myclobutanil, chlorothalonil, glyphosate, simazine)
[23]	Tian et al.	2012	United States	American foulbrood, European foulbrood, gut dysbiosis	Oxytetracycline	<i>Melissococcus pluton</i> , <i>Paenibacillus</i> larvae	Geography/general variations in climate	Environmental broad-spectrum antimicrobial exposure
[54]	Loglio	1993	Italy	Varroa mite	Fluvalinate	Varroa mite	Temperature, seasonal variability, sunlight, altitude, climate type	--
[55]	Dickel et al.	2018	Norway	Immunocompetence	Thiacloprid	<i>Enterococcus faecalis</i>	--	Environmental neonicotinoid thiacloprid

<https://doi.org/10.1371/journal.pone.0242393.t002>




Fig 2. Timeline of study publication dates for articles on honey bee health, antimicrobial resistance, climate change, and environmental pollution. Articles are organized by year of publication and represented in quantity by the length of the pin above each respective year. The number of articles per year is included inside each pinhead. *Note 2019 was an incomplete year because the article search was conducted in July 2019.

<https://doi.org/10.1371/journal.pone.0242393.g002>

a result of different geographical locations) accounting for the majority of climatic factors (n = 6). Although most articles revealed potential indirect links to AMR in honey bees, few articles directly linked specific pollutive variables to AMR, the most common of which was the effect of neonicotinoids (n = 6).

The 22 articles can be broadly divided into three thematic categories based on the focus of the study and linkage of AMR to environmental factors: 1) immunocompetence and MDR transporter downregulation; 2) interactions with pest susceptibility; and 3) influences on in-hive antimicrobial properties (categorization shown in Table 4).

Immunocompetence and MDR transporter downregulation. Of these 22 articles, nine focused on immunocompetence [20,38,43–45,49,50,53] and two investigated the downregulation of MDR transporters [41,42]. Combined, these eleven articles studied the synergistic effects of pesticides and climatic factors on honey bee innate immunity inhibition. Most




Fig 3. The global distribution of the study locations included in the review presented as the number of studies by country with article numbers represented by the relative circle size.

<https://doi.org/10.1371/journal.pone.0242393.g003>

Table 3. Summary of environmental factors of change in the included articles.

Article Environmental Factor of Change	# of relevant articles	Article reference
Climatic Factors		
Season	3	[20,37,54]
Geography	6	[23,36,47,48,50,52]
Temperature	5	[37,40,46,49,54]
Sunlight	2	[40,54]
Precipitation	2	[20,49,49]
General/Climate type	3	[49,51,54]
Pollutive Factors		
Pesticides	4	[38,39,42,53]
Insecticides	7	[38,39,41–44,55]
Fungicides	1	[45]
Other/General	2	[23,39]

<https://doi.org/10.1371/journal.pone.0242393.t003>

articles found correlations between exposure to antibiotics or pathogens and decreasing honey bee immune function. One article found an increase in immune function when exposed to contaminants and infection, and one final article noted that dual exposure of pathogens and pesticides may increase transmission of disease [38,55]. Most articles focused on alterations in honey bee immunocompetence resulting from the inhibition of immune-essential endogenous microbiota within the gastrointestinal tract [20,38,43–45,49,50,53]. These articles described defensive reactions on the part of the biota (e.g. drug efflux, gene expression) to pollutants and environmental contaminants, as well as inhibition of these defensive mechanisms. Several articles explored alteration of MDR transporters, which are natural efflux pumps present in the

Table 4. Summary of article characteristics by thematic category.

Article General Topic of Interest		# of relevant articles	Article reference
Immunocompetence and multidrug resistance (MDR) transporter downregulation			
Immunocompetence		9	[20,38,43–45,49,50,53,55]
MDR transporter downregulation		2	[41,42]
Increased morbidity		10	[20,38,41–45,49,50,53]
Increased Transmission		1	[38]
Susceptibility to pests			
Parasites	Varroa Mite	4	[41,49,53,54]
Fungi	<i>Nosema</i>	2	[42,50]
	Chalkbrood (<i>Ascosphaera apis</i>)	1	[49]
	General	1	[38]
Bacteria	American foulbrood (<i>Paenibacillus larvae</i>)	9	[23,36,40,41,47–49,51,52]
	European foulbrood (<i>Melissococcus plutonius</i>)	2	[23,49]
	Other	1	[55]
Viruses		3	[38,45,53]
Hive Products			
	Brazilian Red Propolis	3	[20,49,51]
	Other/General	1	[49]

<https://doi.org/10.1371/journal.pone.0242393.t004>

cells of almost all animal species [41,42]. They pump many different classes of harmful compounds out of the cell, such as heavy metals, pesticides, and in some cases, antimicrobials [57]. Exposure to one of these compounds can trigger an upregulation of MDR efflux pump expression, thereby increasing resistance to multiple other types of compounds without direct exposure. In this way, MDR transporters can have substantial impact of the efficacy of drug dosages [42]. No article extrapolated this effect to the development of AMR.

Susceptibility to pests. Most studies investigated bacterial infections, with almost half of all articles focusing on *Paenibacillus larvae*, the causative agent of American foulbrood (n = 9/22) [23,36,40,41,47–49,51,52]. *Melissococcus plutonius*, the causative agent of European foulbrood, and *Enterococcus faecalis* was also studied [23,49,55]. The parasitic mite *Varroa destructor* (n = 4/22) [41,49,53,54] and the fungal genus *Nosema* (n = 2/22) [42,50] received some marginal exploration. These articles linked increased pollutants to reduced honey bee health in the form of antimicrobial peptide (AMP) expression modulation. Antimicrobial peptides are critical to insect immune defence, and by altering their transcription or expression, environmental pollutants may lead to increased infection and transmission of pests and pathogens [38]. Articles largely neglected to evaluate how this increase in disease may necessitate the need for increased drug treatment in the hive and to the development of AMR. Articles that predominantly focused on *V. destructor* infection investigated also investigated morbidity as a result of deformed wing virus infection due to the strong association between these two pathogens [58]. Morbidity as a result of Varroa mite infection often occurs due to secondary infection via deformed wing virus, *Escherichia coli*, or other bacterial or viral infections [58]. Therefore, most papers included in this review investigating pest susceptibility explored more than one pathogen at a time. The strong association between pest exposure and immune response, combined with the two-punch approach of most honey bee parasites (destruction of the cuticle followed by secondary viral or bacterial infection), and the broad-spectrum nature of honey bee immune factors resulted in significant overlap between articles binned under pest susceptibility and immunocompetence.

In-hive products. The third thematic category explored by this study was the self-administration of in-hive antimicrobial products on AMR. Three articles were included on this topic, all of which discussed the effect of the hive product propolis, an antibiotic and sealant made by the honey bees from resinous plant products, beeswax, and salivary enzymes [20,49,51]. Two of these three articles focused exclusively on the use of propolis [20,51], while one also investigated all-natural, pharmaceutically active compounds made and used by honey bees in the hive [49]. In regards to climatic variables, one article investigated seasonality and another investigated geographical origin as factors that impact the efficacy of propolis [20,51]. Together, these found that propolis was more inhibitory to bacteria, particularly *P. larvae*, when it was sourced from Brazil during the dry season. The remaining article looked how environmental factors influence self medicative behaviour among honey bees [49].

Discussion

This study synthesized current interdisciplinary research on AMR, climate change, and environmental pollution in honey bees through a One Health lens in order to characterize past studies and identify potential avenues for future research. The scoping review identified 22 articles published between 1993 and 2019 that examined how interactions between climatic, pollutive, and microbial factors influenced honey bee health through AMR risk and development. Most of these studies were experimental, indicating that research in this area is largely empirical and topically isolated. In general, articles described linkages between environmental factors such as temperature or insecticide pollution and the ability of honey bees to resist or

treat hive infection, either at the colony or individual bee level, or at the biological or behavioural level. However, broad research on the linkage between AMR, climate change, and environmental pollutants on honey bee health was generally lacking, indicating a future need for interdisciplinary research in this field.

Honey bee immunity is complex and dependent on both behavioural and biological factors outside of, and within, the honey bee. Our study identified an opportunity for further investigation of immunocompetence and MDR transporter regulation as a consequence of environmental determinants. The relationship between immune function and MDR transporter regulation is pertinent to the field of AMR for a number of potential reasons. Firstly, any resistance acquired by honey bee cells via MDR transport upregulation could possibly increase the risk of AMR in symbiotic microbes [59,60]. Bacterial pathogens can acquire resistance genes through horizontal genetic transfer (HGT) [60]. There is evidence that insects transfer genetic material bidirectionally through HGT with intracellular primary endosymbiont bacteria within polyploid bacteriocyte cells [61]. Evidence of exchange of bacterial genes with fungal pathogens by HGT further strengthens this possibility [62], but specific evidence of the transfer of AMR genes through these mechanisms remains largely unstudied. As this theme did not emerge from the papers included in our scoping review, evaluation of its possibility for honey bees is outside the scope of this paper, but presents an intriguing area of interest for future One Health research.

Secondly, honey bee cell membrane transporters may reduce microbial exposure to administered antimicrobials. Natural honey bee cell membrane transporters remove intracellular compounds from the cytoplasm [57]. When pesticides are introduced to the hive, these transporters are activated to prevent the compounds from accumulating. Both pesticides and antimicrobials (including vital acaricides such as coumaphos) are substrates of these transporters [41,42]. As a result, pesticide-induced upregulation of these transporters may concurrently accelerate the removal of antimicrobials from the cell and decrease the intracellular concentration. With less antimicrobials circulating within the honey bee cells, intracellular pathogens such as *Nosema* spp. and pathogens that live within the body cavity such as *Ascosphaera apis* may be exposed to lower dosages during this upregulation of membrane transporters [61,62]. By “shading” potential pathogens from antimicrobial treatment, there presents an increased risk for AMR development by the microbes. A similar effect has been studied in the public health sector through the use of small colony variants of *Staphylococcus aureus*, whereby the microbe is theorized to shelter from antimicrobial treatment within host cells to increase resistance against treatment and allow recurring infections [63,64]. One article in our study highlighted the synergistic effect of simultaneous exposure to contaminants and pathogens [55]. Although this article demonstrates linked immune responses between two distinct etiological agents, the specific pathway was not explored and represents an opportunity for future study [55].

Lastly, with a decrease in honey bee immunity, pathogens are able to more quickly spread and develop inside the hive. Articles within our study primarily focused on immunity as a factor of honey bee endogenous microbiota, highlighting correlations between environmental pollutants and changes in microbiota function. These microbiota have been found to be exceptionally important both in honey bee pathogenic defence, as well as in recovery [65]. Small changes in the immune function of the honey bee linked to changes in these microbes can have drastic effects on the ability of honey bees to fight off disease. However, the articles in this study failed to evaluate how an adjustment in immunity may correspond to an increased risk of AMR. Notably, human studies have shown that a compromised immune system increases the risk of AMR emergence [66,67]. This can be due to inhibition of synergistic actions between the immune system and the antimicrobial in reaching an effective minimum

inhibitory concentration at the site of infection, an overall increase in disease prevalence, or a higher rate of mutation resulting from unhindered population growth. However, these connections are absent in the articles in this study, and therefore there remains the opportunity to address these connections in the future.

Our scoping review exposed correlations between environmental factors and an increased susceptibility of honey bees to disease. The predominant cause of vulnerability in the hive was due to modulation of AMPs by environmental pollutants. These peptides serve a critical role in innate defences against pathogens in all insects, including honey bees [68]. The effect of AMP on bacteria and viruses was a key focus of included articles due to the high incidence of American foulbrood (a bacterial infection) and Varroa Mite, which normally increase morbidity in the hive through secondary bacterial and viral infections [53]. Therefore, because most articles investigated morbidity as a result of bacteria and viruses either directly or indirectly, it follows that AMPs, the primary defence against these organisms, would also be investigated. As shown in human and livestock animal studies, an increase in disease susceptibility inevitably corresponds to an increase in antimicrobial drug treatment, with a subsequent increased risk of AMR [69–71]. Although increased antimicrobial usage is commonly inferred to correlate with an increased risk of AMR, none of the studies in this review investigated this connection. Therefore, there remains an opportunity to holistically connect evidence streams between disease susceptibility, treatment requirement, and risk of AMR to determine their interdependencies.

Although external antimicrobial treatment by beekeepers was the primary focus of research included in this review, our study revealed an increased interest in zoopharmacognostic (self-medication) behaviours within the hive itself. While normal drug treatment in apiaries occurs once or twice per year in the spring and fall, self-medication processes by honey bees themselves within the hive are continuously implemented [72]. Additionally, honey bee self-medication utilizes products within the hive that are prone to variable strength and efficacy, partly due to outside factors. Our study exposed some contributors to this antimicrobial variance, namely temperature and seasonality. However, domestication has led to some additional challenges and considerations, such as the mixing of honey bees and antimicrobial products (e.g., honey and propolis) from multiple geographic sources. Given the sensitivity of hive products to climatic conditions, the relocation of honey bees to new climates and environments may alter the antimicrobial properties and efficacy of hive products. There is an opportunity to investigate how the alteration of these products may influence the ability of colonies to appropriately self-medicate. Despite this growing concern, we did not identify any studies that directly correlated honey bee hive product self-medication with an increased threat of AMR. Given that inconsistent antimicrobial strength can lead to AMR, and environmental conditions have been shown to contribute to antimicrobial inconsistency both in bees as well as the general population [20,73], connecting these two areas remains an opportunity for future interdisciplinary research.

Strengths and limitations

While all literature reviews face the possibility of failing to capture all eligible articles, we aimed to minimize this risk by following a rigorous, systematic approach [74]. We adopted a search strategy without language limitations in order to reflect the global breadth of the issues at hand. However, this global undertaking resulted in the necessary exclusion of 36 articles that were deemed eligible through abstract screening but were not available to us for full-text review (S3 File). We recognize that 8/22 included articles were observational/descriptive studies or review articles, and less useful than the 14 experimental studies for identifying causal relationships. We also recognize one article with a questionable link between AMR and climate change or environmental pollution. The Prodelalová et al. (2017) paper used a surrogate virus

to assess the effectiveness of disinfectants against the viruses of interest (picornaviruses) at different temperatures. The experimental model itself was tenuous and did not factor largely into our findings. However, the novel insights derived from this study allowed for the identification of multiple literature gaps and future areas of interdisciplinary research and still illustrate the usefulness of honey bees as an organism to determine the One Health impacts of AMR, climate change, and environmental pollution.

Conclusions

This study mapped current literature investigating the relationship between AMR and honey bees in the context of climate change and environmental pollutants through a One Health lens. We identified considerable potential for further interdisciplinary research to holistically correlate environmental influences on honey bee immunity, disease susceptibility, and self-meditative behaviours on AMR risk. Despite the immense agricultural and economic significance of honey bees globally, we identified a lack of literature on honey bee health in the context of AMR. Our findings provide the basis for future research to understand the complex linkages of AMR, climate change, environmental pollution and honey bee health in the context of One Health. This study will contribute to the growing body of One Health and interdisciplinary research to find novel solutions for global “wicked” problems beyond the beehive.

Supporting information

S1 Checklist. Completed checklist.
(PDF)

S1 Table. Screening questions that define the inclusion and exclusion criteria used in the two-level screening process by two independent reviewers.
(PDF)

S2 Table. Data extraction table of complete study characteristics of included articles.
(XLSX)

S1 File. Protocol outlining the systematic scoping review created using JBI guidelines and following the PRISMA-ScR checklist—time-stamped on December 19, 2019.
(PDF)

S2 File. Complete search strings for all databases searched in this scoping review.
(PDF)

S3 File. List of papers excluded due to the inability to obtain full-text documents.
(PDF)

Acknowledgments

We thank Sandra Campbell from the University of Alberta Library for assistance in developing the search strategy. We also thank Dr Zvonimir Poljak, Dr Philipp Schott, Dr Okan Bulut, Giulia Scarpa, Nia King, and Carina de Micheli for their translating help within this project.

Author Contributions

Conceptualization: Etienne J. de Jongh, Sherilee L. Harper, Shelby S. Yamamoto, Carlee J. Wright, Simon J. G. Otto.

Data curation: Etienne J. de Jongh, Soumyaditya Ghosh.

Formal analysis: Etienne J. de Jongh, Soumyaditya Ghosh.

Funding acquisition: Etienne J. de Jongh, Sherilee L. Harper, Shelby S. Yamamoto, Carlee J. Wright, Simon J. G. Otto.

Investigation: Etienne J. de Jongh.

Methodology: Etienne J. de Jongh, Sherilee L. Harper, Shelby S. Yamamoto, Carlee J. Wright, Craig W. Wilkinson, Simon J. G. Otto.

Project administration: Carlee J. Wright, Simon J. G. Otto.

Resources: Sherilee L. Harper, Simon J. G. Otto.

Software: Sherilee L. Harper.

Supervision: Sherilee L. Harper, Shelby S. Yamamoto, Craig W. Wilkinson, Simon J. G. Otto.

Writing – original draft: Etienne J. de Jongh, Simon J. G. Otto.

Writing – review & editing: Etienne J. de Jongh, Sherilee L. Harper, Shelby S. Yamamoto, Carlee J. Wright, Craig W. Wilkinson, Soumyaditya Ghosh, Simon J. G. Otto.

References

1. World Health Organization, editor. Antimicrobial resistance: global report on surveillance. Geneva, Switzerland: World Health Organization; 2014. 232 p.
2. O'Neill J. Tackling drug-resistant infections globally: Final report and recommendations [Internet]. 2016 [cited 2020 Sep 13]. Available from: <https://amr-review.org/Publications.html>.
3. Government of Canada. Climate change: Canada's action, climate future, partnerships, adaptation, health, science, emissions reporting [Internet]. 2017 [cited 2020 Sep 13]. Available from: <https://www.canada.ca/en/services/environment/weather/climatechange.html>.
4. IPCC (Intergovernmental Panel on Climate Change). Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. [Internet]. Stocker TF, Qin D, Plattner GK, Tignor M, Allen S K, Boschung J, et al., editors. Cambridge, United Kingdom and New York, NY, USA: Cambridge University Press; 2013 [cited 2020 Sep 13]. 1535 p. Available from: <https://www.ipcc.ch/report/ar5/wg1/>.
5. NASA (National Aeronautics and Space Administration). Climate Change: Vital Signs of the Planet [Internet]. Climate Change: Vital Signs of the Planet. 2019 [cited 2020 Sep 13]. Available from: <https://climate.nasa.gov/>.
6. United Nations. Climate Change [Internet]. 2016 [cited 2019 Sep 13]. Available from: <https://www.un.org/en/sections/issues-depth/climate-change/>.
7. Holm P, Goodsite ME, Cloetingh S, Agnoletti M, Moldan B, Lang DJ, et al. Collaboration between the natural, social and human sciences in Global Change Research. Environ Sci Policy. 2013 Apr 1; 28:25–35. <https://doi.org/10.1016/j.envsci.2012.11.010>
8. Van Noorden R. Interdisciplinary research by the numbers. Nature. 2015 Sep 17; 525(7569):306–7. <https://doi.org/10.1038/525306a> PMID: 26381967
9. Landrigan PJ, Fuller R, Acosta NJR, Adeyi O, Arnold R, Basu N (Nil), et al. The Lancet Commission on pollution and health. The Lancet. 2017 Oct 19; 391(10119):462–512. [https://doi.org/10.1016/S0140-6736\(17\)32345-0](https://doi.org/10.1016/S0140-6736(17)32345-0) PMID: 29056410
10. Masson-Delmotte V, Zhai P, Pörtner H-O, Roberts D, Skea J, Shukla PR, et al., editors. Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty. 2018 [cited 2020 Sep 13]; Available from: <https://www.ipcc.ch/sr15/>.
11. Pörtner H-O, Roberts DC, Masson-Delmotte V, Zhai P, Tignor M, Poloczanska E, et al., editors. IPCC Special Report on the Ocean and Cryosphere in a Changing Climate. 2019 [cited 2020 Sep 13]; Available from: <https://www.ipcc.ch/srocc/>.
12. Shukla PR, Skea J, Buendia EC, Masson-Delmotte V, Pörtner H-O, Roberts DC, et al., editors. Climate Change and Land: an IPCC special report on climate change, desertification, land degradation,

- sustainable land management, food security, and greenhouse gas fluxes in terrestrial ecosystems. 2019 [cited 2020 Sep 13]; Available from: <https://www.ipcc.ch/srccl/>.
13. Lyall C, Fletcher I. Experiments in interdisciplinary capacity-building: The successes and challenges of large-scale interdisciplinary investments. *Sci Public Policy*. 2013 Feb; 40(1):1–7. <https://doi.org/10.1093/scipol/scs113>
 14. Olsen DS, Borlaug SB, Klitkou A, Lyall C, Yearley S. A Better understanding of Interdisciplinary research in Climate Change. *Clim Change*. 2013;28.
 15. World Health Organization. One Health [Internet]. WHO. 2017 [cited 2020 Sep 13]. Available from: <http://www.who.int/features/qa/one-health/en/>.
 16. Conti ME, Botrè F. Honeybees and Their Products as Potential Bioindicators of Heavy Metals Contamination. *Environ Monit Assess*. 2001 Jul 1; 69(3):267–82. <https://doi.org/10.1023/a:1010719107006> PMID: 11497382
 17. Porrini C, Sabatini A, Girotti S, Ghini S, Medrzycki P, Grillenzoni F, et al. Honey bees and bee products as monitors of the environmental contamination. *APIACTA*. 2003 Jan 1; 38:63–70.
 18. Mullin CA, Frazier M, Frazier JL, Ashcraft S, Simonds R, vanEngelsdorp D, et al. High Levels of Miticides and Agrochemicals in North American Apiaries: Implications for Honey Bee Health. *PLoS ONE*. 2010 Mar 19; 5(3):e9754. <https://doi.org/10.1371/journal.pone.0009754> PMID: 20333298
 19. Smart M, Pettis J, Rice N, Browning Z, Spivak M. Linking Measures of Colony and Individual Honey Bee Health to Survival among Apiaries Exposed to Varying Agricultural Land Use. *PLoS ONE*. 2016 Mar 30; 11(3):e0152685. <https://doi.org/10.1371/journal.pone.0152685> PMID: 27027871
 20. Regueira MS, Tintino SR, da Silva ARP, Costa M do S, Boligon AA, Matias EFF, et al. Seasonal variation of Brazilian red propolis: Antibacterial activity, synergistic effect and phytochemical screening. *Food Chem Toxicol*. 2017 Sep; 107(Pt B):572–80. <https://doi.org/10.1016/j.fct.2017.03.052> PMID: 28359875
 21. Proďalová J, Malenovská H, Moutelíková R, Titěra D. Virucides in apiculture: persistence of surrogate enterovirus under simulated field conditions. *Pest Manag Sci*. 2017 Dec; 73(12):2544–9. <https://doi.org/10.1002/ps.4653> PMID: 28643881
 22. Runckel C, Flenniken ML, Engel JC, Ruby JG, Ganem D, Andino R, et al. Temporal Analysis of the Honey Bee Microbiome Reveals Four Novel Viruses and Seasonal Prevalence of Known Viruses, *Nosema*, and *Criethidia*. *PLoS ONE*. 2011 Jun 7; 6(6):e20656. <https://doi.org/10.1371/journal.pone.0020656> PMID: 21687739
 23. Tian B, Fadhil NH, Powell JE, Kwong WK, Moran NA. Long-term exposure to antibiotics has caused accumulation of resistance determinants in the gut microbiota of honeybees. *MBio*. 2012 Oct 30; 3(6). <https://doi.org/10.1128/mBio.00377-12> PMID: 23111871
 24. Bee Informed Partnership. Loss & Management Survey [Internet]. 2020 [cited 2020 Sep 13]. Available from: <https://beeinformed.org/citizen-science/loss-and-management-survey/>.
 25. COLOSS. Honey Bee Research Association: Colony losses monitoring [Internet]. COLOSS. 2019 [cited 2020 Sep 13]. Available from: <https://coloss.org/core-projects/colony-losses-monitoring/>.
 26. Cox-Foster D, vanEngelsdorp D. Solving the Mystery of the Vanishing Bees. *Scientific American*. 2009 Apr; 300(4):40–7. <https://doi.org/10.1038/scientificamerican0409-40> PMID: 19363919
 27. vanEngelsdorp D, Meixner MD. A historical review of managed honey bee populations in Europe and the United States and the factors that may affect them. *J Invertebr Pathol*. 2010 Jan; 103:S80–95. <https://doi.org/10.1016/j.jip.2009.06.011> PMID: 19909973
 28. Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol*. 2005 Feb 1; 8(1):19–32. <https://doi.org/10.1080/1364557032000119616>
 29. Levac D, Colquhoun H, O'Brien KK. Scoping studies: advancing the methodology. *Implement Sci*. 2010 Sep 20; 5(1):69. <https://doi.org/10.1186/1748-5908-5-69> PMID: 20854677
 30. McInnes MDF, Moher D, Thoms BD, McGrath TA, Bossuyt PM, Clifford T, et al. Preferred Reporting Items for a Systematic Review and Meta-analysis of Diagnostic Test Accuracy Studies: The PRISMA-DTA Statement. *JAMA*. 2018 Jan 23; 319(4):388–96. <https://doi.org/10.1001/jama.2017.19163> PMID: 29362800
 31. Peters M, Godfrey C, Khalil H, Mcinerney P, Parker D, Baldini Soares C. Guidance for conducting systematic scoping reviews. *Int J Evid Based Healthc*. 2015 Jul 1;13. <https://doi.org/10.1097/XEB.000000000000050> PMID: 26134548
 32. Peters M, Godfrey C, Mcinerney P, Baldini Soares C, Khalil H, Parker D. Chapter 11: Scoping Reviews [Internet]. 2017 [cited 2020 Sep 13]. Available from: <https://wiki.joannabriggs.org/display/MANUAL/Chapter+11%3A+Scoping+reviews>.

33. Tricco AC, Lillie E, Zarin W, O'Brien KK, Colquhoun H, Levac D, et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Ann Intern Med*. 2018 Oct 2; 169(7):467–73. <https://doi.org/10.7326/M18-0850> PMID: 30178033
34. World Health Organization. Antimicrobial resistance [Internet]. WHO. 2019 [cited 2020 Sep 13]. Available from: <http://www.who.int/antimicrobial-resistance/en/>.
35. United Nations Framework Convention on Climate Change. Fact sheet: Climate change science—the status of climate change science today. 2011 Feb;7.
36. Ueno Y, Yoshida E, Misumi W, Watando E, Suzuki K, Hirai Y, et al. Population structure and antimicrobial susceptibility of *Paenibacillus larvae* isolates from American foulbrood cases in *Apis mellifera* in Japan. *Environ Microbiol Rep*. 2018; 10(2):210–216. <https://doi.org/10.1111/1758-2229.12623> PMID: 29393586
37. Ebrahimi A, Lotfalian S. Isolation and antibiotic resistance patterns of *Escherichia coli* and coagulase positive *Staphylococcus aureus* from the digestive tract of honey bees. *Iran J Vet Res*. 2005; 6(2(Ser. 12)):51–97.
38. James RR, Xu J. Mechanisms by which pesticides affect insect immunity. *J invertebr pathol*. 2011; 109(2):175–182. <https://doi.org/10.1016/j.jip.2011.12.005> PMID: 22206912
39. Travis DA, Sriramarao P, Cardona C, Steer CJ, Kennedy S, Sreevatsan S, et al. One Medicine One Science: A framework for exploring challenges at the intersection of animals, humans, and the environment. *Ann N Y Acad Sci*. 2014; 1334(1):26–44. <https://doi.org/10.1111/nyas.12601> PMID: 25476836
40. Bernal J, Martin MT, Toribio L, Martin-Hernandez R, Higes M, Bernal JL, et al. Determination of tylosins A, B, C and D in bee larvae by liquid chromatography coupled to ion trap-tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2011; 879(19):1596–1604. <https://doi.org/10.1016/j.jchromb.2011.03.052> PMID: 21498134
41. Hawthorne DJ, Dively GP, H D.J., Dively GP, Hawthorne DJ, Dively GP. Killing them with kindness? In-hive medications may inhibit xenobiotic efflux transporters and endanger honey bees. *PLoS ONE*. 2011; 6(11):e26796–e26796. <https://doi.org/10.1371/journal.pone.0026796> PMID: 22073195
42. Guseman AJ, Miller K, Kunkle G, Dively GP, Pettis JS, Evans JD, et al. Multi-drug resistance transporters and a mechanism-based strategy for assessing risks of pesticide combinations to honey bees. *PLoS ONE*. 2016; 11(2):e0148242. <https://doi.org/10.1371/journal.pone.0148242> PMID: 26840460
43. Brandt A, Gorenflo A, Meixner M, Buechler R, Siede R, Meixner M, et al. The neonicotinoids thiacloprid, imidacloprid, and clothianidin affect the immunocompetence of honey bees (*Apis mellifera* L.). *J insect physiol*. 2016; 86:40–47. <https://doi.org/10.1016/j.jinsphys.2016.01.001> PMID: 26776096
44. Brandt A, Grikscheit K, Siede R, Grosse R, Meixner MD, Buechler R, et al. Immunosuppression in Honeybee Queens by the Neonicotinoids Thiacloprid and Clothianidin. *Sci Rep*. 2017; 7(1):4673. <https://doi.org/10.1038/s41598-017-04734-1> PMID: 28680118
45. O'Neal ST, Reeves AM, Fell RD, Brewster CC, Anderson TD, O S.T., et al. Chlorothalonil Exposure Alters Virus Susceptibility and Markers of Immunity, Nutrition, and Development in Honey Bees. *J insect sci*. 2019; 19(3). <https://doi.org/10.1093/jisesa/iez051> PMID: 31120492
46. Prodelalová J, Malenovská H, Moutelíková R, Titera D. Virucides in apiculture: persistence of surrogate enterovirus under simulated field conditions. *Pest Manag Sci*. 2017; 73(12):2544–2549. <https://doi.org/10.1002/ps.4653> PMID: 28643881
47. Ozkirim A, Aktas S, Keskin N. Screening Alternative Antibiotics Against *Paenibacillus Larvae* Subsp *Larvae* Strains Isolated from the Different Regions of Turkey. *Mellifera*. 2007; 7(13–14):2–8.
48. Alippi AM, Albo GN, Reynaldi FJ, De Giusti MR. In vitro and in vivo susceptibility of the honeybee bacterial pathogen *Paenibacillus larvae* subsp *larvae* to the antibiotic tylosin. *Vet microbiol*. 2005; 109(1–2):47–55. <https://doi.org/10.1016/j.vetmic.2005.03.008> PMID: 15951140
49. Erler S, Moritz RFA. Pharmacophagy and pharmacophory: mechanisms of self-medication and disease prevention in the honeybee colony (*Apis mellifera*). *Apidologie*. 2015; 47(3):389–411. <https://doi.org/10.1007/s13592-015-0400-z>
50. Chaimanee V, Pettis JS, Chen YP, Evans JD, Khongphinitbunjong K, Chantawannakul P. Susceptibility of four different honey bee species to *Nosema ceranae*. *Vet parasitol*. 2013; 193(1/3):260–265. <https://doi.org/10.1016/j.vetpar.2012.12.004> PMID: 23290277
51. Bastos EMFA, Simone M, Macedo Jorge D, Egea Soares AE, Spivak M. In vitro study of the antimicrobial activity of Brazilian propolis against *Paenibacillus larvae*. *J invertebr pathol*. 2007; 97(3):273–281. <https://doi.org/10.1016/j.jip.2007.10.007> PMID: 18054037
52. Krongdang S, Evans JD, Pettis JS, Chantawannakul P. Multilocus sequence typing, biochemical and antibiotic resistance characterizations reveal diversity of North American strains of the honey bee pathogen *Paenibacillus larvae*. *PLoS ONE*. 2017; 12(5):e0176831–e0176831. <https://doi.org/10.1371/journal.pone.0176831> PMID: 28467471

53. Gregorc A, Evans JD, Scharf M, Ellis JD. Gene expression in honey bee (*Apis mellifera*) larvae exposed to pesticides and Varroa mites (*Varroa destructor*). *J insect physiol.* 2012; 58(8):1042–1049. <https://doi.org/10.1016/j.jinsphys.2012.03.015> PMID: 22497859
54. Loglio G. *Varroa jacobsoni* Oud.: Is it becoming resistant to fluvalinate? *Apicoltore Moderno.* 1993; 84(1):7–10.
55. Dickel F, Münch D, Amdam GV, Mappes J, Freitag D. Increased survival of honeybees in the laboratory after simultaneous exposure to low doses of pesticides and bacteria. *PLoS One.* 2018; 13(1): e0191256. <https://doi.org/10.1371/journal.pone.0191256> PMID: 29385177
56. United Nations. World Economic Situation and Prospects 2014 [Internet]. 2014 [cited 2020 Sep 13]. Available from: https://www.un.org/en/development/desa/policy/wesp/wesp_current/2014wesp_country_classification.pdf.
57. Wales AD, Davies RH. Co-Selection of Resistance to Antibiotics, Biocides and Heavy Metals, and Its Relevance to Foodborne Pathogens. *Antibiotics.* 2015 Dec; 4(4):567–604. <https://doi.org/10.3390/antibiotics4040567> PMID: 27025641
58. Martin SJ, Highfield AC, Brettell L, Villalobos EM, Budge GE, Powell M, et al. Global Honey Bee Viral Landscape Altered by a Parasitic Mite. *Science.* 2012 Jun 8; 336(6086):1304–6. <https://doi.org/10.1126/science.1220941> PMID: 22679096
59. Baron SA, Diene SM, Rolain J-M. Human microbiomes and antibiotic resistance. *Hum Microbiome J.* 2018 Dec 1; 10:43–52. <https://doi.org/10.1016/j.humic.2018.08.005>
60. von Wintersdorff CJH, Penders J, van Niekerk JM, Mills ND, Majumder S, van Alphen LB, et al. Dissemination of Antimicrobial Resistance in Microbial Ecosystems through Horizontal Gene Transfer. *Front Microbiol.* 2016 Feb 19; 7. <https://doi.org/10.3389/fmicb.2016.00173> PMID: 26925045
61. Burnham AJ. Scientific Advances in Controlling *Nosema ceranae* (*Microsporidia*) Infections in Honey Bees (*Apis mellifera*). *Front Vet Sci.* 2019 Mar 15; 6. <https://doi.org/10.3389/fvets.2019.00079> PMID: 30931319
62. Jensen AB, Aronstein K, Flores JM, Vojvodic S, Palacio MA, Spivak M. Standard methods for fungal brood disease research. *J Apic Res.* 2013 Jan 22; 52(1). <https://doi.org/10.3896/IBRA.1.52.1.13> PMID: 24198438
63. Moldovan A, Fraunholz MJ. In or out: Phagosomal escape of *Staphylococcus aureus*. *Cell Microbiol.* 2019; 21(3):e12997. <https://doi.org/10.1111/cmi.12997> PMID: 30576050
64. Tuhscherr L, Medina E, Hussain M, Völker W, Heitmann V, Niemann S, et al. *Staphylococcus aureus* phenotype switching: an effective bacterial strategy to escape host immune response and establish a chronic infection. *EMBO Mol Med.* 2011; 3(3):129–41. <https://doi.org/10.1002/emmm.201000115> PMID: 21268281
65. Raymann K, Shaffer Z, Moran NA. Antibiotic exposure perturbs the gut microbiota and elevates mortality in honeybees. *PLoS Biology.* 2017 Mar 14; 15(3):1–22. <https://doi.org/10.1371/journal.pbio.2001861> PMID: 28291793
66. Handel A, Margolis E, Levin BR. Exploring the role of the immune response in preventing antibiotic resistance. *J Theor Biol.* 2009 Feb 21; 256(4):655–62. <https://doi.org/10.1016/j.jtbi.2008.10.025> PMID: 19056402
67. Margolis E, Rosch JW. Fitness Landscape of the Immune Compromised Favors the Emergence of Antibiotic Resistance. *ACS Infect Dis.* 2018 Sep 14; 4(9):1275–7. <https://doi.org/10.1021/acsinfectdis.8b00158> PMID: 30070470
68. Wu Q, Patočka J, Kuča K. Insect Antimicrobial Peptides, a Mini Review. *Toxins (Basel).* 2018 Nov 8; 10(11). <https://doi.org/10.3390/toxins10110461> PMID: 30413046
69. CCA (Council of Canadian Academies). When Antibiotics Fail: The Expert Panel on the Potential Socio-Economic Impacts of Antimicrobial Resistance in Canada [Internet]. 2019 [cited 2020 Sep 13]. Available from: <https://cca-reports.ca/reports/the-potential-socio-economic-impacts-of-antimicrobial-resistance-in-canada/>.
70. Manyi-Loh C, Mamphweli S, Meyer E, Okoh A. Antibiotic Use in Agriculture and Its Consequential Resistance in Environmental Sources: Potential Public Health Implications. *Molecules.* 2018 Mar 30; 23(4). <https://doi.org/10.3390/molecules23040795> PMID: 29601469
71. Public Health Agency of Canada. Tackling Antimicrobial Resistance and Antimicrobial Use: A Pan-Canadian Framework for Action [Internet]. 2017 [cited 2020 Sep 13]. Available from: <https://www.canada.ca/en/health-canada/services/publications/drugs-health-products/tackling-antimicrobial-resistance-use-pan-canadian-framework-action.html>.
72. Simone-Finstrom M, Spivak M. Propolis and bee health: the natural history and significance of resin used by honey bees. *Apidologie.* 2010 May 1; 41(3):295–311. <https://doi.org/10.1051/apido/2010016>

73. Kaba HEJ, Kuhlmann E, Scheithauer S. Thinking outside the box: Association of antimicrobial resistance with climate warming in Europe—A 30 country observational study. *Int J Hyg Environ Health*. 2020 Jan 1; 223(1):151–8. <https://doi.org/10.1016/j.ijheh.2019.09.008> PMID: 31648934
74. Pham MT, Rajić A, Greig JD, Sargeant JM, Papadopoulos A, McEwen SA. A scoping review of scoping reviews: advancing the approach and enhancing the consistency. *Res Synth Methods*. 2014 Dec; 5(4):371–85. <https://doi.org/10.1002/jrsm.1123> PMID: 26052958