

Review

Ethnopharmacological Study of Medicinal Plants Used for the Treatment of Cardiovascular Diseases and Their Associated Risk Factors in sub-Saharan Africa

Johnson Oluwaseun Odukoya ^{1,2,*}, Julianah Olayemi Odukoya ^{3,4}, Edwin Mpho Mmutlane ^{1,*} and Derek Tantoh Ndinteh ¹

¹ Centre for Natural Products Research, Department of Chemical Sciences, University of Johannesburg, Doornfontein, P.O. Box 17011, Johannesburg 2028, South Africa; dndinteh@uj.ac.za

² Department of Chemistry, The Federal University of Technology, Akure PMB 704, Ondo State, Nigeria

³ Department of Biotechnology and Food Technology, Faculty of Science, University of Johannesburg, Doornfontein, P.O. Box 17011, Johannesburg 2028, South Africa; julianahodukoya@gmail.com

⁴ Department of Food Science and Technology, Kwara State University, Malete, Ilorin PMB 1530, Kwara State, Nigeria

* Correspondence: joodukoya@futa.edu.ng (J.O.O.); edwinm@uj.ac.za (E.M.M.); Tel.: +27-679181492 (J.O.O.); +27-(0)-115593431 (E.M.M.)



Citation: Odukoya, J.O.; Odukoya, J.O.; Mmutlane, E.M.; Ndinteh, D.T. Ethnopharmacological Study of Medicinal Plants Used for the Treatment of Cardiovascular Diseases and Their Associated Risk Factors in sub-Saharan Africa. *Plants* **2022**, *11*, 1387. <https://doi.org/10.3390/plants11101387>

Academic Editors: Ahmed A. Hussein, Sebastian Granica and Ahmad Cheikhyouseef

Received: 16 February 2022

Accepted: 6 April 2022

Published: 23 May 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

Abstract: Cardiovascular diseases (CVDs) are the leading cause of global mortality, including deaths arising from non-communicable diseases in sub-Saharan Africa (SSA). Consequently, this study aimed to provide details of medicinal plants (MPs) employed in SSA for the treatment of CVDs and their related risk factors to open new avenues for the discovery of novel drugs. The extensive ethnopharmacological literature survey of these MPs in 41 SSA countries was based on studies from 1982 to 2021. It revealed 1,085 MPs belonging to 218 botanical families, with Fabaceae (9.61%), Asteraceae (6.77%), Apocynaceae (3.93%), Lamiaceae (3.75%), and Rubiaceae (3.66%) being the most represented. Meanwhile, *Allium sativum* L., *Persea americana* Mill., *Moringa oleifera* Lam., *Mangifera indica* L., and *Allium cepa* L. are the five most utilised plant species. The preferred plant parts include the leaves (36%), roots (21%), barks (14%), fruits (7%), and seeds (5%), which are mostly prepared by decoction. Benin, Mauritius, Nigeria, South Africa, and Togo had the highest reported use while most of the investigations were on diabetes and hypertension. Despite the nutraceutical advantages of some of these MPs, their general toxicity potential calls for caution in their human long-term use. Overall, the study established the need for governments of SSA countries to validate the efficacy/safety of these MPs as well as provide affordable, accessible, and improved modern healthcare services.

Keywords: diabetes mellitus; ethnobotany; food safety; hyperlipidemia; hypertension; nutraceuticals; obesity; phytochemicals; stroke; traditional medicine

1. Introduction

Cardiovascular diseases (CVDs), a group of disorders involving/affecting the heart and blood vessels, are the chief cause of death in the world [1–5]. According to WHO [6], CVDs claim an estimated 17.9 million lives every year with four out of five CVD deaths resulting from heart attack and stroke. This specialized agency of the United Nations in charge of international public health (WHO) added that one-third of these deaths occurs prematurely in people that are less than 70 years old. Olorunnisola et al. [7] indicated that between 1990 and 2020, death arising from CVDs was projected to increase from 28.9 to 36.3%.

In sub-Saharan Africa (SSA), with 47 countries and a land mass of approximately 24 million km² [8] lying completely or partially south of the Sahara desert [9], CVDs are

the most common cause of deaths arising from non-communicable diseases [10] and responsible for most of the mortality of those above 45 years old in Africa [11]. As reported in Amegah [12], SSA was the only geographical region of the world between 1990 and 2013 where an increase in CVD deaths increased. Cardiac diseases have also been identified as a major non-communicable disease among children in SSA [13]. Several authors such as BeLue et al. [9], Monti et al. [14], Amegah [12], van der Sande [15], Yach et al. [16], Tokoudagba et al. [17], Nkoke and Luchuo [18], and Owusu and Acheamfour-Akowuah [19], among others, have attributed the increase in the burden of CVDs and related risk factors in the region to certain agents. These include the epidemiological transition brought about by increasing urbanization, changing lifestyle/dietary patterns, socioeconomic development, and modernization. van der Sande [15] pointed out that age-specific rates of many CVDs are growing faster among adults in SSA than those in industrialised countries.

Generally, CVDs can be defined as “the pathologic process (usually atherosclerosis) affecting the entire arterial circulation, not just the coronary arteries” [20]. They include heart failure (also referred to as congestive heart failure), stroke, coronary artery, coronary heart, cerebrovascular, and rheumatic heart diseases [1,6,21,22], as well as other conditions, with diabetes, hypertension, high cholesterol/hyperlipidemia, obesity (abnormal or excessive fat accumulation), tobacco/cigarettes use, increase in age, sedentary lifestyle, and genetic predisposition, among others, as risk factors [2,3,7,20,23,24]. In SSA countries, the CVDs challenge has given rise to additional pressure on the healthcare systems, which are still struggling to cope with other diseases that affect the region [19].

With respect to CVDs’ treatment in the region, biologically based therapy (such as herbal therapy) is the most employed traditional, complementary, and alternative medicine (TCAM) [25]. According to Bussmann et al. [26], traditional medicine (TM) is a means of treatment in developing countries, whereas Complementary Alternative Medicine (CAM) is common in developed nations. The World Health Organization [27] gave a clear difference between “traditional medicine” (indigenous-based) and “complementary medicine” or “alternative medicine” (not indigenous-based or conventional), and indicated that the terms are used interchangeably in some countries. Meanwhile, herbal medicines involve the use of herbs and herbal materials/preparations/products with plant parts/materials, or their combinations, as active ingredients [27,28].

From the published literature, the use of TM in developing countries can be attributed to (a) accessibility, familiarity, and tradition [29,30], (b) inadequate/limited access to medical service providers or modern health care systems [29,31–33], (c) unavailability or high cost of modern medicine [29,30,32], (d) increased awareness of the potential of alternative medicines [32], and (e) perceived safety or comparatively less toxicity to synthetic drugs [30,33–35], among others. Generally, in Africa, Nafiu et al. [28] noted that it is arguably because of cultural and economic reasons. Among other factors, Rahmatullah et al. [36] added that people are gradually resorting back to TM, which involves the use of medicinal plants (MPs) as a result of the evolution of multi-drug-resistant microorganisms and the inability of modern medicine to effectively cure some diseases.

As several researchers have documented the use of MPs, i.e., plants containing secondary metabolites with therapeutic benefits [37], for the traditional treatment of CVDs as well as their associated risk factors in many SSA countries, this review article, thus, serves as a collection of these MPs to aid CVD research and the production of novel drugs for these diseases. It would also support (i) the preservation of indigenous knowledge, (ii) conservation and utilization of biological resources [38], (iii) discovery of new treatment for all types of CVDs [1], and (iv) future research works on the efficacy, as well as safety, of these MPs.

2. Results and Discussion

2.1. Medicinal Plants

Plants have continued to play important roles in supporting human life [39] in different parts of the world, Africa inclusive [33]. Among these are MPs, which contain

compounds that have therapeutic properties or exert pharmacological effects on the human body [40]. Generally, MPs naturally synthesize and accumulate secondary metabolites (e.g., alkaloids, sterols, terpenes, flavonoids, saponins, glycosides, and tannins) [40] while their extracts have found applications in pharmaceutical, nutraceutical as well as other chemical industries [41].

The ethnobotanical data collection led to the gathering of information on 1085 plant species from 218 botanical families reported in one (Table 1) and two or more SSA countries (Table 2) for CVDs as well as their associated risk factors treatment. The use of different MPs in various parts of SSA for the treatment of these diseases in relation to Kose et al. [42] may be attributed to the different background, belief, and available plants. It is also an indication of the region's rich traditional knowledge on MPs [38], which may be linked to the difficulty in assessing medical care [43]. The distribution of the studied MPs within botanical families is illustrated in Figure 1, where Fabaceae (9.61%), Asteraceae (6.77%), Apocynaceae (3.93%), Lamiaceae (3.75%), and Rubiaceae (3.66%) are the five most encountered families, which could be connected to their wide range of bioactive compounds [38], availability, and popularity/traditional knowledge of plant species belonging to these families in many parts of SSA. The total number of plants belonging to these five plant families represents 27.72% of the total MPs covered in this study. This indicated that these five botanical families include MPs that are mostly used for the treatment of the diseases of focus in the region.

The current review of the literature also revealed that some of the SSA MPs are used singly or as a mixture of more than one species for the treatment of CVDs and their related risk factors (e.g., see Gbolade [123]). According to Namukobe et al. [176] and Tugume et al. [38], the use of different plant combination for the effective treatment of one disease may be attributed to their synergistic effects. Some of these MPs are also employed in the treatment of other diseases, which, in line with Namukobe et al. [176] and Tugume et al. [38], is because they contain many metabolites, as well as on the basis that the same molecule can be active against different pathogens.

Most Utilised MPs for the Treatment of CVDs in SSA

The ethnobotanical survey showed that *Allium sativum* L., *Persea americana* Mill., *Moringa oleifera* Lam., *Mangifera indica* L., and *Allium cepa* L. are the five most utilised MPs in SSA countries (Table 3) for the treatment of CVDs and their related risk factors. In addition, these five plants, as illustrated in Figure 2, have together found applications in four countries in SSA, namely, Benin, Mauritius, Nigeria, and Togo, for the diseases' treatment.

Table 1. Medicinal plants used for the treatment of cardiovascular diseases and their associated risk factors in one sub-Saharan African country.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Brillantaisia owariensis</i> P.Beauv.	Acanthaceae			Leaf	Decoction	Cardiac disease, Hypertension		[43]
<i>Neoboutonia melleri</i> (Müll.Arg.) Prain	Euphorbiaceae			Root	Decoction	Diabetes		
<i>Aloe littoralis</i> Baker	Xanthorrhoeaceae		Endombo, Otzhindombo	Hypogeous organs		Diabetes	Angola	[44]
<i>Dicoma</i> sp.	Asteraceae		Kaundu			Heart troubles		
<i>Vernonia hymenolepis</i> Vatke	Compositae					Hypertension		[45]
<i>Hemizygia bracteosa</i> (Benth.) Briq.	Lamiaceae					Cardiovascular diseases, Diabetes		[46]
<i>Acmella uliginosa</i> (Sw.) Cass.	Asteraceae		Awerekpe, Welekpekpe	Whole plant				
<i>Allium ascalonicum</i> L.	Amaryllidaceae		Mansa elewe, Ayoman winiwini	Bulb	Maceration, Decoction, Powder			
<i>Borassus aethiopum</i> Mart.	Arecaceae		Egui agban, Agontin	Seedling	Powder			
<i>Burkea africana</i> Hook.	Fabaceae		Atakpa, Ajasi kake	Root, Bark	Decoction, Maceration			
<i>Combretum collinum</i> Fresen.	Combretaceae		Irinkoya, Yahoui	Leaf			Diabetes	Benin
<i>Commelina erecta</i> L.	Commelinaceae		Olikekou, Hanwin hanwin	Root	Decoction			[47]
<i>Crateva adansonii</i> DC.	Capparaceae		Agni-wewe, Onton zunzin	Leaf				
<i>Crinum zeylanicum</i> (L.)	Amaryllidaceae		Adodje, Soulou	Whole plant, Bulb	Decoction			
<i>Crotalaria retusa</i> L.	Fabaceae		Okounkrounmanro, Aza	Root	Maceration			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Croton gratissimus</i> Bureh.	Euphorbiaceae		Adjekofole ile, Jelele	Leaf/Root	Decoction			
<i>Cussonia arborea</i>	Araliaceae		Edigo, Toflo-gotoun	Root	Maceration			
<i>Cymbopogon giganteus</i> (Hochst.)	Poaceae		Igbakpo, Gbezin	Leaf	Decoction			
<i>Dioscorea cayenensis</i> Lam.	Dioscoreaceae		Kokoro, Kokolo	Tuber				
<i>Eriosema glomeratum</i> (Guill. & Perr.) Hook.f.	Fabaceae		Kolo-koriko	Leaf	Maceration			
<i>Erythrina senegalensis</i> DC.			Ochiiche, Kpaklessi	Root, Bark of root	Decoction, Macera- tion/Powder			
<i>Eugenia aromatica</i> (L.) Baill.	Myrtaceae		Atikin gbadota	Fruit	Decoction			
<i>Euphorbia hyssopifolia</i> L.	Euphorbiaceae		Nonsinwe	Leaf				
<i>Ficus sycomorus</i> L.	Moraceae		Ofo, Votin	Sap		Diabetes	Benin	[47]
<i>Ficus umbellata</i> Vahl			Ore, Vounvountin	Leaf, Root	Decoction			
<i>Flacourtiella indica</i>	Flacourtiaceae		Jogboro, Gbohounkaje	Branch				
<i>Gardenia erubescens</i>	Rubiaceae		Kankanrambo, Dakpla	Root	Infusion			
<i>Gladiolus dalenii</i> van Geel	Iridaceae		Osheko, Baka	Bulb	Decoction, Powder			
<i>Gossypium arboreum</i> L.	Malvaceae		Owou-akeche, Avokanfoun cheke	Leaf	Decoction			
<i>Hyptis pectinate</i> (L.) Poit.	Lamiaceae		Kobojoujou, Houeflou	Root	Maceration			
<i>Lannea barteri</i> (Oliv.)	Anacardiaceae		Akou, Zonzon	Bark	Decoction			
<i>Merremia quinquefolia</i> (L.)	Convolvulaceae		Alovi-aton	Leaf	Powder			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Mitracarpus villosus</i> (Sw.) DC.	Rubiceae		Alekou	Leaf	Powder			
<i>Monodora myristica</i> (Gaertn.)	Annonaceae		Ariwo, Sassalikoun	Seed, Bulb	Decoction, Maceration, Powder, Maceration			
<i>Morelia senegalensis</i>	Rubiaceae		Agnidja, Aviwin	Root	Maceration			
<i>Olax subscorpioidea</i> Oliv.	Olacaceae		EGui miitin, Miitin		Maceration			
<i>Omphalogonos calophyllus</i> Baill.	Asclepiadaceae		Ogbo doundoun	Root				
<i>Parinari curatellifolia</i> Planch.	Chrysobalanaceae		Idifoun, Awetoun	Root/Bark	Decoction, Powder			
<i>Paullinia pinnata</i> L.	Sapindaceae		Akpa, Adakloman					
<i>Pavetta crassipes</i>	Rubiaceae		Etira, Dakplassou	Leaf	Decoction	Diabetes	Benin	[47]
<i>Pennisetum americanum</i> (L.)	Poaceae		Iwasse, Likoun	Root/Seed	Decoction, Powder			
<i>Phaseolus lunatus</i> L.	Fabaceae		Ibe, Akpakoun	Seed	Powder, Maceration			
<i>Raphionacme brownii</i>	Asclepiadaceae		-	Tuber	Maceration			
<i>Rhynchosia pycnostachya</i> (DC.)	Fabaceae		-		Decoction			
<i>Rourea coccinea</i>	Connaraceae		Ameje, Gangalise	Root	Maceration			
<i>Saba comorensis</i> (Boj.)	Apocynaceae		-		Decoction			
<i>Sansevieria liberia</i> hort.	Dracaenaceae		Akpognan	Leaf/Fruit/Root				
<i>Schranksia leptocarpa</i> DC.	Fabaceae		Arobokou, Vehoun					
<i>Secamone afzelii</i> (Schult.)	Asclepiadaceae		Abere-rewan, Anonsiman	Leaf	Decoction			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Sesamum radiatum</i>	Pedaliaceae		Agbo	Leaf	Triturating		[47]	
<i>Vangueriella spinosa</i>	Rubiaceae			Root	Decoction			
<i>Zanthoxylum zanthoxyloides</i> (Lam.)	Rutaceae		Ata, Hetin	Root/Bark	Maceration	Diabetes		
<i>Vernonia cinerea</i> (L.) Less.	Asteraceae		Ewe jedi jedi, Houssikousse	Leaf, Stem	Powder, Decoction	Diabetes	Benin	[47,48]
<i>Polygonum senegalensis</i>	Polygonaceae					Diabetes, Hypertension		[49]
<i>Cassia siamea</i>	Fabaceae			Root	Decoction	Hypertension	[50]	
<i>Synsepalum dulcificum</i> (Schumach. & Thonn.) Daniell	Sapotaceae	Miracle plant		Leaf		Diabetes		[51]
<i>Aloe zebrina</i> Baker	Xanthorrhoeaceae	Variegated aloe	Kgophane	Leaf	Juice	Diabetes	Botswana	[52]
<i>Erythrococca trichogynne</i> (Mull. Arg.)	Euphorbiaceae	Twin redberry	Mononyane	Root	Powder	Diabetes		
<i>Pterodiscus ngamicus</i>	Pedaliaceae		Pelo-ya-khutsana	Bulb	Boiling	Heart problems		
<i>Myrothamnus flabellifolius</i> (Sond.)	Myrothamnaceae	Resurrection plant	Moswaarula, Rufandichimuka	Shoot, Leaf, Twig	Powder, Tea, Boiling	Diabetes, Stroke	Burkina Faso	[52,53]
<i>Acacia dudgeoni</i>	Mimosaceae		Gompagnalega		Decoction	Heart disorders		
<i>Acacia pennata</i> Willd.	Mimosaceae		Kanre	Branch	Charred	Heart disorders, Stroke		
<i>Cadaba farinosa</i> Fosrk.	Capparaceae		Kinsga	Leaf	Decoction	Diabetes	[54]	
<i>Combretum adenogonium</i> Stend ex. A. Rich.	Combretaceae		Kuilinga	Leaf	Powder	Hypertension		
<i>Cymbopogon proximus</i> Staff.	Poaceae		Soom-piiga	Root	Maceration	Hypertension, Heart disorders		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Entada Africana</i> Guill. & Perr.	Mimosaceae		Saparga	Leaf				
<i>Gardenia aqualla</i> Stapf & Hutch	Rubiaceae		Namzuuding palaaga	Stem bark	Decoction	Heart disorders		
<i>Gardenia sokotensis</i> Hutch.			Tangrambrezugga		Powder	Heart disorders, Hypertension		
<i>Gossypium</i> sp.	Malvaceae		Lamtiiga	Fruit	Charred	Heart disorders		
<i>Hibiscus cannabinus</i> L.	Malvaceae		Beerga	Ears	Maceration			[54]
<i>Hygrophila auriculata</i> Heine	Acanthaceae		Kiaga	Whole plant		Heart disorder	Burkina Faso	
<i>Lantana rhodesiensis</i> Moldenke	Verbenaceae		Niuli sibi	Root	Smoke	Hypertension		
<i>Ocimum canum</i> Sims.	Lamiaceae		Yusinyuudu	Whole plant	Decoction	Heart diseases		
<i>Sesbania pachycarpa</i> DC.	Fabaceae		More	Fruit	Decoction	Hypertension		
<i>Sorghum guineense</i> Stapt.	Poaceae		Ki	Seed	Paste	Obesity		
<i>Vigna subterranean</i> (L.) Verdc	Fabaceae		Summinga	Fruit	Maceration	Heart disorders		
<i>Indigofera tinctoria</i> (L.)	Fabaceae		Garga	Whole plant	Decoction	Diabetes		[54,55]
<i>Ambligonocarpus andongensis</i>	Mimosaceae		Kassi (Mboum), Yake (Fd)	Seeds	Boiling	Hypertension		
<i>Cleome ciliata</i>	Capparaceae		Mbang (Douala)	Leafy stem		Heart ache		
<i>Cynodon dactylon</i>	Poaceae	Bahamas grass	Semesm (Bakossi)	Leaf, Bark, Roots	Maceration	Hypertension	Cameroon	[56]
<i>Drynaria cordata</i>	Polypodiaceae	Chick weed	Echimekede (Bakossi)	Leaf, Root		Diabetes		
<i>Rauvolfia macrophylla</i>	Apocynaceae		Kanja (Bakweri)	Bark, Roots	Decoction	Heart ache		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Bridelia ndellensis</i> Beille	Euphorbiaceae					Diabetes		
<i>Bersama engleriana</i> Gurke	Melianthaceae			Leaf, Stem, Bark, Roots				[57]
<i>Vitex cienkowskii</i>	Verbenaceae			Stem bark		Cardiovascular disease		[32]
<i>Terminalia superba</i>	Combretaceae			Bark, Stem bark		Diabetes, Hypertension		[32,58]
<i>Oryza sativa</i> L.	Poaceae					Hyperglycaemia		[59]
<i>Citrus grandis</i> (L.)	Rutaceae		Limignamba	Fruit	Juice			
<i>Millettia sanagana</i>	Fabaceae		Bolete wanjo	Roots	Maceration	Hypertension		
<i>Palisota hirsuta</i>	Commelinaceae		Ekok	Leaf	Decoction			
<i>Playcerium stemaria</i>	Polypodiaceae		Kefafarna, Agbeuth	Whole plant	Incineration	Hypertension, Cardiac palpitations	Cameroon	[60]
<i>Pterygota</i> sp.	Sterculiaceae		Wuoho	Bark	Maceration	Hypertension		
<i>Sloetiospis usambarensis</i> Engl.	Moraceae		Otomo landjana	Bark	Decoction			
<i>Aframomum pruinosum</i> Gagn.	Zingiberaceae		Keshunedieme	Seeds	Maceration	Cardiac palpitation		
<i>Crassocephalum crepidioides</i> (Benth.)	Asteraceae		Ajujuaphe	Leaf		Hypertension		[61]
<i>Galium asparagine</i> Linn.	Rubiaceae		Njekuba		Infusion	Obesity		
<i>Laportea ovalifolia</i>	Urticaceae		Nantuateleune	Whole plant		Diabetes		
<i>Millettia barteri</i>	Fabaceae			Bark root		Cardiac pain		[62]
<i>Vepris heterophylla</i>	Rutaceae			Leaf		Cardiovascular disorder, Hypertension		[63]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Vepris louisi</i>	Rutaceae					Hypertension	Cameroon	[63]
<i>Protea madiannensis</i>	Proteaceae		Gbogbo (Banda), Zeradope (Gbaya)	Roots	Boiling, Decoction	Hypertension	Central African Republic	[64]
<i>Capsicum annum</i> L.	Solanaceae	Pepper (English)	Ndongo (Sango)	Leaf	Boiling, Decoction			
<i>Tambourissa comorensis</i> Lorence	Monimiaceae					Diabetes, Hypertension	Comoros	[65]
<i>Thomandersia hensii</i>	Acanthaceae		Ikoka, Liowa		Decoction			
<i>Crinum ornatum</i>	Amaryllidaceae			Leaf	Decoction			
<i>Brassica juncea</i>	Brassicaceae		Ndunda					
<i>Ipomoea mauritiana</i>	Convolvulaceae			Tuberclue	Decoction			
<i>Tetracera poggei</i>	Dilleniaceae			Leaf				
<i>Penianthus longifolius</i>	Menispermaceae			Bark	Maceration			
<i>Panda oleosa</i>	Pandaceae		Okali	Bark	Decoction			
<i>Solanum gilo</i>	Solanaceae		Nyanya	Root	Decoction			
<i>Vinca minor</i>	Apocynaceae		Vinka nyeupe	Leaf and roots				
<i>Artemisia annua</i>	Asteraceae			Leafy stem	Decoction	Diabetes	Democratic Republic of Congo (DR Congo)	
<i>Basella alba</i>	Basellaceae		Nderema, Ndelama	Leaf				[67]
<i>Albizia grandibracteata</i>	Fabaceae		Mushebeye, Kahunda, Mushebele	Bark	Decoction			
<i>Caesalpinia decapetala</i>			Lurhe	Leaf	Infusion	Diabetes		
<i>Stachytarpheta indica</i>	Verbenaceae		"Insulin"	Leafy stem	Decoction			
<i>Aloe</i> sp.	Xanthorrhoeaceae		Kizimia muliro	Aerial part	Expression			
<i>Annona arenaria</i>	Annonaceae		Kikolo, Bomengo na esobe	Root	Decoction			
<i>Rauwolfia obscura</i>	Apocynaceae		Mudisi	Leaf	Decoction	Diabetes		[68]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Albizia adianthifolia</i>	Fabaceae		Kasikeaze, Kapeta nzovu	Leaf, Stem		Diabetes	Democratic Republic of Congo (DR Congo)	[69]
<i>Azanza garckeana</i>	Malvaceae		Muti ya makamashi	Leaf				
<i>Gladiolus klattianus</i>	Iridaceae		Kitala, Kitokatoka	Bulb				
<i>Vitex madiensis</i>	Verbenaceae		Mufutu, Mufute Kinka	Leaf, Root				
<i>Agelanthus dodonefoliusi</i>	Loranthaceae			Leaf	Decoction			
<i>Albizia lebbeck</i>	Mimosaceae			Root	Decoction			
<i>Annona squamosa</i>	Annonaceae			Leaf	Decoction			
<i>Argemone mexicana</i>	Papaveraceae			Root	Decoction			
<i>Asystasia calycina</i>	Acanthaceae			Leaf	Decoction			
<i>Bidens engleri</i>	Asteraceae			Whole plant	Decoction			
<i>Chrozophora senegalensis</i>	Euphorbiaceae			Whole plant	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Chrysophyllum cainito</i>	Sapotaceae			Stem bark, Leaf	Maceration			
<i>Clerodendrum inerme</i>	Verbenaceae			Leaf	Decoction			
<i>Cnestis ferruginea</i>	Connaraceae			Leaf, Root	Decoction			
<i>Drimia glaucescens</i>	Liliaceae			Whole plant	Decoction			
<i>Eclipta prostrata</i> (L.) L.	Compositae							
<i>Ficus glomosa</i> Delile	Moraceae			Leaf	Decoction			
<i>Jatropha gossypiifolia</i>	Euphorbiaceae			Leaf and roots	Trituration			
<i>Macrosphyra longistyla</i> (DC.) Hiern	Rubiaceae			Leaf	Decoction			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Moghania faginea</i> (Guill. and Perr.) Kuntze	Fabaceae			Leaf	Decoction			
<i>Ouratea affinis</i> (Hook. f.) Engl.	Ochnaceae			Leaf	Decoction			
<i>Sida cordifolia</i>	Malvaceae			Stems with Leaf and roots	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Stachytarpheta jamaicensis</i> (L.) Vahl.	Verbenaceae			Leaf and axis flowering	Decoction, Infusion			
<i>Tecoma stans</i> (L.) Kunth	Bignoniaceae			Leaf	Decoction			
<i>Terminalia mantaly</i>	Combretaceae			Stems with Leaf	Decoction			
<i>Vepris verdoorniana</i>	Rutaceae			Root bark	Decoction	Hypertension		[63]
<i>Balanites rotundifolia</i>	Balanitaceae		Alayto	Leaf	Soaking			
<i>Buxus hildebrandtii</i>	Buxaceae		Gaydarto	Leaf	Soaking			
<i>Lavandula coronopifolia</i>	Lamiaceae		Dananwada	Leaf	Soaking	Diabetes	Djibouti	[71]
<i>Melia azedarach</i>	Meliaceae		Dat caxa	Whole plant	Soaking, Crushing			
<i>Nepeta azurea</i>	Lamiaceae		Simitri	Leaf	Soaking, Crushing			
<i>Anethum graveolens</i> Linn	Apiaceae	Dill	Shilan-maedo	Leaf	Tea			
<i>Cichorium endivia</i> L.	Asteraceae	Succory	Shikoria	Leaf	Cooking			
<i>Clutia lanceolata</i>	Euphorbiaceae	Cerra Cipapau Apple	Tish-belalito	Leaf	Extract	Diabetes	Eritrea	[72]
<i>Ferula communis</i> L.	Apiaceae	Giant fennel	Diog	Seed, Leaf	Decoction			
<i>Psiada punctulata</i>	Asteraceae		Tsehaiferhet	Leaf, Root	Decoction			
<i>Trachyspermum ammi</i>	Apiaceae	Bishop's Weed	Kamun/Tsakida	Seed	Powder			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Withania somnifera</i> (L.)	Solanaceae	Winter Cherry	Agol	Root, Leaf	Root Immersion, Leaf' juice			[72]
<i>Zizyphus spina-christi</i> (L.)	Rhamnaceae	Christ's Thorn Jujube	Gaba	Leaf	Infusion	Diabetes		
<i>Aloe camperi</i> Schweinfurth	Aloaceae	Aloe	Sandai-ere	Leaf, Latex	Extract			[72,73]
<i>Brassica nigra</i>	Brassicaceae	Black Mustard	Adri	Seed	Decoction			[72,73]
<i>Lepidium sativum</i> L.	Brassicaceae	Graden Cress	Shinfae	Seed	Extract		Eritrea	
<i>Meriandra dianthera</i>	Lamiaceae		Nehiba/Mezeguf/Nehba	Leaf	Extract, Drying, Crushing, Boiling	Diabetes,		[72,74]
<i>Otostegia integrifolia</i> Benth.	Lamiaceae		Ch'endog/Chendog	Leaf, Bark	Extract, Crushing	Hypertension		
<i>Acacia senegalensis</i>	Fabaceae		Tseada-qenteb	Bark	Chewing			
<i>Aloe elegans</i>	Aloaceae		Eere	Latex		Diabetes		[74]
<i>Hypoestes forskaolii</i>	Acanthaceae		Debe-awald	Leaf	Crushing, Boiling			
<i>Calpurnia aurea</i> (Aiton) Benth.	Fabaceae		Cheka, Digita, Digitta	Leaf, Seed	Decoction	Diabetes, Hypertension		[75–77]
<i>Lens culinaris</i> Medik.	Fabaceae		Misir	Seed		Diabetes		[76]
<i>Premna schimperi</i> Engl.	Lamiaceae		Urgessa	Leaf		Hypertension		
<i>Indigofera amorphoides</i> Jaub. & Spach	Fabaceae		Muka Adi, Jeere	All parts	Decoction, Infusion			[78,79]
<i>Acalypha fruiticosa</i>	Euphorbiaceae		Dhirii	Leaf	Decoction			
<i>Phyllanthus maderaspatensis</i> L.	Euphorbiaceae		Harmel Xixiqaa	All parts		Heart disease		[79]
<i>Rhynchosia erlangeri</i> Harms	Fabaceae		Harmel	Leaf				
<i>Lupinus albus</i> L.	Fabaceae		Gibto	Seed	Juice	Hypertension		[80]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Ipomoea obscura</i> (L.)	Convolvulaceae		Lago	Leaf				[81]
<i>Ocimum laliifolium</i>	Lamiaceae		Pasi kedo	Leaf		Heart disease		
<i>Thymus schimperi</i> Ronniger	Lamiaceae		Tosigne	Leaf	Tea	Hypertension		[82]
<i>Centaurium pulchellum</i> (Sw.) Druce	Gentianaceae				Infusion			
<i>Cleome droserifolia</i> (Forssk.) Delile	Cleomaceae				Powder	Diabetes		[83]
<i>Posidonia oceanica</i> (L.) Del	Posidoniaceae					Obesity	Ethiopia	
<i>Kyllinga monocephala</i>	Cyperaceae					Diabetes		[84]
<i>Aloe secundiflora</i> Engl.	Xanthorrhoeaceae					Hypertension		[85]
<i>Datura stramonium</i>	Solanaceae		Asaangra	Leaf, Root	Decoction	Diabetes, Hypertension		
<i>Mentha piperita</i>	Lamiaceae		Nana	Leaf	Juice	Hypertension		[77]
<i>Lagenaria abyssinica</i>	Cucurbitaceae		Buqe setena	Flower	Powder	Diabetes		
<i>Indigofera spicata</i>	Fabaceae			Whole plant		Diabetes		[55]
<i>Capsicum frutescens</i>	Solanaceae		Nungu	Seed	Maceration			
<i>Copaifera religiosa</i>	Cesalpiniaceae		Murei	Stem bark				
<i>Lygopodium microphyllum</i>	Schizaeaceae		Magol		Decoction			
<i>Senecio gaboneensis</i>	Composeae		Budjambu	Leaf				
<i>Sterculia tragacantha</i> Lindl.	Sterculiaceae		Ivostou, Mundundu		Maceration			
<i>Strombosioëropsis tetrandra</i> Engl.	Olacaceae		Mugamba-malungu	Stem bark	Decoction	Cardiovascular diseases	Gabon	[86]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Cleistopholis glauca</i>	Annonaceae			Stem bark	Decoction	Diabetes	[87]	
<i>Copaifera mildbraedii</i>	Caesalpinoideae		Murei	Stem bark	Decoction			
<i>Quassia africana</i>	Simaroubaceae		Mukedji	Stem barks	Maceration			
<i>Annickia chlorantha</i>	Annonaceae		Mfol, Mwamba jaune, Muambebengue	Stem bark	Decoction	Cardiovascular diseases, Diabetes	[86–88]	
<i>Guibourtia tessmannii</i> (Harms) J.Leonard	Fabaceae		Kevazingo, Kevazigo	Stem bark	Decoction			
<i>Acacia auriculiformis</i>	Fabaceae		Akasmani	Leaf	Infusion			
<i>Anonidium mannii</i> (Oliv.) Eng. & Diels	Annonaceae		Ebom		Decoction	Gabon		
<i>Antrocaryon klaineanum</i>	Anacardiaceae		Onzabili, Osone ele	Stem bark	Infusion, Decoction, Maceration			
<i>Aucoumea klaineana</i> Pierre	Burseraceae		Okoume		Maceration			
<i>Celtis tessmannii</i>	Cannabaceae		Diania		Decoction	Diabetes	[87,88]	
<i>Cylicodiscus gabunensis</i>	Mimosoideae		Okan	Stem bark	Decoction			
<i>Duboscia macrocarpa</i>	Malvaceae		Akak	Stem bark	Decoction			
<i>Euryptetalum tessmannii</i>	Caesalpinoideae		Anzilim	Stem bark	Decoction			
<i>Mammea africana</i>	Calophyllaceae		Mammea, Oboto		Decoction			
<i>Microdesmis puberula</i>	Pandaceae		Inko		Infusion			
<i>Piptadeniastrum africanum</i>	Mimosoideae		Dabema, Dabena	Stem bark	Decoction			
<i>Pseudospondias longifolia</i>	Anacardiaceae		Ofoss		Decoction, Maceration			
<i>Santiria trimera</i>	Burseraceae		Ebo, Nkungu	Root	Decoction			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Tabernanthe iboga</i>	Apocynaceae		Iboga, Diboga	Stem bark, Stem root	Maceration, Decoction			[87,88]
<i>Alstonia congensis</i>	Apocynaceae		Mukuka	Root	Decoction, Maceration	Diabetes	Gabon	[88]
<i>Buchholzia coriacea</i>	Capparaceae		Magic cola	Seed	Maceration			
<i>Bridellia ferruginea</i>	Euphorbiaceae		Flatsho	Leaf	Decoction	Hypertension		[89]
<i>Luffa cylindrica</i>	Cucurbitaceae		Kpekplebeshi	Leaf	Decoction	Diabetes, Hypertension		
<i>Vitex grandifolia</i>	Lamiaceae		Samanibir	Root	Infusion	Stroke	Ghana	[35]
<i>Senna sophera</i> (L.) Roxb.	Fabaceae		Senna	Leaf	Decoction	High Blood Cholesterol		
<i>Phyllanthus fraternus</i> G.L.Webster	Phyllanthaceae		Goyonbaaya	Leaf	Decoction	Diabetes, Hypertension		
<i>Pileostigma thonningii</i>	Caesalpiniaceae			Leaf				
<i>Ocimum sanctum</i> L.	Lamiaceae			Leaf, stalk				
<i>Landolphia heudelotii</i>	Apocynaceae			Leaf				
<i>Andansonia digitate</i>	Bombacaceae			Leaf				
<i>Cissus aralioide</i>	Ampelidaceae			Leaf				[90]
<i>Landolphia dulcis</i>	Apocynaceae					Diabetes	Guinea	
<i>Mesonerum benthamianum</i>	Caesalpiniaceae			Leaf				
<i>Ocimum viride</i> Willd.	Lamiaceae							
<i>Pterocarpus ericins</i>	Papilionaceae							
<i>Nauclea pobeguinitii</i>	Rubiaceae			Leaf, bark				[90,91]
<i>Citrus medica</i>	Rutaceae		Katthiou	Leaf, fruits	Infusion	Diabetes, Hypertension		[90,92]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Anthocleista nobilis</i>	Gentianaceae		Konibou Kankan, Artaninfiro	Stem bark	Decoction	Diabetes	Guinea	[93]
<i>Uapaca togoensis</i> Pax	Phyllanthaceae		Yalague Pete	Stem bark	Decoction	Hypertension		[92]
<i>Strophanthus sarmentosus</i> DC	Apocynaceae		Thethe, Teme	Roots				
<i>Bauhinia thonningii</i> Schum.	Fabaceae		Boa, Mansonca, Mansanca	Roots, Bark		Heart conditions	Guinea-Bissau	[94]
<i>Psychotria peduncularis</i> (Salisb.)	Rubiaceae		Cobodo, Cubedo, Ghupughe	Leaf, Roots				
<i>Senna didymobotrya</i>	Fabaceae		Mukengeka	Leaf				[95,96]
<i>Warburgia ugandensis</i> Sprague	Canellaceae				Decoction	Diabetes		
<i>Leonotis nepetifolia</i> (L.) R.Br.	Lamiaceae							[95]
<i>Toddalia asiatica</i> (L.) Lam.	Rutaceae							
<i>Phragmanthera usuiensis</i>	Loranthaceae		Mondoiwet	Bark	Pounding, Boiling	Stroke	Kenya	[97]
<i>Periploca linearifolia</i> Quart. Dill. & A.Rich.	Apocynaceae		Mwemba-iguru	Stem, Leaf				
<i>Gomphocarpus fruticosus</i> (L.) W.T.Aiton			Mukangarithi	Seeds, Roots	Decoction			
<i>Sonchus luxurians</i> (R.E.Fr.) C.Jeffrey						Diabetes		[98]
<i>Lactuca inermis</i> Forssk.	Compositae		Muthunga	Leaf	Chewing, Boiling			
<i>Sonchus asper</i> (L.) Hill								
<i>Vernonia lasiopus</i>			Muchata	Leaf				
<i>Spilanthes mauritiana</i> (A. Rich. ex Pers.) DC.			Gathariaita	Whole plant	Decoction			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Dracaena steudneri</i>	Dracaenaceae		Ithare	Bark, Root				
<i>Ornithogalum tenuifolium</i>	Hyacinthaceae		Mugwace	Rhizome	Decoction			
<i>Hydnora abyssinica</i>	Hydnoraceae		Muthigira	Stem				
<i>Myrsine africana</i> L.	Myrsinaceae		Mugaita	Fruits				
<i>Olea Africana</i> Mill.	Oleaceae		Mutero	Leaf, Root				
<i>Clematis hirsuta</i> Guill. and Perr.	Ranunculaceae		Mugaya, Ng'undu	Leaf, Roots	Decoction	Diabetes		[98]
<i>Prunus africana</i>	Rosaceae		Muirি	Leaf, Bark				
<i>Teclea simplicifolia</i>	Rutaceae		Munderendu	Leaf				
<i>Grewia similis</i>	Tiliaceae		Mutheregendu	Leaf				
<i>Typha domingensis</i> Pers.	Typhaceae		Ndothua	Rhizomes	Decoction		Kenya	
<i>Rothecea myricoides</i> (Hochst.)	Verbenaceae		Manjugairia	Leaf, Roots, Bark				
<i>Urtica massaica</i> Mildbr.	Urticaceae		Thabai/Hatha, Kinyeleelya	Leaf	Decoction	Diabetes		[96,98]
<i>Euclea divinorum</i> Hiern.	Ebenaceae		Kikuthi/Mukinyei	Root, Bark	Decoction			
<i>Aspilia pluriseta</i> Schweinf	Compositae		Muti/Wuti	Leaf	Decoction			
<i>Fuerstia africana</i> T.C.E.Fr.	Lamiaceae		Kalaku	Aerial parts	Decoction			
<i>Cactus</i> spp.	Cactaceae		Matomoko	Leaf	Juice			
<i>Passiflora</i> spp.	Passifloraceae		Makundi	Leaf	Decoction	Diabetes		[96]
<i>Eucalyptus</i> spp.	Myrtaceae		Musanduku	Stem Bark	Decoction			
<i>Aloe</i> spp.	Aloeaceae		Kiluma	Leaf				
<i>Croton megalocarpus</i> Hutch.	Euphorbiaceae		Muthulu/Kithulu	Leaf	Decoction			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Ornocarpum kirkii</i> S. Moore	Fabaceae		Muthii	Leaf	Decoction			
<i>Passiflora subpeltata</i>	Passifloraceae		Makundi	Leaf	Decoction	Diabetes		
<i>Solanum renchii</i> Vatke	Solanaceae		Mukonda Kondu	Root, Leaf	Decoction	Diabetes		
<i>Momordica</i> spp.	Cucurbitaceae		Iphunzu	Leaf	Decoction	Diabetes		[96]
<i>Euclea racemosa</i> Murr.	Ebenaceae		Mukinyei	Leaf, Stem bark, Root bark	Decoction	Diabetes	Kenya	
<i>Schrebera alata</i> (Hochst.) Welw.	Oleaceae		Mutoma	Stem bark, Root, Leaf	Infusion	Diabetes		
<i>Oxygonum sinuatum</i> (Hochst. & Steud ex Meisn.) Dammer	Polygonaceae		Song'e	Leaf, Whole plant	Infusion, Maceration	Diabetes, Hypertension		[96,99]
<i>Polyscias fulva</i>	Araliaceae		Soiyet	Bark	Decoction	Obesity		[100]
<i>Conyzia subscaposa</i>	Asteraceae		Chepng' ombe	Leaf, Root	Decoction	Obesity		
<i>Eriocephalus</i> sp.	Asteraceae		Sehala-hala sa matlaka	Whole plant		Diabetes, Hypertension	Lesotho	[42]
<i>Scabiosa columbaria</i>	Dipsacaceae		Selomi	Leaf, Root		Hypertension		
<i>Napoleonaea heudelotii</i> A. Juss.	Lecythidaceae			Leaf, bark, root		Heart failure	Liberia	[101]
<i>Geophila obvallata</i> Didr.	Rubiaceae			Leaf		Heart pain		
<i>Voacanga thouarsii</i> Roem. & Schult.	Apocynaceae		Kaboky	Leaf, Latex, Roots, Bark, Seeds		Hypertension		
<i>Lycopodiella cernua</i> (L.) Pic. Serm	Lycopodiaceae		Tongotsokina	Entire plant		Hypertension	Madagascar	[102]
<i>Vaccinium</i> sp.	Vaccinaceae		Voakaramy	Leaf		Diabetes		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Cyathula uncinulata</i> (Schrad.) Schinz	Amaranthaceae		Tangogo	Leaf		Diabetes, Cardiac problems		
<i>Mystroxylon aethiopicum</i> (Thunb.) Loes.	Celastraceae		Fanazava	Leaf		Hypertension		
<i>Diospyros</i> sp.	Ebenaceae		Bois de rose	Bark		Diabetes		
<i>Psorospermum ferrovestitum</i> Baker	Hypericaceae		Andriambolamena	Leaf		Hypertension		[30]
<i>Lycopodium</i> sp.	Lycopodiaceae		Karakarataloha	Leaf				
<i>Pauridiantha paucinervis</i> (Hiern) Bremek.	Rubiaceae		Tamirova	Leaf		Hypertension, Diabetes		
<i>Azolla</i> sp.	Salviniaceae		Ramilamina			Cardiac arrest		
<i>Lygodium lanceolatum</i> Desv.	Lygodiaceae		Famatotrakanga	Leaf		Hypertension	Madagascar	[103]
<i>Securinega seyrigii</i>	Euphorbiaceae			Bark	Decoction	Hypertension		[104]
<i>Cedrelopsis grevei</i>	Ptaeroxylaceae			Bark	Decoction	Diabetes		
<i>Mimosa pigra</i> L.	Fabaceae					Cardiovascular disorders		[105]
<i>Psiadia salviifolia</i>	Asteraceae			Aerial part		Hypertension		[106]
<i>Xylopia buxifolia</i>	Annonaceae			Leaf	Tea	Obesity		[107]
<i>Gymnosporia divaricata</i>	Celastraceae		Voasarikely	Leaf		Diabetes		
<i>Macaranga perrieri</i>	Euphorbiaceae		Makarangana	Leaf	Decoction	Diabetes		[108]
<i>Clidemia hirta</i>	Melastomataceae		Sopatra-Mazambody	Leaf		Hypertension		
<i>Passiflora foetida</i>	Passifloraceae		Garana	Leaf	Decoction	Hypertension		
<i>Fadogia acylantha</i> Schweinf	Rubiaceae		Masamba gha Muthondo		Tea	Diabetes, Hypertension	Malawi	[109]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Fadogia aencylantha</i>	Rubiaceae		Masamba gha Muthondo	Leaf	Tea	Diabetes	Malawi	[53]
<i>Ximenia americana</i> L.	Olacaceae			Leaf, Stem	Decoction, Powder	Diabetes, Hypertension	Mali	[110]
<i>Cleome viscosa</i> Linn.	Capparidaceae	Wild mustard		Root		Cardiac stimulant, Diabetes		[111]
<i>Boscia senegalensis</i> Lam.	Capparaceae		Eyzen	Fruits	Maceration, Powder			
<i>Maerua crassifolia</i> Forssk.			Atil		Powder	Diabetes		
<i>Combretum glutinosum</i> Perr.	Combretaceae		Tykefyt	Leaf	Powder		Mauritania	[112]
<i>Vachellia tortilis</i> (Forssk.)	Fabaceae		Talh	Bark	Mashed/Macerated			
<i>Mentha spicata</i> L.	Lamiaceae		Naana		Decoction	Hypertension		
<i>Ziziphus lotus</i> (L.) Lam.	Rhamnaceae		Sdar-hreytek	Leaf	Infusion, Powder, Maceration	Diabetes, Hypertension		
<i>Camellia sinensis</i> L.	Theaceae		The vert	Leaf	Infusion	Diabetes, Hypertension, High level of cholesterol		[113,114]
<i>Celosia cristata</i>	Amaranthaceae	Coquelicot		Flower	Decoction	Cardiovascular diseases, Hypertension	Mauritius	[115]
<i>Lycium barbarum</i>	Solanaceae		Goji		Soup	Diabetes		
<i>Actinida deliciosa</i>	Actinidiaceae		Kiwi		Juice	Hypertension		
<i>Alisma plantago-aquatica</i> subsp. <i>Orientale</i> (Sam) Sam.	Alismataceae				Infusion	High level of cholesterol		[113]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Aloysia citriodora</i> Palau	Verbenaceae		Verveine	Whole plant	Infusion	Cardiovascular disease		
<i>Anans comosus</i> (L.) Merr.	Bromeliaceae		Anana	Fruit	Juice			
<i>Aphloia theiformis</i>	Aphloiacae		Fandamane		Infusion	Diabetes		
<i>Apium graveolens</i> L.	Apiaceae		Celeri	Leaf	Decoction	Diabetes, Hypertension		
<i>Artocarpus heterophyllus</i>	Moraceae		Zack	Fruit		Diabetes		
<i>Asplenium nidus</i> L.	Aspleniaceae		Langue de boeuf	Leaf	Infusion	Hypertension		
<i>Avena sativa</i> L.	Poaceae		Oatmeal	Grains	Soaking	Diabetes, High level of cholesterol		
<i>Cardiospermum halicacabum</i> L.	Sapindaceae		Pocpoc	Leaf	Decoction	Diabetes		
<i>Cynara cardunculus</i> L.	Asteraceae		Artichaut	Leaf	Infusion	Diabetes, High level of cholesterol	Mauritius	[113]
<i>Coriandrum sativum</i> L.	Apiaceae		Cotomili			Diabetes		
<i>Crataegus laevigata</i> Poir. DC.	Rosaceae		Aubepine	Leaf		High level of cholesterol		
				Flower	Infusion	Hypertension		
<i>Curcuma longa</i> L.	Zingiberaceae		Safran	Root		Cardiovascular disease		
<i>Euphorbia heterophylla</i> L.	Euphorbiaceae		Cacapoule	Flower		High level of cholesterol		
<i>Cucumis sativus</i> L.			Concombre		Juice			
<i>Cucurbita maxima</i> Duchesne	Cucurbitaceae		Giromon	Fruit	Decoction			
<i>Eugenia uniflora</i> L.	Myrtaceae		Rousaille			Diabetes		
<i>Faujasiaropsis flexuosa</i> (Lam.)	Asteraceae		Bois cassant	Leaf	Decoction			
<i>Glechoma hederacea</i> L.	Lamiaceae		Lierre					

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Lactuca sativa</i> L.	Asteraceae		Laitue	Leaf	Decoction	Diabetes		
				Fruit				
<i>Lagenaria siceraria</i>	Cucurbitaceae		Calebasse	Leaf		High level of cholesterol, Hypertension		
<i>Linum usitatissimum</i> Linnaeus	Linaceae		Grain de lin	Seeds	Soaking	Diabetes, High level of cholesterol		
<i>Luffa acutangula</i> (L.) Roxb.	Cucurbitaceae		Patole	Leaf	Juice	Hypertension, Cardiovascular disease		
<i>Malus domestica</i> Borkh.	Rosaceae		Pomme	Fruits	Juice	High level of cholesterol		
<i>Murraya koenigii</i> (L.)	Rutaceae		Carripoulet	Leaf	Infusion	Hypertension	Mauritius	[113]
<i>Ocimum tenuiflorum</i> L.	Lamiaceae		Tulsi	Leaf	Juice	Diabetes, Hypertension, High level of cholesterol		
<i>Ophiopogon japonicas</i> (Thunb.)	Asparagaceae				Infusion with the tea	Diabetes		
<i>Orthosiphon aristatus</i> (Blume) Miq.	Lamiaceae		Orthosiphon	Leaf	Decoction, Infusion	Diabetes, Hypertension		
<i>Phyllanthus emblica</i> L.	Phyllanthaceae		Amla	Fruit	Consume raw fruit, Juice	Diabetes, High level of cholesterol		
<i>Piper betle</i> L.	Piperaceae		Betel	Leaf	Infusion	Diabetes, High level of cholesterol		
<i>Plantago afra</i> L.	Plantaginaceae				Decoction	Cardiovascular disease		
<i>Plantago major</i> L.			Plantain	Flowers	Juice	Diabetes		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Prunella vulgaris</i> L.	Lamiaceae				Infusion	Hypertension		
<i>Psiloxylon mauritianum</i>	Myrtaceae		Bigaignon	Leaf	Decoction, Infusion	Diabetes		
<i>Ravenala madagascariensis</i> Sonn.	Strelitziaceae		Ravenale	Leaf	Decoction	Diabetes		
<i>Rubus alceifolius</i> Poir.	Rosaceae		Piquant loulou	Leaf	Decoction	Diabetes		
<i>Sigesbeckia orientalis</i> L.	Asteraceae		Herbe de flacq	Leaf	Decoction	Diabetes		[113]
<i>Solanum melongena</i>	Solanaceae		Anguive	Fruit	Cooking	Diabetes		
<i>Stevia rebaudiana</i>	Asteraceae		Stevia	Leaf	Infusion	Diabetes		
<i>Taraxacum officinale</i> (L.) Weber ex F.H.Wigg.	Compositae		Pissenlit	Roots, Leaf	Decoction, Infusion	Diabetes, High level of cholesterol		
<i>Vitis vinifera</i> L.	Vitaceae		Raisin	Seeds	Consume raw seeds	Diabetes	Mauritius	
<i>Aegle marmelos</i> L.	Rutaceae		Bael		Paste			
<i>Aloe barbadensis</i> Mill.	Xanthorrhoeaceae		Aloe vera	Leaf		Diabetes		[116]
<i>Triticum aestivum</i>	Poaceae		Duble, Wheat		Juice	Cardiovascular diseases		
<i>Orthosiphon stamineus</i>	Lamiaceae		Orthosiphon					
<i>Citrus sinensis</i> (L.) Osbeck	Rutaceae		Orange			Hypertension		
<i>Metroxylon sagu</i> Rottb.	Arecaceae		Sagoo					
<i>Petroselinum crispum</i> subsp. <i>giganteum</i> (Pau) Dobignard	Apiaceae		Persil			Lower Cholesterol		[114]
<i>Senna Alexandria</i> Mill.	Fabaceae		Senne					
<i>Cassine orientalis</i>	Celastraceae		Boid d'olive	Leaf		Hypertension		[117]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Justicia gendarussa</i>	Acanthaceae		Nitchouli	Leaf		Hypertension		
<i>Colocasia esculenta</i> (L.) Schott	Araceae		Brede songe	Leaf		Hypertension		
<i>Euphorbia thymifolia</i> L.	Euphorbiaceae		Rougette	Whole plant		Hypertension		[118]
<i>Bruguiera gymnorhiza</i> Lam.	Rhizophoraceae		Manglier	Root	Infusion, decotion	Diabetes, Hypertension	Mauritius	
<i>Feronia Limonia</i> (L.) Swingle	Rutaceae		Wood apple	Fruit	Decoction	Diabetes		
<i>Morinda citrifolia</i> L.	Rubiaceae		Noni	Fruit, Leaf	Infusion, Juice	Diabetes, High level of cholesterol, Hypertension		[113,114]
<i>Phoenix dactylifera</i> L.	Arecales		Tam	Leaf	Decoction	Diabetes		[113,119]
<i>Rhizophora mucronata</i> Lam.	Rhizophoraceae		Manglier	Root	Decoction, Infusion	Diabetes, Hypertension		[113,118]
<i>Diplorhynchus condylocarpon</i>	Apocynaceae			Roots		Diabetes		
<i>Terminalia stenostachya</i> Engl. & Diels	Combretaceae			Rosette leaf		Heart disorders, Hypertension, Diabetes	Mozambique	[120]
<i>Helinus intergrifolius</i>	Rhamnaceae		Murora			Stroke	Namibia	[121]
<i>Helinu spartoides</i>			Omutiwoheva					
<i>Thevetia peruviana</i>	Apocynaceae			Bark		Cardiac diseases		[122]
<i>Vinca alba</i>	Apocynaceae			Leaf		Hypertension	Nigeria	
<i>Acalypha godseffiana</i>	Euphorbiaceae	Copper leaf	Uke	Leaf, seed, fruits	Decoction	Hypertension		[123]
<i>Brillantaisia patula</i>	Acanthaceae	Brillantaisia	Idi-ghoko	Leaf, root				

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Bryophyllum pinnatum</i>	Crassulaceae	Resurrection plant	Ize	Leaf, root	Infusion			
<i>Chasmanthera dependens</i>	Menispermaceae	Chasmantera	Ukprialolo	Leaf				
<i>Combretum racemosum</i>	Combretaceae	Bush willow	Ajeibolose	Leaf				
<i>Dichapetalum guineense</i>	Dichapetalaceae		Uduoifotowo	Root				
<i>Erythrophleum suaveolens</i> (Guill. & Perr.) Brenan	Fabaceae	Ordeal tree	Aghoko	Seed				
<i>Fagara zanthoxyloides</i>	Rutaceae	Fagara	Ukwe-eghe	Root bark				
<i>Ficus asperifolia</i>	Moraceae	Sandpaper	Ebe-amenuwen	Leaf				
<i>Hibiscus rosa-sinensis</i>	Malvaceae	Chinese hibiscus	Ireagu	Flower		Hypertension		[123]
<i>Hibiscus surattensis</i>		Bush sorrel	Okikhan	Flower, Fruits, Leaf	Decoction, Infusion		Nigeria	
<i>Phyllanthus amarus</i>	Euphorbiaceae	Carry me seed	Istikini iju ode	Leaf	Infusion			
<i>Senecio biafrae</i>	Compositae	English spinach		Root				
<i>Sorghum caudatum</i>	Poaceae	Sorghum	Okanibaba					
<i>Tapinanthus bangwensis</i>	Loranthaceae	Mistletoe	Ebe ose	Leaf	Decoction			
<i>Tridax procumbens</i>	Asteraceae	Coat buttons	Eekule	Aerial plant	Powder			
<i>Uraria picta</i>	Fabaceae			Leaf				
<i>Crataeva adansonii</i> Oliv.	Capparaceae		Eegun-orun	Leaf		Hypertension		[124]
<i>Sorghum bicolor</i>	Poaceae		Ese oka	Leaf				
<i>Beaucamea recurvata</i>	Ruscaceae		Wowo	Roots		Hypertension		
<i>Psoropermum febrifugum</i>	Clusiaceae		Legunoko	Leaf		Stroke		[34]
<i>Harungana madagascariensis</i> Lam. ex Poir.	Hyperricaceae		Amuje	Leaf		Hypertension		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Citropsis articulate</i>	Rutaceae		Atapari obuko	Leaf/roots		Stroke		
<i>Lablab purpureus</i> L.	Papilionaceae		Labelabe	Seeds		Heart attack		
<i>Microdesmis keayana</i>	Euphorbiaceae		Idi apata	Roots		Stroke		[34]
<i>Chlorophora excelsa</i>	Moraceae		Iroko iju	Leaf		Heart attack		
<i>Thevetia nerifolia</i>	Apocynaceae		Olomi ojo	Leaf, Bark		Stroke		
<i>Sarcoevia liberica</i>	Agavaceae		Oja ikoko	Leaf, Roots		Stroke/Hypertension		
<i>Loranthus spectobulus</i>	Loranthaceae	Mistletoe		Leaf	Infusion	Hypertension		[125]
<i>Entandrophragma utile</i>	Meliaceae	African cedar	Opepe	Stem bark	Infusion			
<i>Euphorbia lateriflora</i>	Euphorbiaceae	Milk cultivars	Enu opire	Stems				
<i>Khaya ivorensis</i>	Meliaceae	Lagos Mahogany	Oganwo	Stem bark	Powder		Nigeria	
<i>Lannea welwitchii</i>	Anacardiaceae	False Marula	Ekudan			Diabetes		[126]
<i>Lagenaria breviflora</i>	Cucurbitaceae	Wild Cocolynth	Tagiri	Fruits				
<i>Lawsonia inermis</i> L.	Lythraceae	Henna tree	Laali	Leaf	Decoction			
<i>Sphenocentrum jollyanum</i>	Menispermaceae	Locus bean	Akerejupon	Roots				
<i>Tetracera alniflora</i>	Dilleniaceae	Ware vine	Opón	Fruits				
<i>Loranthus micranthus</i> Linn.	Loranthaceae	Eastern Nigeria mistletoe				Diabetes, Hypertension		[127]
<i>Anthocleista nobilis</i>	Gentianaceae		Uko nkirisi	Bark, Root	Decoction	Diabetes		[93]
<i>Commiphora kerstingii</i> Engl	Burseraceae	Sand paper tree	Ararrabii	Leaf	Maceration	Diabetes		
<i>Terminalia macroptera</i> Guill & Perr	Combretaceae	Black afara	Baushe	Root	Decoction	Diabetes		[128]
<i>Parkia filicoidea</i> Oliv.	Fabaceae	African locust bean tree	Dorawa	Root	Decoction	Diabetes		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Odina barteri</i> Oliv	Anacardiaceae	Olive	Faru	Leaf, Bark	Decoction, Maceration	Diabetes		
<i>Acacia albida</i> Delile	Fabaceae		Gardaye	Root	Decoction	Diabetes		
<i>Acacia macrostachya</i> DC.	Fabaceae	Winter thorn	Gawo	Root	Decoction	Diabetes		
<i>Combretum altum</i> Guill & Perr	Combretaceae		Geza	Root	Decoction	Diabetes		
<i>Borassus flabellifer</i> L.	Arecaceae	African fan palm	Giginya	Bark	Decoction	Diabetes		
<i>Boswellia dalzielii</i> Hutch	Burseraceae	Frankincense tree	Hano	Root	Decoction	Diabetes		
<i>Cassia obovata</i> Collad.	Fabaceae	Neutral henna	Hilisko	Leaf	Maceration	Diabetes		
<i>Nymphaea odorata</i> Aiton	Nymphaeaceae	American waterlily	Kainuwa	Leaf	Maceration	Diabetes	Nigeria [128]	
<i>Piliostigma reticulatum</i> (DC.)	Caesalpiniaceae	Camel's foot	Kalgo	Bark, Root	Decoction	Diabetes		
<i>Pleurotus tuber-regium</i>	Pleurotaceae	King tuber mushroom	Katala	Root	Decoction	Diabetes		
<i>Heeria insignis</i> Delile Kuntze	Anacardiaceae		Kasheshe	Root	Decoction	Diabetes		
<i>Crescentia cujete</i> L.	Bignoniaceae	Calabash	Kwarya	Bark	Infusion	Diabetes		
<i>Pennisetum pedicellatum</i> Trin.	Gramineae	Nigeria grass	Kyasuwa	Leaf	Maceration	Diabetes		
<i>Ziziphus jujube</i> Linn	Rhamnaceae	Jujube fruit	Magarya	Root	Decoction	Diabetes		
<i>Sarcocephalus russeggeri</i> K. ex Sch	Rubiaceae	African peach	Tafashiya	Root	Decoction	Diabetes		
<i>Detarium senegalense</i> J.F.Gmel.	Fabaceae	Boire	Taura	Bark, Root	Decoction	Diabetes		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Combretum sericeum</i> G. Don.	Combretaceae		Taro	Bark	Decoction	Diabetes		[128]
<i>Asclepias tuberosa</i> L.	Asclepiadaceae	Butterfly weed	Yadiya	Leaf, Root	Infusion	Diabetes		
<i>Clerodendrum volubile</i>	Lamiaceae	White butterfly	Marugbo, Eweta, Dagba, Obenetete			Diabetes		[129]
<i>Phragmanthera incana</i>	Loranthaceae			Leaf		Diabetes, Hypertension		[130]
<i>Acalypha capitata</i>	Euphorbiaceae					Hypertension, Hypercholesterolemia		[131]
<i>Acalypha torta</i>	Euphorbiaceae					Hypertension		
<i>Heinsia crinita</i>	Rubiaceae		Atama	Leaf, Root	Boiling, Crushing, Decoction	Hypertension	Nigeria	[132]
<i>Indigofera hirsuta</i> L.	Fabaceae	Hairy indigo	Kai-kai mashekiya	Leaf	Maceration	Diabetes		[55,128]
<i>Aristolochia ringens</i> Vahl	Aristolochiaceae	Pelican flower	Akoogun, Akogun	Stem, Root	Decoction	Diabetes, Heart attack		[34,126]
<i>Aristolochia repens</i>	Aristolochiaceae	Snake work		Leaf, stem, bark, root				[123,133]
<i>Citrullus lanatus</i>	Cucurbitaceae	Water melon	Owori, Kankana	Fruit	Maceration	Diabetes, Hypertension		
<i>Dioscorea bulbifera</i>	Dioscoreaceae	Aerial potato Air potato	Kamumuwa	Tuber, Root	Decoction			[123,128]
<i>Enantia chlorantha</i>	Annonaceae	African yellow wood	Awopa	Leaf, Stem bark		Hypertension, Stroke		[34,123]
<i>Gongronema latifolium</i> Benth.	Apocynaceae	Amaranth globe	Utasi, Madunmoro	Leaf, Stem bark	Boiling, Maceration, Decoction, Infusion, Cooking as soup	Diabetes, Hypertension		[123,126,132, 134]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Icacina trichantha</i> Oliv.	Icacinaceae		Kamala, Okpokpo, Efikison	Leaf, Seed, Tuber	Crushing, Maceration, Powder	Hypertension		[123,132]
<i>Talinum triangulare</i> (Jacq.) Willd.	Talinaceae	Water leaf	Ebe-dondo, Gbure, Gaudi	Leaf, root, bark	Decoction	Diabetes, Hypertension, Stroke		[34,123,128]
<i>Uvaria afzelii</i>	Annonaceae	Monkey finger, Scott Elliot	Gbogbonise	Root	Decoction	Diabetes, Hypertension	Nigeria	[123,126]
<i>Viscum album</i> L.	Santalaceae	European mistletoe	Ose, Afomo	Leaf, Bark	Decoction, Infusion	Diabetes, Stroke		[34,123]
<i>Hunteria umbellata</i> (K. Schum)	Apocynaceae	Husk tomato plant	Osu	Seed, Stem, Bark	Soaking	Diabetes, Hypertension		[123,135]
<i>Syzygium aromaticum</i> (L.) Merr. & L.M.Perry	Myrtaceae	Clove bud/Clove	Kanafuru	Seed, Flower	Decoction	Diabetes, Hypertension		[123,126]
<i>Lantana trifolia</i> L.	Verbenaceae		Umuhengeri			Heart failure	Rwanda	[136]
<i>Microglossa vulabilis</i> DC.	Compositae		Grimbo yufii	Leaf	Infusion	Heart palpitation		[137]
<i>Cymbopogon flexuosus</i> (Nees ex Steud.) W.Watson	Poaceae	Lemon grass	Lemon grass			Hypertension, Diabetes	Sierra Leone	[138]
<i>Garcinia afzelii</i> Engl	Clusiaceae	Bitter-kola	Yanny			Hypertension		
<i>Mimosa pudica</i> L.	Fabaceae	Sensitive plant	Sensitive mimosa			Stroke		
<i>Microglossa pyrifolia</i> (Lam.) Kuntze	Compositae			Leaf		Heart disease		[139]
<i>Agathosma apiculata</i>	Rutaceae		Ibuchu/Buchu	Roots	Powder			
<i>Asparagus africana</i>	Asparagaceae	Climbing asparagus	Umthunzi	Leaf	Crushing and Soaking	Obesity	South Africa	[140]
<i>Bulbine alooides</i> (L.) Willd.	Xanthorrhoeaceae		Irooi water	Roots	Boiling, Infusion			
<i>Cucumis africanus</i>	Cucurbitaceae	Scaret guord	Ithangazana	Whole plant	Infusion			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Curtisia dentata</i>	Cornaceae	Capelance wood	Umlahleniselefile	Bark	Powder, Boiling			
<i>Kedrostis africana</i>	Cucurbitaceae	Baboons cucumber	Uthuvishe	Bulb	Decoction			
<i>Mimosops obovata</i>	Sapotaceae	Red milk wood	Umntunzi	Bark	Crushing, Soaking, Infusion	Obesity		[140]
<i>Phytolacca dioica</i> L.	Phytolaccaceae	Phytolacca	Idolo lenkonyane	Leaf	Boiling			
<i>Rubia petiolaris</i>	Rubiaceae	Madder	Impedulo	Roots	Infusion			
<i>Schotia latifolia</i>	Fabaceae	Forest boer-bean	Umaphipa	Bark	Crushing, Infusion			
<i>Vernonia mesphilifolia</i>	Asteraceae	Iron weed	Uhlunguhlungu	Whole plant	Decoction			
<i>Gethyllis namaquensis</i>	Amaryllidaceae		Naka tsa tholo	Bulb				
<i>Plumeria obtusa</i> L.	Apocynaceae		Mohlare wa maswi wa sukiri	Leaf				
<i>Cussinia spicata</i>	Araliaceae			Root		South Africa		
<i>Helichrysum caespititium</i>	Asteraceae		Bokgatha, Mabjana, Mmeetse	Whole plant	Cooking			
<i>Callilepis laureola</i>			Phela	Root				
<i>Lessertia microphylla</i>	Fabaceae		Mosapelo	Root		Diabetes		[141]
<i>Hypoxis iridifolia</i>	Hypoxidaceae		Monna maledu	Tuber				
<i>Kirkia wilmsii</i>	Kirkiaeae		Legaba, Modumela		Juice			
<i>Ficus carica</i> L.	Moraceae		Mofeiyе	Root				
<i>Mimusops zeyheri</i>			Mmupudu	Leaf				
<i>Englerophytum magalismontanum</i>	Sapotaceae		Mohlastwa	Bark	Cooking			
<i>Hermannia quartiniana</i>	Sterculiaceae			Root				
<i>Triumfetta</i> sp.	Tilliaceae							
<i>Dodonaea angustifolia</i>	Sapindaceae		Ysterhouttoppe	Leaf	Decoction	Chest complaints		[7]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Hypoxis camerooniana</i> Baker	Hypoxidaceae		Ikhubalo	Bulb	Chewing	Hypertension		
<i>Osteospermum imbricatum</i>	Asteraceae		inkhupuhlana	Bulb, Leaf	Boiling	Chest complaints		[7]
<i>Phylsalis peruviana</i> L.	Scrophulariaceae		Igquzu	Leaf, bulb				
<i>Vinca major</i> L.	Apocynaceae					Diabetes		[142]
<i>Adenopodia spinata</i>	Fabaceae		Ubobo	Leaf, Root	Maceration	Hypertension		
<i>Agapanthus africanus</i>	Amaryllidaceae		Ubani	Leaf, Root	Infusion, Maceration	Hypertension		
<i>Agave americana</i>	Asparagaceae			Leaf	Decoction	Hypertension		
<i>Amaranthus hybridus</i>	Amaranthaceae			Leaf	Maceration	Hypertension		
<i>Asystasia gangetica</i>	Acanthaceae		Isihobo	Leaf	Maceration	Hypertension		
<i>Cannabis sativa</i>	Cannabaceae		Nsangu	Leaf	Infusion, Decoction	Hypertension		
<i>Commelina benghalensis</i>	Commelinaceae		Idangabane	Whole plant	Poultice	Hypertension	South Africa	
<i>Crinum macowanii</i>	Amaryllidaceae		Umdube	Bulb, Leaf, Whole plant		Hypertension		[99]
<i>Dites iridioides</i>	Iridaceae		Isishuphe somfula	Leaf, Root, Rhizomes	Maceration, Infusion	Hypertension		
<i>Dipcadi brevifolium</i>	Hyacinthaceae		Ikhakakhka	Bulb	Decoction	Hypertension		
<i>Dombeya rotundifolia</i>	Malvaceae		iNhliziyonkhulu	Leaf, Root	Maceration	Hypertension		
<i>Drimia elata</i>	Asparageceae		Undongana- zibomvana	Bulb		Hypertension		
<i>Ekebergia capensis</i>	Meliaceae		Essenhout	Leaf, Bark		Hypertension		
<i>Eriobotrya japonica</i>	Rosaceae			Leaf	Infusion	Hypertension		
<i>Eriocephalus africanus</i>	Asteraceae		Kapokbos	Leaf	Infusion	Hypertension		
<i>Gethyllis</i> spp.	Amaryllidaceae		Koekoemakranka	Seed, Pod	Maceration	Hypertension		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Justicia flava</i>	Acanthaceae		Impela	Leaf	Maceration	Hypertension		
<i>Leucosidea sericea</i>	Rosaceae		Umtshitshi			Hypertension		
<i>Medicago sativa</i>	Fabaceae			Whole plant	Decoction	Hypertension		
<i>Mesembryanthemum</i> spp.	Aizoaceae			Leaf, Stem	Decoction, Maceration	Hypertension		
<i>Oldenlandia affinis</i>	Rubiaceae		Umampeshane	Root	Decoction	Hypertension		
<i>Peucedanum galbanum</i>	Apiaceae		Droedas	Leaf	Infusion	Hypertension		
<i>Physalis viscosa</i>	Solanaceae			Leaf	Maceration	Hypertension		
<i>Protorhus longifolia</i>	Anacardiaceae		Uzintlwa	Leaf, Bark	Maceration	Hypertension		
<i>Rauvolfia caffra</i>	Apocynaceae		umHlambamanzi	Stem, Bark, Whole plant		Hypertension		
<i>Rhus chirindensis</i>	Anacardiaceae		Umhlabamvudu	Leaf, Fruit, Bark, Twig, Root	Maceration	Hypertension	South Africa	[99]
<i>Scolopia mundii</i>	Salicaceae		iHlambahlahle	Bark		Hypertension		
<i>Senecio bupleuroides</i>	Asteraceae		Isiqandamatshana			Hypertension		
<i>Senecio inornatus</i>	Asteraceae		Uhlabo	Root	Decoction	Hypertension		
<i>Spermacoce natalensis</i>	Rubiaceae		Umabophe	Leaf, Bark, Root		Hypertension		
<i>Stangeria eriopus</i>	Zamiaceae		Umfigwani	Leaf, Root		Hypertension		
<i>Trifolium africanum</i>	Fabaceae		Wildeklawer	Whole plant	Infusion	Hypertension		
<i>Turraea floribunda</i>	Meliaceae		Umadlozane	Bark, Leaf, Root	Infusion	Hypertension		
<i>Valeriana capensis</i>	Valerianaceae		Wildebalderjan	Rhizome, Root		Hypertension		
<i>Pelargonium antidysertericum</i>	Geraniaceae		Rooistorm	Root		Diabetes		[143]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Pteronia divaricata</i>	Asteraceae				Tea	Diabetes		
<i>Elaeodendron transvaalense</i>	Celastraceae			Stem bark	Tea	Diabetes		[144]
<i>Warburgia salutaris</i> (G. Bertol.) Chiov	Canellaceae	Pepperbark tree	Peperbasboom, isibaha			Diabetes		[145]
<i>Lannea edulis</i> Sond.	Anacardiaceae	Wild grape	Pheho, muporotso	bark	Decoction	Diabetes		
<i>Kedrostis nana</i>	Cucurbitaceae		Kalmoes, Serekola	Root, Tuber	Decoction, Infusion	Diabetes, Hypertension		[146,147]
<i>Herichrysum odoratissimum</i>	Asteraceae		Imphepho	Whole plant	Crushing, Boiling, Infusion	Diabetes		
<i>Herichrysum nudifolium</i>	Asteraceae		Ichocholo	Leaf, Root	Boiling	Diabetes		
<i>Herichrysum petiolare</i>	Asteraceae		Imphepho	Whole plant	Crushing, Boiling	Diabetes		[53]
<i>Bulbine frutescens</i>	Apocynaceae		Ibhucu	Root	Boiling, Infusion	Diabetes		
<i>Heteromorphica arborescens</i>	Apiaceae		Umbangandlala	Leaf, Root	Boiling	Diabetes	South Africa	
<i>Chilanthus olearaceus</i>	Buddlejaceae		Umgeba	Leaf, Twig	Infusion	Diabetes		
<i>Athrixia phylicoides</i>	Asteraceae	Bush tea			Infusion	Diabetes, Hypertension, Heart problems		[148]
<i>Aloe microstigma</i> Salm-Dyck	Xanthorrhoeaceae		Bitteraalwyn, aalwyn	Leaf		Diabetes		
<i>Asclepias crispa</i>	Apocynaceae		witvergeet, witstorm	Root	Decocotion	Diabetes		
<i>Aspalathus linearis</i>	Fabaceae				Infusion	Hypertension		
<i>Dittrichia graveolens</i>	Asteraceae		kakiebos	Leaf	Infusion	Diabetes, Hypertension		[149]
<i>Pteronia cinerea</i>	Asteraceae		boegoe	Leaf	infusion	Diabetes		
<i>Salvia dentata</i> Aiton	Lamiaceae		bloublomsalie	Leaf	infusion	Diabetes		
<i>Viscum capense</i>	Viscaceae		groen voëlent	Stem	infusion	Diabetes		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Acokanthera oblongifolia</i> (Hochst.) Codd	Apocynaceae		Inhlungunyemba					
<i>Acorus calamus</i> L.	Acoraceae		Kalmoes		Infusion			
<i>Adenia digitata</i> (Harv.) Engl	Passifloraceae		Uthangazane					
<i>Aloe greatheadii</i> (Schonland)	Xanthorrhoeaceae	Spotted aloe	Transvaalaalwyn, grasaalwyn	Leaf	Decoction			
<i>Aloe maculata</i> All.	Xanthorrhoeaceae	Soap aloe	bontaalwyn	Leaf				
<i>Arctopus echinatus</i> L.	Apiaceae		Platdoring	Root				
<i>Asclepias crispa</i> P.J. Bergius	Apocynaceae		Witvergif, witvergeet					
<i>Asclepias fruticosa</i> L.	Apocynaceae	African milkweed	ulusinga, lwesalukazi	Dried roots	Infusion	Diabetes	South Africa	[147]
<i>Brachylaena elliptica</i> (Thunb.) DC.	Asteraceae	Bitter-leaf, bitterleafed silver oak, fire sticks	Uhlunguhlungu, isiduli, isagqeba	Leaf	Decoction			
<i>Brachylaena ilicifolia</i> (Lam.) Phill. and Schweick.	Asteraceae	Small bitter-leaf	Fynbitterblaar, igqeba	Leaf	Decoction			
<i>Bridelia micrantha</i> (Hochst.) Baill	Phyllanthaceae	Coastal goldenleaf	mitserie, bruin stinhout	Bark	Decoction			
<i>Buddleja salviifolia</i> (L.) Lam.	Scrophulariaceae	Sagewood, butterfly bush	igwangi, iloshane, ilothane, mupambati					
<i>Bulbine latifolia</i> (L.f.) Spreng.	Xanthorrhoeaceae	Red carrot	rooiwortel	root				
<i>Cnicus benedictus</i> L.	Asteraceae	Holy thistle			Infusion			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Dittrichia graveolens</i> (L.) Greuter	Asteraceae		Kakiebos	Leaf, twigs	infusion			
<i>Dodonaea viscosa</i> (L.) Jacq.	Sapindaceae	Sand olive	sandolien, ysterbos	leaf	Boiling			
<i>Empodium plicatum</i> (Thunb.) Garside	Hypoxidaceae	Golden star						
<i>Eriocephalus ericoides</i> (L.f.) Druce	Asteraceae		Kapokbos, wilderroosmaryn					
<i>Eriocephalus punctulatus</i> DC.	Asteraceae	Wild rosemary	kapokbos	Leaf	Decoction			
<i>Eriocephalus tenuifolius</i> DC.	Asteraceae		Sehalahala-sa- matlaka					
<i>Eucalyptus citriodora</i> Hook.	Myrtaceae	Lemon-scented gum			Extract	Diabetes	South Africa	[147]
<i>Euclea crispa</i> (Thunb.) Gürke	Ebenaceae	Guarri bush	idungamuzi, umgwali	Root	Powder			
<i>Euphorbia prostrata</i> Aiton	Euphorbiaceae		Harige kruipmelkkruid					
<i>Galium tomentosum</i> Thunb	Rubiaceae		Rooihoutjie	Root				
<i>Gazania krebsiana</i> Less	Asteraceae		Gousblom, botterblom	leaf	Decoction			
<i>Grewia flavescentia</i> Juss.	Malvaceae	Sandpaper raisin	Mopharanthstone	Roots				
<i>Grewia villosa</i> Willd.	Malvaceae	Mallow raisin	Mopharanthstone	Roots				
<i>Gomphrena celosioides</i> Mart.	Amaranthaceae	Soft khaki weed	Lebolomo la naga	Roots				
<i>Haplocarpha scaposa</i> Harv.	Asteraceae	False gerbera	melktou	Leaf, roots	Extract			
<i>Helichrysum caespititium</i> (DC.) Sond. ex Harv.	Asteraceae		Mokgata	Whole plant	Infusion			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Hermannia cuneifolia</i> Jacq.	Malvaceae		Wilde heuning, geneesbossie	Leaf	Infusion			
<i>Hermannia pinnata</i> L.	Malvaceae	Doll's rose	kwaasblaar, kruip poprosie					
<i>Hoodia currori</i> (Hook.) Decne.	Apocynaceae	Hoodia cactus, bitter ghap	bergghaap, bokhorings	Stem				
<i>Inula graveolens</i> (L.) Desf.	Asteraceae		Khakibos	Foliage				
<i>Jacobsaea maritima</i> (L.) Pelser & Meijden	Asteraceae		Vaalbos					
<i>Kedrostis africana</i> (L.) Cogn.	Cucurbitaceae		Bojaankamoo					
<i>Limeum aethiopicum</i> Burm. f.	Limeaceae		Koggelmandervoet, boesmandagga		Infusion			
<i>Merwilla plumbea</i> (Lindl.) Speta.	Asparagaceae		Setsusha	Leaf				
<i>Mimulus gracilis</i> R.Br.	Phrymaceae				Decoction			
<i>Morella serrata</i> (Lam.) Killick	Myricaceae	Lance-Leafd strawberry, waxberry	Iyethi, ulethi, umakhuthula	Root	Decoction			
<i>Notobubon galbanum</i> (L.) Magee	Apiaceae	Berg celery, blister bush	bergseldery	Foliage				
<i>Nymphaea caerulea</i> Savigny	Nymphaeaceae	Blue water lily	blouwaterlelie	Seeds				
<i>Opuntia vulgaris</i> Mill.	Cactaceae	Prickly pear		Leaf	Decocotion			
<i>Pegolettia baccharidifolia</i> Less.	Asteraceae		Ghwarrieson, gwarrieson, heuningdou	Foliage				

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Pentzia incana</i> (Thunb.) Kuntze	Asteraceae		ankerkaroo, kleinskaapkaroobos					
<i>Pittosporum viridiflorum</i> Sims	Pittosporaceae		Umkhwenkhwe	Bark				
<i>Portulacaria afra</i> Jacq	Didiereaceae		Spekbosb, spekboomblareb,		Eaten			
<i>Pteronia cinerea</i> L.f.	Asteraceae		Boegoe, silverboegoe	Leaf	Infusion			
<i>Salix mucronata</i> Thunb.	Salicaceae		Rivierwilger, rivierwiller	Foliage				
<i>Salvia africana-lutea</i> L.	Lamiaceae	Red sage		Foliage				
<i>Salvia dentata</i> Aiton	Lamiaceae	Toothed sage	bergsalie, blousalie		Syrup	Diabetes		[147]
<i>Salvia microphylla</i> Kunth	Lamiaceae		Rooiblomsalie, pienblomsalie				South Africa	
<i>Stachys hyssopoides</i> Burch. ex Benth	Lamiaceae	Hyssop-Leafd hedge nettle						
<i>Thesium lineatum</i> L.f. LEP	Santalaceae	Black storm	swartstrom	Root				
<i>Tinospora fragosa</i> Verdoorn & Troupin	Menispermacea	Aaron's rod	Makgonatsohle	Leaf and stem	Boiling			
<i>Viscum capense</i> L. f.	Santalaceae	Cape mistletoe	groen voelent, taaibos	Stem	Infusion			
<i>Viscum continuum</i> E. Mey. ex Sprague	Santalaceae		Voëlent, litjiestee		Infusion			
<i>Alepidea amatymbica</i>	Apiaceae	Larger tinsel flower	Igwili/Umvuthuza, Ikhathazo	Rhizome, Roots	Powder	Hypertension, Obesity		[99,140]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Cissampelos capensis</i>	Menispermaceae	David root	Umayisake, Idabulitye, Fynblaarklimop, Dawidtjiewortel	Leaf, Roots	Crushing, Infusion	Diabetes, Heart problem, Hypertension, Obesity		[7,99,140,142, 147,150]
<i>Exomis microphylla</i> (Thunb.) Aellen	Amaranthaceae	Sugar beet	Umvawenyathi, Hondebossie	Leaf	Decoction	Diabetes, Obesity		[140,147]
<i>Leonotis ocymifolia</i>	Lamiaceae		Umuncwane, Wildedagga	Whole plant	Crushing, Boiling, Infusion			
<i>Leonotis leonurus</i>	Lamiaceae		Umunyamunya Umfincafincane Wilde dagga	Bulb, Leaf, Root, Flower, Stem, Whole plant	Crushing, Boiling, Infusion, Decoction	Obesity, Diabetes, Hypertension, Other Cardiovascular ailments	South Africa	[2,7,99,140,143, 149]
<i>Carpobrotus edulis</i> (L.)	Aizoaceae	Sour fig, Cape fig, Hottentot's fig	Lepolomo la go naba, Suurvye, Hotnotsvye, Yerank, Kaapvy	Leaf, Fruit, Sap	Juice, Decoction	Diabetes		[141,143,147, 149]
<i>Opuntia ficus-indica</i> (L.) Mill.	Cactaceae	Indian pear, Indian fig, Sweet prickly pear	Motloro, Umthelekisi,	Leaf, Root	Cooking, Crushing, Decoction	Diabetes, Hypertension		[99,141,147]
<i>Agathosma betulina</i>	Rutaceae		iBuchu, Regteboegoe	Leaf, Stem	Infusion	Hypertension		
<i>Rhoicissus digitata</i>	Vitaceae		Uchithithibuna, UmNangwazi	Bulb, Tuber	Infusion			[7,99]
<i>Geranium incanum</i> Burm.f.	Geraniaceae		Tlako, Vrouetee	Leaf, Stem	Boiling, Decoction	Heart problem, Hypertension		
<i>Gunnera perpensa</i>	Gunneraceae	River pumpkin, Wild rhubarb	iPhuzi lomlambo, Qobo, Igobho	Bulb, Leaf, Root, Rhizome	Infusion, Decoction	Diabetes, High cholesterol		[7,147]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Lichtensteinia lacera</i> Cham. & Schltdl.	Apiaceae		iQwili, Kaalmoes, Kalmiswortel	Leaf, bulb, Stem	Boiling, Infusion	Chest complaints, Diabetes, Hypertension		[7,99,143]
<i>Ruta graveolens</i> L.	Rutaceae	Rue, Common rue, Herb-of-grace	Gwabeni or iVendrit, Wynruit, Wynruik	Leaf	Infusion	Diabetes, Heart disease, Hypertension		[7,99,147,149]
<i>Sutherlandia frutescens</i> (L.) R.Br.	Fabaceae	Cancer bush	UmNwele, Petola, Lerumo-lamadi, Koorsbos, Kalkoentjebos	Leaf	Boiling, Infusion, Decoction	Diabetes, Hypertension		[7,149,151,152]
<i>Tulbaghia violacea</i> Harv.	Amaryllidaceae	Wild garlic	Itswele lomlambo, Wilde knoffel	Bulbs, Leaf, Root, Rhizome	Boiling, Infusion, Decoction	Diabetes, Hypertension, Heart problems, High cholesterol	South Africa	[7,99,143,147]
<i>Catha edulis</i> (Vahl) Forstsk.	Celastraceae		Umhlwazi	Leaf	Maceration	Diabetes, Hypertension		[99,142]
<i>Chironia baccifera</i> L.	Gentianaceae	Christmas berry	Bitterbos, Aambeibossie	Leaf, Whole plant	Decoction, Infusion	Diabetes		[142,147,149]
<i>Acokanthera oppositifolia</i>	Apocynaceae		Inhlungunyembe	Leaf, Stem, Root	Maceration			
<i>Commelinia africana</i>	Commelinaceae	Yellow Commelinia	Idangabane, Geeleendagsblom	Whole plant	Decoction			
<i>Helichrysum crispum</i>	Asteraceae		Hotnotskooigoed, Kooigoedbos	Leaf	Infusion	Diabetes, Hypertension		[99,147]
<i>Rapanea melanophloeos</i> (L.) Mez	Primulaceae	Cape beech	iKhubalwane, Boekenhout	Bark				
<i>Teedia lucida</i>	Scrophulariaceae		Hlwenya, Stinkbos					

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Urtica urens</i>	Urticaceae			Leaf	Infusion, Decoction	Diabetes, Hypertension		[99,147]
<i>Albertisia delagoensis</i>	Menispermaceae		Umgandaganda, Ohumane	Leaf, Stem, Root, Rhizome	Decoction, Boiling			
<i>Carpobrotus dimidiatus</i>	Mesembryanthemaceae		Ikhambi lamabulawo	Leaf, Stem, Fruit	Decoction			
<i>Citrullus lanatus</i>	Cucurbitaceae		Bitterwaatlemoen, Ibhece	Fruit, Seed, Leaf	Decoction, Tea			
<i>Cladostemon kirkii</i>	Capparaceae		umThekwini, Usdumbo	Stem, Bark, Root	Maceration, Decoction			
<i>Hyphaene coriacea</i>	Arecaceae		iLala	Root				
<i>Hypoxis argentea</i>	Hypoxidaceae		Inongwe, Labateka	Corm, Tuber	Decoction			
<i>Lippia javanica</i> (Burm.f.) Spreng.	Verbanaceae		Umsuzwane	Leaf	Decoction	Hypertension	South Africa	[99,153]
<i>Ozoroa engleri</i>	Anacardiaceae		Isifico, Isfico	Leaf, Bark, Root	Decoction			
<i>Ptaeroxylon obliquum</i>	Rutaceae		umThathi, Umsango	Root	Maceration			
<i>Sarcophyte sanguinea</i>	Balanophoraceae		Umvumbuka, Umavumbuka	Stem, Root, Whole plant	Decoction, Infusion			
<i>Sarcostemma viminale</i>	Apocynaceae		Umbelebele, Umbhelebhele	Stem, Aerial parts, Twigs	Infusion			
<i>Senecio serratifoloides</i>	Asteraceae		Ichazampukane, Unsukumbili	Leaf, Stem	Decoction			
<i>Strychnos madagascariensis</i>	Strychnaceae		umkwakwa	Seed, Fruit, Bark, Root	Powder			
<i>Tetradenia riparia</i>	Lamiaceae		Ibozane	Leaf, Seed	Decoction			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Ballota africana</i>	Lamiaceae		Kattekruide, Kattekruid, Salie	Leaf	Infusion			
<i>Chrysocoma ciliata</i>	Asteraceae		Kaalsiektebos, Bitterbos	Leaf, Root	Decoction			[99,143,147]
<i>Lessertia frutescens</i>	Fabaceae	Cancer bush, Balloon pea	Umnwele, Kankerbos, Bitterbos, Kiertjies, Blaasiebos	Leaf, Shoot	Decoction, infusion	Diabetes, Hypertension		
<i>Cadaba aphylla</i>	Capparaceae		Bobbejaanarm, Swartstorm, Stormwortela, Swartstorm	Leaf, Stem, Root	Infusion			[99,143,147]
<i>Convolvulus capensis</i>	Convolvulaceae		Skaapklimop, Bitterpatat	Bulb	Decoction		South Africa	
<i>Crassula muscosa</i>	Crassulaceae		Skoenvetebos, Akkedishbos	Leaf, Stem, Root, Flower	Decoction			
<i>Dicerothamnus rhinocerotis</i> (L.f.) Koek.	Compositae		Ranosterbos	Leaf, Stem		Diabetes, Hypertension		
<i>Euryops abrotanifolius</i>	Asteraceae		Bergharpuisbos, Harpuisbos	Leaf, Stem				[99,143]
<i>Hoodia gordonii</i>	Apocynaceae		Bobbejaanghaap, Bitterghaap	Leaf, Stem				
<i>Diosma oppositifolia</i>	Rutaceae		Bitterboegoe, Skaapbos	Leaf, Stem, Flower				
<i>Salvia africana-caerulea</i>	Lamiaceae		Wildesalie, Blousalie, Blou blomsalie	Twig, Leaf	Infusion	Hypertension		
<i>Sceletium tortuosum</i>	Aizoaceae		Tandtrekbos, Kougoed	Leaf, Root				

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Conyza scabrida</i>	Asteraceae		Umanzimnyama, Vleiwilger, Fonteinbos, Medisynebos	Leaf, Foliage	Decoction, Infusion	Diabetes Hypertension		[99,147,149]
<i>Elytropappus rhinocerotis</i>	Asteraceae	Rhinosaurus bush	Renosterbos, Anosterbos, Bergrenoster, Vaalrenoster	Leaf	Decoction, Infusion			
<i>Dicoma capensis</i>	Asteraceae		Koorsbossie, Hosabie, Baarbos, Kaarmadik, Sandsalie	Leaf, Root, Twig	Decoction	Diabetes, Hypertension		[99,149]
<i>Euclea undulata</i>	Ebenaceae		Inkunzane	Bark, Root, Whole plant	Infusion, Tea	Diabetes, Hypertension	South Africa	[99,144]
<i>Warburgia salutaris</i>	Canellaceae	Pepperbark tree	Isibhaha	Stem Bark, Root				
<i>Hypoxis colchicifolia</i> Baker	Hypoxidaceae		Ilabatheka, Inongwe	Bulb, Corm	Boiling, Crushing	Diabetes, Hypertension		[53,99]
<i>Searsia burchellii</i>	Anacardiaceae		Karookoeniebos, Taaibos	Leaf, Stem, Root	Infusion	Diabetes, Hypertension		[99,143]
<i>Mentha longifolia</i>	Lamiaceae	Wild mint	Ufuthanalomhlanaga, Ballerja	Leaf, Stem	Decoction, Infusion	Diabetes, Hypertension		[99,143,147, 149]
<i>Schkukhria pinnata</i>	Asteraceae	Dwarf Mexican Marigold	Ruhwahwa, Kleinkakiebos	Whole plant, Leaf, Root	Boiling, Decoction, Infusion	Diabetes, Hypertension		[99,144,147]
<i>Gnidia deserticola</i>	Thymelaeaceae		Koorsbos	Leaf, Stem, Root				
<i>Tagetes minuta</i>	Asteraceae		Koebiebos	Leaf		Diabetes		[143]
<i>Tylecodon paniculatus</i>	Crassulaceae		Bees se bal	Leaf, Stem				

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Bulbine natalensis</i> Baker	Xanthorrhoeaceae		Ibhucu, Rooiwortel	Leaf, Stem, Root	Boiling, Infusion	Diabetes	South Africa	[53,154]
<i>Lupinus termis</i> L.	Papilionaceae		Tormos, Tumus	Seeds, Fruit		Diabetes		[155,156]
<i>Combretum</i> sp.	Combretaceae		Habeil					[157]
<i>Solenostemma argel</i> (Del.)	Asclepiadaceae		Hargel	Leaf		Diabetes		
<i>Geigeria alata</i> Benth. & Hook.f. ex Oliv. & Hiern.	Compositae		Gud-gat, Gadad, Al Gadad	Whole plant, Aerial part, Root	Decoction, Infusion	Diabetes, Hypertension		[156,158,159]
<i>Bauhinia reticulata</i> DC.	Fabaceae		Khroob	Fruit	Maceration	Hypertension		
<i>Blepharis linanifolia</i>	Acanthaceae		Bagail	Aerial part	Maceration, infusion	Diabetes, Hypertension		
<i>Boswellia papyrifera</i>	Burseraceae		Tarag tarag	Bark	Maceration			
<i>Cymbopogon schoenanthus</i> (L.)	Poaceae		Mahraib	Aerial part	Maceration, infusion	Diabetes	Sudan	[159]
<i>Maerua pseudopetalosa</i>	Capparaceae		Kurdala	Root	Mastication	Diabetes, Hypertension		
<i>Sonchus cornutus</i>	Compositae		Moleata	Leaf	Infusion	Diabetes		
<i>Bauhinia rufescens</i>	Fabaceae		Kulkul	Leaf				
<i>Catunaregam nilotica</i>	Rubiaceae		Kir Kir	Fruit				
<i>Cicer arietinum</i> L.	Fabaceae		Kabkabe	Seed				
<i>Cinnamomum verum</i>	Lauraceae		Gerfa	Stem bark				[156]
<i>Cyperus rotundus</i> L.	Cyperaceae		Sieda	Rhizome		Diabetes		
<i>Faidherbia albida</i>	Fabaceae		Haraz	Root bark				
<i>Foeniculum vulgare</i> Mill.	Apiaceae		Shamar	Fruit				
<i>Rhynchosia minima</i>	Fabaceae		Irg el Dam	Root				

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Senna obtusifolia</i>	Caesalpiniaceae		Kawal	Leaf		Diabetes		[156]
<i>Zygophyllum coccineum</i> L.	Zygophyllaceae		Tartir	Whole plant				
<i>Hibiscus rabdariffa</i> L.	Malvaceae		Karkade	Sepals	Maceration, Decoction	Hypertension		[160]
<i>Aloe sinkatana</i> Reynolds	Xanthorrhoeaceae		Sabar, Al-Sabar	Leaf	Mucilaginous, Paste	Diabetes	Sudan	[156,157,160]
<i>Salvadora persica</i> L.	Salvadoraceae		Arak, Al-Miswak	Fruits, Stem, Leaf	Maceration	Hypertension		[157,160]
<i>Tinospora bakis</i>	Menispermaceae		Bun balash/irg alhagar, Irg El Haggar	Root, Seed	Maceration, infusion	Diabetes		[156,159]
<i>Aloe saponaria</i>	Asphodelaceae		Lihala	Leaf	Decoction	Cardiac problems	Swaziland	[161]
<i>Vernonia glabra</i>	Asteraceae		Linyatselo	Root	Decoction	Diabetes		[53,161]
<i>Ozoroa reticulate</i> (Bak.f.)	Anacardiaceae		Nago	Root, Stem bark	Boiling	Hypertension		[162]
<i>Cissus rotundifolia</i>	Vitaceae		Chazi	Leaf	Juice	Heart troubles		
<i>Aerangis flabellifolia</i>	Orchidaceae		Kinmba	Roots	Decoction	Heart diseases		[163]
<i>Sterculia appendiculata</i> K. Schum	Sterculiaceae		Mgude	Stem bark Leaf	Decoction Cardiac pains	Diabetes Cardiac pains	Tanzania	[164]
<i>Cymbopogon citrullus</i>	Poaceae	Lemongrass	Mchaichai	Leaf, Stem, Oil	Extract			
<i>Hagenia abyssinica</i> (Bruce ex Steud.) J.F.Gmel.	Rosaceae	African redwood, East African rosewood	Enjani engashe	Flower and Leaf	Extract	Diabetes		[165]
<i>Afzelia quanzensis</i> Pers.	Caesalpiniodeae		Mkola	Roots, bark		Stroke		
<i>Albizia harveyi</i> Fourn.	Mimosoideae		Mupogolo	Roots, Leaf		Hypertension		[166]
<i>Boscia salicifolia</i> Oliv.	Capparidaceae		Muguluka	Roots, bark		Stroke		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Dalbergia nitidula</i> Bak.	Papilionoideae		Kafinulambasa		Diabetes			
<i>Ekebergia benguelensis</i> DC.	Meliaceae		Mutuzya	Roots, Leaf, bark	Hypertension			
<i>Pericopsis angolensis</i> (Bak.)	Papilionoideae		Mubanga, Muvunga	Roots, Leaf, bark	Stroke			[166]
<i>Vitex mombassae</i> Vatke	Lamiaceae		Mutalali, Musungwi	Roots, Leaf	Diabetes			
<i>Xylopia odoratissima</i> Oliv.	Annonaceae		Mushenene					
<i>Elaeodendron schlechteranum</i> (Loes.)	Celastraceae		Chihusilo, Ngakama	Stem bark, Root, Decoction	Boiling	Cardiovascular problems, Hypertension		[162,167]
<i>Deinbollia borbonica</i> Scheff.	Sapindaceae		Mpwakapwaka, Mwenda kuzimu, Mmoyomoyo, Mkuyu, Muhunge	Fresh Leaf, Root	Soup	Diabetes, Increased heart beat	Tanzania	[168,169]
<i>Vepris glomerata</i> (F. Hoffm.)	Rutaceae		Mulungusigitii	Roots, Leaf	Diabetes, Stroke			[63,166]
<i>Aspilia mossambicensis</i> (Oliv.) Wild	Compositae			Leaf	Boiling, Decoction			
<i>Bridelia duvigneaudii</i> J. Leonard	Euphorbiaceae		Msalasi	Roots	Boiling			
<i>Cyphomandra crassifolia</i> Kuntze	Solanaceae		Mtomatoma	Seeds	Powder	Diabetes		[169]
<i>Cyphostemma junceum</i> (Bak.) Descoings	Vitaceae		Mhogo mwitu	Roots				
<i>Dioscorea praehensilis</i> Benth.	Dioscoreaceae		Amasoma	Tuber	Cooking			
<i>Ficus fischeri</i> Mildbr. & Burr.	Moraceae		Mvila	Stem bark	Boiling			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Maprounea africana</i> Müll. Arg.	Euphorbiaceae		Mtunu	Roots	Decoction			
<i>Pseudolachnostylis maprouneifolia</i> Pax	Phyllanthaceae		Mwana	Roots	Decoction			
<i>Sorindeia madagascariensis</i> DC.	Anacardiaceae		Mpilipili	Roots	Boiling			
<i>Uvariopsis bisexualis</i> Verdc.	Annonaceae		Ntaa	Roots, Leaf	Decoction			
<i>Chassalia umbraticola</i> Vatke	Rubiaceae		Mkangaa					
<i>Ochna confusa</i> Burtt Davy and Greenway	Ochnaceae		Mnungamo	Root, bark				
<i>Warburgia stuhlmannii</i> Engl.	Canellaceae		Sokonoi	Root and bark				
<i>Terminalia mollis</i> M. Laws	Combretaceae		Mkelenge	Stem bark		Diabetes	Tanzania	[169]
<i>Zanthoxylum acanthopodium</i> DC.	Rutaceae		Mjafari, oloisuki	Root and bark				
<i>Acacia kirkii</i> Oliv.	Mimosaceae		Mgunga					
<i>Acacia tortilis</i> (Forsk) Hayne	Mimosaceae		Kikwesa, chikwesa	Roots				
<i>Albizia anthelmintica</i> Brogn.	Mimosaceae		Mkutani	Roots				
<i>Bridelia micrantha</i> Bertol	Euphorbiaceae		Kitovutovu	Roots				
<i>Caesalpinia bonduc</i> (L.) Roxb	Caesalpiniaceae		Msoro, mkomve					
<i>Cyanoglossum lanceolatum</i> Forsk	Boraginaceae		Kifasa	Roots				

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Cyphostemma buchananii</i> (Planch.) Desc. ex Wild & R. B.Drumm.	Vitaceae		Kigugire, kigugile kidogo	Roots and Leaf				
<i>Diospyros loureiroana</i> G.Don	Ebenaceae		Mgoto Syn.	Roots				
<i>Lannea schimperi</i> (A.Rich.)	Anacardiaceae		Mbumbu nyika	Stem bark		Diabetes	Tanzania	[169]
<i>Markhamia obtusifolia</i> Bak Sprague	Bignoniaceae		Myuyu					
<i>Piliostigma tortuosum</i> (Collett & Hemsl.) Thothathri	Fabaceae		Milneedh					
<i>Raphia hookeri</i>	Arecaceae		Bambou			Hypertension		
<i>Combretum molle</i>	Combretaceae		Kizizikou			Hypertension		
<i>Monotes kerstingii</i>	Dipterocarpaceae		Sere			Diabetes		
<i>Lonchocarpus cyanescens</i>			Tchele			Diabetes		
<i>Piliostigma thonningii</i>	Fabaceae		Bakou			Diabetes, Hypertension	Togo	[170]
<i>Xeroderris stuhlmannii</i>			Tchalawari			Diabetes, Hypertension		
<i>Hyptis suaveolens</i>	Lamiaceae		Botifadini			Hypertension		
<i>Securinega virosa</i>	Phyllanthaceae		Tchakatchaka			Diabetes, Hypertension		
<i>Ficus sur</i> Forssk.	Moraceae		Kilimaou	Root	Powder	Hypertension		[171]

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Pergularia daemia</i> (Forssk.)	Asclepiadaceae		Kponkeke, Kpankeke			Diabetes		
<i>Lactuca taraxacifolia</i> (Willd.)	Asteraceae		Anonto	Root	Decoction	Diabetes, Hypertension		[172]
<i>Alternanthera pungens</i>	Amaranthaceae		Agbaklin	Whole plant	Decoction	Diabetes		
<i>Dracaena arborea</i>	Agavaceae		Agnanti	Leaf	Decoction	Diabetes		
<i>Anchomanes welwitschii</i>	Araceae		Haduku	Rhizome	Decoction	Diabetes		
<i>Mondia whitei</i>	Asclepiadaceae		Kanabo	Root	Decoction	Diabetes		
<i>Conyzza aegyptiaca</i>	Asteraceae		Dagnigbe Ahlonme	Whole plant	Decoction	Diabetes		
<i>Launaea taraxacifolia</i>	Asteraceae		Anonto		Decoction	Diabetes	Togo	
<i>Sida linifolia</i>	Malvaceae		Odoe-Ogbougo	Whole plant	Decoction	Diabetes		[173]
<i>Tiliacora warneckei</i>	Menispermaceae		Katokpan	Root	Decoction	Diabetes		
<i>Coccoloba uvifera</i>	Polygonaceae		Raisin de mer	Leaf	Decoction	Diabetes		
<i>Paulinia pinnata</i>	Sapindaceae		Agbatsalika	Leaf	Decoction	Diabetes		
<i>Solanum aethiopicum</i>	Solanaceae		Agbissan	Leaf + Fruit	Decoction	Diabetes		
<i>Tectona grandis</i>	Verbenaceae		Tecti	Leaf	Decoction	Diabetes		
<i>Terminalia glaucescens</i>	Combretaceae		Anagossitou, Souwadaou	Leaf	Decoction	Diabetes		[170,173]
<i>Millettia thonningii</i> (Schum. & Thonn.) Baker	Fabaceae		kodoliya	Root	Powder, Decoction	Diabetes, Hypertension		[170,171]
<i>Canarium schweinfurthii</i> Engl.	Burseraceae		Muwafu, Empafu, Mbafu	Seed, Bark	Decoction, Pasting, Chewing	Cardiovascular condition, Hypertension, Diabetes	Uganda	[38,174]
<i>Garcinia buchananii</i> Baker	Clusiaceae		Musali, Ensali, Nsaala	Bark, Leaf, Roots	Decoction, Pounding	Cardiovascular condition, Diabetes, Hypertension		

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Tragia benthamii</i> Baker	Eupobiaceae		Kamyu		Pounding	Hypertension		
<i>Acacia constricta</i> Benth.	Fabaceae		Muwelamanyo	Root	Decoction	Diabetes		
<i>Sesbania sesban</i> (L.) Merr.			Muzimbandeya			Hypertension, Diabetes		
<i>Ficus cyathistipula</i> Warb.	Moraceae		Mubembe	Leaf	Decoction	Hypertension		[38]
<i>Morella kandtiana</i> (Engl.)	Myricaceae		Mukikimbo	Roots	Chewing	Hernia of the heart		
<i>Oxalis corniculata</i> L.	Oxalidaceae		Kajjampuni	Leaf		Hypertension, Diabetes		
<i>Aframomum angustifolium</i>	Zingiberaceae		Mantugulu	Roots	Pounding	Obesity		
<i>Pancovia</i> sp.	Sapindaceae			Stem, Roots	Pounding	Heart-related problems	Uganda	[175]
<i>Senencio nandensis</i>	Asteraceae		Kisenda	Leaf		Hypertension		
<i>Hallea rubrostipulata</i>	Rubiaceae		Muziku	Roots	Decoction	Diabetes		[31]
<i>Brachiaria decumbens</i> Stapf.	Poaceae		Ejubwa	Fresh leaf	Chewing, Decoction	Heart disease		[176]
<i>Musa</i> sp.	Musaceae		Bitooke	Fresh fruit, Fresh leaf	Decoction			
<i>Zanthoxylum gilletii</i> (De wild.)	Rutaceae		Mutatembwa	Fresh stem bark	Infusion	Hypertension		
<i>Solanum anguivi</i>	Solanaceae		Katunkuma, Obujabara	Fruit	Eating, Boiling, Pounding, Tea	Hypertension		[38,176]
<i>Morus nigra</i>	Moraceae			Whole	Eat as fresh fruit			
<i>Cucurbita pepo</i>	Cucurbitaceae			Seeds	Roasting, Pounding			
<i>Ziziphus abyssinica</i>	Rhamnaceae			Roots	Maceration	Diabetes	Zambia	[177]
<i>Azaza garckeana</i>	Malvaceae			Roots and fruit	Eating, Maceration			
<i>Solanum aculeastrum</i>	Solanaceae			Root	Maceration			

Table 1. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Country	References
<i>Eleusine coracana</i>	Poaceae			Whole		Diabetes	Zambia	[177]


**Figure 1.** Percentage distribution of families of medicinal plants used in sub-Saharan Africa for cardiovascular diseases treatment.

Table 2. Medicinal plants used for the treatment of cardiovascular diseases and their associated risk factors in two or more sub-Saharan African countries.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Abelmoschus esculentus</i> (L.) Moench	Malvaceae		Nefu	Fruit, Seed	Decoction, Maceration, Powder	Diabetes	Gabon	[88]
			Okra pods, Bamia	Fruits		Diabetes	Tanzania	[169]
				Whole plant	Maceration	Diabetes	Zambia	[177]
<i>Abrus precatorius</i> L.	Fabaceae	Rosary pea	Ojou ega, Azetonounkoun	Leaf	Trituration	Diabetes	Benin	[47]
			Mudepu	Leaf	Decoction	Cardiovascular diseases	Gabon	[86]
				Leaf		Diabetes	Ghana	[178]
			Kyuma Kyamditii	Leaf	Decoction	Diabetes	Kenya	[96]
<i>Acacia senegal</i> (L.) Willd	Fabaceae		Idon zakara	Leaf, Seed	Maceration	Diabetes, Hypertension	Nigeria	[123,128,178]
			Gopealega	Stem bark	Decoction	Heart disorders	Burkina Faso	[54]
			Al-Hashab	Fruit, Stem	Powder	Diabetes	Sudan	[156,160]
<i>Acacia nilotica</i> (L.) Delile	Fabaceae	Gum Arabica, Egyptian mimosa	Ghered	Seed, Stem bark	Decoction	Diabetes	Eritrea	[72]
				Frut		Diabetes	Ethiopia	[83]
			Ngiruriti	Bark, Root	Decoction	Diabetes	Kenya	[98]
			Bagaruwa	Root	Decoction	Diabetes	Nigeria	[128]
			Garad	Pod, Bark	Crushing	Diabetes, Hypertension	Sudan	[156,158]
			Olkiriliti	Bark		Diabetes	Tanzania	[166]
<i>Acalypha wilkesiana</i>	Euphorbiaceae			Leaf		Diabetes	Mauritius	[131]
			Aworoso	Leaf	Decoction, Eat, Juice,	Diabetes, Hypertension	Nigeria	[124,179]
<i>Acanthospermum hispidum</i> DC	Asteraceae		Ichakoro-oro, Godoko	Leaf	Decoction	Diabetes	Benin	[47]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Acanthospermum hispidum</i> DC	Asteraceae		Ahlangovi	Whole plant	Decoction	Diabetes	Togo	[173]
<i>Achyranthes aspera</i> L.	Amaranthaceae			Whole plant	Decoction	Diabetes	Cote d'Ivoire	[70]
			Isinama	Root		Hypertension	South Africa	[99]
			Tweega	Flower	Decoction	Heart disorders	Burkina Faso	[54]
<i>Adansonia digitata</i> L.	Malvaceae	Baobab				Diabetes	Cameroon	[59]
			Teydoum	Fruit	Powder	Hypertension	Mauritania	[112]
			Kuka	Bark, Root	Decoction	Diabetes	Nigeria	[128]
<i>Aframomum melegueta</i> (Roscoe) K. Schum.	Zingiberaceae	Alligator pepper	Ata, Atakoun	Fruit, Seed	Maceration, Decoction, Powder	Diabetes	Benin	[47]
						Hypertension	Nigeria	[123]
			Ossame	Seed, Leaf				
<i>Afzelia africana</i> Pers.	Fabaceae			Bark, Root		Diabetes	Guinea	[90]
						Hypertension	Togo	[170]
			Welou					
<i>Ageratum conyzoides</i> L.	Asteraceae			Whole plant		Diabetes	Cameroon	[180]
				Whole plant	Decoction	Diabetes	Cote d'Ivoire	[70]
			Kumba djuma	Leaf, Whole plant	Infusion, Juice	Diabetes	Gabon	[88]
<i>Ajuga remota</i> Benth.	Lamiaceae		Apaasa	Root	Decoction,	Heart attack	Nigeria	[34]
			Ganagbe	Whole plant	Decoction	Diabetes	Togo	[173]
<i>Alchornea cordifolia</i> (Schumach. & Thonn.) Mull.Arg.	Euphorbiaceae	Christmas bush	Armagusa	Leaf	Decoction, Juice	Hypertension	Ethiopia	[77]
			Wanjiru waRurii	Whole plant, Leaf	Decoction	Diabetes	Kenya	[96]
			Sadiodio, Aboe, Kip-togui	Leaf	Decoction	Hypertension	Cameroon	[60]
				Leaf	Decoction	Diabetes, hypertension	Cote d'Ivoire	[181]
			Dumbundzen	Leaf	Decoction	Diabetes	Gabon	[88]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Alchornea cordifolia</i> (Schumach. & Thonn.) Mull.Arg.	Euphorbiaceae	Christmas bush	Agyamaa	Stem	Decoction	Diabetes	Ghana	[35]
			Ebahue, Mbom, Ipa, Eesin, Osokpo, Akowo, Uwanwe, Upia	Leaf, Stem Bark, Seed, Root	Decoction	Diabetes, Hypertension	Nigeria	[123,181]
						Heart disease	Sierra Leone	[139]
			Avovlo	Leaf	Decoction	Diabetes	Togo	[173]
			Mansa, Ayoman		Decoction	Diabetes, Hypertension	Benin	[23,47]
			Sasinsala	Bulb	Powder	Hypertension	Burkina Faso	[54]
<i>Allium cepa</i> L.	Amaryllidaceae	Onion	Tigneri, Ayan, Djanga, Agnosi	Bulb	Decoction	Cardiovascular disease, Diabetes, Hypertension	Cameroon	[59,60]
			Intunguru, Matungu, Lintuguru	Bulb	Decoction, Maceration	Diabetes, Hypertension	DR Congo	[23,66,67]
			Shiguerti-keyih	Bulb		Diabetes	Eritrea	[72]
						Hypertension	Ethiopia	[23]
			Nyonda	Bulb		Diabetes	Gabon	[88]
			Zoiyon / Oignon	Bulb	Decoction	Diabetes, High Cholesterol level	Mauritius	[113,182]
			Alubarha, Alubosa obe	Bulb	Juice	Hypertension	Nigeria	[23,34,123,125]
				Green top of sprout, root, bulb	Juice	Diabetes	South Africa	[147]
			Basal	Bulb		Diabetes	Sudan	[156]
			Albassa			Hypertension	Togo	[23,170]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References		
<i>Allium sativum</i> L.	Amaryllidaceae	Garlic	Ayo		Direct consumption, Decoction, Maceration, Powder	Diabetes, Hypertension	Benin	[23,47]		
			Laye	Bulb	Powder	Hypertension	Burkina Faso	[54]		
			Ayang ntangan	Bulb, Rhizome	Decoction, Maceration	Cholesterol problem, Diabetes, Hypertension	Cameroon	[56,59,60]		
			Itunguru sumu, Lintugunru sumo	Bulb	Decoction	Diabetes, Hypertension	DR Congo	[23,67]		
				Bulb	Tincture, Maceration	Diabetes	Cote d'Ivoire	[70]		
			Shiguerti-tsaeda	Bulb	Consumed raw or added in sauce	Diabetes, Hypertension	Eritrea	[23,72]		
			Kulubi adi	Bulb	Powder	Diabetes, Hypertension	Ethiopia	[23,77]		
			Ail	Bulb, Cloves	Decoction, Maceration	Cardiovascular diseases, Diabetes	Gabon	[86–88]		
				Leaf, Bulb		Diabetes	Guinea	[90]		
			Caumu, Kitunguuua kinene	Cloves, Bulb	Decoction, Infusion	Diabetes	Kenya	[96,98]		
						Hypertension	Madagascar	[23]		
						Diabetes, Hypertension	Mauritius	[23,113,182]		
						Diabetes, Hypertension	Nigeria	[23,123,125, 128,132]		

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Allium sativum</i> L.	Amaryllidaceae	Garlic	Toom	Flower bud	Hypertension	Diabetes, Hyperlipidemia, Hypertension, Stroke, Weight reduction	Sierra Leone	[23,138]
			Bulb			Diabetes, Hypertension	Sudan	[156,157]
			Ayo	Chewing	Reduce heart beat	Hypertension	Tanzania	[23]
<i>Aloe arborescens</i> Mill.	Xanthorrhoeaceae	Krantz aloe	Katunguluccumu	Bark	Chewing	Diabetes	Uganda	[38]
			Inhlaba lencane	Whole	Maceration	Diabetes	Zambia	[177]
			Kransaalwyn, Ikalane, Inkalane, Umhlabana	Leaf	Decoction	Diabetes	South Africa	[147]
			Chanmanchanman, Aloes	Leaf	Trituration, Maceration, Powder	Diabetes	Swaziland	[161]
<i>Aloe buettneri</i> A. Berger	Xanthorrhoeaceae							
		Whole plant	Decoction, Maceration, Infusion	Diabetes	Benin	[47]		
		Mimi	Leaf	Infusion	Diabetes	Togo	[173]	
<i>Aloe ferox</i> Mill.	Xanthorrhoeaceae	Bitter aloe, Cape aloe	Lekhala la Quthing	Leaf, Root	Boiling, Decoction	Diabetes, Hypertension	Lesotho	[42]
			Ikhala-lasekoloni, Bitter alwyn	Leaf, Sap, Roots				

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Aloe marlothii</i> A. Berger	Xanthorrhoeaceae	Mountain aloe	Kgophya ya go eema, inhlaba umhlaba, Inhlaba, Bindamutshe, Mhangani	Leaf, Root	Cooking, Decoction	Diabetes, Hypertension	South Africa	[99,141,147, 153,183]
			Inhlaba lenkhulu	Leaf		Cardiac problems	Swaziland	[184]
<i>Aloe striatula</i> Haw.	Xanthorrhoeaceae		Mohalakane/Seholobe	Leaf		Hypertension	Lesotho	[42]
						Hypertension	South Africa	[99]
						Diabetes	Cameroon	[59]
				Leaf	Maceration	Hypertension	Central African Republic	[64]
		Aloe, True aloe, Aloe vera	Subiri	Leaf	Maceration	Diabetes	DR Congo	[66]
			Aloe vera	Leaf	Decoction	Diabetes	Ghana	[35]
<i>Aloe vera</i> (L.) Burm.f.	Xanthorrhoeaceae	Aloe vera Burn aloe, Indian aloe, Barbados aloe	Aloe vera	Leaf		Diabetes, High Cholesterol Level	Mauritius	[113]
				Leaf		Hypertension	Nigeria	[123]
				Leaf, Gel	Decoction	Diabetes	South Africa	[147]
			Aloe, Alovera	Gel, Leaf, Rind, Stem	Extract	Diabetes	Tanzania	[165,169]
			Fradjo, Faradjo	Root	Decoction	Diabetes	Togo	[170,171]
				Whole	Maceration	Diabetes	Zambia	[177]
			Emien	Stem bark	Decoction, Maceration	Diabetes	Gabon	[87,88]
<i>Alstonia boonei</i>	Apocynaceae	Stool wood	Awun	Root	Decoction	Diabetes	Nigeria	[126]
			Gnamidua	Leaf	Decoction	Diabetes	Togo	[173]
<i>Amaranthus dubius</i>	Amaranthaceae		Brede Malbar	Leaf	Cooking, Eating	Hypertension	Mauritius	[116]
				Leaf	Maceration	Hypertension	South Africa	[99]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Ambrosia maritima</i> L.	Asteraceae		Damsisa, Damesisa	Leaf	Decoction	Diabetes	Ethiopia	[83]
<i>Ammi visnaga</i> (L.) Lam	Apiaceae	Khella, Picktoth	E'bna Bizrat al khalla	Leaf Fruit	Extract	Diabetes	Eritrea	[72]
			Cashew tree, Cashew, Cashew nut, Cashew nut tree, Cashew apple	Egu acajou, Kajoutin Bark, Root, Leaf Leaf	Decoction, Powder, Maceration Maceration	Diabetes	Benin	[47]
						Diabetes, Hypertension	Cameroon	[57,59]
<i>Anacardium occidentale</i> L.	Anacardiaceae			Leaf, Stem bark	Maceration, Infusion, Decoction	Diabetes	Cote d'Ivoire	[70]
				Leaf, Fruit, Bark		Diabetes	Guinea	[90]
			Mahabibo	Leaf, Fruit	Tea	Diabetes	Madagascar	[30,84,107]
			Kasjoeneut	Bark	Tincture	Diabetes	South Africa	[147]
			Atchan, Yovotsan	Leaf	Decoction	Diabetes, Hypertension	Togo	[170,173]
<i>Ananas comosus</i> (L.) Merr.	Bromeliaceae		Abrebre, Agonde	Fruit, Root	Decoction	Diabetes	Benin	[47]
						Obesity	Cameroon	[59]
<i>Anchomanes difformis</i> (Blume) Engl.	Araceae			Rhizome	Maceration	Diabetes	Cote d'Ivoire	[70]
			Nkwe-ndoju	Rhizome	Maceration	Diabetes	Gabon	[87]
						Heart attack	Sierra Leone	[139]
						Hypertension	Benin	[23]
<i>Annona muricata</i> L.	Annonaceae		Saoussawa awaki, Saba saba, Bwembe, Ebom	Leaf	Boiling, Decoction	Heart pain, Hypertension	Cameroon	[59,60]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Annona muricata</i> L.	Annonaceae			Leaf	Infusion	Diabetes	Cote d'Ivoire	[70]
			Corossolier, Soursop	Leaf, Stem bark	Maceration, Decoction	Cardiovascular diseases, Diabetes	Gabon	[86–88]
			Coronsol	Leaf	Tea	Heart palpitations	Madagascar	[107]
			Soursop	Leaf	Infusion	Hypertension	Mauritius	[23,113,118]
			Sabissab, Agnigli	Leaf	Juice	Diabetes	Tanzania	[169]
<i>Annona senegalensis</i> Pers.	Annonaceae	African custard-apple	Otrin-bobo, Gnigiwe	Leaf, Root	Decoction	Diabetes	Benin	[47]
			Gwadda-daji	Leaf	Maceration	Diabetes	Nigeria	[128]
			Tchoutchoude			Diabetes, Hypertension	Togo	[170]
			Agni, Hihon	Bark	Powder	Diabetes	Benin	[47]
<i>Anogeissus leiocarpa</i> (DC.) Guill. & Perr.	Combretaceae	Axelewood tree		Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Marke	Leaf, Bark	Maceration, Decoction	Diabetes	Nigeria	[128]
			Suhab	Inflorescence	Maceration	Diabetes	Sudan	[158]
			Heheti	Leaf	Decoction	Diabetes	Togo	[173]
			Bheino modyo	Root	Decoction	Diabetes	Guinea	[93]
<i>Anthocleista djalonensis</i> A.Chev.	Gentianaceae		Ezenukpogan, Sapo	Leaf, Bark, Root	Decoction, Maceration	Diabetes, Hypertension	Nigeria	[34,93,123,126]
			Assoubo-bissaou, Gboloba	Leaf, Stem bark, Root	Powder, Decoction	Diabetes, Hypertension	Togo	[93,170,171, 173]
<i>Anthocleista vogelii</i> Planch.	Gentianaceae		Gotun, Guswe	Root	Decoction	Diabetes	Benin	[47]
			Ekoka ngowa	Stem bark, Leaf	Decoction	Diabetes	Cameroon	[56,93]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Anthocleista vogelii</i> Planch.	Gentianaceae		Teng mavassa, Ayinebe, Givindu	Leaf, Stem bark, Root	Decoction, Maceration	Cardiovascular diseases, Diabetes	Gabon	[86,88]
			Sapo, Kwari, Awudifo-Akete	Root,	Decoction	Diabetes	Ghana	[93]
			Benin rope, Sapo, Kwari, Awudifo-Akete, Mpoto	Stem, Bark, Root	Decoction, Maceration	Diabetes, Hypertension, Obesity	Nigeria	[93,123]
<i>Arachis hypogaea</i> L.	Fabaceae		Sigkaam/Naguri	Leaf	Charred	Heart disorders	Burkina Faso	[54]
			Gertah	Seed	Infusion	Diabetes	Mauritania	[112]
			Amakinati	Leaf, Seed	Decoction, Cooking	Hypertension	South Africa	[99,153]
<i>Aristolochia albida</i> Duch.	Aristolochiaceae		Waregou, Fondo	Root	Maceration, Decoction, Infusion	Diabetes	Benin	[47]
			Agadayo [170]			Diabetes	Togo	[170]
<i>Artemisia absinthium</i>	Asteraceae	Wormwood, Grand wormwood, Absinthe	Kanyambuba kalume	Leafy stem	Decoction	Diabetes	DR Congo	[67]
			Groenamara	Leaf	Infusion	Diabetes, Hypertension	South Africa	[147,149]
<i>Artemisia afra</i>	Asteraceae	African wormwood, Wild wormwood	Mhlonyane, Wilde als, Umhlonoyane, Alsbos, Lengana, Zengana	Leaf, Root	Boiling, Decoction, Infusion	Diabetes, Hypertension	South Africa	[53,99,143,147, 149]
			Fivi, Majani mapana artemisia	Leaf, Stem, Root		Diabetes	Tanzania	[165,169]
<i>Artocarpus altilis</i>	Moraceae		Weeteyangului	Leaf, Root	Boiling, Decoction	Diabetes	Liberia	[185]
			Fruit a pain	Leaf	Decoction	Diabetes	Mauritius	[113]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Azadirachta indica</i> A. Juss	Meliaceae	Neem, Indian lilac	Jediya, Kininitin	Bark, Leaf	Decoction, Trituration	Diabetes	Benin	[47]
			Dogoyaro	Seed, Leaf, Bark	Decoction	Diabetes	Cameroon	[56]
				Leaf, Stem bark	Decoction	Diabetes	Cote d'Ivoire	[70]
			Neem	Leaf, Stem bark	Decoction	Diabetes	Eritrea	[72]
			Mwarubaine	Stem bark, Leaf	Decoction	Diabetes	Kenya	[96]
			Nimo	Leaf		Diabetes, High cholesterol	Madagascar	[30]
			Neem, Lila perche	Leaf	Decoction, Juice	Diabetes	Mauritius	[113,116]
			Dogonyaro, Dongoyaro	Leaf, Bark, Root	Decoction, Infusion	Cardiac activities, Diabetes	Nigeria	[126,128,186, 187]
			Kiniti	Bark, Root	Decoction	Diabetes	Togo	[173]
			Kiagelga	Stem Bark	Charred	Heart disorders	Burkina Faso	[54]
<i>Balanites aegyptiaca</i> (L.) Delile	Zygophyllaceae	Desert date, Soapberry tree	Mekie	Leaf, Fruit	Extract	Diabetes	Eritrea	[72]
			Higleeg, Laloub, Al-Laloub	Fruit, Seed, Leaf	Fruit pulp eaten, Infusion, Maceration	Diabetes, Hypertension	Sudan	[156–160]
			Aduwa	Leaf, Bark, Root	Decoction, Maceration	Diabetes	Nigeria	[128]
<i>Bambusa vulgaris</i> Schrad.	Poaceae	Bamboo, Chinabamboo		Leaf	Decoction	Hypertension	Central African Republic	[64]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Pampuro ahaban	Leaf	Decoction	Hypertension	Ghana	[89]
			Opaarun	Leaf	Decoction	Diabetes	Nigeria	[126]
<i>Bersama abyssinica</i> Fresen.	Melianthaceae		Azamr	Leaf, Root	Boiling, Crushing	Hypertension	Ethiopia	[188]
			Mukilyulu	Root Bark	Decoction	Diabetes	Kenya	[96]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Bersama abyssinica</i> Fresen.	Melianthaceae			Stem bark, Root	Decoction	Diabetes	Mozambique	[120]
			Tchiogwenoh, Lelete netseke	Whole plant	Decoction, Infusion	Hypertension	Cameroon	[60]
			Koko l limo, Koko ya limo, Kashisha, Nyassa, Igishokoro	Leaf, Leafy Stem	Decoction	Diabetes	DR Congo	[66,67]
<i>Bidens pilosa</i> L.	Compositae			Whole plant	Decoction	Diabetes	Cote d'Ivoire	[70]
					Decoction	Diabetes	Kenya	[95]
			Tsipolotra	Leaf	Soup	Hypertension	Madagascar	[107,108]
			Lavilbag	Leaf	Decoction	Diabetes, Hypertension	Mauritius	[113]
				Leaf	Maceration	Diabetes	Zambia	[177]
			Egui ishin, Lisetin	Bark, Branches, Leaf	Decoction	Diabetes	Benin	[47]
<i>Blighia sapida</i> K. D.Koenig	Sapindaceae	Ackee		Seed, Fruit	Decoction	Diabetes	Cote d'Ivoire	[70]
			Gwanja Kusa, Isin, Okpu	Leaf, Stem bark, Root bark		Diabetes, Hypertension	Nigeria	[189,190]
<i>Boerhavia diffusa</i> L.	Nyctaginaceae			Whole plant	Maceration	Diabetes	Cote d'Ivoire	[70]
			Katson agni	Whole plant	Decoction	Diabetes	Togo	[173]
<i>Brachylaena discolor</i> DC.	Compositae	Silver oak, Coastal/Natal silver leaf	Umpahlahla, Bosvalbos, Vaalbos	Leaf	Boiling, Infusion	Diabetes	South Africa	[53,142,147]
			Mupasa	Leaf	Chewing, Juice	Diabetes	Zimbabwe	[53]
<i>Brassica oleracea</i> L.	Brassicaceae			Leaf	Consumed in form of sauce	Diabetes	Benin	[47]
			Shu	Leaf	Decoction	Diabetes	DR Congo	[66]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Brassica oleracea</i> L.	Brassicaceae		Li chou	Leaf	Juice	Cardiovascular diseases, Diabetes	Mauritius	[113]
			Ira, Honsoukokoe	Leaf, Bark	Decoction, Powder	Diabetes	Benin	[47]
			Nonro	Root	Boiling, Decoction	Hypertension	Central African Republic	[64]
<i>Bridelia ferruginea</i> Benth.	Phyllanthaceae			Leaf, Root	Decoction	Diabetes	Cote d'Ivoire	[70]
			Kizni	Bark	Decoction	Diabetes	Nigeria	[128]
			Kolou, Akamati	Leaf + Root	Decoction	Diabetes	Togo	[170,173]
<i>Bulbine narcissifolia</i>	Xanthorrhoeaceae		Khomo ea balisa	Bulb, Root		Diabetes	Lesotho	[42]
					Decoction	Diabetes	South Africa	[147]
			Egui adji, Djikouin	Leaf, Root	Infusion, Decoction, Maceration	Diabetes	Benin	[47]
<i>Caesalpinia bonduc</i> (L.) Roxb.	Fabaceae	Gray Nicker Bean	Okwen	Leaf	Infusion	Hypertension	Nigeria	[123]
			Adiku	Leaf	Decoction	Diabetes	Togo	[173]
<i>Caesalpinia pulcherrima</i> (L.) Sw.	Fabaceae		Chrochro, Fleur	Leaf	Decoction	Diabetes	Benin	[47]
				Leaf, Stem	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Cajanus cajan</i> (L.) Millsp.	Fabaceae	Pigeon peas	Olene, Otiili	Leaf	Powder	Diabetes, Hypertension	Nigeria	[123,126]
			Mbainisiri, Majani ya mbaazi	Leaf, Seed	Decoction	Diabetes, Heart diseases	Tanzania	[165,168,169]
<i>Calotropis procera</i>	Asclepiadaceae	Sodom apple	Bambamba, Amonman	Leaf, Root	Trituration, Decoction	Diabetes	Benin	[47]
			Putrupuugu	Root	Powder	Heart disorders	Burkina Faso	[54]
			Ghinde'a	Stem bark, Latex	Crushing	Diabetes	Eritrea	[72]
<i>Cannabis sativa</i> L.	Cannabaceae	Marijuana, Indian hemp	Igbo, Gueman	Leaf	Infusion	Diabetes	Benin	[47]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Cannabis sativa</i> L.	Cannabaceae	Marijuana, Indian hemp	Isangu, Um Ya, Intsangu, Dagga, Nsanga, Insangu	Leaf	Crushing, Soaking, Infusion, Decoction	Diabetes, Hypertension, Obesity, Stroke	South Africa	[7,140,142,147, 153]
<i>Capparis decidua</i> (Forssk.) Edgew.	Capparaceae	Caper berry	Sorob Tundub	Leaf, Stem Bark Stem	Infusion	Diabetes	Eritrea	[72]
			Tambo-olobre, Takin winiwini	Fruit	Decoction, Powder	Diabetes	Benin	[47]
<i>Capsicum frutescens</i> L.	Solanaceae	Pepper	Kambi, Kipiarga	Fruit	Decoction	Heart disorders	Burkina Faso	[54]
				Fruit		Hypertension	Cameroon	[191]
			Esin	Fruit		Hypertension	Nigeria	[123]
			Aguidi aka, Kpintin	Leaf, Root, Fruit	Decoction	Diabetes, Hypertension	Benin	[23,47]
			Pawpe	Whole plant	Decoction	Cardiovasular diseases, Diabetes, Hypertension	Cameroon	[56,59]
			Ipapayi, Papayi	Leaf, Root	Decoction	Diabetes	DR Congo	[67]
<i>Carica papaya</i> L.	Caricaceae	Pawpaw	Papayo, Papayio	Fruit, Leaf, Seed	Boiling, Decoction	Diabetes, Hypertension	Eritrea	[23,72,74]
			Papaya, Mulolu	Leaf, Fruit, Pulp, Seed, Root	Decoction, Infusion, Juice	Diabetes	Gabon	[87,88]
			Ahaban	Leaf	Decoction	Hypertension	Ghana	[23,89]
				Leaf, Root		Diabetes	Guinea	[90]
			Papaya	Fruit	Direct Consumption, Juice	Cardiovascular disease, High Cholesterol level, Hypertension	Mauritius	[23,113,182]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Carica papaya</i> L.	Caricaceae	Pawpaw	Okodu, Ako-ibepe, Gwadda, Udia edi, popo, ukpod	Seed, Leaf, Fruit, Root	Decoction, Maceration, Tea	Diabetes, Heart attack, Hypertension, Obesity	Nigeria	[23,34,123,125, 128,132,187, 192]
			Mophopho	Root	Cooking	Diabetes	South Africa	[141,183]
				Root	Decoction	Diabetes	Zambia	[177]
<i>Carissa edulis</i>	Apocynaceae	Num-num	Agam	Stem bark	Extract	Diabetes	Eritrea	[72]
			Mukawa	Leaf, Bark, Root	Decoction	Diabetes	Kenya	[98]
<i>Carissa spinarum</i> L.	Apocynaceae		Ahanzo	Root	Decoction, Maceration, Powder	Diabetes	Benin	[47]
					Decoction	Diabetes	Kenya	[95]
			Monepenepe	Root	Powder	Diabetes	Botswana	[52]
<i>Cassia abbreviata</i> Oliv.	Fabaceae	Long-tail cassia	Malandesí	Leaf, Pod	Decoction	Diabetes	Kenya	[96]
			Molomanama	Stem bark	Extract	Diabetes	South Africa	[147]
			Mkundekunde	Root		Diabetes	Tanzania	[169]
				Root	Maceration	Diabetes	Zambia	[177]
			Mapalata, Nkaya loto	Leaf	Decoction	Diabetes	DR Congo	[66]
<i>Cassia alata</i> L.	Fabaceae	Ringworm bush	Kattreping			Hypertension	Mauritius	[114]
			Asuwon	Stem bark	Powder	Diabetes	Nigeria	[126]
			Nom sas	Seed	Maceration	Hypertension	Cameroon	[60]
<i>Cassia occidentalis</i> L.	Fabaceae	Violet tree, Coffee Senna				Diabetes	Comoros	[65]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Cassia occidentalis</i> L.	Fabaceae	Violet tree, Coffee Senna	Mwenga jinni, Ma nsanmzi usambi, Mushegamanjoka, Kashegema, Lukunda bajanyi, Mbaw-mbaw	Leaf, Root, Whole plant	Decoction	Diabetes	DR Congo	[66,67,69]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Itanna-akorere, Sanga-sanga	Seed, Leaf, Root	Decoction, Infusion	Diabetes, Stroke	Nigeria	[34,128]
			Stinky Leaf			Diabetes, Hypertension	Sierra Leone	[138,139]
<i>Cassia sieberiana</i> DC.	Fabaceae	Africa Laburnum, West African laburnum	Soreib	Seed	Decoction	Hypertension	Sudan	[158]
			Mugunga, Mununga nunsi	Leaf		Diabetes	DR Congo	[69]
			Sindja	Leaf, Root	Decoction	Diabetes, Hypertension	Guinea	[90,92]
			Aridantoro, Malga	Leaf, Root	Decoction, Maceration	Diabetes	Nigeria	[126,128]
<i>Cassia tora</i> L.	Fabaceae	Foetid senna	Gat-Gati	Root	Decoction	Diabetes	Togo	[173]
			Sigdre	Leaf	Charred	Hypertension	Burkina Faso	[54]
				Leaf	Decoction, Juice	Cardiac problems, Hypertension	Nigeria	[50,123]
<i>Catharanthus roseus</i> (L.) G.Don	Apocynaceae	Madagascar periwinkle	Bonjour bonsoir, Fleur	Leaf, Root	Decoction	Diabetes, Hypertension	Benin	[23,47]
				Root	Decoction	Hypertension	Cameroon	[60]
			Mauwa, Vinka	Leaf	Decoction	Diabetes	DR Congo	[66,67]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
				Leaf		Diabetes	Guinea	[90]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Catharanthus roseus</i> (L.) G.Don	Apocynaceae	Saponnaire	Saponnaire	Leaf	Infusion	Diabetes	Mauritius	[113]
				Leaf, Whole plant	Decoction	Diabetes	Mozambique	[53,84]
						Hypertension	Nigeria	[23]
		Kilakou-sindazi, Cougouvigbe	Seed, Leaf, Flower, Root	Decoction, Infusion		Diabetes, Hypertension	South Africa	[23,99,142,147, 153]
						Hypertension	Tanzania	[23]
			Leaf, Root	Decoction		Diabetes, Hypertension	Togo	[23,170,173]
<i>Ceiba pentandra</i> (L.) Gaertn.	Malvaceae	Boma stick	Bouma, Riwoun, Doum, Heum, Awoueng	Bark, Leave, Root	Decoction, Maceration	Diabetes, Heart palpitations, Hypertension	Cameroon	[56,57,60]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Fromage	Leaf, Stem bark, Bark, Root	Decoction	Diabetes	Gabon	[87,88]
			Araba, Apabida	Bark, Leaf		Hypertension	Nigeria	[34]
<i>Centella asiatica</i> (L.)	Apiaceae			Root	Cooking	Diabetes	South Africa	[141]
				Leaf		Diabetes	Tanzania	[169]
<i>Chromolaena odorata</i> L.	Asteraceae		Agatou	Root	Decoction	Diabetes	Benin	[47]
				Leaf, Root	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Cinnamomum camphora</i> (L.) J.Presl	Lauraceae		Ravitsara	Leaf		Hypertension	Madagascar	[30]
			Uroselina	Gum		Hypertension	South Africa	[99]
<i>Cissampelos mucronata</i> A. Rich.	Menispermaceae	Enyati, Onyati	Enyati, Onyati	Hypogeous organs		Hypertension	Angola	[44]
			Tingwet	Root	Boiling	Hypertension	Kenya	[97,175]
			Leginiko/Jenkolo	Root		Stroke	Nigeria	[34]
<i>Cissampelos pareira</i> L.	Menispermaceae			Leaf, Root		Diabetes	Kenya	[150]
			Godogbo	Stem, bark, roots		Hypertension	Nigeria	[34]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Citrullus colocynthis</i> (L.) Schrad.	Cucurbitaceae		Kaka chaimkpe, Goussi	Endocarp	Maceration	Diabetes	Benin	[47]
			Hdajlehmar	Seed of fruit		Diabetes	Mauritania	[112]
			Handal, Hundal, Al-Handal	Seed, Fruit, Stem, Root	Poultice	Diabetes	Sudan	[155–157,160]
<i>Citrus aurantiifolia</i> (Christm.) Swingle	Rutaceae	Lime	Jogorotan ogodo, Kletin	Leaf, Fruit, Jus, Root	Decoction, Powder, Maceration, Juice	Diabetes, Hypertension	Benin	[23,47]
				Leaf		Diabetes	Chad	[193]
						Hypertension	Congo	[23]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Lomi	Leaf		Hypertension	Ethiopia	[23,80]
						Diabetes, Hypertension, Cardiovascular disease	Mauritius	[23,113]
			Limon	Fruit	Juice		Nigeria	[23,123]
<i>Citrus limon</i> (L.) Osbeck	Rutaceae	Lemon	Akbopi	Fruit		Hypertension	Togo	[23,170]
			Akanka			Hypertension	Cameroon	[59]
				Leaf		Diabetes	Chad	[193]
			Mti wa ndimu kali, Ndimu, Chunghwa kali	Fruit	Juice, Extraction	Diabetes	DR Congo	[66,67]
			Limon			Hypertension	Mauritius	[114]
			Osanganyin	Fruit		Diabetes	Nigeria	[126]
			Ulamula	Peel of Fruit, Pulp, Root	Decoction	Hypertension	South Africa	[99,153]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Citrus limon</i> (L.) Osbeck	Rutaceae	Lemon	Nimawa	Fruit	Juice	Hypertension	Uganda	[38]
				Root	Decoction	Diabetes	Zambia	[177]
<i>Citrus maxima</i> (Burm.) Merr.	Rutaceae		Pamplemousse	Fruit Peel	Decoction	Diabetes, High Cholesterol Level	Mauritius	[113]
			Upapamuzi	Fruit	Eaten Raw	Hypertension	South Africa	[99,153]
					Decoction	Diabetes	Ghana	[194]
			Chesamishiet	Leaf, Root	Boiling	Stroke	Kenya	[97]
<i>Clausena anisata</i> (Willd.) Hook.f. ex Benth.	Rutaceae	Horsewood, Maggot killer	Umukambhiba	Leaf, Root	Maceration, Decoction	Hypertension	South Africa	[99]
			Umukelambiba	Stem bark	Concoction	Cardiac problems	Swaziland	[184]
			Mjafari	Leaf, Stem, Root	Extract	Diabetes	Tanzania	[165,169]
			Eyra	Leaf	Decoction	Diabetes	Togo	[173]
			Muvengahonye	Leaf		Diabetes	Zimbabwe	[195]
<i>Cleistopholis patens</i> (Benth.) Engl. & Diels	Annonaceae			Leaf	Trituration, Kneading	Diabetes	Cote d'Ivoire	[70]
			Doundzou, Ovoc	Stem bark	Decoction	Cardiovascular Diseases	Gabon	[86]
<i>Clerodendrum myricoides</i> (Hochst.) R.Br. ex Vatke	Lamiaceae	Ugandense	Sur-betri	Stem bark, Leaf	Extract	Diabetes	Eritrea	[72]
			Muvweia, Munguya	Leaf	Decoction	Diabetes	Kenya	[96]
<i>Clutia natalensis</i> Bernh.	Peraceae		Mosali-mofubelu	Root		Diabetes	Lesotho	[42]
				Root	Decoction	Diabetes	South Africa	[147]
<i>Cocos nucifera</i> L.	Arecaceae	Coconut	Egui agonkin, Agonkintin	Leaf, Root, Bark, Coco water	Decoction, Maceration	Diabetes	Benin	[47]
			Coconut, Coco	Fiber	Decoction	Diabetes	Gabon	[87,88]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Cocos nucifera</i> L.	Arecaceae	Coconut	Coco, Cocotier	Fruit, Oil	Decoction	Diabetes	Mauritius	[113,118]
			Iri-oibo, Agbon	Stem, Stem bark	Infusion	Diabetes, Hypertension	Nigeria	[123,126]
			Kpakpadire			Hypertension	Togo	[170]
<i>Coffea mauritiana</i> Lam.	Rubiaceae			Leaf	Decoction, Infusion	Diabetes	Cote d'Ivoire	[70]
			Café marron			Diabetes	Mauritius	[117]
<i>Cola acuminata</i>	Sterculiaceae		Obi abata,	Fruit	Decoction, Maceration	Diabetes	Benin	[47]
			Colatier	Fruit	Maceration	Cardiovascular diseases	Gabon	[86]
<i>Cola nitida</i> (Vent.)	Sterculiaceae	Kola nut	Goro, Golo	Fruit	Decoction, Maceration	Diabetes	Benin	[47]
						Diabetes	Nigeria	[196]
			Goro			Diabetes	Togo	[170]
<i>Combretum micranthum</i>	Combretaceae		Kinkeliba	Leaf	Infusion	Diabetes	Gabon	[87,88]
			Kankaliba	Leaf	Decoction	Diabetes, Hypertension	Guinea	[90,92]
<i>Commiphora africana</i> (A. Rich.)	Burseraceae	Hairy corkwood, Namibian corkwood	Harige Kanniedood	Bark	Decoction	Diabetes	South Africa	[147]
			Muntonto, Esilalei	Roots, bark		Diabetes	Tanzania	[166]
<i>Corchorus olitorius</i> L.	Malvaceae		Yoyo, Ninnounwi	Seed	Powder	Diabetes	Benin	[47,197]
			Ewedu, Ahuhara	Leaf twigs, Leaf, Seed	Powder	Diabetes, Heart troubles	Nigeria	[124,197]
			Ademe	Leaf	Powder	Diabetes	Togo	[173]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Crossopteryx febrifuga</i> (Afzel. ex G.Don) Benth.	Rubiaceae		Kum-waga	Fruit	Maceration	Obesity	Burkina Faso	[54]
			Musanzambeke, Nakasabuni	Root, Bark		Diabetes, Hypertension	Tanzania	[166,169]
<i>Croton macrostachyus</i> Del.	Euphorbiaceae		Mutundu, Kitundu	Root bark		Diabetes	Kenya	[96]
			Mhulugu, mbiha			Diabetes	Tanzania	[169]
<i>Croton zambesicus</i>	Euphorbiaceae		Animonegjee	Fruit		Hypertension	Nigeria	[123]
			Um gleigla	Seed, Fruit		Hypertension	Sudan	[198]
<i>Curculigo pilosa</i>	Hypoxidaceae		Ikuole-gouchou, Ayote	Tuber	Decoction	Diabetes	Benin	[47]
			Epaikun	Root		Hypertension	Nigeria	[34]
			Ofrin, Cha/Timan	Leaf	Decoction	Diabetes, Hypertension	Benin	[23,47]
			Djenji, Ossanga, Fiba glass	Root	Decoction	Hypertension	Cameroon	[60]
<i>Cymbopogon citratus</i> (DC.) Stapf	Poaceae		Majani tshai	Leaf	Decoction	Diabetes, Hypertension	DR Congo	[23,66]
				Rhizome	Decoction	Diabetes	Cote d'Ivoire	[70]
			Citronelle, Lemongrass, Ditsotsu	Leaf	Decoction, Infusion	Cardiovascular diseases, Diabetes	Gabon	[86–88]
						Hypertension	Nigeria	[23]
<i>Dalbergia melanoxylon</i> Guill. & Perr.	Fabaceae		Mchaichai	Leaf, Stem		Diabetes	Tanzania	[169]
			Tigbe			Diabetes	Togo	[170]
			Abanous, Al-Babanous	Leaf	Infusion	Heart pain	Sudan	[157,160]
			Mpingo	Leaf	Juice	Cardiac trouble	Tanzania	[168]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Daniellia oliveri</i> (Rolfe) Hutch. & Dalziel	Fabaceae	African copaiba balsam	Iya, Zantin, Wuya, Yanburu	Leaf, Bark, Root	Decoction, Maceration	Diabetes, Obesity, Heart attacks in children	Benin	[47,199]
						Hypertension	Mali	[200]
			Majee	Bark	Decoction	Diabetes	Nigeria	[128]
				Root	Consumed in form of sauce	Diabetes	Benin	[47]
<i>Daucus carota</i> L.	Apiaceae	Carrot		Tuber	Expression, Grating, Juice	Diabetes	Cote d'Ivoire	[70]
				Caroti	Tuber	Eaten raw or with salad	Eritrea	[72]
<i>Detarium microcarpum</i> Guill. & Perr.	Fabaceae	Tallow tree	Ajekofole-oko, Dakpa	Bark, Root	Decoction	Diabetes	Benin	[47]
			Arira	Stem bark	Infusion	Diabetes	Nigeria	[126]
<i>Dialium guineense</i> Willd.	Fabaceae		Meeko	Leaf	Decoction	Hypertension	Guinea	[92]
			Uge	Fruit		Hypertension	Nigeria	[123]
<i>Dichrostachys cinerea</i> (L.) Wight & Arn.	Fabaceae	Fever bush, Stomach bush	Susutri	Leaf	Juice	Heart disorders	Burkina Faso	[54]
			Mkalala	Root		Diabetes	Tanzania	[169]
			Bouvoum			Diabetes	Togo	[170]
<i>Dicoma anomala</i>	Asteraceae	Fever bush, Stomach bush	Hloenya	Leaf, Root		Diabetes, Hypertension	Lesotho	[42]
			Umuna, Hloenya,	Leaf, Root	Decoction	Diabetes, Hypertension	South Africa	[99,147]
<i>Diospyros mespiliformis</i> Hochst.	Ebenaceae		Gaaka	Fruit	Charred	Heart insufficiency	Burkina Faso	[54]
				Leaf, Stem	Decoction	Diabetes	Cote d'Ivoire	[70]
			Tigbado			Hypertension	Togo	[170]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Elaeis guineensis</i> Jacq.	Arecaceae	Palm oil	Egui ekpe, Detin	Branch, Root	Decoction, Maceration	Diabetes	Benin	[47]
			Mbourou	Leaf	Boiling, Decoction	Hypertension	Central African Republic	[64]
				Fruit (Palm oil)		Palpitation, Heart trouble	Liberia	[201]
<i>Elephantorrhiza elephantina</i> (Burch.) Skeels	Fabaceae	Eland's bean, Aland's wattle, Elephant's root	Mositsane	Rhizome		Heart conditions, Hypertension	Lesotho	[42]
			Intolwane, Igwejobmvu, Mupangara, Mositsane	Leaf, Rhizome	Decoction, Infusion	Diabetes, Hypertension	South Africa	[7,99,147]
<i>Entada abyssinica</i> A. Rich.	Fabaceae	Tree entanda	Halke	Leaf, Stem bark	Decoction	Diabetes	Eritrea	[72]
			Mufutwambula, Mfutwamvula, Ngemwambula	Leaf, Bark, Root	Soaking or boiling in water	Diabetes, Hypertension	Tanzania	[166,169]
<i>Entada gigas</i> (L.) Fawc. & Rendle	Fabaceae			Leaf, Stem	Decoction	Diabetes	Cote d'Ivoire	[70]
			Coeur de mer	Stem bark	Decoction	Diabetes	Gabon	[87,88]
<i>Erythrina abyssinica</i> DC.	Fabaceae		Kinsungu, Isungwa, Katshiyitshiyi	Bark, Root	Decoction	Diabetes	DR Congo	[69]
			Mkalwanhuba	Root	Powder	Diabetes	Tanzania	[169]
				Bark	Decoction	Diabetes	Zambia	[177]
<i>Eucalyptus globulus</i> Labill.	Myrtaceae	Eucalyptus	Tsaeda- kelamintos, Ts-Kelamitoes	Leaf, Bark	Extract, Crushing, Boiling	Diabetes	Eritrea	[72,74]
			Eucalyptus	Leaf	Infusion	Diabetes	Mauritius	[113]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Eucalyptus globulus</i> Labill.	Myrtaceae	Eucalyptus	Ronde bloekomblaar		Infusion	Diabetes	South Africa	[147]
			El kafour	Leaf		Diabetes	Sudan	[156]
			Mukinyei	Root	Decoction	Diabetes	Kenya	[96,202]
<i>Euclea natalensis</i> A. DC	Ebenaceae	Large-leaved guarri	Mohlakola, Natal guarri	Bark, Root	Boiling, Decoction	Diabetes	South Africa	[145,147,202]
			Mdala	Root Bark		Diabetes	Tanzania	[169]
<i>Euphorbia clavarioides</i> Boiss.	Euphorbiaceae	Lions spoor	Sehlooko	Whole plant		Diabetes, Hypertension	Lesotho	[42]
			Sehlele, Sehloko	Whole plant	Decoction	Diabetes	South Africa	[147]
			Ignankoun ayira, Nonsinwe	Whole plant	Powder	Diabetes	Benin	[47]
			Ewuda manyongo	Whole plant	Decoction	Diabetes	Cameroon	[56]
						Hypertension	Comoros	[65]
<i>Euphorbia hirta</i> L.	Euphorbiaceae	Asthma weed	Ambeningo	Leaf, Whole plant	Decoction, Maceration	Diabetes	Gabon	[88]
				Leaf		Diabetes	Guinea	[90]
			Jean Robert	Leaf	Decoction	Diabetes	Mauritius	[113]
			Azin uloko	Leaf	Concoction	Hypertension	Nigeria	[123,125]
			Lonzwe, Vakikulu, Mziwaziwa	Leaf, Bark, Root	Decoction	Diabetes, Hypertension	Tanzania	[166,169]
			Notsigbe, Anosigbe, Anossika	Whole plant	Decoction	Diabetes, Hypertension	Togo	[172,173]
<i>Ficus capensis</i> Thunb.	Moraceae	Sycamore tree		Leaf, Bark, Root		Diabetes	Guinea	[90]
						Hypertension	Mali	[200]
			Opoto	Leaf	Decoction	Diabetes	Nigeria	[126]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
			Lukenga	Leaf	Decoction	Diabetes	DR Congo	[66]
<i>Ficus exasperata</i> Vahl	Moraceae	Sand paper tree	Borai	Leaf, bark, Root	Decoction, Maceration	Cardiovascular dysfunctions, Diabetes, Heart diseases, Hypertension	Nigeria	[128,203]
<i>Ficus natalensis</i> Hochst.	Moraceae		Muuomo/Kiumo	Fruit	Infusion	Diabetes	Kenya	[96]
			Omutoma	Leaf	Decoction	Heart disease	Uganda	[176]
<i>Ficus platyphylla</i> Delile	Moraceae	Red robber tree	Agbede, Kapite	Bark	Powder	Diabetes	Benin	[47]
				Stem bark	Decoction	Diabetes	Cote d'Ivoire	[70]
			Gamji	Bark	Decoction	Diabetes	Nigeria	[128]
<i>Flueggea virosa</i>	Euphorbiaceae		Wadjedje, Chake-chake	Root, Leaf	Decoction, Maceration	Diabetes	Benin	[47]
				Root	Decoction	Diabetes	Cote d'Ivoire	[70]
			Tchacatchaca	Stem bark	Decoction	Diabetes	Togo	[171]
<i>Galinsoga parviflora</i> Cav.	Compositae		Mung'ei	Leaf, Root	Decoction	Diabetes	Kenya	[98]
				Leaf	Maceration	Hypertension	South Africa	[99]
			Mukanga	Stem bark	Decoction	Diabetes	Kenya	[96]
<i>Garcinia buchananii</i> Baker	Clusiaceae		Ensali, Nsaala, Musali	Leaf, Bark, Root	Decoction, Pounding	Diabetes, Hypertension, Cardiovascular condition	Uganda	[38,174]
<i>Garcinia kola</i> Heckel	Clusiaceae	Bitter kola	Iwo, Ahowe	Fruit	Direct Consumption, Decoction, Maceration, Powder	Diabetes	Benin	[47]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Garcinia kola</i> Heckel	Clusiaceae	Bitter kola	Edun	Fruit		Diabetes	Guinea	[90]
				Fruit		Hypertension	Nigeria	[123]
				Fruits, Bark, Seed	Decoction, Crushing	Diabetes	Angola	[43]
<i>Gardenia ternifolia</i> Schum.	Rubiaceae		Iheung	Bark	Maceration	Hypertension	Cameroon	[60]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Kilindilamugunda	Root		Hypertension	Tanzania	[166]
			Kawou, Flife	Leaf	Decoction	Diabetes, Hypertension	Togo	[170,173]
<i>Glycine max</i> (L.) Merr.	Fabaceae	Soybean	Soja	Seed	Powder	Diabetes	Benin	[47]
			Mobe olo	Leaf		Hypertension	Nigeria	[123]
<i>Gmelina arborea</i>	Verbenaceae	Beechwood	Milina	Leaf, Bark	Decoction	Hypertension	Nigeria	[123]
			Ansara-tantouna			Hypertension	Togo	[170]
<i>Graptophyllum pictum</i> (L.)	Acanthaceae			Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Lait de vierge	Leaf	Decoction	Diabetes	Mauritius	[113,118]
			Fumbwa	Leaf	Decoction	Diabetes	DR Congo	[66]
<i>Gnetum africanum</i> Welw.	Gnetaceae		Nkumu	Leaf	Cooking	Diabetes	Gabon	[87,88]
			Afang	Leaf	Chewing, Cooking as soup	Hypertension	Nigeria	[132]
<i>Guiera senegalensis</i> J.F.Gmel.	Combretaceae	Moshi medicine	Puglum	Leaf	Charred, Decoction	Hypertension, Heart diseases	Burkina Faso	[54,204]
				Root, Bark	Powder	Hypertension	Cameroon	[56]
			Bufunuk, Kankanango	Leaf		Obesity	The Gambia	[205]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Guiera senegalensis</i> J.F.Gmel.	Combretaceae	Moshi medicine	Sabara	Leaf, Root	Decoction, Maceration	Diabetes	Nigeria	[128,204]
			Gubeish, Gubaish, Ghubeish	Leaf, Root	Decoction, Infusion	Diabetes, Hypertension	Sudan	[155–159,204]
<i>Gymnema sylvestre</i> (Retz.) R.Br. ex Sm.	Apocynaceae	Gymnema, Australian cow plant, Periploka of the woods	Shankuk	Leaf	Extract	Diabetes	Eritrea	[72]
					Decoction	Diabetes	Ghana	[194]
				Leaf	Decoction	Diabetes	South Africa	[147]
<i>Gymnosporia senegalensis</i> (Lam.) Loes.	Celastraceae		Frefre-ira, Jadoman	Root	Decoction	Diabetes	Benin	[47]
			Aych	Leaf	Infusion	Diabetes	Mauritania	[112]
			Sengaparile	Tuber	Soaking	Hypertension	Botswana	[52]
<i>Harpagophytum procumbens</i> (Burch.)	Pedaliaceae	Devils claw	Devils claw	Tuberous root	Infusion, Decoction, Tincture, Powder, Extract	Diabetes	South Africa	[152,206]
<i>Harrisonia abyssinica</i>	Simaroubaceae			Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Hedza	Leaf	Decoction	Diabetes	Togo	[173]
			Aton-dog	Bark	Decoction	Hypertension	Cameroon	[60]
<i>Harungana madagascariensis</i> Lam. ex Poir.	Hypericaceae		Kadwamuko, Ndura, Ndimu, Chunghwa	Leaf	Decoction, Extraction	Diabetes	DR Congo	[67]
				Stem bark	Decoction	Diabetes	Cote d'Ivoire	[70]
			Atsui	Leaf	Chewing	Diabetes	Gabon	[87,88]
			Soungala		Infusion	Hypertension	Guinea	[92]
			Harongana	Bud Leaf		Heart disease	Madagascar	[102]
<i>Heliotropium indicum</i> L.	Boraginaceae	Indian heliotrope	Ogbole arouko, Koklossou dinpaja	Leaf	Decoction	Diabetes	Benin	[47]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Heliotropium indicum</i> L.	Boraginaceae	Indian heliotrope	Atapari Obuko	Leaf	Decoction	Diabetes	Nigeria	[126]
			Bukulu	Calix	Decoction, Infusion, Maceration	Diabetes	Gabon	[88]
			Bissabe		Decoction	Hypertension	Guinea	[92]
			Roselle	Fruit	Juice	Diabetes	Mauritius	[113]
<i>Hibiscus sabdariffa</i> L.	Malvaceae	Roselle		Flower		Hypertension	Nigeria	[123]
			Karkadeh, Karkady	Calyx	Decoction, Infusion	Hypertension	Sudan	[158,159]
				Leaf, Stem Bark	Decoction	Diabetes	Cote d'Ivoire	[70]
			Sesewou	Bark	Decoction	Diabetes	Togo	[173]
<i>Hordeum vulgare</i> L.	Poaceae		Gibs		Fermented drink	Hypertension	Ethiopia	[82]
			Sha-yr	Seed	Powder	Diabetes	Mauritania	[112]
<i>Hoslundia opposita</i> Vahl	Lamiaceae			Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Omunyenete	Leaf	Soaking	Hypertension	Tanzania	[162]
<i>Hymenocardia acida</i> Tul.	Phyllanthaceae	Doum palm	Oroukpa, Sotive	Root	Maceration	Diabetes	Benin	[47]
			Pellitoro	Leaf	Decoction	Hypertension	Guinea	[92]
				Root	Maceration	Diabetes	Zambia	[177]
			Goriba	Fruit	Eating	Hypertension	Cameroon	[56]
<i>Hyphaene thebaica</i> (L.) Mart.	Arecaceae	Doum palm	Goriba	Root	Decoction	Diabetes	Nigeria	[128]
			Dom, Nabag	Fruit, Epicarp	Infusion	Diabetes	Sudan	[156,159]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
						Diabetes, Hypertension	Botswana	[207]
<i>Hypoxis hemerocallidea</i>	Hypoxidaceae	African potato, Yellow star, Star lily, Star flower	INonqwe, African potato, Ilabatheka, Inkomfe, Sterretjie, Starflowers, Inongwe	Corm, root	Crushing, Decoction	Diabetes, Heart weakness, Hypertension, Stroke	South Africa	[7,53,99,147, 152,153]
				Rhizome	Decoction	Diabetes	Angola	[43]
<i>Imperata cylindrica</i> (L.) Raeusch	Poaceae		Iguan, Se	Root, Leaf	Decoction/Maceration	Diabetes	Benin	[47]
			Tenona	Leaf		Hypertension	Madagascar	[103]
			Kasholoza, Kavunanfuka, Abwebwe, Musholotsi, Umwikokori, Umusoro	Roots	Chewing	Diabetes	DR Congo	[67]
						Diabetes	Ghana	[55]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Ipomoea batatas</i> (L.) Lam.	Convolvulaceae		Mongu	Leaf, Tubers, Whole plant	Juice extract, Infusion, Powder	Diabetes	Gabon	[88]
				Bark, fruits, Leaf, roots		Diabetes	Cameroon	[57]
<i>Irvingia gabonensis</i>	Irvingiaceae		Mwiba, Africa mango, ndoc	Seed, Fruit, Leaf, Stem bark, Root	Decoction, Maceration	Diabetes	Gabon	[88]
<i>Isoberlinia doka</i> Craib & Stapf	Fabaceae		Kpakpa	Leaf	Decoction	Diabetes	Benin	[47]
				Root		Heart disease	Chad	[193]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Jatropha curcas</i> L.	Euphorbiaceae	Barbados nut	Okpokporou founfoun, Kpotin wewe	Leaf, Root	Decoction, Triturating, Decoction	Diabetes	Benin	[47]
			Beadounde, Len	Root	Decoction	Hypertension	Cameroon	[60,208]
			Asangi, Mpuluka, Ndolu	Leaf, Bark, Root bark	Decoction	Diabetes, Cardiac palpitation	DR Congo	[66,209]
				Leaf, Stem	Maceration	Diabetes	Cote d'Ivoire	[70]
			Puluka	Seed, Leaf, Root, Stem Bark, Whole plant	Decoction, Maceration	Diabetes	Gabon	[88]
				Leaf, Stem		Diabetes	Guinea	[90]
			Cini dazugu	Leaf, Fruit, Root, Bark	Decoction, Maceration, Fruit burning to ashes	Diabetes	Nigeria	[128,208]
			Babati, Babatihe	Leaf + Root	Decoction	Diabetes, Hypertension	Togo	[172,173]
<i>Jatropha gossypiifolia</i> L.	Euphorbiaceae		Okpokporou kpikpa, Kpotin vovo	Leaf	Decoction, Triturating	Diabetes	Benin	[47]
			Babatidzin	Leaf		Diabetes	Togo	[173]
<i>Kalanchoe crenata</i> (Andrews) Haw.	Crassulaceae			Whole plant		Diabetes	Cameroon	[57]
			Aflatogan	Root	Decoction	Diabetes	Togo	[173]
<i>Khaya senegalensis</i> (Desv.) A.Juss.	Meliaceae	Mahogany, African mahogany	Esisa, Akao, Aganwo, Kayi, Gbira	Leaf, Bark, Root	Decoction, Maceration, Powder, Decoction	Diabetes, Hypertension	Benin	[47,199]
			Kuka	Leaf	Powder	Heart disorders, Obesity	Burkina Faso	[54]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Khaya senegalensis</i> (Desv.) A.Juss.	Meliaceae	Mahogany, African mahogany	Okpe, Madacci	Stem bark, Bark	Decoction	Diabetes, Hypertension	Nigeria	[123,128,210]
			Mahogany	Stem bark	Decoction, Maceration	Diabetes	Sudan	[156,160]
			Frimou	Root, Stem bark	Powder, Decoction	Diabetes, Hypertension	Togo	[39,171,210]
<i>Kigelia africana</i> (Lam.) Benth	Bignoniaceae	Sausage tree	Gnankpo, Gnanblikpotin	Root, Fruit	Decoction	Diabetes	Benin	[47]
			Mederba, Zelzale	Fruit	Eaten	Diabetes	Eritrea	[72]
				Bark, Seed, Root	Decoction	Diabetes	Kenya	[100]
			Pandoro	Seed		Hypertension	Nigeria	[34]
				Seed	Roasting, Eaten, Crushing	Diabetes	South Africa	[211]
			Um Shutour, Um-Shitour	Fruit	Paste, Decoction	Diabetes, Hypertension	Sudan	[156,160]
<i>Lannea acida</i> A.Rich.	Anacardiaceae		Mudungwa, Mwicha, Mwegea	Root, Bark, Fruit		Diabetes, Hypertension	Tanzania	[166,169]
			Mussa	Leaf, Bark	Ashes	Hypertension	Uganda	[38,211]
				Fruit	Maceration	Diabetes	Zambia	[177]
<i>Lantana camara</i> L.	Verbenaceae	Assoguidoka, Zonzon	Bark	Decoction	Diabetes	Benin	[47]	
			Leaf		Diabetes	Guinea	[90]	
		Hlaciayo	Root	Decoction	Diabetes	Benin	[47]	
			Leaf, Root	Decoction	Diabetes	Cote d'Ivoire	[70]	
		Lantanier, Filawa	Leaf, Root	Decoction, Infusion	Diabetes	Gabon	[87,88]	
		Ponpontiaani	Leaf	Infusion	Hypertension	Guinea	[92]	

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Lantana camara</i> L.	Verbenaceae		Radriaka	Leaf	Infusion	Hypertension	Madagascar	[30,108]
			Ubukhwebezane	Root	Decoction, Infusion	Hypertension	South Africa	[99]
			Fonyvi	Leaf	Decoction	Diabetes	Togo	[173]
<i>Launaea cornuta</i> (Hochst. ex Oliv. & Hiern) C.Jeffrey	Compositae		Muthunga	Leaf	Chewing, Boiling	Diabetes	Kenya	[98]
			Vanshaqaar, Qaraariye	Leaf, Root, Whole plant	Decoction	Diabetes	Somalia	[212]
<i>Leptadenia hastata</i> Vatke	Apocynaceae		Lelongo	Stem Bark	Decoction	Diabetes	Burkina Faso	[54]
				Root	Decoction	Diabetes	Cameroon	[56]
			Yaadiya	Leaf	Decoction	Diabetes, Hypertension	Ghana	[35]
<i>Leucosidea sericea</i>	Rosaceae		Cheche	Leaf, Stem		Hypertension	Lesotho	[42]
			Umtshitshi			Hypertension	South Africa	[99]
<i>Lippia multiflora</i>	Verbenaceae				Infusion	Hypertension	Ghana	[194]
			Boufazaou				Togo	[170]
<i>Lophira lanceolata</i> Tiegh. ex Keay	Ochnaceae		Ngokole	Leaf	Decoction	Hypertension	Central African Republic	[64]
			Kparakpara	Root	Decoction, Powder	Hypertension	Togo	[170]
<i>Mangifera indica</i> L.	Anacardiaceae	Mango	Mango, Mangatin	Leaf, Bark, Root	Decoction	Diabetes	Benin	[47]
						Diabetes	Cameroon	[59]
			Mti wa hembe, Nzete ya manga, Mwembe, Hembe, Mongo, Muitie Mamanganga, Mutshi wa mangaya	Root, Stem Bark	Decoction	Diabetes	DR Congo	[66–68]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Mangifera indica</i> L.	Anacardiaceae	Mango	Mangus	Leaf, Stem Bark	Decoction	Diabetes	Eritrea	[72]
			Mwiba mutangani	Leaf, Seed, Stem-Bark, Root	Decoction	Diabetes	Gabon	[88]
			Mango dua	Stem Bark	Decoction	Hypertension, Diabetes	Ghana	[89]
			Mango Seny	Leaf	Decoction	Hypertension	Guinea	[92]
			Muembe	Leaf	Infusion	Diabetes	Kenya	[98]
			Mangue, Manguier	Leaf	Infusion	Diabetes	Mauritius	[113,118]
			Ebe mango, Mangoro, Mangwaro	Leaf, Stem bark	Maceration, Decoction, Powder	Diabetes, Hypertension	Nigeria	[123,126,128, 132]
			Mangoti	Leaf	Decoction	Diabetes	Togo	[173]
				Leaf	Maceration	Diabetes	Zambia	[177]
			Mumango	Bark	Extraction	Diabetes	Zimbabwe	[53]
<i>Manihot esculenta</i> Crantz.	Euphorbiaceae		Adjagoun, Fingnignin	Tuber	Maceration	Diabetes	Benin	[47]
			Zengue, Kediann, Makwamba, Cassinga, Mbon	Leaf	Paste, Maceration	Hypertension	Cameroon	[60]
			Mangahazo	Leaf	Infusion	Hypertension	Madagascar	[108]
			Manioc	Leaf	Infusion	Hypertension	Mauritius	[113,118]
<i>Maytenus senegalensis</i> (Lam.) Exell	Celastraceae		Tokvugri	Leaf	Decoction	Hypertension	Burkina Faso	[54]
			Tchindjinya			Diabetes	Togo	[170]
<i>Melanthera scandens</i>	Asteraceae		Ayara edemerong	Leaf		Diabetes	Nigeria	[213]
			Byabarwoya, Eshurwa	Leaf	Decoction	Diabetes	Tanzania	[169]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Mentha aquatica</i> L.	Lamiaceae		Ehohwa	Leaf, Stem, Seed	Infusion	Hypertension	South Africa	[99]
				Leaf	Tea	Hypertension	Uganda	[176]
<i>Milicia excelsa</i> (Welw.)	Moraceae		Iroko, Lokotin	Bark	Powder, Maceration	Diabetes	Benin	[47]
			Obiga	Stem bark	Decoction	Diabetes	Gabon	[87,88]
<i>Mimosa pudica</i> L.	Fabaceae	Sensitive plant	Bodji	Leaf	Decoction	Diabetes	Gabon	[87,88]
			Ebe-abhurior	Root		Hypertension	Nigeria	[123]
			Sensitive mimosa			Stroke	Sierra Leone	[138]
			Yilga	Leaf		Decoction	Burkina Faso	[54]
<i>Mitragyna inermis</i> (Willd.) Kuntze	Rubiaceae			Leaf, Stem bark	Decoction	Diabetes	Cote d'Ivoire	[70]
				Fruit		Diabetes	Sudan	[156]
			Limpkati	Leaf		Diabetes	Togo	[173]
						Cardiovascular disorders, Diabetes	Botswana	[207]
<i>Momordica balsamina</i> L.	Cucurbitaceae	African pumpkin, African cucumber, Bitter gourd, Balsam pear	Garahuni	Leaf	Maceration	Diabetes	Nigeria	[128]
			Mothwatwa, Intshungu, Umkaka	Leaf, Root, Fruit, Seed	Cooking, Decoction, Infusion, Poultice, Tea	Diabetes, Hypertension	South Africa	[99,141,142, 146,147,153]
			Ira-ira, Abu el Efain	Leaf, Seed	Infusion	Diabetes	Sudan	[156,158]
			Inkakha	Aerial part	Eaten as a vegetable	Diabetes, Hypertension	Swaziland	[184]
<i>Momordica charantia</i> L.	Cucurbitaceae		Kpalari, Yinsikin	Leaf	Decoction, Trituration	Diabetes	Benin	[47]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Momordica charantia</i> L.	Cucurbitaceae	Margose	Fruit, Leaf, Stem, Whole plant	Decoction	Diabetes	Cote d'Ivoire	[70]	
				Leaf	Decoction	Cardiovascular diseases	Gabon	[86]
					Direct Consumption of Leaf, Juice, Soaking of seeds in water	Diabetes, High Cholesterol Level	Mauritius	[113]
		Bitter melon		Leaf, Fruit		Diabetes	Nigeria	[122]
			Monamelala	Leaf, Whole plant, Potherb	Cooking, Maceration	Diabetes, Hypertension	South Africa	[99,141,146]
					Juice, Cooking	Diabetes	Tanzania	[169]
<i>Momordica foetida</i> Schumach.	Cucurbitaceae	Katchalayo, Agnagran		Whole plant	Infusion	Diabetes, Hypertension	Togo	[170,173]
			Iphunzu	Leaf	Decoction	Diabetes	Kenya	[96]
		Owouwo, Houinsi / Wetin	Intshungu	Leaf, Stem, Root, Whole plant	Decoction, Juice, Tea	Diabetes, Hypertension	South Africa	[99,142,146]
				Root, Leaf, Bark	Decoction	Diabetes	Benin	[47]
<i>Morinda lucida</i> Benth.	Rubiaceae	African peach	Bokakate, Mulambu	Leaf, Bark, Root	Maceration, Decoction	Diabetes	DR Congo	[66]
				Leaf, Bark, Root	Decoction	Diabetes	Cote D'Ivoire	[70]
			Dungatsi, Akeng	Leaf, Bark	Decoction	Diabetes	Gabon	[88]
			Sido	Leaf		Hypertension	Nigeria	[123]
			Zanklan, Zaklam	Leaf	Decoction	Diabetes, Hypertension	Togo	[170,173]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Morinda morindoides</i> (Baker) Milne-Redh.	Rubiaceae	Kongobololo, Mesokhama	Leaf	Decoction	Diabetes	DR Congo	[66]	
		Lagalaga, Kpatinman	Root	Decoction	Diabetes	Cote d'Ivoire	[70]	
		Arzan tiiya	Leaf, Seed	Powder, Triturating, Sauce/Direct Consumption	Diabetes, Hypertension	Benin	[23,47]	
		Moringa	Leaf	Juice	Diabetes, Hypertension	Eritrea	[23,72]	
		Bagaruwa, Moringa	Leaf, Stem	Decoction	Diabetes, Hypertension	Ghana	[23,35,89]	
<i>Moringa oleifera</i> Lam.	Moringaceae	Horseradish tree, Miracle tree Drumstick tree, Behen tree	Leaf, Root		Diabetes	Guinea	[90]	
			Moringa	Seed	Chewing	Diabetes	Kenya	[98]
			Brede mourongue	Leaf, Stem, Root	Juice, Decoction	Diabetes, High Cholesterol level, Hypertension	Mauritius	[23,113]
			Igbale, Zogale	Leaf, Bark, Root	Decoction, Infusion	Diabetes, Hypertension, Stroke	Nigeria	[23,34,128,214]
			Moringa	Seed, Leaf	Cooking	Diabetes	Sierra Leone	[23,138]
			Makgonatsohle	Flower, Pod, Seed, Leave, Root	Powder	Diabetes	South Africa	[141]
			Mlonge, Moringa	Seed	Powder	Diabetes	Tanzania	[165,169]
			Segueleguedi, Yovoviti	Seed	Powder	Diabetes, Hypertension	Togo	[23,170,173]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Moringa oleifera</i> Lam.	Moringaceae	Horseradish tree, Miracle tree		Leaf, Seed, Root	Decoction	Diabetes, Hypertension	Uganda	[215]
		Drumstick tree, Behen tree						
<i>Mucuna pruriens</i> (L.) DC.	Fabaceae	Velvet bean	Werepe, Agbala	Whole plant	Decoction	Diabetes	Zambia	[177]
				Leaf, Seed	Juice	Diabetes	Cote d'Ivoire	[70]
<i>Musa acuminata</i> Colla	Musaceae		Banane	Fruit	Eating	Diabetes	Mauritius	[113]
			Ihliziyo, Kabhanana ebomvu	Flower bracts	Decoction	Hypertension	South Africa	[99,153]
				Whole	Cooking	Diabetes	Zambia	[177]
<i>Musa paradisiaca</i> L.	Musaceae	Plantain		Doboroagbamgba, Kokwe sozou	Powder	Cardiovascular disease	Cameroon	[59]
<i>Musanga cecropioides</i> R.Br. ex Tedlie	Urticaceae	Umbrella tree	Plantain, Digondi	Skin, Fruit, Root, Leaf, Stem	Burning, Juice, Maceration	Diabetes	Gabon	[87,88]
				Akondro	Leaf, Fruit	Diabetes	Madagascar	[102]
<i>Nasturtium officinale</i> R. Br	Brassicaceae		Oghede	Fruit, Stem	Maceration	Hypertension	Nigeria	[123]
				Divala, Parassolier, Aseng	Leaf, Stem bark	Decoction, Maceration	Cardiovascular diseases, Diabetes	Gabon
			Ebe iehara	Leaf		Hypertension	Nigeria	[123]
<i>Nauclea diderrichii</i>	Rubiaceae		Anandrano	Leaf		Hypertension	Madagascar	[103]
			Cresson	Leaf	Juice	Diabetes	Mauritius	[113]
						Diabetes	Benin	[91]
				Bark		Diabetes	Cameroon	[91]
			Bilinga	Stem bark	Decoction	Diabetes	Gabon	[87]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Nauclea latifolia</i> Sm.	Rubiaceae	African peach		Root		Diabetes, Hypertension	Benin	[91]
				Root		Diabetes	Congo	[91]
				Stem bark, Root	Decoction	Diabetes	Cote d'Ivoire	[70,91]
				Tafashia	Root	Decoction	Hypertension	Ghana [89]
				Leaf, Fruit, Bark, Stem bark, Root		Diabetes	Guinea	[90,91]
				Egbesi	Leaf, Stem bark, Root	Hypertension	Nigeria	[34,91,123]
<i>Newbouldia laevis</i> (P. Beauv.) Seem.	Bignoniaceae			Karmadoda	Fruit, Leaf	Infusion	Diabetes, Hypertension	Sudan [156,159]
				Gnimon	Root	Decoction	Diabetes	Togo [173]
				Akokon, Kpatin	Leaf, Bark	Decoction	Diabetes	Benin [47]
				Ossome-dzo	Stem Bark	Decoction	Diabetes	Gabon [87,88]
<i>Nicotiana tabacum</i> L.	Solanaceae			Dufin, Ako	Root		Stroke	Nigeria [34]
				Taba, Kla	Leaf	Powder, Triturating	Diabetes	Benin [47]
							Hypertension	Togo [170]
<i>Nigella sativa</i> L.	Ranunculaceae	Black cumin		Abosoda	Seed	Added in bread, Powder	Diabetes	Eritrea [72,73]
				Al Haba Alsoda	Seed		Diabetes	Sudan [156]
<i>Ocimum americanum</i> L.	Lamiaceae			Hizihizi, Kessou kessou	Root, Leaf	Decoction, Maceration	Diabetes	Benin [47]
				Kozossonya				
<i>Ocimum basilicum</i> L.	Lamiaceae			Seseg	Leaf	Crushing, Boiling	Hypertension	Eritrea [74]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Ocimum basilicum</i> L.	Lamiaceae		Mutaa	Whole plant, Leaf	Decoction, Infusion	Diabetes	Kenya	[96]
				Leaf	Poultice	Hypertension	Ghana	[35]
			Lhbaq	Leaf	Decoction	Diabetes	Mauritania	[112]
						Hypertension	Senegal	[216]
			Timie	Leaf, Stem	Infusion	Heart problems, Hypertension	South Africa	[7,99]
<i>Ocimum gratissimum</i> L.	Lamiaceae	Scent leaf	Aribra, Chiayo	Leaf	Decoction, Triturating, Powder	Diabetes	Benin	[47]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Nunum	Leaf	Decoction	Hypertension	Ghana	[35,89]
			Ebewadu	Leaf	Decoction	Diabetes, Hypertension	Nigeria	[123,125,134]
			Kounozorou, Esrou	Leaf	Infusion	Diabetes	Togo	[170,173]
<i>Olea europaea</i> L.	Oleaceae	Wild olive	Molialundi	Stem bark, Root	Decoction	Diabetes	Kenya	[96]
			Mohloare	Leaf, Stem		Hypertension	Lesotho	[42]
			Zolive	Leaf	Infusion	Cardiovascular disease, Diabetes, Hypertension	Mauritius	[23,113]
<i>Opilia amentacea</i> Roxb.	Opiliaceae	Gnandoro, Touahantouman	uMquma, Umnquma, Olienhou,	Leaf, Bark, Root	Boiling, Decoction	Diabetes, Heart problems, Hypertension	South Africa	[7,99,147,149]
			Olienhoutboom, Mutlhwari					

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Opilia amentacea</i> Roxb.	Opiliaceae		Domfadou			Diabetes, Hypertension	Togo	[170]
<i>Oxytenanthera abyssinica</i> (A. Rich.) Munro	Poaceae		Dawe	Leaf, Root	Decoction, Maceration	Diabetes	Benin	[47]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
				Leaf	Decoction	Diabetes	Togo	[173]
<i>Parkia biglobosa</i> (Jacq.) G.Don	Fabaceae	African locust bean	Ougba, Dumbu	Leaf, Bark, Root, Fruit		Diabetes, Hypertension	Benin	[17,199]
			Roaga	Root	Charred	Heart disorders, Hypertension	Burkina Faso	[54]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Dawadawa/Dorowa	Leaf, Root	Decoction	Diabetes, Hypertension	Ghana	[35,89]
				Stem bark		Diabetes, Hypertension	Nigeria	[123,217]
<i>Parquetina nigrescens</i> Afzel.	Apocynaceae		Soulou, Ewati	Leaf	Decoction	Diabetes, Hypertension	Togo	[170,173,217]
			Ikpiarelokhae	Leaf	Infusion	Hypertension	Nigeria	[123]
			Bovoin, Atobo, Tobo		Maceration	Heart pains	Togo	[172]
<i>Pennisetum purpureum</i> Schumach.	Poaceae		Mikuku	Stem	Maceration	Diabetes	Gabon	[87,88]
			Orubingo	Leaf	Roasting	Heart disease	Uganda	[176]
<i>Pentaclethra macrophylla</i>	Mimosaceae			Fruit	Maceration	Cardiovascular disease	Cameroon	[56]
			Ukana	Seed	Cooked as soup	Hypertension	Nigeria	[132]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Pentanisia prunelloides</i>	Rubiaceae	Wild verbena, Broad-leaved pentanisia	Setima-mollo	Leaf, Root		Diabetes, Heart problems, Hypertension	Lesotho	[42]
			Icimamlilo	Leaf, Rhizome, Corm, Root	Extract	Diabetes, Hypertension	South Africa	[99,147]
<i>Peperomia pellucida</i> (L.) Kunth	Piperaceae		Pepper-elder	Leaf	Infusion	Diabetes, Hypertension	Gabon	[87,88,218]
				Leaf		Diabetes, Hypertension	Nigeria	[125,218]
<i>Pericopsis laxiflora</i> (Baker) Meeuwen	Fabaceae		Ichedoun, Sedon	Leaf	Decoction	Diabetes	Benin	[47]
			Tchamani			Hypertension	Togo	[170]
			Egui avoka, Avokatin	Leaf	Decoction	Diabetes, Hypertension	Benin	[23,47]
						Diabetes	Cameroon	[59]
			Nzete ya savoka, Ivoka, Avocati	Leaf, fruit	Decoction	Diabetes	DR Congo	[66,67]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Avocado, Muvoka	Leaf, Seed	Maceration, Decoction	Diabetes	Gabon	[87,88]
			Paya ahaban	Root	Decoction	Hypertension	Ghana	[23,89]
			Piya	Leaf, Seed	Decoction	Diabetes, Hypertension	Guinea	[23,90,92]
			Mukurobi	Leaf, Bark	Decoction	Diabetes	Kenya	[98]
<i>Persea americana</i> Mill.	Lauraceae	Avocado pear, Avocado	Avocat	Fruit	Juice	High Cholesterol Level, Hypertension	Mauritius	[23,113]
			Olumueb, Ube, Eben mbakara	Leaf, Seed, Fruit	Powder	Hypertension	Nigeria	[23,34,122,123, 125,132]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Persea americana</i> Mill.	Lauraceae	Avocado pear, Avocado	Moafokhathe	Leaf, Pulp, Fruit, Root	Cooking, Decoction	Diabetes; Hypertension	South Africa	[23,99,141]
				Stem bark	Decoction	Hypertension, Palpitation	Swaziland	[184]
			Mparachichi, Mwembe, Mafuta, Avocado	Leaf, Fruit, Seed, Rind, Bark, Whole plant		Diabetes	Tanzania	[165,169]
			Paya, Peya	Leaf	Decoction	Diabetes, Hypertension	Togo	[23,170,173]
				Leaf, Seed	Decoction, Infusion	Hypertension	Uganda	[176]
<i>Persea gratissima</i> Gaertn.	Lauraceae		Pia, Fia	Leaf, Bark	Decoction	Hypertension	Cameroon	[60]
			Avocatier	Leaf	Decoction	Cardiovascular diseases	Gabon	[86]
<i>Petroselinum crispum</i> (Mill.). Fuss	Apiaceae		Parsley, Persil	Leaf	Chewing	Diabetes	Gabon	[87,88]
			Persil	Leaf	Decoction, Juice	Diabetes, High Cholesterol level, Hypertension	Mauritius	[113]
						Diabetes	Cameroon	[59]
<i>Phaseolus vulgaris</i> var. <i>aboriginus</i> (Burkart) Baudet	Fabaceae			Pod	Decoction	Diabetes	Cote d'Ivoire	[70]
			Cishimbo, Mukenji, Maharagwe	Green pod	Decoction	Diabetes	DR Congo	[67]
			Bean	Fruit	Decoction	Diabetes	Gabon	[87,88]
			Haricot vert	Pod	Decoction	Diabetes	Mauritius	[113]
			Sona, Ayi	Clove	Decoction	Diabetes	Togo	[170,173]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Philenoptera cyanescens</i> (Schum. & Thonn.) Roberty	Fabaceae		Elou, Aho Tchele	Root Stem bark	Decoction Decoction	Diabetes Hypertension	Benin Togo	[47] [171]
			Aribissohou, Hlinwe	Whole plant, Leaf	Decoction	Diabetes	Benin	[47]
				Leaf	Decoction, Infusion, Maceration, Tincture	Diabetes	Cote d'Ivoire	[70]
<i>Phyllanthus amarus</i> Schumach. & Thonn.	Phyllanthaceae			Whole plant	Decoction	Diabetes, Hyperglycaemia	Nigeria	[219]
			Mzalia nyuma	Leaf		Diabetes	Tanzania	[169]
			Seni-seniyo, Ahlinvi	Whole plant	Decoction	Diabetes, Hypertension	Togo	[170,173]
<i>Phyllanthus niruri</i> subsp. <i>lathyroides</i> (Kunth) G.L.Webster	Phyllanthaceae	Phyllanthus plant	Keelaneli Eyinbisowo	Leaf Leaf	Decoction Decoction	Diabetes Diabetes	Mauritius Nigeria	[113] [126]
<i>Physalis peruviana</i>	Solanaceae		Mbuma, Mbupuru, Umuhire	Aerial part, Fruit, Leaf	Decoction	Diabetes	DR Congo	[67,220]
					Decoction	Diabetes	Kenya	[95]
			Abere, Ayokpe	Seed	Decoction, Maceration, Powder	Diabetes	Benin	[47]
<i>Picralima nitida</i>	Apocynaceae	Picralima	Ebam, Dugundu	Leaf, Fruit, Stem, Bark, Seed	Decoction, Maceration, Infusion	Cardiovascular diseases, Diabetes	Gabon	[86–88]
			Abere	Root	Decoction	Diabetes, Hypertension	Ghana	[35]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Picralima nitida</i>	Apocynaceae	Picralima	Abeere	Seed	Infusion	Diabetes	Nigeria	[126]
<i>Piliostigma thonningii</i> (Schum.) Milne-Redh.	Fabaceae	Amberi, Ayokpe	Amberi, Ayokpe	Seed	Decoction	Diabetes, Hypertension	Togo	[170,173]
<i>Piliostigma thonningii</i> (Schum.) Milne-Redh.	Fabaceae	Barke	Barke	Stem bark	Decoction	Hypertension	Guinea	[92]
<i>Piper guineense</i>	Piperaceae	Bakou, Klo	Bakou, Klo	Leaf	Decoction	Diabetes, Hypertension	Togo	[170,173]
<i>Piper guineense</i>	Piperaceae	Idjaye, Ninninkoun	Idjaye, Ninninkoun	Seed	Decoction, Maceration, Powder	Diabetes	Benin	[47]
<i>Piper guineense</i>	Piperaceae	Njilulu	Njilulu	Bark	Decoction	Diabetes	DR Congo	[67]
<i>Piper guineense</i>	Piperaceae			Fruit	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Piper guineense</i>	Piperaceae	Abo-Me-Nzang- Ndic	Abo-Me-Nzang- Ndic		Decoction	Cardiovascular diseases	Gabon	[86]
<i>Piper umbellatum</i> L.	Piperaceae	Fouboren, Abomedzana, Bepoie, Meuboue	Fouboren, Abomedzana, Bepoie, Meuboue	Leaf	Paste, Maceration	Hypertension	Cameroon	[60,221]
<i>Piper umbellatum</i> L.	Piperaceae	Abo-Me-Nzang	Abo-Me-Nzang		Decoction	Cardiovascular Diseases	Gabon	[86]
<i>Plumbago zeylanica</i> L.	Plumbaginaceae	Leadwort	Anan, Dangblan	Leaf	Powder	Diabetes	Benin	[47]
<i>Plumbago zeylanica</i> L.	Plumbaginaceae	Leadwort	Aftooth	Root, Stem	Decoction	Diabetes	Eritrea	[72]
<i>Portulaca oleracea</i> L.	Portulacaceae	Amira	Amira	Leaf		Heart disease	Ethiopia	[76]
<i>Portulaca oleracea</i> L.	Portulacaceae	Nkekeih, Deung-Deung	Nkekeih, Deung-Deung	Leafed-stem	Paste, Maceration	Hypertension	Cameroon	[60]
<i>Prosopis africana</i> (Guill. & Perr.) Taub.	Fabaceae	Prekese	Prekese	Seed, Leaf	Decoction	Hypertension	Ghana	[89]
<i>Prosopis africana</i> (Guill. & Perr.) Taub.	Fabaceae	Kpalou	Kpalou	Stem bark, Root	Powder, Decoction	Diabetes	Togo	[170,171]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Pseudocedrela kotschy</i> (Schweinf.) Harms	Meliaceae	Savanna woodland tree	Chahizi, Atindokpwe, Tchaguidi, Bisisumbu	Leaf, Bark, Root	Decoction	Diabetes, Hypertension	Benin	[47,49,199]
			Ti-tore	Stem Bark	Decoction	Hypertension	Burkina Faso	[54]
			Tuna	Root	Decoction	Hypertension	Ghana	[89]
			Tuna	Root	Decoction	Diabetes	Nigeria	[128]
			Ditotore			Diabetes, Hypertension	Togo	[170]
			Kekoun, Kinkountin	Leaf, Root	Decoction	Diabetes	Benin	[47]
						Diabetes	Comoros	[65]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Zeitun	Leaf	Decoction	Diabetes	Eritrea	[72]
			Goyavier, Guava	Leaf, Stem bark	Decoction, Maceration	Cardiovascular diseases, Diabetes	Gabon	[86–88]
<i>Psidium guajava</i> L.	Myrtaceae	Guava		Leaf		Diabetes	Guinea	[90]
			Goyave	Leaf, Fruit	Infusion, Consume Ripe Fruit, Juice	Diabetes	Mauritius	[113]
			Gova, Guofa	Leaf		Hypertension, Stroke	Nigeria	[34,123,125]
			Koejawel, Ugwawa	Leaf, Root	Decoction, Infusion	Diabetes, Hypertension	South Africa	[99,142,153, 222]
			Umgwawa	Leaf	Infusion	Hypertension, Palpitation	Swaziland	[184]
			Goyaba			Diabetes	Togo	[170]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Pteleopsis suberosa</i> Engl. & Diels	Combretaceae		Okroukrou, Klui-Klui	Leaf, Bark	Decoction, Powder	Diabetes	Benin	[47]
			Sissinon, Sisinon	Stem bark	Powder	Diabetes, Hypertension	Togo	[170,171]
<i>Pterocarpus erinaceus</i> Poir	Fabaceae		Nonoigna	Leaf	Charred	Hypertension	Burkina Faso	[54]
			Igiara	Bark		Hypertension	Nigeria	[34]
			Tem			Diabetes	Togo	[170]
<i>Punica granatum</i> L.	Lythraceae		Grenade	Fruit	Juice	Cardiovascular disease, High Cholesterol level	Mauritius	[113]
			Mokgarenate, Granaat	Root	Cooking, Infusion	Diabetes	South Africa	[141,147]
<i>Pyrenacantha kaurabassana</i> Baill.	Icacinaceae		Njovu yayenda, Chikhazika, Mambo, Vindindi	Underground part	Powder	Heart palpitations, Hypertension	Malawi	[223]
			Insema	Bulb, Tuber	Decoction	Hypertension	South Africa	[99,153]
<i>Rauvolfia caffra</i>	Apocynaceae	Swizzle stick	Mutalala	Leaf, Stem		Diabetes	DR Congo	[69]
			umHlambamanzi	Stem, Bark, Whole plant		Hypertension	South Africa	[99]
<i>Rauvolfia vomitoria</i> Afzel.	Apocynaceae	Swizzle stick	Lewe	Root	Decoction	Diabetes	Benin	[47]
			Abude	Leaf	Decoction	Heart ache	Cameroon	[56]
			Isumbubululu	Root bark	Decoction	Diabetes	DR Congo	[66]
				Leaf	Infusion	Diabetes	Cote d'Ivoire	[70]
			Mupitugu	Leaf, Root, Bark	Decoction, Maceration	Diabetes	Gabon	[88]
			Akata, Asofeyeje	Root, Bark, Stem, Leaf	Decoction	Diabetes, Hypertension	Nigeria	[123,125,126]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Rhamnus prinoides</i> L. Her	Rhamnaceae	African dogwood, Camdeboo stinkwood, Glossy-leaf	Mukarakinga	Roots, Bark	Decoction	Diabetes	Kenya	[98]
			Mofifi			Diabetes	Lesotho	[42]
			Blinkblaar, Mofifi	Branches	Decoction	Diabetes	South Africa	[147]
				Whole plant	Decoction	Diabetes	Cote d'Ivoire	[70]
			Laara	Seed		Hypertension	Nigeria	[34]
<i>Ricinus communis</i> L.	Euphorbiaceae		Umhlakuva, Impono	Leaf	Decoction	Hypertension	South Africa	[99,153]
			Mbarika, Mkale	Leaf, Root		Stroke	Tanzania	[166]
			Dedele			Hypertension	Togo	[170]
			Azmarino	Leaf, Stem	Added to food	Diabetes	Eritrea	[72]
<i>Rosmarinus officinalis</i> L.	Lamiaceae	Rosemary	Romarin	Leaf	Decoction	Cardiovascular disease	Mauritius	[113]
			Roosmaryn	Leaf	Decoction, Infusion	Diabetes, Obesity	South Africa	[140,147]
<i>Rumex abyssinicus</i> Jacq.	Polygonaceae		Meqmoqo, Mekmeko	Root		Diabetes, Hypertension	Ethiopia	[76,82,224]
						Diabetes, Hypertension	Cameroon	[224]
<i>Rumex lanceolatus</i>	Polygonaceae	Small dock, Smooth dock, Common dock	Khamane	Leaf, Root		Diabetes	Lesotho	[42]
			Gladdetongblaar	Leaf, Root	Decoction	Diabetes	South Africa	[147]
			Okpa-soucre, Leke	Root, Leaf	Decoction	Diabetes	Benin	[47]
<i>Saccharum officinarum</i> L.	Poaceae					Hypertension	Cameroon	[59]
			Sugar cane	Wine, Leaf	Fermentation	Diabetes	Gabon	[88]
				Outer part	Maceration	Diabetes	Zambia	[177]
<i>Salvia officinalis</i> L.	Lamiaceae			Leaf	Infusion	Diabetes	DR Congo	[67]
			Maaramya	Leaf		Diabetes	Sudan	[156]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Sarcocephalus latifolius</i> (Sm.)	Rubiaceae		Igbessin, Ko	Root	Decoction, Maceration, Powder	Diabetes	Benin	[47]
			Um dimy	Stem bark	Decoction	Diabetes	Cote d'Ivoire	[70]
			Um dimy	Root, Fruit	Infusion	Diabetes	Sudan	[159]
<i>Schwenckia americana</i> L.	Solanaceae		Kidjitchilou	Leaf, Bark, Root	Decoction, Maceration	Diabetes, Hypertension	Togo	[170]
						Diabetes	Nigeria	[128]
						Hypertension	Togo	[170]
			Edi	Leaf	Decoction	Diabetes	Cameroon	[56]
				Leaf	Powder	Diabetes	Cote d'Ivoire	[70]
<i>Sclerocarya birrea</i> (A. Rich.) Hochst	Anacardiaceae		Maroela	Bark, Leaf, Stem, Stem-Bark	Decoction	Diabetes, Hypertension	Nigeria	[192]
						Diabetes	South Africa	[99,142]
						Diabetes	Sudan	[156,158]
			Mupfura	Root	Steaming	Diabetes	Zimbabwe	[53]
<i>Scoparia dulcis</i> L.	Plantaginaceae		Jomboa	Leaf, Branchlet	Maceration	Stroke	Cameroon	[56]
			Whole plant		Decoction	Diabetes	Cote d'Ivoire	[70]
						Diabetes	Guinea	[90]
			Noumayi	Leaf	Decoction	Diabetes	Togo	[173]
<i>Searsia lancea</i>	Anacardiaceae	Karee	Ts'ilabele	Leaf, Fruit		Diabetes, Heart problems, Hypertension	Lesotho	[42]
			Karee, Rooikaree			Diabetes	South Africa	[147]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Securidaca longepedunculata</i> Fresen.	Polygalaceae	Coffee senna	Kpatale, Kpata	Root	Decoction, Powder	Diabetes	Benin	[47]
			Whole plant		Decoction	Diabetes	Cote d'Ivoire	[70]
			Root		Poultice	Stroke	Ghana	[35]
			Omudhiku			Stroke	Namibia	[121]
			Sanya	Leaf	Maceration	Diabetes	Nigeria	[128]
			Mbazo	Root	Infusion	Heart pains (palpitations)	Tanzania	[168]
<i>Sesamum indicum</i> L.	Pedaliaceae	Sesame	Fozi, Tritou	Root, Leaf + Root	Powder, Decoction	Diabetes, Hypertension	Togo	[170,171,173]
			Gingeli, Sesame			Hypertension	Mauritius	[115,118]
			Simsim	Seed		Diabetes	Sudan	[156]
<i>Senna alata</i> (L.) Roxb.	Fabaceae		Gitsamuna	Leaf, Seed, Root	Decoction	Diabetes	Gabon	[88]
			Osempe	Leaf	Decoction	Diabetes	Ghana	[35]
			Quatre epingles	Leaf		Hypertension	Madagascar	[102]
			Quatre epingles	Leaf	Decoction	Hypertension	Mauritius	[113]
				Leaf	Maceration	Diabetes, Hypertension	Nigeria	[225,226]
<i>Senna occidentalis</i> (L.) Link	Fabaceae		Muwiwisi	Leaf, Root	Decoction	Diabetes	Gabon	[88]
			Tsotsorinangatra	Stem		Hypertension	Madagascar	[30]
			Cassepiante	Seed	Grilling, Soaking	Hypertension	Mauritius	[113]
						Hypertension	Nigeria	[125]
			Bun Balash/Soreib	Seed	Decoction, Infusion	Diabetes	Sudan	[159,227]
			Bessisan	Seed	Decoction	Diabetes	Togo	[173]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Senna siamea</i> Lam.	Caesalpiniaceae		Cassia, Kenoun	Root/Bark	Decoction	Diabetes	Benin	[47]
			Zangarati	Root	Decoction	Diabetes	Togo	[173]
<i>Senna singueana</i> (Del.) Lock	Caesalpiniaceae		Mukengeka	Leaf, Stem bark		Diabetes	Burkina Faso	[226]
				Leaf, Stem Bark	Decoction	Diabetes	Kenya	[96,226]
<i>Solanum americanum</i>	Solanaceae		Mulunda	Leaf	Decoction	Diabetes	DR Congo	[67]
			Shwiga	Leaf		Diabetes	Tanzania	[169]
<i>Solanum melongena</i> L.	Solanaceae		Anguive		Cooking	Diabetes	Mauritius	[113]
			Nya	Fruit	Cooking as soup	Diabetes	Nigeria	[132]
<i>Solanum nigrum</i> L.	Solanaceae		Makeke	Fruit	Decoction	Diabetes	DR Congo	[66]
			Managu	Leaf	Infusion	Diabetes	Kenya	[98]
			Munafoqow	Whole plant	Boiling	Cardiac complaints	Somalia	[212]
<i>Spondias mombin</i> L.	Anacardiaceae	Hog plum	Egui iwewe, Akikontin	Leaf, Bark, Root, Fruit	Powder, Maceration, Decoction, Infusion	Diabetes	Benin	[47]
				Stem bark, Root		Hypertension	Nigeria	[123]
			Aklicon	Leaf	Decoction	Diabetes	Togo	[173]
<i>Sida acuta</i>	Malvaceae	Broom weed, Horn bean	Mudundu	Bark	Decoction	Diabetes	DR Congo	[67]
			Aihenmmwin, Iseketu	Leaf, Stem	Decoction, Infusion	Diabetes, Hypertension	Nigeria	[123,126]
<i>Sida rhombifolia</i> L.	Malvaceae		Zimben, Ndjicje	Leaf	Paste, Maceration	Hypertension	Cameroon	[60,228]
				Leaf	Maceration	Hypertension	DR Congo	[228]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Solanum incanum</i> L.	Solanaceae	Poison berry	Tangalanga	Leaf	Decoction	Diabetes, Heart ache	Cameroon	[56,59]
			Uengule	Fruit	Boiling	Diabetes	Eritrea	[72]
			Mukondu, Mutungu	Leaf	Decoction	Diabetes	Kenya	[96]
<i>Solanum lycopersicum</i> L.	Solanaceae	Tomato	Tomato	Leaf	Maceration, Filtration	Hypertension	Central African Republic	[64]
				Fruit	Decoction	Diabetes	Cote d'Ivoire	[70]
			Pomme d'amour	Fruit	Juice	Cardiovascular disease	Mauritius	[113]
			Tumatur		Eat fruit	Diabetes	Nigeria	[128]
			Timati			Hypertension	Togo	[170]
<i>Solanum tuberosum</i> L.	Solanaceae					Diabetes	Cameroon	[59]
			Pomme de terre	Tuber	Juice	Diabetes	Mauritius	[113]
<i>Sonchus oleraceus</i> L.	Compositae		Muthunga	Leaf	Chewing, Boiling	Diabetes	Kenya	[98]
			Epinard	Leaf	Juice	High Cholesterol level	Mauritius	[113]
<i>Spathodea campanulata</i> P.Beauv.	Bignoniaceae		Cifulula, Langalanga, Mbalimbali	Bark	Decoction	Diabetes	DR Congo	[67]
			Tulipier du Gabon	Leaf, Stem bark	Decoction	Diabetes	Gabon	[88]
<i>Stachytarpheta angustifolia</i>	Verbenaceae		Iru alangba	Leaf, Whole plant		Hypertension	Nigeria	[34]
			Tchoumboulouzou			Hypertension	Togo	[170]
<i>Steganotaenia araliacea</i> Hochst.	Apiaceae	Carrot tree	Mewets denagl	Leaf, Seed	Decoction	Diabetes	Eritrea	[72]
			Muvuavui	Leaf	Decoction	Diabetes	Kenya	[96]
			Omuwanula	Leaf	Decoction	Diabetes	Uganda	[31]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Sterculia setigera</i> Delile	Malvaceae		Akporo, Azilokoue	Bark	Decoction, Maceration	Diabetes	Benin	[47]
			Pumpugga	Stem bark	Decoction	Heart disorders	Burkina Faso	[54]
				Pulp, Gum		Heart trouble	Togo	[229]
<i>Stereospermum kunthianum</i> Cham.	Bignoniaceae		Hounsadii	Bark		Diabetes	Benin	[47]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Striga hermonthica</i> (Delile) Benth.	Orobanchaceae		Ki-waogo	Whole plant	Juice	Heart disorders	Burkina Faso	[54]
			Boda, Al-buda	Aerial part, Whole plant	Maceration	Diabetes	Sudan	[156,159]
<i>Strophanthus hispidus</i> DC.	Apocynaceae		Chaaro, Adikoun	Root	Decoction	Diabetes	Benin	[47]
			Getsele, Ndegle	Root		Heart conditions	Guinea-Bissau	[94]
<i>Strychnos henningssii</i> Gilg.	Loganiaceae	Red bitter berry, Coffee hard pear, Coffee- bean Strychnos, Hard pear	Muteta	Leaf	Decoction	Diabetes	Kenya	[96]
			Umanana, Bosolienhout, Muramba- kolodza	Bark	Powder	Diabetes	South Africa	[147]
<i>Strychnos pungens</i> Soler.	Loganiaceae		Mukome	Leaf, Fruit, Root		Heart pains	Tanzania	[166]
				Root	Decoction	Diabetes	Zambia	[177]
<i>Strychnos spinosa</i> Lam.	Loganiaceae		Katinpoaga	Leaf	Powder	Heart disorders	Burkina Faso	[54]
			Sansa, Kisongole	Bark, Root		Diabetes	DR Congo	[69]
			Umm Bekhesa	Fruit	Eaten	Hypertension	Sudan	[159,227]
			Kpengbele			Diabetes	Togo	[170]
<i>Swartzia madagascariensis</i> Desv.	Fabaceae			Root	Decoction	Diabetes	Benin	[47]
				Root	Decoction	Diabetes	Zambia	[177]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Syzygium cumini</i> (L.) Skeels	Myrtaceae		Telezia	Fruit	Decoction	Diabetes	DR Congo	[66]
			Jamblon	Leaf, Fruit, Seed	Decoction, Consume ripe Fruits, Juice	Diabetes	Mauritius	[113]
			Mudisi, Mzambarau, Black plum, Mzambarau	Seed, Bark, Stem		Diabetes	Tanzania	[166,169]
<i>Syzygium guineense</i>	Myrtaceae		Ko kissa	Bark	Decoction	Hypertension	Mali	[230]
				Leaf		Diabetes	Nigeria	[230]
<i>Tacca leontopetaloides</i> (L.) Kuntze	Taccaceae		Muvengi			Diabetes	Tanzania	[169]
			Ossangni, Zinwohouehe	Bulb, Tuber	Powder, Decoction	Diabetes	Benin	[47]
			Nanitiwou			Diabetes	Togo	[170]
			Egui ariran, Jevivi	Bark	Decoction	Diabetes	Benin	[47]
			Pusga	Stem bark	Charred	Heart disorders	Burkina Faso	[54]
				Leaf, Root, Stem bark	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Tamarindus indica</i> L.	Fabaceae	Tamarind tree, Tamarind	Humer	Fruit	Extract	Diabetes	Eritrea	[72]
			Dyabbhe	Leaf, Stem bark	Decoction	Diabetes, Hypertension	Guinea	[90,92]
			Kithumula	Fruit, Bark, Root	Decoction	Diabetes	Kenya	[96]
			Tamarin	Fruit	Juice	Hypertension	Mauritius	[113]
			Tsamiya	Bark, Root	Decoction	Diabetes	Nigeria	[128]
			Mkwedu, Mkwaju	Leaf, Root	Juice, Decoction	Heart pains	Tanzania	[231]
			Enkoge, Omuhuwa	Fruit pulp	Juice	Hypertension	Uganda	[174]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Tapinanthus globiferus</i> (A.Rich.) Tiegh.	Loranthaceae		Lisua-la-kote	Leaf, Flower	Decoction	Diabetes	Cameroon	[56]
			Afomo, Kauchi	Leaf	Decoction	Diabetes, Hypertension	Nigeria	[124]
<i>Tarchonanthus camphoratus</i> L.	Asteraceae		Galqaddo	Leaf	Soaking, Crushing	Diabetes	Djibouti	[71]
				Root	Cooking	Diabetes	South Africa	[141]
<i>Tephrosia capensis</i>	Fabaceae		Pelo-li-maroba	Root	Decoction	Heart palpita- tions/problems	Lesotho	[42]
				Root		Hypertension	South Africa	[99]
<i>Terminalia catappa</i> L.	Combretaceae		Madame, Kalanga ya Wazungu	Leaf	Decoction	Diabetes	DR Congo	[66]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Badamier	Leaf	Decoction	Diabetes	Mauritius	[113]
			Yovositi	Bark	Decoction	Diabetes	Togo	[173]
<i>Terminalia brownii</i> Fresen.	Combretaceae	Terminalia	Weiba	Stem bark, Leaf	Decoction	Diabetes	Eritrea	[72]
			Muuuku/Kiuuku	Stem bark	Decoction	Diabetes	Kenya	[96]
			Olbukoi	Bark	Decoction	Hypertension	Tanzania	[166]
<i>Terminalia sericea</i>	Combretaceae	Silver terminalia, Silver cluster leaf	Mogonono	Stem bark		Diabetes	Botswana	[53]
			Vaalboom, Geelhout, Mususu	Bark	Decoction	Diabetes	South Africa	[147]
			Mhungweluwala	Stem bark, Root		Diabetes	Tanzania	[169,231]
<i>Tetrapleura tetrapterata</i> (Schum. & Thonn.) Taub.	Fabaceae	Ring worm bush	Aidan, Lindja	Fruit, Clove	Decoction, Powder	Diabetes	Benin	[47]
			Ndjapa, Nkwon, Sasas, Akpwa, Esesse	Bark	Maceration, Decoction	Hypertension	Cameroon	[60]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Tetrapleura tetraplera</i> (Schum. & Thonn.) Taub.	Fabaceae	Ring worm bush	Gyaga	Seed, Leaf, Stem Bark, Root	Decoction, Infusion	Diabetes	Gabon	[88]
			Prekese	Fruit	Decoction	Diabetes, Hypertension	Ghana	[35]
			Uhiokiriho, Asuwon	Fruit	Decoction	Cardiovascular activities, Diabetes	Nigeria	[126,187]
<i>Theobroma cacao</i> L.	Malvaceae		Cocoa ahaban	Leaf	Decoction	Hypertension	Ghana	[35,89]
			Coco			Diabetes, Hypertension	Togo	[170]
<i>Tithonia diversifolia</i>	Asteraceae		Cilula	Leaf	Decoction	Diabetes	DR Congo	[67]
			Daisy	Flower, Leaf	Chewing, Decoction	Diabetes	Gabon	[87,88]
			Tetegbe	Whole plant	Decoction	Diabetes	Togo	[173]
<i>Tribulus terrestris</i> L.	Zygophyllaceae		Qumutu Gala	All parts	Concoction	Heart disease	Ethiopia	[79]
			Diraisa	Root	Maceration	Diabetes	Sudan	[159]
			Ichin igbe, Chivi	Root	Decoction	Diabetes	Benin	[47]
<i>Trichilia emetica</i> var. <i>laevicarpa</i> Pellegr.	Meliaceae		Kkirs-taanga	Root	Decoction	Obesity	Burkina Faso	[54]
			Umathuzini, Umkhuhlu	Leaf, Fruit, Bark, Stem, Root	Decoction, Poultice	Hypertension	South Africa	[99,153]
			Adjendjegbizou, Adjindjinkpizou	Root	Powder, Decoction	Diabetes, Hypertension	Togo	[170,171]
<i>Trifolium burchellianum</i>	Fabaceae		Akwirakwir	Root		Heart problem	Uganda	[175]
			Moroko	Root		Heart problems	Lesotho	[42]
			Usithathi	Leaf, Stem, Root	Infusion	Hypertension	South Africa	[99]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Trigonella foenum-graecum</i> L.	Fabaceae	Fenugreek	Abe'ake	Seed	Powder	Diabetes	Eritrea	[72]
			Methi	Seed	Decoction, Soaking	Lowering blood sugar level, Diabetes, High Cholesterol level	Mauritius	[113,115]
<i>Tulbaghia acutiloba</i>	Alliaceae	Konofolo/Sefothaf- fatha	Hilba	Seed	Decoction, Dessert	Diabetes	Sudan	[156,157,160]
			Ishaladi Lezinyoka	Whole plant		Hypertension	Lesotho	[42]
<i>Urtica dioica</i>	Urticaceae	Common nettle, Stinging nettle	Chachingi	Leaf	Tincture, Infusion	Diabetes	DR Congo	[67]
					Decoction	Diabetes	Kenya	[95]
<i>Uvaria chamae</i> P.Beauv.	Annonaceae		Leaf, Root	Infusion		Diabetes	South Africa	[147]
			Yaha, Ayadaha	Root	Decoction, Maceration, Powder	Diabetes	Benin	[47]
<i>Vangueria apiculata</i> K.	Rubiaceae	Boyle	Leaf	Decoction	Diabetes, Hypertension		Guinea	[90,92]
			Agbana	Root	Decoction	Diabetes	Togo	[173]
<i>Vangueria infausta</i>	Rubiaceae	Kirongomani, Mtigunda	Kirongomani, Mtigunda	Stem bark, Leaf	Decoction	Diabetes	Tanzania	[169]
			Matugunda	Roots	Decoction	Hypertension	Uganda	[38]
<i>Vangueria infausta</i>	Rubiaceae	Um Tulwa, Umvilo	Um Tulwa, Umvilo	Leaf, Bark	Infusion, Maceration	Hypertension	South Africa	[99]
			Amabungo, Mabungo	Stem bark, Leaf, Fruit, Seed	Decoction	Diabetes	Tanzania	[169]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Vangueria madagascariensis</i> J.F.Gmel.	Rubiaceae		Vavangue	Leaf	Decoction	Diabetes, Hypertension	Mauritius	[113]
			Kir kir, Soum Eyowm	Fruit, Root	Maceration	Diabetes, Hypertension	Sudan	[156,159]
		Aroman, Amanvive	Bulb, Bark, Root, Leaf	Decoction, Powder, Maceration, Trituration	Diabetes	Benin	[47]	
		Kilulukunju, Mubirizi	Leaf	Decoction	Diabetes, Hyperglycaemia	Cameroon	[45,56,59]	
		Grawa	Leaf, Stem Bark	Extract	Diabetes	Eritrea	[72]	
<i>Vernonia amygdalina</i> Delile	Compositae	Bitter leaf	Ndole	Leaf	Chewing, Decoction	Diabetes	Gabon	[87,88]
			Oriwo, Ewuro, Etidod	Leaf, Stem, Root	Infusion, Cooked as soup	Diabetes, Hypertension	Nigeria	[34,45,122,123, 125,132,134, 192]
			Bitter Leaf			Hypertension, Obesity	Sierra Leone	[138]
			Umhlungu- hlungu	Leaf	Pulverization	Diabetes	South Africa	[53]
			Souwaka, Aloma	Leaf	Decoction	Diabetes, Hypertension	Togo	[170,173]
				Leaf, Root		Heart failure	DR Congo	[45]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Vernonia colorata</i>	Asteraceae			Leaf, Root		Diabetes	South Africa	[45]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Vernonia colorata</i>	Asteraceae		Ahalizoma	Leaf, Root	Decoction	Heart failure	Tanzania	[45]
						Diabetes	Togo	[173]
<i>Vernonia oligocephala</i>	Asteraceae	Silver leaved vernonia	Umhlungu- hlungu	Leaf, Twig, Root	Decoction, Infusion	Diabetes	South Africa	[45,53,147]
						Diabetes	Swaziland	[45]
<i>Vigna unguiculata</i> (L.) Walp.	Fabaceae		Benga	Flower	Maceration	Kid obesity, Heart disorders	Burkina Faso	[54]
			Ekoki, Konn, Wonda m'bale, Guin	Leaf	Paste, Maceration	Hypertension	Cameroon	[60]
					Decoction	Diabetes	Cote d'Ivoire	[70]
<i>Vitex doniana</i> Sweet	Lamiaceae	Black plum	Dunya	Bark	Decoction	Hypertension	Mali	[200]
						Diabetes	Nigeria	[128]
			Fonyi	Leaf, Root	Decoction	Diabetes	Togo	[173]
<i>Voacanga africana</i> Stapf ex Scott-Elliot	Apocynaceae		Binse	Root	Decoction	Hypertension	Central African Republic	[64]
						Diabetes	Gabon	[87,88]
			Ondou, Ontuelos	Root	Maceration	Hypertension	Nigeria	[34]
			Igi dodo	Stem			Tanzania	[231]
<i>Vitellaria paradoxa</i> C. F. Gaertn.	Sapotaceae		Emi, Limoutin	Bark	Decoction	Spasms of the heart	Benin	[47]
						Diabetes	Burkina Faso	[54]
			Taanga	Stem bark	Cream	Heart disorders	Ghana	[35,89]
			Nkuto dua, Nkudua/mankade	Stem bark, Root	Decoction	Diabetes, Hypertension	Togo	[170,171]
			Somou	Stem bark	Decoction, Powder	Diabetes, Hypertension		

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Waltheria indica</i> L.	Malvaceae	Sleepy morning	Yankufa	Leaf	Maceration	Diabetes	Nigeria	[128]
			Adoueti	Root	Decoction	Diabetes	Togo	[173]
<i>Withania somnifera</i> (L.)	Solanaceae	Winter cherry	Agol	Root, Leaf	Root Immersion, Leaf' juice	Diabetes	Eritrea	[72]
			Mwianzo	Root	Infusion	Diabetes	Kenya	[96]
			Mkubya	Root	Boiling	Diabetes	Tanzania	[169]
<i>Ximenia caffra</i>	Ximeniaceae			Whole plant		Obesity	Swaziland	[232]
				Root		Hypertension	Tanzania	[232]
<i>Xylopia aethiopica</i> (Dunal) A. Rich.	Annonaceae	African pepper, Ethiopian pepper	Oroun, Kpejelekoun	Fruit	Decoction, Maceration, Powder	Diabetes	Benin	[47]
			Mugana	Fruit, Leaf	Decoction	Diabetes	Gabon	[87,88]
			Guile	Leaf, Fruit	Decoction, Infusion	Diabetes, Hypertension	Guinea	[90,92,233]
			Unea, Eru Alomo	Leaf, Root, Fruit, Seed	Decoction	Diabetes; Hypertension	Nigeria	[34,123,233]
				Fruit	Decoction	Diabetes	Senegal	[233]
			Souzi	Fruit	Decoction	Diabetes	Togo	[170,233]
<i>Xysmalobium undulatum</i> (L.) W.T.Aiton	Apocynaceae	Milk bush, Milkwort, Wild cotton, Wave-leaved xysmalobium	Poho-ts'ehla	Root		Diabetes	Lesotho	[42]
			Bitterhout, Bitterwortel, iShinga	Root	Infusion, Decoction	Diabetes	South Africa	[147]

Table 2. Cont.

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Zanthoxylum chalybeum</i> Engl.	Rutaceae	Mukenea	Mukenea	Stem bark	Decoction, Infusion	Diabetes	Kenya	[96]
		Mulungulungu, Munungu, Oluisuki	Mulungulungu, Munungu, Oluisuki	Leaf, Bark, Root		Heart pains	Tanzania	[166]
			Gbado, Gbade	Root	Maceration	Diabetes	Zambia	[177]
		Bazeuh, Go'o, Fonn, Mbassi, Geufeut	Bazeuh, Go'o, Fonn, Mbassi, Geufeut	Female flower, 'Corn beard'	Decoction	Diabetes, Hypertension	Benin	[47]
<i>Zea mays</i> L.	Poaceae	Maize	Ndjo, Nkodji	Flowers	Boiling, Filtration	Hypertension	Central African Republic	[64]
			Muhindi, Cigonji	Filaments of Stamens	Decoction	Diabetes, Hypertension	DR Congo	[67]
			Maize, Putu	Fiber, Corn silk, Leaf stigma	Decoction	Diabetes	Gabon	[87,88]
				Seed		Hypertension	Nigeria	[123]
<i>Zingiber officinale</i> Roscoe	Zingiberaceae	Ginger	Atale, Dote	Root	Decoction, Maceration, Powder	Diabetes	Benin	[47]
			Jenjebel, Zingible	Seed, Root	Tea, Powder	Diabetes	Eritrea	[72,74]
			Nungutsi mabala	Rhizome, Root	Maceration	Diabetes	Gabon	[88]
			Gingembre	Root	Infusion	High Cholesterol Level	Mauritius	[113]
		Unien	Rhizome			Hypertension	Nigeria	[123,192]

Table 2. *Cont.*

Botanical Name	Family	English/ Common Name	Local Name	Plants' Parts Used	Mode of Usage/ Preparation	Diseases Treated	Countries	References
<i>Ziziphus mistol</i> Griseb.	Rhamnaceae		Mugulga	Root	Decoction	Diabetes	Burkina Faso	[54]
				Leaf	Decoction	Diabetes	Cote d'Ivoire	[70]
			Sdar-lahbyl	Leaf	Powder, Maceration, Infusion	Diabetes, Hypertension	Mauritania	[112]
<i>Ziziphus mucronata</i> Willd	Rhamnaceae	Buffalo-thorn	Kiimes-mugla	Root	Decoction	Obesity	Burkina Faso	[54]
			Motalo, Nceseni, Mokgaloaloe	Leaf, Root	Tea	Diabetes	South Africa	[145,147]
			Mugugunu	Root, Bark		Hypertension	Tanzania	[166]

Table 3. Details of five most preferred medicinal plants in sub-Saharan African countries for the treatment of cardiovascular diseases and their associated risk factors.

Medicinal Plants	English Name	Families	SSA Countries with Reported Use	Number of SSA Countries	Rank
<i>Allium sativum</i> L.	Garlic	Amaryllidaceae	Benin, Burkina Faso, Cameroon, DR Congo, Cote d'Ivoire, Eritrea, Ethiopia, Gabon, Guinea, Kenya, Madagascar, Mauritius, Nigeria, Sierra Leone, South Africa, Sudan, Tanzania, Togo, Uganda, Benin, Cameroon, DR Congo, Cote d'Ivoire, Gabon, Ghana, Guinea, Kenya, Mauritius, Nigeria, South Africa, Swaziland, Tanzania, Togo, Uganda	20	1st
<i>Persea americana</i> Mill.	Avocado	Lauraceae	Benin, Burkina Faso, Eritrea, Ghana, Guinea, Kenya, Mauritius, Nigeria, South Africa, Swaziland, Tanzania, Togo, Uganda	15	2nd
<i>Moringa oleifera</i> Lam.	Drumstick tree	Moringaceae	Ghana, Guinea, Kenya, Mauritius, Nigeria, Sierra Leone, South Africa, Tanzania, Togo, Uganda, Zambia, Benin, Cameroon, DR Congo, Eritrea, Gabon, Ghana, Guinea, Kenya, Mauritius, Nigeria, Togo, Zambia, Zimbabwe	14	3rd
<i>Mangifera indica</i> L.	Mango	Anacardiaceae	Benin, Burkina Faso, Cameroon, DR Congo, Eritrea, Gabon, Ghana, Guinea, Kenya, Mauritius, Nigeria, Togo, Zambia, Zimbabwe	13	4th
<i>Allium cepa</i> L.	Onion	Amaryllidaceae	Cameroon, DR Congo, Eritrea, Ethiopia, Gabon, Mauritius, Nigeria, South Africa, Sudan, Togo	12	5th




Figure 2. Venn diagram comparing the frequency of use of the five most utilised medicinal plants for cardiovascular diseases treatment in sub-Saharan African countries.

2.2. Plants Parts Used

Nadembega et al. [54] recorded that in African ethno-medicine, all parts of a plant, and on many occasions, different parts of the same plant, are used for various diseases' treatment. In the current study, the ethnobotanical survey of MPs used for the treatment of the diseases of focus, as shown in Tables 1 and 2, identified 44 plants' parts (major: 11 (whole plant inclusive); minor: 33) with the leaves (36%), roots (21%), barks (14%), fruits (7%), and seeds (5%) being the most frequently used (see Figure 3). This is similar to the research findings of Sabiu et al. [53], Davids et al. [143], and Kpodar et al. [173] as well as Aumeeruddy and Mahomoodally [23] where leaves were the most used plant part. Other researchers, such as Randriamiharisoa et al. [30], Wubetu et al. [80], Yebouk et al. [112], Suleiman [158], Mahomoodally et al. [182], and Rachid et al. [234], also identified MPs' leaves as the most employed.




Figure 3. Percentage occurrence of the different plant parts used for the treatment of cardiovascular diseases in sub-Saharan Africa.

The high percentage of usage recorded for leaves, with respect to other plant parts, can be linked to their fast regeneration level [176], potency [143,176], traditional belief to be the strongest part of plant [143], abundance, availability [23,53,173,235], ease of collection in large quantities, and presence as the key photosynthetic organ in plants, which are thought to have accumulated a higher concentration of active ingredients/secondary metabolites [29,38,116,182,236]. These factors contributing to leaves being the most employed plant part in TM, according to Akerreta et al. [237], as well as Chintamunnee and Mahomoodally [116], can be attributed to them being the most exposed to environmental damages/threat. This environmental threat brings about the synthesis/production of active compounds in the leaves—as a means of defence, protection, and survival—with human health benefits. Although other parts of plants also contain compounds of pharmacological importance, their unavailability throughout the year affect their usage [237]. At the same time, excessive use/overcollection of fruits and seeds may negatively affect plant genetic diversity and distribution based on their role in sexual reproduction and dispersal [23,235].

In addition, harvesting of the bark, though easily collected with concentrated bioactive compounds [87], has a negative effect on the protection level of the plant [38]. Generally, the collection of bark, roots, or the whole plant is destructive and may lead to overexploitation/species depletion thereby affecting their sustainability [23,38,87]. This suggests that for plants such as *Azadirachta indica* (neem), *Carica papaya* (pawpaw), and *Persea americana* (avocado), among others, in which more than one plant part is used for treatment (Table 2), their sustainability would be achieved if the harvesting of bark and root is discouraged while that of leaves (being less destructive when taken in small quantities) is encouraged. Notwithstanding, the overharvesting of leaves may also have a negative impact on the overall natural regeneration of the plants and conservation [38,143].

2.3. Modes of Preparation

The review showed that MPs that have found applications in TM are prepared in various forms [237] prior to their use. In this study, decoction was discovered to be the most employed mode of preparation (47%) of MPs used for the treatment of the diseases of focus in SSA (Figure 4). Similar results for the most used method of preparation was reported by Tjeck et al. [87], Gbolade [123], Kpodar et al. [173], as well as Aumeeruddy and Mahomoodally [23]. According to the latter authors, i.e., Aumeeruddy and Mahomoodally [23], the fast nature of decoction, when compared to the application of other methods (e.g., maceration) of which the extraction process takes a longer period of time, may be responsible for it being the most preferred method of preparation. Notwithstanding, Tugume et al. [38] noted that decoctions as well as cold extracts have the disadvantage of a short shelf life, which leads to the continuous harvesting of these MPs and may contribute to over-exploitation. After the preparation of a decoction or maceration, Nadembega et al. [54] indicated that the remaining solid part of the MP is sometimes converted to a powder via grinding or charring. As noted by these authors, the liquid used in extinguishing the flames determines the therapeutic application of the obtained charred material.




Figure 4. Percentage use of the different modes of preparation of medicinal plants for the treatment of cardiovascular diseases in sub-Saharan Africa.

Furthermore, the ease at which powder is prepared encouraged its use, which is less prone to contamination when compared with juices, infusions, and decoctions [112]. Boiling is reported to be effective for extraction and aids the preservation of the herbal remedy for a longer duration than when cold extraction is used [38]. As pointed out in the work of Ong et al. [235], as well as that of Aumeeruddy and Mahommodally [23], heat application in herbal preparations also promotes the availability of bioactive compounds by accelerating biological reactions. According to Wubetu et al. [80], the use of these simple approaches by traditional medical practitioners without further processing can be linked to their lack of processing equipment and poor literacy level. Figure 5 shows the connection between some of these different modes of preparation used in TM for the treatment of CVDs and their associated risk factors.




Figure 5. Connection between the different modes of preparing medicinal plants used for the treatment of cardiovascular diseases in sub-Saharan Africa. Adapted from: Nafiu et al. [28] and Azwanida [238].

2.4. Diseases Treated

The investigation revealed that among the identified CVDs and associated risk factors, most applications of MPs in SSA are for diabetes (60%), normally assumed as diabetes mellitus [53], as well as hypertension (28%) treatment (Figure 6). Kpodar et al. [173] noted that type II diabetes constitutes approximately 90% of all diabetes while Davids et al. [143] reported that there is considerable overlap between this disease (type II diabetes mellitus) and hypertension in aetiology as well as disease mechanisms.

The research outcome suggests awareness of these diseases (diabetes and hypertension) in the region, and in support of the literature, e.g., Salihu Shinkafi et al. [128], the reliance on TCAM for their treatment. On the other hand, it indicated a lack of in-depth knowledge of other diseases that make up the group of heart and blood vessel disorders, including other risk factors. This, therefore, pinpoints the need for improved access to screening and detection [12], modern health services/medicine, as well as enlightenment to reduce the growing burden of CVDs in SSA.




Figure 6. Percentage of cardiovascular diseases and their related risk factors treated with medicinal plants in sub-Saharan Africa.

2.5. Use in Different SSA Countries

Figure 7 reveals the reported use of MPs for the treatment of the diseases of focus in 41 SSA countries. The results of the study indicated that in SSA, the scientifically reported use of MPs for these diseases was mostly in South Africa (15.25%), Nigeria (10.24%), Benin (8.43%), Togo (6.44%), and Mauritius (6.11%). Out of the 41 SSA countries covered in this review, those with the least reported use of MPs for the treatment of these diseases are Chad, Comoros, The Gambia, Guinea-Bissau, Liberia, Malawi, Mozambique, Namibia, Rwanda, Senegal, Somalia, and Zimbabwe (Figure 7). However, there are countries in SSA, e.g., Burundi, Niger, Sao Tome, and Principe, among few others, in which the use of MPs for CVD treatment is yet to gain scientific recognition.

The research findings, in a way, reflect the burden of CVDs and their related risk factors in some SSA countries. For instance, Nigeria (2.7 million people) and South Africa (4.6 million people) are among the top five countries (with the other three being the Democratic Republic of the Congo (1.8 million people), Ethiopia (1.7 million people), and the United Republic of Tanzania (1 million people)) reported by the International Diabetes Federation (IDF) with the highest number of people with diabetes (20–79 years) in Africa as of 2019 [239]. As mentioned earlier (see Section 2.4), the study outcome also indicates a dependence on TCAM for CVD treatment and the need for improved modern healthcare services in these countries.




Figure 7. Percentage of reported use of medicinal plants for cardiovascular diseases treatment in each of the sub-Saharan African countries.

2.6. Phytochemicals Distribution in the MPs

Okwu [240] noted that the medicinal potentials of plants may be assumed to be linked primarily to their phytochemicals, vitamins, and minerals contents. Many of these phytochemicals or secondary metabolites are useful for drug development [236], and in plants, may act individually, additively, or synergistically to improve health [28]. The three key groups of these secondary metabolites vis-à-vis their biosynthetic pathway have been identified as nitrogen-containing compounds (alkaloids, cyanogenic glycosides, and glucosinolates), phenolic compounds (phenolic acids, flavonoids, and phenylpropanoids), and terpenes/terpenoids (isoprenoids) [236,241,242].

Gan et al. [243] reported that phenolic compounds are the key antioxidant ingredients in several MPs while Sharifi-Rad et al. [24] identified polyphenols as one of the chief groups of cardioprotective agents in herbs. Some of these polyphenols, such as flavonols, also help in reducing CVDs risk factors [244]. The level of flavonols in free-standing leaves is, however, most times significantly higher than that in other parts of the same plant, except in *A. cepa* [245].

In general, polyphenols aid cardiovascular health by inhibiting platelet aggregation, modulating inflammation and lipid metabolism, limiting low-density lipoprotein (LDL) oxidation, and improving endothelial function and antioxidant status, among other functions [24,246]. Specifically, Odukoya et al. [4] and Petrovski et al. [247] identified catechin, quercetin, and resveratrol as some of the bioactive compounds that have shown the ability to reduce CVD risk and assist in cardioprotection. Table 4 highlights the key bioactive compounds in the five most preferred MPs, as reported in this study, for the treatment of CVDs and their associated risk factors in SSA. With respect to Nafiu et al. [28], although different pharmacological drugs have been produced, several phytochemicals present in MPs work together to provide a combined effect that is stronger than when individual constituents are used.

Table 4. Major bioactive compounds in the five most preferred medicinal plants for the treatment of cardiovascular diseases in sub-Saharan Africa.






Rank	Medicinal Plants	Major Bioactive Compounds	Chemical Structure	Mechanism of Action of Cardioprotective Potential	References
1st	<i>Allium sativum</i> L.	Organosulfur compounds such as diallylthiosulfonate (alliin), diallyl sulfide, diallyl disulfide, diallyl trisulfide, E/Z-ajoene, S-allyl-cysteine, and S-allyl-cysteine sulfoxide (alliin).	 Allicin ($C_6H_{10}OS_2$) [S-(2-propenyl-2-propene-1-sulfinothioate]*The most biologically active sulfur-containing compound	Inhibit platelet aggregation. Reduce blood pressure. Reduce total cholesterol. Reduce low-density lipoprotein cholesterol. Improve vasodilatation.	[248–250]
2nd	<i>Persea americana</i> Mill.	Polyphenols, carotenoids, tocopherols, and sterols.	 Lutein ($C_{40}H_{56}O_2$) *The predominant carotenoid	Reduce blood pressure. Reduce triglycerides level. Reduce total cholesterol. Reduce low-density lipoprotein cholesterol. Increase high-density lipoprotein cholesterol. Reduce plasma glucose level.	[251,252]
3rd	<i>Moringa oleifera</i> Lam.	Leaf (phenolic compounds), seeds (glucosinolates), stems and flowers (alkaloids, phenolic compounds and glucosinolates).	 Glucomoringin ($C_{21}H_{31}NO_{14}S_2$) 4-[α -L-rhamnosyloxy]-benzyl-glucosinolate *The most predominant glucosinolate in the leaves, stem, flowers, pods, and seeds	Reduce blood pressure. Reduce triglycerides level. Reduce total cholesterol. Reduce low-density lipoprotein cholesterol. Increase high-density lipoprotein cholesterol. Reduce blood glucose level.	[253–258]

Table 4. Cont.

Rank	Medicinal Plants	Major Bioactive Compounds	Chemical Structure	Mechanism of Action of Cardioprotective Potential	References
4th	<i>Mangifera indica</i> L.	Gallotannins, gallic acid and its derivatives, mangiferin, flavonoids, catechin and phenolic acids.	 Mangiferin ($C_{19}H_{18}O_{11}$) (2- β -D-glucopyranosyl-1, 3, 6, 7-tetrahydroxyxanthone)	Reduce serum total cholesterol level and glucose absorption.	[4,219,259–262]
5th	<i>Allium cepa</i> L.	Flavonoids (particularly flavonols), fructooligosaccharides and sulfur compounds. Characterised for its flavonol, quercetin, and quercetin derivatives.	 Quercetin ($C_{15}H_{10}O_7$)	Inhibit platelet aggregation. Reduce serum triglycerides and cholesterol levels. Alleviate hyperglycemia.	[4,263–267]

2.7. MPs with Nutraceutical Advantages

TM includes the use of medicinal herbs and food plants [182], while Belayneh et al. [78] referred to MPs with edible parts as nutraceutical plant species. The same part of some of these plants, e.g., *Carissa spinarum* and *Senna occidentalis*, have been used as food and for medicinal purposes [44]. According to Urso et al. [44], plants with possible pharma-food or nutraceutical properties, considered as “pharma-foods” or “folk nutraceuticals”, have closely related food and medicinal applications. Nevertheless, Göhre et al. [43] pointed out that not all these plants are included in the diet under normal circumstances, as some of them, referred to as famine foods, are only consumed when there is a food shortage. Some of the edible parts of these plants, such as the fruits and tubers (underground organ), contribute to the local diet and livelihood of a number of local communities in SSA [43,44]. Göhre et al. [43] added that, in terms of nutrition, fruits are the most used plant part.

The current study reported the direct consumption of the fruit of *Balanites aegyptiaca*, *Citrus maxima*, *Phyllanthus emblica*, *Psidium guajava*, *Strychnos spinosa* and *Syzygium cumini*; the seed and fruit of *Kigelia africana*; the seed of *Vitis vinifera*; the bulb of *Allium sativum* as well as the tubers of *Daucus carota* and *Dioscorea bulbifera* for the treatment of CVDs in certain SSA countries. The leaves of other MPs, e.g., *Gnetum africanum* and *Vernonia amygdalina*, have also been used for soup preparation and CVDs treatment in the region. Several other MPs, including *Anacardium occidentale*, *Citrus limon* and *Tamarindus indica* [78,94], have reported food and medicinal plant applications. Some of them are available in local and country markets [78,94]. Notwithstanding, unless properly prepared, the roots or tubers of some of these plants, for instance the tubers of *Dioscorea* species and cassava, *Manihot esculenta*, with respect to Urso et al. [44], affect human health negatively.

2.8. Reported Adverse Effects/Toxicity

Although the use of TM/MPs/herbs are perceived to be safe or potentially less toxic when compared to conventional treatment [30,34,35,53,128], several authors, including Mounanga et al. [33], Bekoe et al. [35], Subramanian et al. [37], and Brima [268], have indicated that they can also have negative effects on human health. According to Kharroufa et al. [269], the use of MPs in developing countries threaten public health as they have been linked to carcinogenic, teratogenic, and life-threatening effects, and even death. Mounanga et al. [33] revealed that most of the approximately 1.5 million investigated plants contain toxic substances. These toxic substances, as noted by Yumnamcha et al. [270] and Chahardehi et al. [271], are synthesized/produced by plants as a means of defence against diseases/infections, insects, and other organisms. Examples of these are cytotoxic and genotoxic substances [272]. MPs can also be a source of exposure to the risk of toxic elements [268].

Generally, the toxicity of plants/MPs, among other factors, depends on the nature/strength of their secondary metabolites, quantity consumed, plant part, consumer’s body chemistry, climatic/soil conditions, the genetic differences within the species, as well as their reaction with other herbs, drugs, contaminants, and adulterants [33,234,268,273]. This necessitates the use of MPs with caution [33], particularly in situations where long-term application in humans is practised.

Kharchoufa et al. [269] identified some of the compounds considered toxic or that presented a level of toxicity to majorly belong to five groups of compounds, namely, alkaloids, glucosides, terpenoids, protides, and phenolics. Meanwhile, Yumnamcha et al. [270] pinpointed alkaloids, cardiac glycosides, phorbol esters, lectins, and cyanogenic glycosides as some of the major bioactive compounds responsible for the toxic effects of plants. For instance, phorbol esters, occurring naturally in many plants of the family Euphorbiaceae and Thymelaeaceae, are the tetracyclic diterpenoids widely known for their tumour-promoting ability [274]. With respect to the current review, aristolochic acid, one of the active constituents in *Aristolochia* species, has been linked to carcinogenic, genotoxic, and kidney-

damaging effects [37], while, among other MPs, the toxicity of *Citrullus colocynthis*, *Datura stramonium*, and *Ricinus communis* has been indicated by traditional herbal healers [191].

3. Methodology

3.1. Source of Data and Collection Methods

An extensive literature retrieval, principally from published scientific journals, was used to obtain the required ethnopharmacological information. This was based on studies from 1982 to 2021 with the application of single or combinations of keywords such as medicinal plants, cardiovascular diseases and treatment, diabetes, hypertension, obesity, stroke, and the different names of SSA countries. Major scientific electronic databases [PubMed (National Library of Medicine), Science Direct, Web of Science, Tailor & Francis Online, Wiley Online Library, Google Scholar, and Google], as well as other internet sources, were consulted. To verify the scientific names and families of the identified MPs, other databases such as The Plant List and The World Flora Online [<http://www.worldfloraonline.org/> (accessed on 2 February 2022)] were used.

Based on the goal/theme of the review, information gathered from the literature survey, which include the name of the MPs (botanical/scientific, English/common, and local names), family, plant part used, modes of usage/preparation, therapeutic use, and the SSA countries involved, were analysed, as well as grouped accordingly.

3.2. Data Analysis

Descriptive statistical analysis of the ethnopharmacological data obtained was achieved using Microsoft Excel software (Microsoft corporation, Redmond, Washington, USA) while a readily available bioinformatics web tool [275] was used to generate a Venn diagram where appropriate.

4. Conclusions and Future Perspectives

To aid the research on CVDs and production of novel drugs, this comprehensive ethnopharmacological review provides the necessary details of MPs used for the treatment of CVDs and their associated risk factors in SSA. The study revealed that SSA has a rich history in the use of MPs for the treatment of the diseases of focus and a wealth of knowledge in TM, which some individuals in the region rely on for their health needs. The results showed that there are five dominant botanical families of MPs that have been used in SSA for CVD treatment, with some of the MPs having nutraceutical applications because of their edible parts. *A. sativum* is the most employed MP, which indicates its obtainability in many parts of the region and suggests the presence of potent bioactive compounds in the plant against the development of these diseases.

The ease of collection of MPs' leaves contributing to their high percentage use shows that the availability of effective and affordable drugs for the treatment of these diseases in the region would assist in encouraging the use of modern medicine. This will also safeguard consumers against the unexpected risk of certain toxic compounds in these MPs and the possible negative effects of overdoses arising from unregulated use. The reliance on decoction as a mode of preparation of these MPs (despite its inherent short shelf-life disadvantage), as well as the major focus on diabetes and hypertension, call for enlightenment, scientific engagements, and urgent government intervention to reduce the number of people suffering from CVDs in the region.

Most importantly, the investigation points out the need for governments of SSA countries such as Nigeria and South Africa, with the high percentage use of MPs reported for these diseases, to provide affordable/accessible high-quality modern healthcare services for the populace. Validation of the claimed medicinal/pharmacological potentials and safety assessment of MPs used in the region for CVDs treatment are also encouraged.

Author Contributions: Conceptualization and funding acquisition, J.O.O. (Johnson Oluwaseun Odukoya), E.M.M., and D.T.N.; data curation, formal analysis, software, and validation, J.O.O. (Johnson Oluwaseun Odukoya) and J.O.O. (Julianah Olayemi Odukoya); investigation, resources, visualization, writing—review and editing, J.O.O. (Johnson Oluwaseun Odukoya), J.O.O. (Julianah Olayemi Odukoya), E.M.M., and D.T.N.; methodology and writing—original draft, J.O.O. (Johnson Oluwaseun Odukoya); project administration, E.M.M. and D.T.N.; supervision, D.T.N. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by the University of Johannesburg's Global Excellence Stature Fellowship 4.0.

Institutional Review Board Statement: Not applicable.

Informed Consent Statement: Not applicable.

Data Availability Statement: Details of the data used in the present study are already provided herein.

Acknowledgments: The support of the University of Johannesburg, South Africa, in providing the postdoctoral fellowship for the main author, Johnson Oluwaseun Odukoya, at the institution is greatly appreciated.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Lee, C.H.; Kim, J.H. A review on the medicinal potentials of ginseng and ginsenosides on cardiovascular diseases. *J. Ginseng Res.* **2014**, *38*, 161–166. [[CrossRef](#)] [[PubMed](#)]
2. Mnonopi, N.; Levendal, R.A.; Davies-Coleman, M.T.; Frost, C.L. The cardioprotective effects of marrubiin, a diterpenoid found in *Leonotis leonurus* extracts. *J. Ethnopharmacol.* **2011**, *138*, 67–75. [[CrossRef](#)] [[PubMed](#)]
3. Odukoya, J.O.; Odukoya, J.O.; Ndinteh, D.T. Elemental measurements and health risk assessment of sub-Saharan African medicinal plants used for cardiovascular diseases' and related risk factors' treatment. *J. Trace Elem. Med. Biol.* **2021**, *65*, 126725. [[CrossRef](#)] [[PubMed](#)]
4. Odukoya, J.O.; Odukoya, J.O.; Mmutlane, E.M.; Ndinteh, D.T. Phytochemicals and amino acids profiles of selected sub-Saharan African medicinal plants' parts used for cardiovascular diseases' treatment. *Pharmaceutics* **2021**, *13*, 1367. [[CrossRef](#)]
5. Ozkan, G.; Kamiloglu, S.; Ozdal, T.; Boyacioglu, D.; Capanoglu, E. Potential use of Turkish medicinal plants in the treatment of various diseases. *Molecules* **2016**, *21*, 257. [[CrossRef](#)]
6. WHO Cardiovascular diseases. Available online: https://www.who.int/health-topics/cardiovascular-diseases/#tab=tab_1 (accessed on 22 May 2021).
7. Olorunnisola, O.S.; Bradley, G.; Afolayan, A.J. Ethnobotanical information on plants used for the management of cardiovascular diseases in NKonkobe municipality, South Africa. *J. Med. Plants Res.* **2011**, *5*, 4256–4260.
8. Stanifer, J.W.; Jing, B.; Tolan, S.; Helmke, N.; Mukerjee, R.; Naicker, S.; Patel, U. The epidemiology of chronic kidney disease in sub-Saharan Africa: A systematic review and meta-analysis. *Lancet Glob. Health* **2014**, *2*, e174–e181. [[CrossRef](#)]
9. BeLue, R.; Okoror, T.A.; Iwelunmor, J.; Taylor, K.D.; Degboe, A.N.; Agyemang, C.; Ogedegbe, G. An overview of cardiovascular risk factor burden in sub-Saharan African countries: A socio-cultural perspective. *Global. Health* **2009**, *5*, 10. [[CrossRef](#)]
10. Yuyun, M.F.; Sliwa, K.; Kengne, A.P.; Mocumbi, A.O.; Bukhman, G. Cardiovascular diseases in sub-Saharan Africa compared to high-income countries: An epidemiological perspective. *Glob. Heart* **2020**, *15*, 1–18. [[CrossRef](#)]
11. Gaziano, T.A. Economic burden and the cost-effectiveness of treatment of cardiovascular diseases in Africa. *Heart* **2008**, *94*, 140–144. [[CrossRef](#)]
12. Amegah, A.K. Tackling the growing burden of cardiovascular diseases in sub-Saharan Africa: Need for dietary guidelines. *Circulation* **2018**, *138*, 2449–2451. [[CrossRef](#)] [[PubMed](#)]
13. Hewitson, J.; Zilla, P.P.T. Children's heart disease in sub-Saharan Africa: Challenging the burden of disease. *SA Heart* **2017**, *7*, 18–29. [[CrossRef](#)]
14. Monti, M.; Ruggieri, M.P.; Vincentelli, G.M.; Capuano, F.; Pugliese, F.R. Cardiovascular risk factors in sub-Saharan Africa: A review. *Ital. J. Med.* **2015**, *9*, 305–313. [[CrossRef](#)]
15. Van der Sande, M.A.B. Cardiovascular disease in sub-Saharan Africa: A disaster waiting to happen. *Neth. J. Med.* **2003**, *61*, 32–36.
16. Yach, D.; Hawkes, C.; Gould, C.L.; Hofman, K.J. The global burden of chronic diseases. *JAMA* **2004**, *291*, 2616. [[CrossRef](#)] [[PubMed](#)]
17. Tokoudagba, J.M.; Auger, C.; Bréant, L.; N'Gom, S.; Chabert, P.; Idris-Khodja, N.; Gbaguidi, F.; Gbenou, J.; Moudachirou, M.; Lobstein, A.; et al. Procyanidin-rich fractions from *Parkia biglobosa* (Mimosaceae) leaves cause redox-sensitive endothelium-dependent relaxation involving NO and EDHF in porcine coronary artery. *J. Ethnopharmacol.* **2010**, *132*, 246–250. [[CrossRef](#)]
18. Nkoke, C.; Luchuo, E.B. Coronary heart disease in sub-Saharan Africa: Still rare, misdiagnosed or underdiagnosed? *Cardiovasc. Diagn. Ther.* **2015**, *6*, 64–66. [[CrossRef](#)]

19. Owusu, I.K.; Acheamfour-Akowuah, E. Pattern of cardiovascular diseases as seen in an out-patient cardiac clinic in Ghana. *World J. Cardiovasc. Dis.* **2018**, *8*, 70–84. [CrossRef]
20. Abunnaja, S.S.; Sanchez, J.A. Epidemiology of cardiovascular disease. In *Cardiovascular diseases: Nutritional and Therapeutic Interventions*; Maulik, N., Ed.; CRC Press: Boca Raton, FL, USA, 2013; pp. 3–17.
21. Mota, A.H. A review of medicinal plants used in therapy of cardiovascular diseases. *Int. J. Pharmacogn. Phytochem. Res.* **2016**, *8*, 572–591.
22. Zhao, C.N.; Meng, X.; Li, Y.; Li, S.; Liu, Q.; Tang, G.Y.; Li, H.B. Fruits for prevention and treatment of cardiovascular diseases. *Nutrients* **2017**, *9*, 598. [CrossRef]
23. Aumeeruddy, M.Z.; Mahomoodally, M.F. Traditional herbal therapies for hypertension: A systematic review of global ethnobotanical field studies. *S. Afr. J. Bot.* **2020**, *135*, 451–464. [CrossRef]
24. Sharifi-Rad, J.; Rodrigues, C.F.; Sharopov, F.; Docea, A.O.; Karaca, A.C.; Sharifi-Rad, M.; Karincaoglu, D.K.; Gülsen, G.; Şenol, E.; Demircan, E.; et al. Diet, lifestyle and cardiovascular diseases: Linking pathophysiology to cardioprotective effects of natural bioactive compounds. *Int. J. Environ. Res. Public Health* **2020**, *17*, 2326. [CrossRef] [PubMed]
25. James, P.B.; Wardle, J.; Steel, A.; Adams, J. Traditional, complementary and alternative medicine use in sub-Saharan Africa: A systematic review. *BMJ Glob. Health* **2018**, *3*, e000895. [CrossRef] [PubMed]
26. Bussmann, R.W.; Malca, G.; Glenn, A.; Sharon, D.; Nilsen, B.; Parris, B.; Dubose, D.; Ruiz, D.; Saleda, J.; Martinez, M.; et al. Toxicity of medicinal plants used in traditional medicine in Northern Peru. *J. Ethnopharmacol.* **2011**, *137*, 121–140. [CrossRef] [PubMed]
27. WHO Traditional, Complementary and Integrative Medicine. Available online: https://www.who.int/health-topics/traditional-complementary-and-integrative-medicine#tab=tab_1 (accessed on 22 May 2021).
28. Nafiu, M.O.; Hamid, A.A.; Muritala, H.F.; Adeyemi, S.B. *Quality control of medicinal plants in Africa*; Elsevier Inc.: Amsterdam, The Netherlands, 2017; ISBN 9780128092866.
29. Eddouks, M.; Ajebli, M.; Hebi, M. Ethnopharmacological survey of medicinal plants used in Daraa-Tafilalet region (Province of Errachidia), Morocco. *J. Ethnopharmacol.* **2017**, *198*, 516–530. [CrossRef] [PubMed]
30. Randriamiharisoa, M.N.; Kuhlman, A.R.; Jeannoda, V.; Rabarison, H.; Rakotoarivelo, N.; Randrianarivony, T.; Raktoarivony, F.; Randrianasolo, A.; Bussmann, R.W. Medicinal plants sold in the markets of Antananarivo, Madagascar. *J. Ethnobiol. Ethnomed.* **2015**, *11*, 60. [CrossRef] [PubMed]
31. Ssegawa, P.; Kasenene, J.M. Medicinal plant diversity and uses in the Sango bay area, Southern Uganda. *J. Ethnopharmacol.* **2007**, *113*, 521–540. [CrossRef]
32. Ntie-Kang, F.; Lifongo, L.L.; Mbaze, L.M.a.; Ekwelle, N.; Owono Owono, L.C.; Megnassan, E.; Judson, P.N.; Sippl, W.; Efange, S.M.N. Cameroonian medicinal plants: A bioactivity versus ethnobotanical survey and chemotaxonomic classification. *BMC Complement. Altern. Med.* **2013**, *13*, 147. [CrossRef]
33. Mounanga, M.B.; Mewono, L.; Angone, S.A.; Boukandou Mounanga, M.; Mewono, L.; Aboughe Angone, S. Toxicity studies of medicinal plants used in sub-Saharan Africa. *J. Ethnopharmacol.* **2015**, *174*, 618–627. [CrossRef]
34. Olorunnisola, O.S.; Adetutu, A.; Afolayan, A.J. An inventory of plants commonly used in the treatment of some disease conditions in Ogbomoso, South West, Nigeria. *J. Ethnopharmacol.* **2015**, *161*, 60–68. [CrossRef]
35. Bekoe, E.O.; Agyare, C.; Duah, Y.; Mbeah, B.; Asase, A.; Sarkodie, J.; Nettey, H.; Adu, F.; Boatema, P.; Agyarkwa, B.; et al. Ethnomedicinal survey and mutagenic studies of plants used in Accra metropolis, Ghana. *J. Ethnopharmacol.* **2020**, *248*, 112309. [CrossRef]
36. Rahmatullah, M.; Ferdausi, D.; Mollik, M.A.H.; Jahan, R.; Chowdhury, M.H.; Haque, W.M. A survey of medicinal plants used by Kavirajes of Chalna area, Khulna district, Bangladesh. *African J. Tradit. Complement. Altern. Med.* **2010**, *7*, 91–97. [CrossRef]
37. Subramanian, K.; Sankaramourthy, D.; Gunasekaran, M. Toxicity studies related to medicinal plants. In *Natural Products and Drug Discovery*; Elsevier: Amsterdam, The Netherlands, 2018; pp. 491–505. [CrossRef]
38. Tugume, P.; Kakudidi, E.K.; Buyinza, M.; Namaalwa, J.; Kamatenesi, M.; Mucunguzi, P.; Kalema, J. Ethnobotanical survey of medicinal plant species used by communities around Mabira Central Forest Reserve, Uganda. *J. Ethnobiol. Ethnomed.* **2016**, *12*, 5. [CrossRef] [PubMed]
39. Karou, S.D. Sub-Saharan Rubiaceae: A review of their traditional uses, phytochemistry and biological activities. *PJBS* **2011**, *14*, 149–169. [CrossRef] [PubMed]
40. Motaleb, M.A. *Selected Medicinal Plants of Chittagong Hill Tracts*; IUCN: Dhaka, Bangladesh, 2011.
41. Directorate Plant Production. *Medicinal plants of South Africa*; Department of Agriculture, Forestry and Fisheries, Republic of South Africa: Pretoria, South Africa, 2013. Available online: <https://www.dalrrd.gov.za/Portals/0/Brochures%20and%20Production%20guidelines/Brochure%20Medical%20Plants%20Of%20South%20Africa.pdf/> (accessed on 9 September 2021).
42. Seleteng Kose, L.; Motetee, A.; Van Vuuren, S. Ethnobotanical survey of medicinal plants used in the Maseru district of Lesotho. *J. Ethnopharmacol.* **2015**, *170*, 184–200. [CrossRef] [PubMed]
43. Göhre, A.; Toto-nienguesse, Á.B.; Futuro, M.; Neinhuis, C.; Lautenschläger, T. Plants from disturbed savannah vegetation and their usage by Bakongo tribes in Uíge, Northern Angola. *J. Ethnobiol. Ethnomed.* **2016**, *12*, 42. [CrossRef]
44. Urso, V.; Signorini, M.A.; Tonini, M.; Bruschi, P. Wild medicinal and food plants used by communities living in Mopane woodlands of southern Angola: Results of an ethnobotanical field investigation. *J. Ethnopharmacol.* **2016**, *177*, 126–139. [CrossRef]

45. Toyang, N.J.; Verpoorte, R. A review of the medicinal potentials of plants of the genus Vernonia (Asteraceae). *J. Ethnopharmacol.* **2013**, *146*, 681–723. [CrossRef]
46. Chabi, N.W.; Konfo, C.T.R.; Adjagba, M.; Moussedikou, L.; Ahoussi-dahouenon, E.; Laleye, A.; Gbaguidi, C. Evaluation of the toxicity of *Hemizygia bracteosa* (Benth) plant used in traditional medicine for the treatment of diabetes mellitus in Benin. *Am. J. Biomed. Res.* **2015**, *3*, 40–44. [CrossRef]
47. Lawin, I.F.; Laleye, F.O.A.; Agbani, O.P.; Assogbadjo, A.E. Ethnobotanical assessment of the plant species used in the treatment of diabetes in the Sudano-Guinean zone of Benin. *J. Anim. Plant Sci.* **2015**, *26*, 4108–4123.
48. Dogra, N.K.; Kumar, S. A review on ethno-medicinal uses and pharmacology of *Vernonia cinerea* Less. *Nat. Prod. Res.* **2015**, *29*, 1102–1117. [CrossRef] [PubMed]
49. Bothon, F.T.D.; Debiton, E.; Avlessi, F.; Forestier, C.; Teulade, J.C.; Sohounloue, D.K.C. In vitro biological effects of two anti-diabetic medicinal plants used in Benin as folk medicine. *BMC Complement. Altern. Med.* **2013**, *13*, 51. [CrossRef] [PubMed]
50. Khurm, M.; Wang, X.; Zhang, H.; Hussain, S.N.; Qaisar, M.N.; Hayat, K.; Saqib, F.; Zhang, X.; Zhan, G.; Guo, Z. The genus Cassia L.: Ethnopharmacological and phytochemical overview. *Phyther. Res.* **2021**, *35*, 2336–2385. [CrossRef]
51. Obafemi, T.O.; Olaleye, M.T.; Akinmoladun, A.C. Antidiabetic property of miracle fruit plant (*Synsepalum dulcificum* Shumach. & Thonn. Daniell) leaf extracts in fructose-fed streptozotocin-injected rats via anti-inflammatory activity and inhibition of carbohydrate metabolizing enzymes. *J. Ethnopharmacol.* **2019**, *244*, 112124. [CrossRef] [PubMed]
52. Setshogo, M.; Mbereki, C. Floristic diversity and uses of medicinal plants sold by street vendors in Gaborone, Botswana. *Afr. J. Plant Sci. Biotechnol.* **2011**, *5*, 69–74.
53. Sabiu, S.; Madende, M.; Ayokun-nun Ajao, A.; Adepeyi Ogundeleji, O.; Lekena, N.; Adekunle Alayande, K. The scope of phytotherapy in southern African antidiabetic healthcare. *Trans. R. Soc. S. Afr.* **2019**, *74*, 1–18. [CrossRef]
54. Nadembega, P.; Boussim, J.I.; Nikiema, J.B.; Poli, F.; Antognoni, F. Medicinal plants in Baskoure, Kourittenga Province, Burkina Faso: An ethnobotanical study. *J. Ethnopharmacol.* **2011**, *133*, 378–395. [CrossRef]
55. Gerometta, E.; Grondin, I.; Smadja, J.; Frederich, M.; Gauvin-Bialecki, A. A review of traditional uses, phytochemistry and pharmacology of the genus Indigofera. *J. Ethnopharmacol.* **2020**, *253*, 112608. [CrossRef]
56. Jiofack, T.; Fokunang, C.; Guedje, N.; Kemeuze, V.; Fongnzossie, E.; Nkongmeneck, B.A.; Mapongmetsem, P.M.; Tsabang, N. Ethnobotanical uses of some plants of two ethnoecological regions of Cameroon. *Int. J. Med. Sci.* **2010**, *3*, 664–684.
57. Kuete, V.; Efferth, T. Cameroonian medicinal plants: Pharmacology and derived natural products. *Front. Pharmacol.* **2010**, *1*, 123. [CrossRef]
58. Tom, E.N.L.; Girard-Thernier, C.; Martin, H.; Dimo, T.; Alvergnas, M.; Nappey, M.; Berthelot, A.; Demougeot, C. Treatment with an extract of *Terminalia superba* Engler & Diels decreases blood pressure and improves endothelial function in spontaneously hypertensive rats. *J. Ethnopharmacol.* **2014**, *151*, 372–379. [CrossRef] [PubMed]
59. Emmanuel, M.M.; Didier, D.S. Traditional knowledge on medicinal plants use by Ethnic communities in Douala, Cameroon. *European J. Med. Plants* **2012**, *2*, 159–176. [CrossRef]
60. Noumi, E.; Houngue, F.; Lontsi, D. Traditional medicines in primary health care: Plants used for the treatment of hypertension in Bafia, Cameroon. *Fitoterapia* **1999**, *70*, 134–139. [CrossRef]
61. Focho, D.A.; Ndam, W.T.; Fonge, B.A. Medicinal plants of Aguambu-Bamumbu in the Lebialem highlands, southwest province of Cameroon. *Afr. J. Pharm. Pharmacol.* **2009**, *3*, 1–13.
62. Jena, R.; Rath, D.; Rout, S.S.; Kar, D.M. A review on genus Millettia: Traditional uses, phytochemicals and pharmacological activities. *Saudi Pharm. J.* **2020**, *28*, 1686–1703. [CrossRef] [PubMed]
63. Ombito, J.O.; Chi, G.F.; Wansi, J.D. Ethnomedicinal uses, phytochemistry, and pharmacology of the genus Vepris (Rutaceae): A review. *J. Ethnopharmacol.* **2021**, *267*, 113622. [CrossRef]
64. Kamba, F.; Wei, S. Contribution to the knowledge of medicinal plants used in the treatment of arterial hypertension by traditional practitioners Bouar in CAR. *Adv. Soc. Sci. Res. J.* **2016**, *3*, 25–43. [CrossRef]
65. Soule, H.H.; Soidrou, S.H.; Farah, A. Ethnopharmacological investigation of four plants used as medicinal in Ngazidja Island. *J. Med. Plants* **2014**, *5*, 379–382.
66. Katemo, M.; Mpiana, P.T.; Mbala, B.M.; Mihigo, S.O.; Ngbolua, K.N.; Tshibangu, D.S.T.; Koyange, P.R. Ethnopharmacological survey of plants used against diabetes in Kisangani city (DR Congo). *J. Ethnopharmacol.* **2012**, *144*, 39–43. [CrossRef]
67. Kasali, M.F.; Mahano, A.O.; Bwironde, F.M.; Amani, A.C.; Mangambu, J.D.; Nyakabwa, D.S.; Wimba, L.K.; Tshibangu, D.S.T.; Ngbolua, K.N.; Kambale, J.K.; et al. Ethnopharmacological survey of plant used against diabetes in Bukavu city (D. R. Congo). *J. Ethnobiol. Tradit. Med.* **2013**, *119*, 538–546.
68. Jacques, M.L.; Xie, Z.; Xu, X.J.; Boping, Y. Plants Used for the Treatment of Diabetes Mellitus in the Democratic Republic of Congo: Traditional Uses In Vitro and In Vivo. 2015. Available online: <https://www.semanticscholar.org/paper/PLANTS-US-USED-FOR-THE-TREATMENT-OF-DIABETES-MELLITUS-Jacques-Xie/dd53a31e0fe4813fce5b9b08a4a636e82e510b17#citing-papers> (accessed on 7 June 2021).
69. Amuri, B.; Maseho, M.; Simbi, L.; Okusa, P.; Duez, P.; Byanga, K. Hypoglycemic and antihyperglycemic activities of nine medicinal herbs used as antidiabetic in the region of Lubumbashi (DR Congo). *Phyther. Res.* **2017**, *31*, 1029–1033. [CrossRef] [PubMed]
70. Konkon, N.; Ouattara, D.; Kpan, W.; Kouakou, T. Medicinal plants used for treatment of diabetes by traditional practitioners in the markets of Abidjan district in Côte d’Ivoire. *J. Med. Plants Stud.* **2017**, *5*, 39–48.

71. Hassan-Abdallah, A.; Merito, A.; Hassan, S.; Aboubaker, D.; Djama, M.; Asfaw, Z.; Kelbessa, E. Medicinal plants and their uses by the people in the region of Randa, Djibouti. *J. Ethnopharmacol.* **2013**, *148*, 701–713. [CrossRef] [PubMed]
72. Demoz, M.; Gachoki, K.; Mungai, K.; Negusse, B. Ethnobotanical survey and preliminary phytochemical studies of plants traditionally used for diabetes in Eritrea. *European J. Med. Plants* **2015**, *9*, 1–11. [CrossRef]
73. Sium, M.; Kareru, P.; Keriko, J.; Girmay, B.; Medhanie, G.; Debretson, S. Profile of trace elements in selected medicinal plants used for the treatment of diabetes in Eritrea. *Sci. World J.* **2016**, *2016*, 2752836. [CrossRef]
74. Yemane, B.; Andebrhan, M.; Reddy, K.S. Traditional medicinal plants used by Tigrigna ethnic group in Central Region of Eritrea. *IOSR J. Pharm. Biol. Sci.* **2017**, *12*, 40–46. [CrossRef]
75. Getiye, Y.; Tolessa, T.; Engidawork, E. Antihypertensive activity of 80% methanol seed extract of *Calpurnia aurea* (Ait.) Benth. subsp. *aurea* (Fabaceae) is mediated through calcium antagonism induced vasodilation. *J. Ethnopharmacol.* **2016**, *189*, 99–106. [CrossRef]
76. Giday, M.; Teklehaymanot, T.; Animut, A.; Mekonnen, Y. Medicinal plants of the Shinasha, Agewawi and Amhara peoples in northwest Ethiopia. *J. Ethnopharmacol.* **2007**, *110*, 516–525. [CrossRef]
77. Suleman, S.; Alemu, T. A survey on utilization of ethnomedicinal plants in Nekemte town, East Wellega (Oromia), Ethiopia. *J. Herbs, Spices Med. Plants* **2012**, *18*, 34–57. [CrossRef]
78. Belayneh, A.; Asfaw, Z.; Demissew, S.; Bussa, N.F. Medicinal plants potential and use by pastoral and agro-pastoral communities in Erer Valley of Babile Wereda, Eastern Ethiopia. *J. Ethnobiol. Ethnomed.* **2012**, *8*, 42. [CrossRef]
79. Belayneh, A.; Bussa, N.F. Ethnomedicinal plants used to treat human ailments in the prehistoric place of Harla and Dengego valleys, eastern Ethiopia. *J. Ethnobiol. Ethnomed.* **2014**, *10*, 18. [CrossRef] [PubMed]
80. Wubetu, M.; Abula, T.; Dejenu, G. Ethnopharmacologic survey of medicinal plants used to treat human diseases by traditional medical practitioners in Dega Damot district, Amhara, Northwestern Ethiopia. *BMC Res. Notes* **2017**, *10*, 157. [CrossRef] [PubMed]
81. Kidane, B.; van Andel, T.; van der Maesen, L.J.G.; Asfaw, Z. Use and management of traditional medicinal plants by Maale and Ari ethnic communities in southern Ethiopia. *J. Ethnobiol. Ethnomed.* **2014**, *10*, 46. [CrossRef] [PubMed]
82. D'Avigdor, E.; Wohlmuth, H.; Asfaw, Z.; Awas, T. The current status of knowledge of herbal medicine and medicinal plants in Fiche, Ethiopia. *J. Ethnobiol. Ethnomed.* **2014**, *10*, 38. [CrossRef]
83. Yadav, R.H. Medicinal plants in folk medicine system of Ethiopia. *J. Poisonous Med. Plants Res.* **2013**, *1*, 7–11.
84. Marles, R.J.; Farnsworth, N.R. Antidiabetic plants and their active constituents. *Phytomedicine* **1995**, *2*, 137–189. [CrossRef]
85. Fentaw, E.; Dagne, K.; Wondimu, T.; Demissew, S.; Bjørå, C.S.; Grace, O.M. Uses and perceived sustainability of *Aloe L.* (Asphodelaceae) in the central and northern Highlands of Ethiopia. *S. Afr. J. Bot.* **in press**. *2020*. [CrossRef]
86. Madingou, N.O.K.; Souza, A.; Lamidi, M.; Mengome, L.E.; Mba, C.E.M.; Bayissi, B.; Mavoungou, I.; Traore, A.S. Study of medicinal plants used in the management of cardiovascular diseases at Libreville (Gabon): An ethnopharmacological approach. *Int. J. Pharm. Sci. Res.* **2012**, *3*, 111–119.
87. Tjeck, O.P.; Souza, A.; Mickala, P.; Lepengue, A.N.; M'Batchi, B. Bio-efficacy of medicinal plants used for the management of diabetes mellitus in Gabon: An ethnopharmacological approach. *J. Intercult. Ethnopharmacol.* **2017**, *6*, 206–217. [CrossRef]
88. Taika, B.B.; Boukandou, M.; Souza, A.; Bourobou Bourobou, H.P.; MacKenzie, L.S.; Lione, L. An overview of anti-diabetic plants used in Gabon: Pharmacology and toxicology. *J. Ethnopharmacol.* **2018**, *216*, 203–228. [CrossRef]
89. Bekoe, E.; Kretchy, I.; Sarkodie, J.; Okraku, A.; Sasu, C.; Adjei, D.; Twumasi, M. Ethnomedicinal survey of plants used for the management of hypertension sold in the Makola market, Accra, Ghana. *European J. Med. Plants* **2017**, *19*, 1–9. [CrossRef]
90. Baldé, N.M.; Youla, A.; Baldé, M.D.; Kaké, A.; Diallo, M.M.; Baldé, M.A.; Maugendre, D. Herbal medicine and treatment of diabetes in Africa: An example from Guinea. *Diabetes Metab.* **2006**, *32*, 171–175. [CrossRef]
91. Haudecoeur, R.; Peuchmaur, M.; Pérès, B.; Rome, M.; Taiwe, G.S.; Boumendjel, A.; Boucherle, B. Traditional uses, phytochemistry and pharmacological properties of African *Nauclea* species: A review. *J. Ethnopharmacol.* **2018**, *212*, 106–136. [CrossRef] [PubMed]
92. Diallo, M.S.T.; Traore, M.S.; Balde, M.A.; Camara, A.K.; Baldé, E.S.; Traore, S.; Oulare, K.; Diallo, T.S.; Laurent, S.; Muller, R.N.; et al. Prevalence, management and ethnobotanical investigation of hypertension in two Guinean urban districts. *J. Ethnopharmacol.* **2019**, *231*, 73–79. [CrossRef]
93. Anyanwu, G.O.; Ur-Rehman, N.; Onyenke, C.E.; Rauf, K. Medicinal plants of the genus *Anthocleista*—A review of their ethnobotany, phytochemistry and pharmacology. *J. Ethnopharmacol.* **2015**, *175*, 648–667. [CrossRef] [PubMed]
94. Catarino, L.; Havik, P.J.; Romeiras, M.M. Medicinal plants of Guinea-Bissau: Therapeutic applications, ethnic diversity and knowledge transfer. *J. Ethnopharmacol.* **2016**, *183*, 71–94. [CrossRef]
95. Maobe, M.; Gatebe, E.; Gitu, L.; Rotich, H. Profile of heavy metals in selected medicinal plants used for the treatment of diabetes, malaria and pneumonia in Kisii Region, Southwest Kenya. *Glob. J. Pharmacol.* **2012**, *6*, 245–251. [CrossRef]
96. Keter, L.K.; Mutiso, P.C. Ethnobotanical studies of medicinal plants used by traditional health practitioners in the management of diabetes in Lower Eastern Province, Kenya. *J. Ethnopharmacol.* **2012**, *139*, 74–80. [CrossRef]
97. Okello, S.V.; Nyunja, R.O.; Netondo, G.W.; Onyango, J.C. Ethnobotanical study of medicinal plants used by Sabaots of Mt. Elgon Kenya. *Afr. J. Tradit. Complementary Altern. Med.* **2010**, *5*, 263–270. [CrossRef]
98. Kamau, L.N.; Mbaabu, M.P.; Mbaria, J.M.; Karuri, G.P.; Kiama, S.G. Knowledge and demand for medicinal plants used in the treatment and management of diabetes in Nyeri County, Kenya. *J. Ethnopharmacol.* **2016**, *189*, 218–229. [CrossRef]
99. Balogun, F.O.; Ashafa, A.O.T. A review of plants used in South African traditional medicine for the management and treatment of hypertension. *Planta Med.* **2019**, *85*, 312–334. [CrossRef] [PubMed]

100. Jeruto, P.; Lukhoba, C.; Ouma, G.; Otieno, D.; Mutai, C. An ethnobotanical study of medicinal plants used by the Nandi people in Kenya. *J. Ethnopharmacol.* **2008**, *116*, 370–376. [[CrossRef](#)] [[PubMed](#)]
101. Lebbie, A.; Kouame, F.; Kouassi, E. Specialization in ethnomedicinal plant knowledge among herbalists in the forest region of Rivercess County, Liberia. *J. Med. Plants Res.* **2017**, *11*, 264–274. [[CrossRef](#)]
102. Razafindraibe, M.; Kuhlman, A.R.; Rabarison, H.; Rakotoarimanana, V.; Rajeriarison, C.; Rakotoarivelo, N.; Randrianarivony, T.; Rakotoarivony, F.; Ludovic, R.; Randrianasolo, A.; et al. Medicinal plants used by women from Agnalazaha littoral forest (Southeastern Madagascar). *J. Ethnobiol. Ethnomed.* **2013**, *9*, 73. [[CrossRef](#)]
103. Rabearivony, A.D.; Kuhlman, A.R.; Razafiarison, Z.L.; Raharimalala, F.; Rakotoarivony, F.; Randrianarivony, T.; Rakotoarivelo, N.; Randrianasolo, A.; Bussmann, R.W. Ethnobotanical study of the medicinal plants known by men in Ambalabe, Madagascar. *Ethnobot. Res. Appl.* **2015**, *14*, 123–138. [[CrossRef](#)]
104. Norscia, I.; Borgognini-Tarli, S.M. Ethnobotanical reputation of plant species from two forests of Madagascar: A preliminary investigation. *S. Afr. J. Bot.* **2006**, *72*, 656–660. [[CrossRef](#)]
105. Rakotomalala, G.; Agard, C.; Tonnerre, P.; Tesse, A.; Derbré, S.; Michalet, S.; Hamzaoui, J.; Rio, M.; Cario-Toumaniantz, C.; Richomme, P.; et al. Extract from *Mimosa pigra* attenuates chronic experimental pulmonary hypertension. *J. Ethnopharmacol.* **2013**, *148*, 106–116. [[CrossRef](#)]
106. Mahadeo, K.; Grondin, I.; Kodja, H.; Soulange Govinden, J.; Jhaumeer Laulloo, S.; Frederich, M.; Gauvin-Bialecki, A. The genus Psiadia: Review of traditional uses, phytochemistry and pharmacology. *J. Ethnopharmacol.* **2018**, *210*, 48–68. [[CrossRef](#)]
107. Novy, J.W. Medicinal plants of the eastern region of Madagascar. *J. Ethnopharmacol.* **1997**, *55*, 119–126. [[CrossRef](#)]
108. Riondato, I.; Donno, D.; Roman, A.; Razafintsalam, V.E.; Petit, T.; Mellano, M.G.; Torti, V.; De Biaggi, M.; Rakotonaina, E.N.; Giacoma, C.; et al. First ethnobotanical inventory and phytochemical analysis of plant species used by indigenous people living in the Maromizaha forest, Madagascar. *J. Ethnopharmacol.* **2019**, *232*, 73–89. [[CrossRef](#)]
109. Nyirenda, K.K.; Saka, J.D.K.; Naidoo, D.; Maharaj, V.J.; Muller, C.J.F. Antidiabetic, anti-oxidant and antimicrobial activities of *Fadogia aencylantha* extracts from Malawi. *J. Ethnopharmacol.* **2012**, *143*, 372–376. [[CrossRef](#)] [[PubMed](#)]
110. Le, N.H.T.; Malterud, K.E.; Diallo, D.; Paulsen, B.S.; Nergård, C.S.; Wangensteen, H. Bioactive polyphenols in *Ximenia americana* and the traditional use among Malian healers. *J. Ethnopharmacol.* **2012**, *139*, 858–862. [[CrossRef](#)] [[PubMed](#)]
111. Mali, R.G. *Cleome viscosa* (wild mustard): A review on ethnobotany, phytochemistry, and pharmacology. *Pharm. Biol.* **2010**, *48*, 105–112. [[CrossRef](#)] [[PubMed](#)]
112. Yebouk, C.; Redouan, F.Z.; Benítez, G.; Bouhbal, M.; Kadiri, M.; Boumediana, A.I.; Molero-Mesa, J.; Merzouki, A. Ethnobotanical study of medicinal plants in the Adrar Province, Mauritania. *J. Ethnopharmacol.* **2020**, *246*, 112217. [[CrossRef](#)]
113. Mootoosamy, A.; Fawzi Mahomedally, M. Ethnomedicinal application of native remedies used against diabetes and related complications in Mauritius. *J. Ethnopharmacol.* **2014**, *151*, 413–444. [[CrossRef](#)]
114. Mahomedally, M.; Roumysa, B. Associations between the use of herbal therapy and sociodemographic factors. *Spat. DD-Peer Rev. J. Complement. Med. Drug Discov.* **2013**, *3*, 59. [[CrossRef](#)]
115. Mahomedally, M.F.; Muthoorah, L.D. An ethnopharmacological survey of natural remedies used by the Chinese community in Mauritius. *Asian Pac. J. Trop. Biomed.* **2014**, *4*, S387–S399. [[CrossRef](#)]
116. Chintamunnee, V.; Mahomedally, M.F. Herbal medicine commonly used against non-communicable diseases in the tropical island of Mauritius. *J. Herb. Med.* **2012**, *2*, 113–125. [[CrossRef](#)]
117. Rummun, N.; Neergheen-Bhujun, V.S.; Pynee, K.B.; Baider, C.; Bahorun, T. The role of endemic plants in Mauritian traditional medicine—Potential therapeutic benefits or placebo effect? *J. Ethnopharmacol.* **2018**, *213*, 111–117. [[CrossRef](#)]
118. Suroowan, S.; Pynee, K.B.; Mahomedally, M.F. South African Journal of Botany A comprehensive review of ethnopharmacologically important medicinal plant species from Mauritius. *S. Afr. J. Bot.* **2019**, *122*, 189–213. [[CrossRef](#)]
119. Taleb, H.; Maddocks, S.E.; Morris, R.K.; Kanekanian, A.D. Chemical characterisation and the anti-inflammatory, anti-angiogenic and antibacterial properties of date fruit (*Phoenix dactylifera* L.). *J. Ethnopharmacol.* **2016**, *194*, 457–468. [[CrossRef](#)] [[PubMed](#)]
120. Moura, I.; Duvane, J.A.; Silva, M.J.; Natasha, R.; Ribeiro-Barros, A.I. Woody species from the Mozambican Miombo woodlands: A review on their ethnomedicinal uses and pharmacological potential. *J. Med. Plants Res.* **2018**, *12*, 15–31. [[CrossRef](#)]
121. Cheikhyoussef, A.; Shapi, M.; Matengu, K.; Mu Ashekele, H. Ethnobotanical study of indigenous knowledge on medicinal plant use by traditional healers in Oshikoto region, Namibia. *J. Ethnobiol. Ethnomed.* **2011**, *7*, 10. [[CrossRef](#)] [[PubMed](#)]
122. Idu, M.; Onyibe, H.I. Medicinal plants of Edo State, Nigeria. *Res. J. Med. Plant* **2007**, *1*, 32–41.
123. Gbolade, A. Ethnobotanical study of plants used in treating hypertension in Edo State of Nigeria. *J. Ethnopharmacol.* **2012**, *144*, 1–10. [[CrossRef](#)] [[PubMed](#)]
124. Temitope Israel Borokini. Phytochemical and ethnobotanical study of some selected medicinal plants from Nigeria. *J. Med. Plants Res.* **2012**, *6*, 1106–1118. [[CrossRef](#)]
125. Mensah, J.K.; Okoli, R.I.; Turay, A.A.; Ogie-Odia, E.A. Phytochemical analysis of medicinal plants used for the management of hypertension by Esan people of Edo State, Nigeria. *Ethnobot. Leafl.* **2009**, *13*, 73–87. [[CrossRef](#)]
126. Arowosegbe, S.; Olanipekun, M.K.; Kayode, J. Ethnobotanical survey of medicinal plants used for the treatment of diabetes mellitus in Ekiti South Senatorial district, Nigeria. *Eur. J. Bot. Plant Sci. Phytol.* **2015**, *2*, 1–8.
127. Omeje, E.O.; Khan, M.P.; Osadebe, P.O.; Tewari, D.; Khan, M.F.; Dev, K.; Maurya, R.; Chattopadhyay, N. Analysis of constituents of the eastern Nigeria mistletoe, *Loranthus micranthus* linn revealed presence of new classes of osteogenic compounds. *J. Ethnopharmacol.* **2014**, *151*, 643–651. [[CrossRef](#)]

128. Salihu Shinkafi, T.; Bello, L.; Wara Hassan, S.; Ali, S. An ethnobotanical survey of antidiabetic plants used by Hausa-Fulani tribes in Sokoto, Northwest Nigeria. *J. Ethnopharmacol.* **2015**, *172*, 91–99. [[CrossRef](#)]
129. Ajao, A.A.; Oseni, O.M.; Oladipo, O.T.; Adams, Y.A.; Mukaila, Y.O.; Ajao, A.A. *Clerodendrum volubile* P. Beauv (Lamiaceae), an underutilized indigenous vegetable of utmost nutritive and pharmacological importance. *Beni-Suef Univ. J. Basic Appl. Sci.* **2018**, *7*, 606–611. [[CrossRef](#)]
130. Adedapo, A.D.A.; Ajayi, A.M.; Ekwunife, N.L.; Falaiyi, O.O.; Oyagbemi, A.; Omobowale, T.O.; Adedapo, A.A. Antihypertensive effect of *Phragmanthera incana* (Schum) Balle on NG-nitro-L-Arginine methyl ester (L-NAME) induced hypertensive rats. *J. Ethnopharmacol.* **2020**, *257*, 112888. [[CrossRef](#)]
131. Seebaluck, R.; Gurib-Fakim, A.; Mahomoodally, F. Medicinal plants from the genus *Acalypha* (Euphorbiaceae)-A review of their ethnopharmacology and phytochemistry. *J. Ethnopharmacol.* **2015**, *159*, 137–157. [[CrossRef](#)] [[PubMed](#)]
132. Ajibesin, K.K.; Ekpo, B.A.; Bala, D.N.; Essien, E.E.; Adesanya, S.A. Ethnobotanical survey of Akwa Ibom State of Nigeria. *J. Ethnopharmacol.* **2008**, *115*, 387–408. [[CrossRef](#)] [[PubMed](#)]
133. Heinrich, M.; Chan, J.; Wanke, S.; Neinhuis, C.; Simmonds, M.S.J. Local uses of Aristolochia species and content of nephrotoxic aristolochic acid 1 and 2-A global assessment based on bibliographic sources. *J. Ethnopharmacol.* **2009**, *125*, 108–144. [[CrossRef](#)]
134. Ejike, C.E.C.C.; Awazie, S.O.; Nwangozi, P.A.; Godwin, C.D. Synergistic postprandial blood glucose modulatory properties of *Vernonia amygdalina* (Del.), *Gongronema latifolium* (Benth.) and *Occimum gratissimum* (Linn.) aqueous decoctions. *J. Ethnopharmacol.* **2013**, *149*, 111–116. [[CrossRef](#)]
135. Adeneye, A.A.; Adeyemi, O.O. Further evaluation of antihyperglycaemic activity of *Hunteria umbellata* (K. Schum) Hallier f. seed extract in experimental diabetes. *J. Ethnopharmacol.* **2009**, *126*, 238–243. [[CrossRef](#)]
136. Cos, P.; Hermans, N.; Van Poel, B.; De Bruyne, T.; Apers, S.; Sindambiwe, J.B.; Vanden Berghe, D.; Pieters, L.; Vlietinck, A.J. Complement modulating activity of Rwandan medicinal plants. *Phytomedicine* **2002**, *9*, 56–61. [[CrossRef](#)]
137. Macfoy, C.A.; Sama, A.M. Medicinal plants in Pujehun District of Sierra Leone. *J. Ethnopharmacol.* **1983**, *8*, 215–223. [[CrossRef](#)]
138. James, P.B.; Kamara, H.; Bah, A.J.; Steel, A.; Wardle, J. Herbal medicine use among hypertensive patients attending public and private health facilities in Freetown, Sierra Leone. *Complement. Ther. Clin. Pract.* **2018**, *31*, 7–15. [[CrossRef](#)]
139. Macfoy, C. *Medicinal Plants and Traditional Medicine in Sierra Leone*; iUniverse: Bloomington, IN, USA, 2013.
140. Afolayan, A.J.; Mbaebie, B.O. Ethnobotanical study of medicinal plants used as anti-obesity remedies in Nkonkobe Municipality of South Africa. *Pharmacogn. J.* **2010**, *2*, 368–373. [[CrossRef](#)]
141. Semenza, S.; Potgieter, M.; Erasmus, L. Ethnobotanical survey of medicinal plants used by Bapedi healers to treat diabetes mellitus in the Limpopo Province, South Africa. *J. Ethnopharmacol.* **2012**, *141*, 440–445. [[CrossRef](#)] [[PubMed](#)]
142. Van de Venter, M.; Roux, S.; Bungu, L.C.; Louw, J.; Crouch, N.R.; Grace, O.M.; Maharaj, V.; Pillay, P.; Sewnarain, P.; Bhagwandin, N.; et al. Antidiabetic screening and scoring of 11 plants traditionally used in South Africa. *J. Ethnopharmacol.* **2008**, *119*, 81–86. [[CrossRef](#)] [[PubMed](#)]
143. Davids, D.; Gibson, D.; Johnson, Q. Ethnobotanical survey of medicinal plants used to manage high blood pressure and type 2 diabetes mellitus in Bitterfontein, Western Cape Province, South Africa. *J. Ethnopharmacol.* **2016**, *194*, 755–766. [[CrossRef](#)] [[PubMed](#)]
144. Deutschländer, M.S.; van de Venter, M.; Roux, S.; Louw, J.; Lall, N. Hypoglycaemic activity of four plant extracts traditionally used in South Africa for diabetes. *J. Ethnopharmacol.* **2009**, *124*, 619–624. [[CrossRef](#)]
145. Deutschlnder, M.S.; Lall, N.; Van De Venter, M. Plant species used in the treatment of diabetes by South African traditional healers: An inventory. *Pharm. Biol.* **2009**, *47*, 348–365. [[CrossRef](#)]
146. Omokhua-Uyi, A.G.; Van Staden, J. Phytomedicinal relevance of South African Cucurbitaceae species and their safety assessment: A review. *J. Ethnopharmacol.* **2020**, *259*, 112967. [[CrossRef](#)]
147. Cock, I.E.; Ndlovu, N.; Van Vuuren, S.F. The use of South African botanical species for the control of blood sugar. *J. Ethnopharmacol.* **2021**, *264*, 113234. [[CrossRef](#)]
148. Lerotholi, L.; Chaudhary, S.K.; Combrinck, S.; Viljoen, A. Bush tea (*Athrixia phylicoides*): A review of the traditional uses, bioactivity and phytochemistry. *S. Afr. J. Bot.* **2017**, *110*, 4–17. [[CrossRef](#)]
149. Nortje, J.M.; Van Wyk, B.E. Medicinal plants of the Kamiesberg, Namaqualand, South Africa. *J. Ethnopharmacol.* **2015**, *171*, 205–222. [[CrossRef](#)]
150. Semwal, D.K.; Semwal, R.B.; Vermaak, I.; Viljoen, A. From arrow poison to herbal medicine—The ethnobotanical, phytochemical and pharmacological significance of *Cissampelos* (Menispermaceae). *J. Ethnopharmacol.* **2014**, *155*, 1011–1028. [[CrossRef](#)] [[PubMed](#)]
151. Williams, S.; Roux, S.; Koekemoer, T.; Van De Venter, M.; Dealtry, G. *Sutherlandia frutescens* prevents changes in diabetes-related gene expression in a fructose-induced insulin resistant cell model. *J. Ethnopharmacol.* **2013**, *146*, 482–489. [[CrossRef](#)] [[PubMed](#)]
152. Street, R.A.; Prinsloo, G. Commercially important medicinal plants of South Africa: A review. *J. Chem.* **2013**, *2013*, 205048. [[CrossRef](#)]
153. De Wet, H.; Ramulondi, M.; Ngcobo, Z.N. The use of indigenous medicine for the treatment of hypertension by a rural community in northern Maputaland, South Africa. *S. Afr. J. Bot.* **2016**, *103*, 78–88. [[CrossRef](#)]
154. Bodede, O.; Prinsloo, G. Ethnobotany, phytochemistry and pharmacological significance of the genus *Bulbine* (Asphodelaceae). *J. Ethnopharmacol.* **2020**, *260*, 112986. [[CrossRef](#)]

155. Elhardallou, S.B. Cytotoxicity and biological activity of selected Sudanese medicinal plants. *Res. J. Med. Plant* **2011**, *5*, 201–229. [[CrossRef](#)]
156. Yagi, S.M.; Yagi, A.I. Traditional medicinal plants used for the treatment of diabetes in the Sudan: A review. *African J. Pharm. Pharmacol.* **2018**, *12*, 27–40. [[CrossRef](#)]
157. Khalid, H.; Abdalla, W.E.; Abdelgadir, H.; Opatz, T.; Efferth, T. Gems from traditional north-African medicine: Medicinal and aromatic plants from Sudan. *Nat. Prod. Bioprospect.* **2012**, *2*, 92–103. [[CrossRef](#)]
158. Suleiman, M.H.A. An ethnobotanical survey of medicinal plants used by communities of Northern Kordofan region, Sudan. *J. Ethnopharmacol.* **2015**, *176*, 232–242. [[CrossRef](#)]
159. Issa, T.O.; Mohamed, Y.S.; Yagi, S.; Ahmed, R.H.; Najeeb, T.M.; Makhawi, A.M.; Khider, T.O. Ethnobotanical investigation on medicinal plants in Algoz area (South Kordofan), Sudan. *J. Ethnobiol. Ethnomed.* **2018**, *14*, 31. [[CrossRef](#)]
160. Karar, M.G.; Kuhnert, N. Herbal drugs from Sudan: Traditional uses and phytoconstituents. *Pharmacogn. Rev.* **2017**, *1*, 83–103. [[CrossRef](#)]
161. Amusan, O.O.G.; Sukati, N.A.; Dlamini, P.S.; Sibandze, F.G. Some Swazi phytomedicines and their constituents. *Afr. J. Biotechnol.* **2007**, *6*, 267–272. [[CrossRef](#)]
162. Maregesi, S.M.; Ngassapa, O.D.; Pieters, L.; Vlietinck, A.J. Ethnopharmacological survey of the Bunda district, Tanzania: Plants used to treat infectious diseases. *J. Ethnopharmacol.* **2007**, *113*, 457–470. [[CrossRef](#)] [[PubMed](#)]
163. Chhabra, S.C.; Uiso, F.C.; Mshiu, E.N. Phytochemical screening of Tanzanian medicinal plants. I. *J. Ethnopharmacol.* **1984**, *11*, 157–179. [[CrossRef](#)]
164. Chhabra, S.C.; Mahunnah, R.L.A.; Mshiu, E.N. Plants used in traditional medicine in Eastern Tanzania. VI. Angiosperms (Sapotaceae to Zingiberaceae). *J. Ethnopharmacol.* **1993**, *39*, 83–103. [[CrossRef](#)]
165. Lunyera, J.; Wang, D.; Maro, V.; Karia, F.; Boyd, D.; Omolo, J.; Patel, U.D.; Stanifer, J.W. Traditional medicine practices among community members with diabetes mellitus in Northern Tanzania: An ethnomedical survey. *BMC Complement. Altern. Med.* **2016**, *16*, 282. [[CrossRef](#)]
166. Augustino, S.; Hall, J.B.; Makonda, F.B.S.; Ishengoma, R.C. Medicinal resources of the Miombo woodlands of Urumwa, Tanzania: Plants and its uses. *J. Med. Plant Res.* **2011**, *5*, 6352–6372. [[CrossRef](#)]
167. Maregesi, S.M.; Hermans, N.; Dhooghe, L.; Cimanga, K.; Ferreira, D.; Pannecouque, C.; Berghe, D.A.V.; Cos, P.; Maes, L.; Vlietinck, A.J.; et al. Phytochemical and biological investigations of *Elaeodendron schlechteranum*. *J. Ethnopharmacol.* **2010**, *129*, 319–326. [[CrossRef](#)]
168. Hedberg, I.; Hedberg, O.; Madati, P. Inventory of plants used in traditional medicine in Tanzania. Part III. Plants of the families Papilionaceae-Vitaceae. *J. Ethnopharmacol.* **1983**, *10*, 207–252.
169. Peter, E.L.; Nagendrappa, P.B.; Hilonga, S.; Tuyiringire, N.; Ashuro, E.; Kaligirwa, A.; Sesaaizi, C.D. Pharmacological reflection of plants traditionally used to manage diabetes mellitus in Tanzania. *J. Ethnopharmacol.* **2021**, *269*, 113715. [[CrossRef](#)]
170. Karou, S.D.; Tchacondo, T.; Djikpo Tchibozo, M.A.; Abdoul-Rahaman, S.; Anani, K.; Koudouvo, K.; Batawila, K.; Agbonon, A.; Simpore, J.; De Souza, C. Ethnobotanical study of medicinal plants used in the management of diabetes mellitus and hypertension in the Central Region of Togo. *Pharm. Biol.* **2011**, *49*, 1286–1297. [[CrossRef](#)] [[PubMed](#)]
171. Tchacondo, T.; Karou, S.D.; Agban, A.; Bako, M.; Batawila, K.; Bawa, M.L.; Gbeassor, M.; De Souza, C. Medicinal plants use in central Togo (Africa) with an emphasis on the timing. *Pharmacognosy Res.* **2012**, *4*, 92–103. [[CrossRef](#)] [[PubMed](#)]
172. Hoekou, Y.P.; Tchacondo, T.; Karou, S.D.; Koudouvo, K.; Atakpama, W.; Pissang, P.; Gbogbo, A.K.; Woegan, A.Y.; Batawila, K.; Akpagana, K.; et al. Ethnobotanical study of latex plants in the maritime Region of Togo. *Pharmacognosy Res.* **2016**, *8*, 128–134. [[CrossRef](#)] [[PubMed](#)]
173. Kpodar, M.S.; Lawson-Evi, P.; Bakoma, B.; Eklu-Gadegbeku, K.; Agbonon, A.; Aklikokou, K.; Gbeassor, M. Ethnopharmacological survey of plants used in the treatment of diabetes mellitus in south of Togo (Maritime Region). *J. Herb. Med.* **2015**, *5*, 147–152. [[CrossRef](#)]
174. Okullo, J.B.L.; Omujal, F.; Bigirimana, C.; Isubikalu, P.; Malinga, M.; Bizuru, E.; Namutebi, A. Ethno-medicinal uses of selected indigenous fruit trees from the Lake Victoria Basin Districts in Uganda. *J. Med. Stud.* **2014**, *2*, 78–88.
175. Okello, J.; Ssegawa, P. Medicinal plants used by communities of Ngai Subcounty, Apac District, northern Uganda. *Afr. J. Ecol.* **2007**, *45*, 76–83. [[CrossRef](#)]
176. Namukobe, J.; Kasenene, J.M.; Kiremire, B.T.; Byamukama, R.; Kamatenesi-Mugisha, M.; Krief, S.; Dumontet, V.; Kabasa, J.D. Traditional plants used for medicinal purposes by local communities around the Northern sector of Kibale National Park, Uganda. *J. Ethnopharmacol.* **2011**, *136*, 236–245. [[CrossRef](#)]
177. Muyenga, T.A.; Musonda, D.; Chigunta, M. Ethnobotanical survey of medical plants used in treatment of diabetes in Chipulukusu compound, Ndola district, Zambia. *J. Prev. Rehabil. Med.* **2018**, *1*, 39–44. [[CrossRef](#)]
178. Boye, A.; Acheampong, D.O.; Gyamerah, E.O.; Asiamah, E.A.; Addo, J.K.; Mensah, D.A.; Brah, A.S.; Ayiku, P.J. Glucose lowering and pancreateo-protective effects of *Abrus Precatorius* (L.) leaf extract in normoglycemic and STZ/Nicotinamide—Induced diabetic rats. *J. Ethnopharmacol.* **2020**, *258*, 112918. [[CrossRef](#)]
179. Ikewuchi, J.C.; Onyeike, E.N.; UWAKWE, A.A.; Ikewuchi, C.C. Effect of aqueous extract of the leaves of *Acalypha wilkesiana* “Godseffiana” Muell Arg (Euphorbiaceae) on the hematology, plasma biochemistry and ocular indices of oxidative stress in alloxan induced diabetic rats. *J. Ethnopharmacol.* **2011**, *137*, 1415–1424. [[CrossRef](#)]

180. Kuete, V.; Efferth, T. Pharmacogenomics of Cameroonian traditional herbal medicine for cancer therapy. *J. Ethnopharmacol.* **2011**, *137*, 752–766. [CrossRef] [PubMed]
181. Boniface, P.K.; Ferreira, S.B.; Kaiser, C.R. Recent trends in phytochemistry, ethnobotany and pharmacological significance of *Alchornea cordifolia* (Schumach. & Thonn.) Muell. Arg. *J. Ethnopharmacol.* **2016**, *191*, 216–244. [CrossRef] [PubMed]
182. Mahomoodally, M.F.; Protab, K.; Aumeeruddy, M.Z. Medicinal plants brought by Indian indentured immigrants: A comparative review of ethnopharmacological uses between Mauritius and India. *J. Ethnopharmacol.* **2019**, *234*, 245–289. [CrossRef] [PubMed]
183. Mogale, M.M.P.; Raimondo, D.C.; VanWyk, B.E. The ethnobotany of Central Sekhukhuneland, South Africa. *S. Afr. J. Bot.* **2019**, *122*, 90–119. [CrossRef]
184. Amusan, O.O.G. Herbal medicine in Swaziland: An overview. *ACS Symp. Ser.* **2009**, *1021*, 31–49. [CrossRef]
185. Kpadehyea, J.; Fernando, E.; Tinio, C.; Buot, I. Ethnobotany survey of the Wonegizi, Ziama Lofa County, Liberia. *Electron. J. Biol.* **2015**, *11*, 165–175.
186. Atangwho, I.J.; Ebong, P.E.; Eyong, E.U.; Asmawi, M.Z.; Ahmad, M. Synergistic antidiabetic activity of *Vernonia amygdalina* and *Azadirachta indica*: Biochemical effects and possible mechanism. *J. Ethnopharmacol.* **2012**, *141*, 878–887. [CrossRef]
187. Eleazu, C.O.; Awa, K.C.; Chukwuma, E. Comparative study of the phytochemical composition of the leaves of five Nigerian medicinal plants. *E3 J. Biotechnol. Pharm. Res.* **2012**, *3*, 42–46.
188. Birhanu, Z.; Endale, A.; Shewamene, Z. An ethnomedicinal investigation of plants used by traditional healers of Gondar town, North-Western Ethiopia. *J. Med. Plants Stud.* **2015**, *3*, 36–43.
189. Oloyede, O.B.; Ajiboye, T.O.; Abdussalam, A.F.; Adeleye, A.O. *Blighia sapida* leaves halt elevated blood glucose, dyslipidemia and oxidative stress in alloxan-induced diabetic rats. *J. Ethnopharmacol.* **2014**, *157*, 309–319. [CrossRef]
190. Simmisola, A.; Oluwasesan, B.M.; Chukwuemeka, A.P. *Blighia sapida* K.D. Koenig: A review on its phytochemistry, pharmacological and nutritional properties. *J. Ethnopharmacol.* **2019**, *235*, 446–459. [CrossRef]
191. Eddouks, M.; Maghrani, M.; Lemhadri, A.; Ouahidi, M.L.; Jouad, H. Ethnopharmacological survey of medicinal plants used for the treatment of diabetes mellitus, hypertension and cardiac diseases in the south-east region of Morocco (Tafilet). *J. Ethnopharmacol.* **2002**, *82*, 97–103. [CrossRef]
192. De Smet, P.A.G.M. Traditional pharmacology and medicine in Africa. Ethnopharmacological themes in sub-Saharan art objects and utensils. *J. Ethnopharmacol.* **1998**, *63*, 1–175. [CrossRef]
193. Delphine, D.N.; Marie, M.P.; Valerie, N.N. Ethnological studies on melliferous plants of the Soudano-Sahelian Zone of Chad. *J. Med. Plants* **2017**, *5*, 193–198.
194. Annan, K.; Kojo, A.; Cindy, A.; Samuel, A.N.; Tunkumgnen, B. Profile of heavy metals in some medicinal plants from Ghana commonly used as components of herbal formulations. *Pharmacognosy Res.* **2010**, *2*, 41–44. [CrossRef]
195. Munodawafa, T. Screening of some traditional medicinal plants from Zimbabwe for biological and anti-microbial activity. Master’s Thesis, University of Zimbabwe, Harare, Zimbabwe, 2012.
196. Erukainure, O.L.; Sanni, O.; Ijomone, O.M.; Ibeji, C.U.; Chukwuma, C.I.; Islam, M.S. The antidiabetic properties of the hot water extract of kola nut (*Cola nitida* (Vent.) Schott & Endl.) in type 2 diabetic rats. *J. Ethnopharmacol.* **2019**, *242*, 112033. [CrossRef]
197. Kumari, N.; Choudhary, S.B.; Sharma, H.K.; Singh, B.K.; Kumar, A.A. Health-promoting properties of *Corchorus* leaves: A review. *J. Herb. Med.* **2019**, *15*, 100240. [CrossRef]
198. Elharadallou, S.B.; Khalid, I.I.; Gobouri, A.A.; Abdel-Hafez, S.H. Amino acid composition of cowpea (*Vigna unguiculata* L. Walp) flour and its protein isolates. *Food Nutr. Sci.* **2015**, *06*, 790–797. [CrossRef]
199. Yaoitcha, A.S.; Houehanou, T.D.; Fandohan, A.B.; Houinato, M.R.B. Prioritization of useful medicinal tree species for conservation in Wari-Marо Forest Reserve in Benin: A multivariate analysis approach. *For. Policy Econ.* **2015**, *61*, 135–146. [CrossRef]
200. Muanda, F.; Koné, D.; Dicko, A.; Soulimani, R.; Younos, C. Phytochemical composition and antioxidant capacity of three malian medicinal plant parts. *Evid.-Based Complement. Altern. Med.* **2011**, *2011*, 674320. [CrossRef]
201. Gruca, M.; van Andel, T.R.; Balslev, H. Ritual uses of palms in traditional medicine in sub-Saharan Africa: A review. *J. Ethnobiol. Ethnomed.* **2014**, *10*, 60. [CrossRef] [PubMed]
202. Maroyi, A. Review of ethnomedicinal uses, phytochemistry and pharmacological properties of *Euclea natalensis* A.DC. *Molecules* **2017**, *22*, 2128. [CrossRef] [PubMed]
203. Oboh, G.; Akinyemi, A.J.; Osanyinlusi, F.R.; Ademiluyi, A.O.; Boligon, A.A.; Athayde, M.L. Phenolic compounds from sandpaper (*Ficus exasperata*) leaf inhibits angiotensin 1 converting enzyme in high cholesterol diet fed rats. *J. Ethnopharmacol.* **2014**, *157*, 119–125. [CrossRef] [PubMed]
204. Dirar, A.I.; Devkota, H.P. Ethnopharmacological uses, phytochemistry and pharmacological activities of *Guiera senegalensis* J.F. Gmel. (Combretaceae). *J. Ethnopharmacol.* **2021**, *267*, 113433. [CrossRef]
205. Madge, C. Therapeutic landscapes of the Jola, The Gambia, West Africa. *Health Place* **1998**, *4*, 293–311. [CrossRef]
206. Mncwangi, N.; Chen, W.; Vermaak, I.; Viljoen, A.M.; Gericke, N. Devil’s Claw—A review of the ethnobotany, phytochemistry and biological activity of *Harpagophytum procumbens*. *J. Ethnopharmacol.* **2012**, *143*, 755–771. [CrossRef]
207. Keneilwe, M.; Saramma, G.; Kelvin, C. An *in-vitro* antioxidant and antidiabetic evaluation of traditional medicinal plants of Botswana. *J. Pharm. Res. Int.* **2018**, *22*, 1–12. [CrossRef]
208. Abdelgadir, H.A.; Van Staden, J. Ethnobotany, ethnopharmacology and toxicity of *Jatropha curcas* L. (Euphorbiaceae): A review. *S. Afr. J. Bot.* **2013**, *88*, 204–218. [CrossRef]

209. Musuyu Muganza, D.; Fruth, B.I.; Nzunzu Lami, J.; Mesia, G.K.; Kambu, O.K.; Tona, G.L.; Cimanga Kanyanga, R.; Cos, P.; Maes, L.; Apers, S.; et al. In vitro antiprotozoal and cytotoxic activity of 33 ethnopharmacologically selected medicinal plants from Democratic Republic of Congo. *J. Ethnopharmacol.* **2012**, *141*, 301–308. [[CrossRef](#)]
210. Ibrahim, M.A.; Islam, M.S. Butanol fraction of *Khaya senegalensis* root modulates β -cell function and ameliorates diabetes-related biochemical parameters in a type 2 diabetes rat model. *J. Ethnopharmacol.* **2014**, *154*, 832–838. [[CrossRef](#)]
211. Bello, I.; Shehu, M.W.; Musa, M.; Zaini Asmawi, M.; Mahmud, R. *Kigelia africana* (Lam.) Benth. (Sausage tree): Phytochemistry and pharmacological review of a quintessential African traditional medicinal plant. *J. Ethnopharmacol.* **2016**, *189*, 253–276. [[CrossRef](#)] [[PubMed](#)]
212. Samuelsson, G.; Farah, M.H.; Claeson, P.; Hagos, M.; Thulin, M.; Hedberg, O.; Warfa, A.M.; Hassan, A.O.; Elmi, A.H.A.S.; Abdurrahman, A.D.; et al. Inventory of plants used in traditional medicine in Somalia. IV. Plants of the families Passifloraceae-Zygophyllaceae. *J. Ethnopharmacol.* **1993**, *38*, 1–29. [[CrossRef](#)]
213. Akpan, E.J.; Okokon, J.E.; Offong, E. Antidiabetic and hypolipidemic activities of ethanolic leaf extract and fractions of *Melanthera scandens*. *Asian Pac. J. Trop. Biomed.* **2012**, *2*, 523–527. [[CrossRef](#)]
214. Popoola, J.O.; Obembe, O.O. Local knowledge, use pattern and geographical distribution of *Moringa oleifera* Lam. (Moringaceae) in Nigeria. *J. Ethnopharmacol.* **2013**, *150*, 682–691. [[CrossRef](#)] [[PubMed](#)]
215. Kasolo, J.N.; Bimenya, G.S.; Ojok, L.; Ochieng, J.; Ogwal-Okeng, J.W. Phytochemicals and uses of *Moringa oleifera* leaves in Ugandan rural communities. *J. Med. Plants Res.* **2010**, *4*, 753–757. [[CrossRef](#)]
216. Lucie, A.T.; Dogo, S.; Valentin, K.; Emile, A.C.; Mbacké, S. Medicinal plants used in some rural districts in Senegal (West Africa). *Am. J. Sustain. Agric.* **2012**, *6*, 325–332.
217. Ibrahim, M.A.; Habila, J.D.; Koordanally, N.A.; Islam, M.S. Butanol fraction of *Parkia biglobosa* (Jacq.) G. Don leaves enhance pancreatic β -cell functions, stimulates insulin secretion and ameliorates other type 2 diabetes-associated complications in rats. *J. Ethnopharmacol.* **2016**, *183*, 103–111. [[CrossRef](#)]
218. Alves, N.S.F.; Setzer, W.N.; da Silva, J.K.R. The chemistry and biological activities of *Peperomia pellucida* (Piperaceae): A critical review. *J. Ethnopharmacol.* **2019**, *232*, 90–102. [[CrossRef](#)]
219. Shah, K.; Patel, M.; Patel, R.; Parmar, P. *Mangifera indica* (Mango). *Pharmacogn. Rev.* **2010**, *4*, 42–48. [[CrossRef](#)]
220. Kasali, F.M.; Kadima, J.N.; Mpiana, P.T.; Ngolua, K.T.N.; Tshibangu, D.S.T. Assessment of antidiabetic activity and acute toxicity of leaf extracts from *Physalis peruviana* L. in guinea-pig. *Asian Pac. J. Trop. Biomed.* **2013**, *3*, 841–846. [[CrossRef](#)]
221. Roersch, C.M.F.B. *Piper umbellatum* L.: A comparative cross-cultural analysis of its medicinal uses and an ethnopharmacological evaluation. *J. Ethnopharmacol.* **2010**, *131*, 522–537. [[CrossRef](#)] [[PubMed](#)]
222. Gutiérrez, R.M.P.; Mitchell, S.; Solis, R.V. *Psidium guajava*: A review of its traditional uses, phytochemistry and pharmacology. *J. Ethnopharmacol.* **2008**, *117*, 1–27. [[CrossRef](#)] [[PubMed](#)]
223. Mwafongo, E.; Nordal, I.; Magombo, Z.; Stedje, B. Ethnobotanical study of hyacinthaceae and non-hyacinthaceous geophytes in selected districts of Malawi. *Ethnobot. Res. Appl.* **2010**, *8*, 75–94. [[CrossRef](#)]
224. Vasas, A.; Orbán-Gyapai, O.; Hohmann, J. The Genus Rumex: Review of traditional uses, phytochemistry and pharmacology. *J. Ethnopharmacol.* **2015**, *175*, 198–228. [[CrossRef](#)]
225. Hennebelle, T.; Weniger, B.; Joseph, H.; Sahbaz, S.; Bailleul, F. *Senna alata*. *Fitoterapia* **2009**, *80*, 385–393. [[CrossRef](#)]
226. Oladeji, O.S.; Adelowo, F.E.; Oluyori, A.P. The genus Senna (Fabaceae): A review on its traditional uses, botany, phytochemistry, pharmacology and toxicology. *S. Afr. J. Bot.* **2021**, *138*, 1–32. [[CrossRef](#)]
227. Doka, I.G.; Yagi, S.M. Ethnobotanical survey of medicinal plants in West Kordofan (Western Sudan). *Ehnobotanical Leafl.* **2009**, *13*, 1409–1416.
228. Dinda, B.; Das, N.; Dinda, S.; Dinda, M.; Silsarma, I. The genus *Sida* L.—A traditional medicine: Its ethnopharmacological, phytochemical and pharmacological data for commercial exploitation in herbal drugs industry. *J. Ethnopharmacol.* **2015**, *176*, 135–176. [[CrossRef](#)]
229. Atakpama, W.; Batawila, K.; Dourma, M.; Pereki, H.; Wala, K.; Dimobe, K.; Akpagana, K.; Gbeassor, M. Ethnobotanical knowledge of *Sterculia setigera* Del. in the Sudanian Zone of Togo (West Africa). *ISRN Bot.* **2012**, *2012*, 1–8. [[CrossRef](#)]
230. Nguyen, T.L.; Rusten, A.; Bugge, M.S.; Malterud, K.E.; Diallo, D.; Paulsen, B.S.; Wangensteen, H. Flavonoids, gallotannins and ellagitannins in *Syzygium guineense* and the traditional use among Malian healers. *J. Ethnopharmacol.* **2016**, *192*, 450–458. [[CrossRef](#)]
231. Hedberg, I.; Hedberg, O.; Madati, P. Inventory of plants used in traditional medicine in Tanzania. I. Plants of the families Acanthaceae-Cucurbitaceae. *J. Ethnopharmacol.* **1982**, *6*, 29–60. [[CrossRef](#)]
232. Maroyi, A. *Ximenia caffra* Sond. (Ximeniaceae) in sub-Saharan Africa: A synthesis and review of its medicinal potential. *J. Ethnopharmacol.* **2016**, *184*, 81–100. [[CrossRef](#)] [[PubMed](#)]
233. Mohammed, A.; Koordanally, N.A.; Islam, M.S. Anti-diabetic effect of *Xylopia aethiopica* (Dunal) A. Rich. (Annonaceae) fruit acetone fraction in a type 2 diabetes model of rats. *J. Ethnopharmacol.* **2016**, *180*, 131–139. [[CrossRef](#)] [[PubMed](#)]
234. Rachid, A.; Rabah, D.; Farid, L.; Zohra, S.F.; Houcine, B. Ethnopharmacological survey of medicinal plants used in the traditional treatment of diabetes mellitus in the North Western and South Western Algeria. *J. Med. Plants Res.* **2012**, *6*, 2041–2050. [[CrossRef](#)]
235. Ong, H.G.; Ling, S.M.; Win, T.T.M.; Kang, D.H.; Lee, J.H.; Kim, Y.D. Ethnomedicinal plants and traditional knowledge among three Chin indigenous groups in Natma Taung National Park (Myanmar). *J. Ethnopharmacol.* **2018**, *225*, 136–158. [[CrossRef](#)]

236. Li, Y.; Kong, D.; Fu, Y.; Sussman, M.R.; Wu, H. The effect of developmental and environmental factors on secondary metabolites in medicinal plants. *Plant Physiol. Biochem.* **2020**, *148*, 80–89. [CrossRef]
237. Akerreta, S.; Calvo, M.I.; Caverio, R.Y. Ethnoveterinary knowledge in Navarra (Iberian Peninsula). *J. Ethnopharmacol.* **2010**, *130*, 369–378. [CrossRef]
238. Azwanida, N. A review on the extraction methods use in medicinal plants, principle, strength and limitation. *Med. Aromat. Plants* **2015**, *04*, 3–8. [CrossRef]
239. IDF Diabetes in Africa. Available online: <https://www.idf.org/our-network/regions-members/africa/diabetes-in-africa.html> (accessed on 15 July 2021).
240. Okwu, D.E. Nigerian Medicinal Plants I. *Glob. Sci. Books* **2007**, *1*, 90–95.
241. Asgari Lajayer, B.; Ghorbanpour, M.; Nikabadi, S. Heavy metals in contaminated environment: Destiny of secondary metabolite biosynthesis, oxidative status and phytoextraction in medicinal plants. *Ecotoxicol. Environ. Saf.* **2017**, *145*, 377–390. [CrossRef]
242. Jamwal, K.; Bhattacharya, S.; Puri, S. Plant growth regulator mediated consequences of secondary metabolites in medicinal plants. *J. Appl. Res. Med. Aromat. Plants* **2018**, *9*, 26–38. [CrossRef]
243. Gan, R.Y.; Xu, X.R.; Song, F.L.; Kuang, L.; Li, H. Bin Antioxidant activity and total phenolic content of medicinal plants associated with prevention and treatment of cardiovascular and cerebrovascular diseases. *J. Med. Plants Res.* **2010**, *4*, 2438–2444. [CrossRef]
244. Rangel-Huerta, O.D.; Pastor-Villaescusa, B.; Aguilera, C.M.; Gil, A. A systematic review of the efficacy of bioactive compounds in cardiovascular disease: Phenolic compounds. *Nutrients* **2015**, *7*, 5177–5216. [CrossRef] [PubMed]
245. Herrmann, K. Flavonols and flavones in food plants: A review. *J. Food Technol.* **1976**, *11*, 433–448. [CrossRef]
246. Badimon, L.; Vilahur, G.; Padro, T. Nutraceuticals and atherosclerosis: Human trials. *Cardiovasc. Ther.* **2010**, *28*, 202–215. [CrossRef] [PubMed]
247. Petrovski, G.; Gurusamy, N.; Das, D.K. Resveratrol in cardiovascular health and disease. *Ann. N. Y. Acad. Sci.* **2011**, *1215*, 22–33. [CrossRef] [PubMed]
248. Martins, N.; Petropoulos, S.; Ferreira, I.C.F.R. Chemical composition and bioactive compounds of garlic (*Allium sativum* L.) as affected by pre- and post-harvest conditions: A review. *Food Chem.* **2016**, *211*, 41–50. [CrossRef]
249. Shang, A.; Cao, S.Y.; Xu, X.Y.; Gan, R.Y.; Tang, G.Y.; Corke, H.; Mavumengwana, V.; Li, H. Bin. Bioactive compounds and biological functions of garlic (*Allium sativum* L.). *Foods* **2019**, *8*, 246. [CrossRef]
250. Batiha, E.-S.; Gaber; Amany Magdy Beshbishi, L.G.W.; Elewa, Y.H.; Al-Sagan, A.A.; El-Hack, A.; Mohamed, E.; Taha, A.E.; Abd-Elhakim, Y.M.; Devkota, H.P. Chemical constituents and pharmacological activities of garlic (*Allium sativum* L.): A review. *Nutrients* **2020**, *12*, 872. [CrossRef]
251. Ngbolua, K.-N.; Ngiala, G.B.; Liyongo, C.I. A mini-review on the Phytochemistry and pharmacology of the medicinal plant species *Persea americana* Mill. (Lauraceae). *Discov. Phytomed.* **2019**, *6*, 619–655. [CrossRef]
252. Jimenez, P.; Garcia, P.; Quirral, V.; Vasquez, K.; Parra-Ruiz, C.; Reyes-Farias, M.; Garcia-Diaz, D.F.; Robert, P.; Encina, C.; Soto-Covasich, J. Pulp, leaf, peel and seed of avocado fruit: A review of bioactive compounds and healthy benefits. *Food Rev. Int.* **2021**, *37*, 619–655. [CrossRef]
253. Saini, R.K.; Sivanesan, I.; Keum, Y.S. Phytochemicals of *Moringa oleifera*: A review of their nutritional, therapeutic and industrial significance. *3 Biotech* **2016**, *6*, 203. [CrossRef] [PubMed]
254. Liu, Y.; Wang, X.; Wei, X.; Gao, Z.; Han, J. Values, properties and utility of different parts of *Moringa oleifera*: An overview. *Chinese Herb. Med.* **2018**, *10*, 371–378. [CrossRef]
255. Dhakad, A.K.; Ikram, M.; Sharma, S.; Khan, S.; Pandey, V.V.; Singh, A. Biological, nutritional, and therapeutic significance of *Moringa oleifera* Lam. *Phyther. Res.* **2019**, *33*, 2870–2903. [CrossRef] [PubMed]
256. Lopez-Rodriguez, N.A.; Gaytán-Martínez, M.; de la Luz Reyes-Vega, M.; Loarca-Piña, G. Glucosinolates and isothiocyanates from *Moringa oleifera*: Chemical and biological approaches. *Plant Foods Hum. Nutr.* **2020**, *75*, 447–457. [CrossRef] [PubMed]
257. Padayachee, B.; Baijnath, H. An updated comprehensive review of the medicinal, phytochemical and pharmacological properties of *Moringa oleifera*. *S. Afr. J. Bot.* **2020**, *129*, 304–316. [CrossRef]
258. Kashyap, P.; Kumar, S.; Riar, C.S.; Jindal, N.; Baniwal, P.; Guiné, R.P.F.; Correia, P.M.R.; Mehra, R.; Kumar, H. Recent advances in Drumstick (*Moringa oleifera*) leaves bioactive compounds: Composition, health benefits, bioaccessibility, and dietary applications. *Antioxidants* **2022**, *11*, 402. [CrossRef]
259. Telang, M.; Dhulap, S.; Mandhare, A.; Hirwani, R. Therapeutic and cosmetic applications of mangiferin: A patent review. *Expert Opin. Ther. Pat.* **2013**, *23*, 1561–1580. [CrossRef]
260. Ediriweera, M.K.; Tennekoon, K.H.; Samarakoon, S.R. A review on ethnopharmacological applications, pharmacological activities, and bioactive compounds of *Mangifera indica* (Mango). *Evid.-Based Complement. Altern. Med.* **2017**, *2017*, 6949835. [CrossRef]
261. Alañón, M.E.; Oliver-Simancas, R.; Gómez-Caravaca, A.M.; Arráez-Román, D.; Segura-Carretero, A. Evolution of bioactive compounds of three mango cultivars (*Mangifera indica* L.) at different maturation stages analyzed by HPLC-DAD-q-TOF-MS. *Food Res. Int.* **2019**, *125*, 108526. [CrossRef]
262. Sellés, A.J.N.; Agüero, J.A.; Paz, L.N. GC-MS analysis of mango stem bark extracts (*Mangifera indica* L.), Haden variety. Possible contribution of volatile compounds to its health effects. *Open Chem.* **2021**, *19*, 27–38. [CrossRef]
263. Roldán, E.; Sánchez-Moreno, C.; de Ancos, B.; Cano, M.P. Characterisation of onion (*Allium cepa* L.) by-products as food ingredients with antioxidant and antibrowning properties. *Food Chem.* **2008**, *108*, 907–916. [CrossRef] [PubMed]

264. Benitez, V.; Mollá, E.; Martín-Cabrejas, A.; López-Andréu, F.J.; Downes, K.; Terry, L.A.; Esteban, R.M. Study of bioactive compound content in different onion sections. *Plant Food Hum. Nutrition* **2011**, *66*, 48–57.
265. Liguori, L.; Califano, R.; Albanese, D.; Raimo, F.; Crescitelli, A.; Di Matteo, M. Chemical composition and antioxidant properties of five white onion (*Allium cepa* L.) landraces. *J. Food Qual.* **2017**, *2017*, 6873651. [[CrossRef](#)]
266. Pareek, S.; Sagar, N.A.; Sharma, S.; Kumar, V. Onion (*Allium cepa* L.). *Fruit Veg. Phytochem. Chem. Hum. Health* **2018**, *2*, 1145–1161. [[CrossRef](#)]
267. Marrelli, M.; Amodeo, V.; Statti, G.; Conforti, F. Biological properties and bioactive components of *Allium cepa* L.: Focus on potential benefits in the treatment of obesity and related comorbidities. *Molecules* **2019**, *24*, 119. [[CrossRef](#)] [[PubMed](#)]
268. Brima, E.I. Toxic elements in different medicinal plants and the impact on human health. *Int. J. Environ. Res. Public Health* **2017**, *14*, 1209. [[CrossRef](#)] [[PubMed](#)]
269. Kharchoufa, L.; Merrouni, I.A.; Yamani, A.; Elachouri, M. Profile on medicinal plants used by the people of North Eastern Morocco: Toxicity concerns. *Toxicon* **2018**, *154*, 90–113. [[CrossRef](#)] [[PubMed](#)]
270. Yumnamcha, T.; Nongthomba, U.; Devi, M.D. Genotoxicity and acute toxicity of aqueous extract and acute toxicity of aqueous extract of *Croton tiglium* L. *IJSRP* **2014**, *4*, 2250–3153.
271. Chahardehi, A.M.; Arsal, H.; Lim, V. Zebrafish as a successful animal model for screening toxicity of medicinal plants. *Plants* **2020**, *9*, 1345. [[CrossRef](#)]
272. Çelik, T.A.; Aslantürk, Ö.S. Evaluation of cytotoxicity and genotoxicity of *Inula viscosa* leaf extracts with Allium test. *J. Biomed. Biotechnol.* **2010**, *2010*, 189252. [[CrossRef](#)]
273. Yuan, X.; Chapman, R.L.; Wu, Z. Analytical methods for heavy metals in herbal medicines. *Phytochem. Anal.* **2011**, *22*, 189–198. [[CrossRef](#)] [[PubMed](#)]
274. Goel, G.; Makkar, H.P.S.; Francis, G.; Becker, K. Phorbol esters: Structure, biological activity, and toxicity in animals. *Int. J. Toxicol.* **2007**, *26*, 279–288. [[CrossRef](#)] [[PubMed](#)]
275. Odukoya, J.O.; Kayitesi, E.; Mphahlele, M.P.; Mungho Tata, C.; Njinkoue, J.M.; Gouado, I.; Ikhile, M.I.; Ndinteh, D.T. Contribution of the volatile components from fresh egg, adult female and male of *Pestarella tyrrhenia* to odour production. *Phys. Sci. Rev.* **2021**, *20200144*. [[CrossRef](#)]