

Correction: *Reversal of immune-checkpoint inhibitor fulminant myocarditis using personalized-dose-adjusted abatacept and ruxolitinib: proof of concept*

Nguyen LS, Bretagne M, Arrondeau J, *et al.* Reversal of immune-checkpoint inhibitor fulminant myocarditis using personalized-dose-adjusted abatacept and ruxolitinib: proof of concept. *J Immunother Cancer* 2022;10:e004699. doi: 10.1136/jitc-2022-004699.

This article has been corrected since it was first published online. In the 'Case-report' section, the dosage for intravenous abatacept in combination with oral ruxolitinib has been corrected to '15 mg two times daily'.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See <http://creativecommons.org/licenses/by-nc/4.0/>.

© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

J Immunother Cancer 2022;10:e004699corr1. doi:10.1136/jitc-2022-004699corr1

