



OPEN

# Retraction Note: A novel IgY-Aptamer hybrid system for cost-effective detection of SEB and its evaluation on food and clinical samples

Venkataramana Mudili, Shivakiran S. Makam, Naveen Sundararaj, Chandranayaka Siddaiah, Vijai Kumar Gupta & Putcha V. Lakshmana Rao

Retraction of: *Scientific Reports* <https://doi.org/10.1038/srep15151>, published online 19 October 2015

The Editors have retracted this Article.

After publication, concerns were raised that the top and bottom panels of Figure 3A appear to be identical. The Authors are unable to provide the original data. The Editors therefore no longer have confidence in the results and conclusions presented in this Article.

None of the Authors has responded to correspondence from the Editors about this retraction.



**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Publisher 2022