



Published in final edited form as:

Placenta. 2020 October ; 100: 171–172. doi:10.1016/j.placenta.2020.06.014.

## Corrigendum to “Placental MRI: Effect of maternal position and uterine contractions on placental BOLD MRI measurements” [Placenta 95 (2020) 69–77]

Esra Abaci Turk<sup>a,\*</sup>, S. Mazdak Abulnaga<sup>b</sup>, Jie Luo<sup>a,c</sup>, Jeffrey N. Stout<sup>a</sup>, Henry A. Feldman<sup>d</sup>, Ata Turk<sup>e</sup>, Borjan Gagoski<sup>a</sup>, Lawrence L. Wald<sup>f,g,h</sup>, Elfar Adalsteinsson<sup>f,i,j</sup>, Drucilla J. Roberts<sup>k</sup>, Carolina Bibbo<sup>l</sup>, Julian N. Robinson<sup>l</sup>, Polina Golland<sup>b,f</sup>, P. Ellen Grant<sup>a,1</sup>, William H. Barth Jr.<sup>m,1</sup>

<sup>a</sup>Fetal-Neonatal Neuroimaging & Developmental Science Center, Boston Children’s Hospital, Harvard Medical School, Boston, MA, USA

<sup>b</sup>Computer Science and Artificial Intelligence Laboratory (CSAIL), Massachusetts Institute of Technology, Cambridge, MA, USA

<sup>c</sup>School of Biomedical Engineering, Shanghai Jiao Tong University, Shanghai, China

<sup>d</sup>Institutional Centers for Clinical and Translational Research, Boston Children’s Hospital, Harvard Medical School, Boston, MA, USA

<sup>e</sup>Electrical Computer Engineering Department, Boston University, Boston, MA, USA

<sup>f</sup>Department of Electrical Engineering and Computer Science, Massachusetts Institute of Technology, Cambridge, MA, USA

<sup>g</sup>Radiology, Harvard Medical School, Boston, MA, United States

<sup>h</sup>Athinoula A. Martinos Center for Biomedical Imaging, Massachusetts General Hospital, Charlestown, MA, United States

<sup>i</sup>Harvard-MIT Health Sciences and Technology, Massachusetts Institute of Technology, Cambridge, MA, USA

<sup>j</sup>Institute for Medical Engineering and Science, Massachusetts Institute of Technology, Cambridge, MA, USA

<sup>k</sup>Department of Pathology, Massachusetts General Hospital, Boston, MA, USA

<sup>l</sup>Maternal Fetal Medicine, Brigham and Women’s Hospital, Boston, MA, USA

<sup>m</sup>Maternal-Fetal Medicine, Obstetrics and Gynecology, Massachusetts General Hospital, Boston, MA, USA

---

The authors regret that the same plot was copied for different subjects in Fig. 1 published in the above paper. It has been corrected below.

---

\*Corresponding author. esra.abaciturk@childrens.harvard.edu (E. Abaci Turk).

<sup>1</sup>P. Ellen Grant and William H. Barth Jr are co-senior authors.

The authors would like to apologise for any inconvenience caused.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript




Fig. 1.