



# Correction: Subthalamic deep brain stimulation for refractory Gilles de la Tourette's syndrome: clinical outcome and functional connectivity

Lulin Dai<sup>1</sup> · Wenyong Xu<sup>1</sup> · Yunhai Song<sup>1,2</sup> · Peng Huang<sup>1</sup> · Ningfei Li<sup>3</sup> · Barbara Hollunder<sup>3,4,5</sup> · Andreas Horn<sup>3,4,6,7</sup> · Yiwen Wu<sup>8</sup> · Chencheng Zhang<sup>1,9</sup> · Bomin Sun<sup>1</sup> · Dianyou Li<sup>1</sup>

Published online: 18 August 2022  
© The Author(s) 2022

**Correction: Journal of Neurology**  
<https://doi.org/10.1007/s00415-022-11266-w>

The original version of this article unfortunately contained a mistake. In figure 3, the electrode localizations of all patients do not match the one from the table.

The corrected Fig. 3 is given in the following page.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source,

provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

The original article can be found online at <https://doi.org/10.1007/s00415-022-11266-w>.

✉ Chencheng Zhang  
i@cczhang.org

✉ Bomin Sun  
sbm11224@rjh.com.cn

✉ Dianyou Li  
ldy11483@rjh.com.cn

<sup>1</sup> Department of Neurosurgery, Center for Functional Neurosurgery, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai, China

<sup>2</sup> Department of Neurosurgery, Shanghai Children's Medical Center, Affiliated to the Medical School of Shanghai Jiao Tong University, Shanghai, China

<sup>3</sup> Movement Disorders and Neuromodulation Unit, Department of Neurology, Charité - Universitätsmedizin Berlin, Berlin, Germany

<sup>4</sup> Einstein Center for Neurosciences Berlin, Charité - Universitätsmedizin Berlin, Berlin, Germany


<sup>5</sup> Berlin School of Mind and Brain, Humboldt-Universität zu Berlin, Berlin, Germany

<sup>6</sup> Center for Brain Circuit Therapeutics, Department of Neurology, Brigham and Women's Hospital, Boston, MA, USA

<sup>7</sup> MGH Neurosurgery and Center for Neurotechnology and Neurorecovery (CNTR) at MGH Neurology, Massachusetts General Hospital, Boston, MA, USA

<sup>8</sup> Department of Neurology, Center for Functional Neurosurgery, Ruijin Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai, China

<sup>9</sup> Shanghai Research Center for Brain Science and Brain-Inspired Technology, Shanghai, China



**Fig. 3** Reconstruction of DBS electrode placement using Lead-DBS software. All the active contacts reached the dorsal part of the subthalamic nucleus. Abbreviations: *DBS* deep brain stimulation