



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

proposal for healthcare organization. *Eur J Pediatr.* 2022;181(4):1385-1393.

3. Cogo PE, Poole D, Codazzi D, et al. Outcome of children admitted to adult intensive care units in Italy between 2003 and 2007. *Intensive Care Med.* 2010;36(8):1403-1409.
4. Kompaniyets L, Agathis NT, Nelson JM, et al. Underlying medical conditions associated with severe COVID-19 illness among children. *JAMA Netw Open.* 2021;4(6):e2111182.
5. Ward JL, Harwood R, Smith C, et al. Risk factors for PICU admission and death among children and young people hospitalized with COVID-19 and PIMS-TS in England during the first pandemic year. *Nature Med.* 2022;28(1):193-200.

Response



To the Editor:

We are grateful for the comments made by Decembrino et al. We chose in our article to focus on the role that adult ICUs may play in the care of critically-ill children during a public health emergency, given that the readership of *CHEST* includes a preponderance of physicians in adult pulmonary and critical care medicine. However, the broader point made in their letter is an important one. During public health emergencies, flexibility in age-based admission criteria can be a useful tool for offloading potentially overwhelmed parts of a health care system. Adults who received care in PICUs during the COVID-19 pandemic appear to have had acceptable outcomes when compared with anticipated mortality outcome in an adult unit.¹

We note that the study by Cogo et al² that reported worse outcomes for children in adult ICUs specifically studied these outcomes in children ≤ 14 years old. We agree wholeheartedly that the care of children is best entrusted to experts in that care, at least under normal conditions. In our article, we only recommend consideration of admitting children ≤ 14 years old to an adult ICU in the setting of genuine crisis of care, when a health care system is overwhelmed and the customary standard of care cannot be maintained. Interestingly, children aged ≥ 12 years old had comparable outcomes when admitted to either an adult or pediatric unit based

on prospective data from the United Kingdom, although there may be differential outcomes, depending on the admitting diagnosis.³

There are approximately 23,000 neonatal ICU beds in the United States, which is considerably fewer than the 75,000 adult medical, surgical, and cardiac ICU beds but dramatically more than the 5,000 PICU beds.⁴ Although the impact of the COVID-19 pandemic on infants and young children has been significantly less than the impact on adults, it is not difficult to imagine a future emergency with greater numbers of ill children. In such a setting, both neonatal and adult ICUs may need to support our pediatric colleagues, with the common aim of sustaining systems of care for all patients.

Ryan C. Maves, MD

Winston-Salem, NC

Mary A. King, MD, MPH

Seattle, WA

AFFILIATIONS: From the Wake Forest University School of Medicine (R. C. M.) and the University of Washington School of Medicine (M. A. K.).

CORRESPONDENCE TO: Ryan C. Maves, MD; email: rmaves@wakehealth.edu

Copyright © 2022 American College of Chest Physicians. Published by Elsevier Inc. All rights reserved.

DOI: <https://doi.org/10.1016/j.chest.2022.07.023>

Acknowledgments

Financial/nonfinancial disclosures: See earlier cited article for author conflicts of interest.

References

1. Sinha R, Aramburo A, Deep A, et al. Caring for critically ill adults in paediatric intensive care units in England during the COVID-19 pandemic: planning, implementation and lessons for the future. *Arch Dis Child.* 2021;106(6):548-557.
2. Cogo PE, Poole D, Codazzi D, et al. Outcome of children admitted to adult intensive care units in Italy between 2003 and 2007. *Intensive Care Med.* 2010;36(8):1403-1409.
3. Wood D, Goodwin S, Pappachan J, et al. Characteristics of adolescents requiring intensive care in the United Kingdom: a retrospective cohort study. *J Intensive Care Soc.* 2018;19(3):209-213.
4. Fast Facts on U.S. Hospitals. 2022. Accessed July 27, 2022. <https://www.aha.org/statistics/fast-facts-us-hospitals>