

Etra A, Gergoudis S, Morales G, et al. Assessment of systemic and gastrointestinal tissue damage biomarkers for GVHD risk stratification. *Blood Adv.* 2022;6(12):3707-3715.

Page 3710: Due to formatting errors, Table 2 does not correctly delineate the individual biomarker models from each other. "Single Biomarker Model" should show 5 individual biomarker models, not one 5-biomarker grouping. "Two Biomarker Model" should show six 2-biomarker models, not one 12-biomarker grouping. "Three Biomarker Model" should show four 3-biomarker models, not one 12-biomarker grouping. Also, "REG3" should read "REG3α." The corrected Table 2 is shown below:

Table 2. Training cohort biomarker algorithms and their respective p values

respective p values	P value
Single Biomarker Model (threshold p < .3)	
TNFR1	<.001
TIM3	.250
IL6	.630
ST2	<.001
REG3α	<.001
Two Biomarker Model (threshold p < .15)	
TNFR1	<.001
ТІМЗ	.140
TNFR1	.017
ST2	.007
TIM3	.940
ST2	<.001
TNFR1	.014
REG3α	<.001
TIM3	.910
REG3α	<.001
ST2	.003
REG3α	<.001
Three Biomarker Model (threshold p < .05)	
TIM3	.530
ST2	.003
REG3α	<.001
TNFR1	.004
ТІМЗ	.11
ST2	.005
TNFR1	.2
ST2	.029
REG3α	<.001
TNFR1	.005
ТІМЗ	.2
REG3α	<.001
Four Biomarker Model (threshold p < .05)	
TNFR1	.078
TIM3	.13
ST2	.021
REG3 α	<.001

Biomarkers meeting the statistical criteria for further study are shown in bold.

The errors have been corrected in the published article.

DOI 10.1182/bloodadvances.2022008474

^{© 2022} by The American Society of Hematology. Licensed under Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0), permitting only noncommercial, nonderivative use with attribution. All other rights reserved.