ARTICLE COMMENTARY

OPEN ACCESS OPEN ACCESS

Taylor & Francis

Taylor & Francis Group

Addressing COVID-19 vaccine hesitancy in South Africa- moving beyond a reliance on information-based responses

Sara Cooper Dabc, Heidi van Rooyende, and Charles S. Wiysongeabc,

^aCochrane South Africa, South African Medical Research Council, Cape Town, South Africa; ^bSchool of Public Health and Family Medicine, Faculty of Health Sciences, University of Cape Town, Cape Town, South Africa; ^cDepartment of Global Health, Faculty of Medicine and Health Sciences, Stellenbosch University, Cape Town, South Africa; ^dImpact Centre, Human Sciences Research Council, Pretoria, South Africa; ^eSAMRC-Wits Developmental Pathways for Health Research Unit, Faculty of Health Sciences, University of the Witwatersrand, Johannesburg-Braamfontein, South Africa; ^fIIV and other Infectious Diseases Research Unit, South African Medical Research Council, Durban, South Africa

ABSTRACT

It has been over a year since South Africa officially began its national COVID-19 vaccination programme. Yet, currently only half of the adult population is fully vaccinated. While supply-related challenges continue to contribute to suboptimal vaccination coverage, so too does vaccine hesitancy. Drawing on research conducted over the last year, we highlight some overarching insights around the nature and drivers of COVID-19 vaccine hesitancy in South Africa and how this complex phenomenon might be addressed. We have found multiple socio-economic and political root causes of COVID-19 vaccine hesitancy, practical challenges around access, experiences of poverty and marginalization, and the ongoing geopolitics surrounding the pandemic. Intervention strategies therefore need to form part of broader development and trust-building measures that focus on relationships, transparency, inclusion, equity and justice. This is essential if we hope to bolster acceptance of and demand for vaccines during and beyond the COVID-19 pandemic.

ARTICLE HISTORY

Received 7 July 2022 Revised 29 July 2022 Accepted 27 July 2022

KEYWORDS

COVID-19; vaccine hesitancy; nature and drivers; intervention strategies; South Africa

It has been over a year since South Africa officially began its national COVID-19 vaccination programme. As of 6 July 2022, only half (50.66%) of the adult population (18 years and older) was fully vaccinated, well-below the target to vaccinate 67% of the population by the end of 2021.¹ While access and supply-related challenges continue to contribute to suboptimal vaccination coverage, so too does vaccine hesitancy.² One year ago, we suggested that COVID-19 vaccine hesitancy in South Africa is a complex social phenomenon.³ Since then, we and others have undertaken several additional studies exploring the nature and drivers of COVID-19 vaccine hesitancy in South Africa.⁴⁻¹² The findings from this research have shed further light on this complex phenomenon and how it might be addressed.

One of the most consistent findings across this research has been the ongoing fear and uncertainty people have about the safety and effectiveness of COVID-19 vaccines. These sentiments are, arguably, entirely reasonable. Since the beginning, the pandemic has been characterized by much uncertainty as a result of rapidly changing and evolving evidence, new and emergent strains of the virus, and an ever-shifting landscape of travel bans and lockdowns.¹³ Still today, our understandings continue to emerge – about the virus and how it is spread, about the vaccines and what they can (and cannot prevent), about the duration of vaccine immunity, amongst other uncertainties.¹⁴ Over the past two years, people's trust in authorities has also been undermined significantly, due at times to ill-conceived and inequitable bans,¹⁵ as well as horrendous corruption scandals.¹⁶ And all of this has been accompanied by an explosion of information, with the pandemic and COVID-19 vaccines being drawn into a whirlpool of confusing and often contradictory messages (or what is now referred to as an "infodemic").¹⁷

There is thus a dire need for meaningful communication strategies to address people's ongoing concerns, at the level of both the community and the individual within patient-healthcare worker encounters.^{18,19} However, what is arguably equally (if not more) important than the what of communication, is the how, and the necessity of building trust. Here identifying and using trusted messengers and communication mediums to deliver vaccine messages in people's local languages is important.² So too is honesty about uncertainties.^{20,21} This means providing balanced and transparent information about COVID-19 vaccines, including about adverse events, benefit-risk considerations, evidence gaps and legitimate uncertainties surrounding the vaccines.² Empathy is also paramount, particularly when interacting with those who may be vaccine hesitant or skeptical.²² Various patient-centered techniques have been found to be effective in this regard, such as motivational interviewing (MI), which requires that the messenger adopts a collaborative, non-judgmental and empathic attitude.²³ The role of community engagement and ownership in building trust cannot be overstated. Community organizations, such as nongovernment and civil society organizations and local leadership (e.g. chiefs, village heads, religious leaders, traditional healers,

CONTACT Sara Cooper Sara.cooper@mrc.ac.za 🗈 Cochrane South Africa, South African Medical Research Council, Francie Van Zijl Dr, Parow Valley, Cape Town 7501, South Africa.

© 2022 The Author(s). Published with license by Taylor & Francis Group, LLC.

This is an Open Access article distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives License (http://creativecommons.org/licenses/by-nc-nd/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited, and is not altered, transformed, or built upon in any way.

councilors) are close to their communities, know how to tailor messages to them and are trusted leaders who can be effective vaccine champions, motivating communities toward trust in and acceptance of COVID-19 vaccination.¹⁸ South Africa has a rich history of community engagement and mobilization through years of HIV advocacy and treatment literacy that could be drawn upon for COVID-19 vaccination communication.²⁴

Communication strategies are, however, not enough. We as a public health community need to move beyond our reliance on information-based responses when people do not take-up healthcare technologies and innovations. COVID-19 vaccine hesitancy has numerous possible demographic and socio-psychological root causes, many of which are not knowledgerelated.¹³ For example, we have found that practical challenges around access and logistical issues pertaining to vaccination services are major contributors to COVID-19 vaccine hesitancy in the country.^{6,7} Specifically, questions of geography, transport and other (opportunity) costs associated with accessing vaccination services, long queues and waiting times at vaccination services, and difficulties around navigating the online registration system all impacted on people's unwillingness to get vaccinated. There is therefore a need for ongoing and enhanced strategies which target the structural and service-level factors that hinder access and convenience around COVID-19 vaccination. Here initiatives such as the 'Vooma vouchers'25 and 'Taxi Vaxi'26 are excellent examples that could be drawn upon and expanded.

We have also found that experiences of poverty and marginalization may provide a fertile ground for COVID-19 vaccine hesitancy in South Africa.⁶ The pandemic has had dire economic consequences, including generating or exacerbating poverty, food insecurity, a lack of social support, unemployment and a real sense of hopelessness for so many individuals and communities.²⁷ Context matters. What happens at this level influences acceptance, use and uptake of COVID-19 vaccines. Some people feel resentful being asked to vaccinate when so many of their other needs and concerns are being neglected. Others feel mistrustful of initiatives supposedly offered for their benefit, such as the COVID-19 vaccination, when they are disadvantaged in so many other aspects of their lives. Acceptance of COVID-19 vaccination in certain cases may therefore depend on people's other health and livelihood priorities being met. Here it could be beneficial to avoid an exclusionary focus on COVID-19 vaccination by integrating or aligning it with other primary health care and social development programmes (e.g. social grant initiatives, food distribution channels).¹⁹

Our and others' research has also highlighted how the ongoing geopolitics surrounding COVID-19 and COVID-19 vaccines – persistent vaccine nationalism, vaccine diplomacy, donor dependency, patent laws – are an additional driver of vaccine hesitancy in South Africa.^{6,28} Such geopolitics have produced outrageous inequities in COVID-19 vaccine access between the Global North and Global South, including South Africa.²⁹ They are also stark reminders of a painful history of (medical) colonialism and more recent incidences of patent laws and commercial interests denying communities access to the very drug treatments which were tested on them as research participants (antiretroviral treatment for HIV is a case in point in this regard).²⁴ This context is contributing to resistance to

and distrust in COVID-19 vaccines and those delivering them. There is thus a need for advocacy and social mobilization around the geopolitics of COVID-19 vaccines.³⁰ Initiatives such as the COVID-19 Vaccines Global Access (COVAX) are important here, and we need more of these, particularly continental collective efforts. Advocacy for increased COVID-19 vaccines procurement and manufacturing in South Africa is also essential. So too is the need for more local and bottom-up COVID-19 vaccine research and testing approaches that are led by South African scientists and institutions and anchored in local views, realities and priorities. These kinds of initiatives are essential to promote equitable and widespread access to COVID-19 vaccines, but also to foster community trust and reduce resistance.

Clearly, there is a lot to be done. Confidence in COVID-19 vaccines and vaccination programmes depend on the work they do for the community – socially, politically, morally and biologically – as Harrison and Wu so poignantly demonstrate. These scholars suggest that "Once this particular epidemic has fallen into historical memory, the development of a vaccine for COVID-19 should not be the indicator of a successful response, nor should it indicate the achievement of an improved public health system. Vaccine confidence may be the better indicator."³¹ Ultimately, if this is anything to go by, we believe that investing in initiatives to reduce hesitancy and build confidence in COVID-19 vaccines are essential and urgent.

Disclosure statement

No potential conflict of interest was reported by the author(s).

Funding

The author(s) reported there is no funding associated with the work featured in this article.

ORCID

Sara Cooper (D) http://orcid.org/0000-0001-9894-236X

References

- 1. National Department of Health. Latest vaccine statistics. SA Corona virus online portal. 2022 May 14. https://sacoronavirus. co.za/latest-vaccine-statistics/.
- National Department of Health SA. Strategies to address COVID-19 vaccine hesitancy and promote acceptance in South Africa. Covid-19 Online Resource and News Portal, 1 December 2021. 2022 [accessed 2022 Feb 1]. https://sacorona virus.co.za/2021/12/01/strategies-to-address-covid-19-vaccine-hes itancy-and-promote-acceptance-in-south-africa-2/.
- Cooper S, van Rooyen H, Wiysonge CS. COVID-19 vaccine hesitancy in South Africa: A complex social phenomenon. S Afr Med J. 2021;111(8):702. doi:10.7196/SAMJ.2021.v111i8.15800.
- Katoto P, Parker S, Coulson N, Pillay N, Cooper S, Jaca A, Mavundza E, Houston G, Groenewald C, Essack Z, et al. Predictors of COVID-19 vaccine hesitancy in South African local communities: The VaxScenes study. Vaccines. 2022;10(3):353. doi:10.3390/vaccines10030353.

- Wiysonge CS, Alobwede SM, de Marie CKP, Kidzeru EB, Lumngwena EN, Cooper S, Goliath R, Jackson A, Shey MS. COVID-19 vaccine acceptance and hesitancy among healthcare workers in South Africa. Expert Rev Vaccines. 2022;21 (4):549–559. doi:10.1080/14760584.2022.2023355.
- 6. Wiysonge CS, Coulson N, Pillay N, Cooper S, Groenewald C, Essack Z, Parker S, Houston G, Simmonds J, Jaca A, et al. Community-based case studies of vaccine hesitancy and the COVID-19 response in South Africa; the VaxScenes study. 2022.
- Delobelle P, Cooper S, Levitt D, Puoane T, Reid S, Wiysonge C. Covid-19 vaccine hesitancy: Qualitative investigation among health care workers and people living with non-communicable diseases in the Cape Town Metro. Forthcoming.
- Burger R, Buttenheim A, English R, Maughan-Brown B, Kohler T, Tameris M. COVID-19 vaccine hesitancy in South Africa: results from NIDS-CRAM Wave 4. 2021.
- 9. Burger R, Maughan-Brown M, Kohler T, English R, Tameris M. Increased openness to accepting a COVID-19 vaccine is a shot in the arm for South Africa: evidence from the NIDS-CRAM Wave 5 survey. 2021.
- Alexander K, Runciman C, Roberts B, Bekker M, Bohler-Muller N. Vaccine acceptance and hesitancy: findings from the UJ/HSRC Covid- 19 democracy survey, 18 August 2021. 2021.
- Runciman C, Roberts B, Bohler-Muller N, Davids Y UJ/HSRC Covid- 19 democracy survey: self-reported explanations for vaccine acceptance and hesitancy, 18 August. 2021.
- 12. SALDRU. COVID-19 vaccine survey (CVACS). 2022 [accessed 2022 May 14]. https://www.saldru.uct.ac.za/project/cvacs/.
- Cooper S, van Rooyen H, Wiysonge C. COVID-19 vaccine hesitancy in South Africa: How can we maximize uptake of COVID-19 vaccines? Expert Rev Vaccines. 2021;20(8):921–933. doi:10.1080/ 14760584.2021.1949291.
- Mohamed K, Rzymski P, Islam MS, Makuku R, Mushtaq A, Khan A, Ivanovska M, Makka SA, Hashem F, Marquez L, et al. COVID-19 vaccinations: the unknowns, challenges, and hopes. J Med Virol. 2022;94(4):1336–1349. doi:10.1002/jmv.27487.
- 15. World Health Organisation. WHO advice for international traffic in relation to the SARS-CoV-2 Omicron variant (B.1.1.529). 2021 Nov 30 [accessed 2022 May 14]. https://www.who.int/news-room/ articles-detail/who-advice-for-international-traffic-in-relation-tothe-sars-cov-2-omicron-variant.
- 16. Heywood M Covid-19 corruption tops R14-billion but to bust criminals we need to drastically boost prosecution services and courts. Maverick Citizen. 2021 Sep 21 [accessed 2022 May 14]. https://www.dailymaverick.co.za/article/2021-09-21-covid-19-cor ruption-tops-r14-billion-but-to-bust-criminals-we-need-to-drasti cally-boost-prosecution-services-and-courts/.
- Pan American Health Organization. Understanding the infodemic and misinformation in the fight against COVID-19. 2020 [accessed 2022 May 14]. chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://iris.paho.org/bitstream/handle/10665.2/52052/ Factsheet-infodemic_eng.pdf.
- National Academies of Sciences Engineering and Medicine. Strategies for building confidence in the COVID-19 vaccines. Washington (DC): The National Academies Press; 2021. doi:10. 17226/26068.

- Hrynick T, Ripoll S, Schmidt-Sane M. Rapid review: vaccine hesitancy and building confidence in COVID-19 vaccination. Brighton (UK): Social Science in Humanitarian Action (SSHAP); 2020. https://www. socialscienceinaction.org/resources/rapid-review-vaccine-hesitancyand-building-confidence-in-covid-19-vaccination/.
- Glenton C, Lewin S. Communicating with the public about vaccines: implementation considerations. Brief prepared for Norad. Oslo: Norwegian Institute of Public Health; 2020 [accessed 2021 Mar 17]. chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/ https://www.covid19-evaluation-coalition.org/documents/ VACCINES-Brief-1.pdf.
- Glenton C, Rosenbaum S. Vaccination communication between healthcare workers and older adults: Implementation considerations. Oslo: Norwegian Institute of Public Health; 2020 [accessed 2021 Mar 17]. chrome-extension://efaidnbmnnnibpcajpcglclefindmkaj/https://epoc.cochrane.org/sites/epoc.cochrane. org/files/public/uploads/PDF_summaries/vital_qes_hws_older_ people_vaccine_final.pdf.
- 22. Verger P, Dubé E. Restoring confidence in vaccines in the COVID-19 era. Expert Rev Vaccines. 2020;19(11):991-993. doi:10.1080/14760584.2020.1825945.
- Joska JA, Rabie S, Sibeko G. Changing minds: A behavioural approach to vaccine hesitancy. S Afr Med J = Suid-Afrikaanse Tydskrif Vir Geneeskunde. 2022;112:13495.
- 24. Heywood M. South Africa's treatment action campaign: combining law and social mobilization to realize the right to health. J Hum Rights. 2009;1:14–36.
- National Department of Health. Vooma voucher communication. COVID-19 online resource and news portal. 2022 [accessed 2022 May 15]. https://sacoronavirus.co.za/vooma-voucher-communica tion/.
- 26. Western Cape Department of Health. Vaxi Taxi mobile vaccination service for outlying areas. COVID-19 response. 2021 Dec 7 [accessed 2022 May 14]. https://coronavirus.westerncape.gov.za/ news/vaxi-taxi-mobile-vaccination-service-outlying-areas#::text= The%20Vaxi%20Taxi%20mobile%20vaccination,every%20corner %20of%20the%20Province.
- 27. Jain R, Budlender J, Zizzamia R, Bassier I The labor market and poverty impacts of covid-19 in South Africa. SALDRU Working Paper No. 264. Cape Town (SA): SALDRU, UCT.; 2020.
- Roldan de Jong T. Perceptions of COVID-19 vaccines in South Africa: rapid review. Brighton (UK): Social Science in Humanitarian Action (SSHAP); 2021. https://www.socialsciencei naction.org/resources/rapid-review-perceptions-of-covid-19-vac cines-in-south-africa/.
- 29. The Lancet Infectious D. Time for Africa to future-proof, starting with COVID-19. Lancet Infect Dis. 2022;22(2):151. doi:10.1016/S1473-3099(22)00011-1.
- Mutombo PN, Fallah MP, Munodawafa D, Kabel A, Houeto D, Goronga T, Mweemba O, Balance G, Onya H, Kamba RS, et al. COVID-19 vaccine hesitancy in Africa: A call to action. Lancet Global Health. 2022;10(3):e320-e1. doi:10.1016/S2214-109X(21) 00563-5.
- Harrison EA, Wu JW. Vaccine confidence in the time of COVID-19. Eur J Epidemiol. 2020;35(4):325–330. doi:10.1007/ s10654-020-00634-3.