Article type: Review

Combination therapy of psoriasis with methotrexate and other oral disease-modifying antirheumatic drugs: a systematic review Running head:

methotrexate combination with DMARDs in psoriasis

Tyng-Shiuan Hsieh, and Tsen-Fang Tsai¹

1. Department of Dermatology, National Taiwan University Hospital and National Taiwan University College of Medicine, Taiwan

Corresponding author: Tsen-Fang Tsai, M.D., Ph.D.

Department of Dermatology, National Taiwan University Hospital and National Taiwan University College of Medicine, No.7, Chung-Shan South Road,

Taipei, Taiwan.

E-mail: tftsai@yahoo.com; TEL: +886-2-2312-3456 (#62141); Fax: +886-2-2393-4177

No.	Author	Study design	Risk of	Inconsistency	Indirectness	Imprecision	Publication	Other	Quality of
		(Subjects)	bias				bias	considerations	evidence
1	AbuHilal et al. 2016	Retrospective	Low	No	No	Low	Undetected	Large effect (+1)	Low
	(Canada) [1]	cohort study							
		(n = 81)							
2	An et al. 2017	Randomized	High	No	No	High	Undetected	Non-blinded	Very Low
	(China) [2]	trial (n = 39)							
3	Aydin et al. 2006 (Turkey)	Prospective	High	No	No	High	Undetected	Non-blinded	Very Low
	[4]	cohort study							
		(n = 20)							
4	Singh and Singnarpi 2021	Randomized	Low	No	No	Low	Undetected	Non-blinded	Low
	(India) [5]	non-blinded							
		controlled trial							
		(n = 133)							
5	Clark et al. 1999	Retrospective	High	No	No	High	Undetected	No control group	Very Low
	(UK) [6]	case series							
		(n = 19)							
6	Korstanje et al. 1990	Retrospective	High	No	No	High	Undetected	No control group	Very Low
	(Netherlands) [9]	case series							
		(n=4)							
7	Lowenthal et al. 2008	Retrospective	High	No	No	High	Undetected	66.7% of patients	Very Low
	(US) [10]	case series						discontinued study	
		(n = 18)						treatment	
8	Mohanan et al. 2014	Retrospective	High	No	No	High	Undetected	No control group	Very Low
	(India) [11]	cohort study							
		(n = 18)							

9	Rattanakaemakorn et al. 2021	Retrospective	Low	No	No	Low	Undetected	No untreated	Low
	(Thailand) [14]	cohort study						controls	
		(n = 160)							
10	Shivers and Montanez-	Case report	High	No	No	High	Possible	Single case	Very Low
	Wiscovich 2019	(n=1)							
	(US) [15]								
11	Wong and Geogouras 1999	Case report	High	No	No	High	Possible	Single case	Very Low
	(Australia) [16]	(n=1)							

- 1. AbuHilal, M., S. Walsh, and N. Shear, *Use of Apremilast in Combination With Other Therapies for Treatment of Chronic Plaque Psoriasis: A Retrospective Study.* J Cutan Med Surg, 2016. **20**(4): p. 313-6.
- 2. An, J., et al., *The acitretin and methotrexate combination therapy for psoriasis vulgaris achieves higher effectiveness and less liver fibrosis.*Pharmacol Res, 2017. **121**: p. 158-168.
- 3. Asiri, A., et al., *The effectiveness of leflunomide in psoriatic arthritis.* Clin Exp Rheumatol, 2014. **32**(5): p. 728-31.
- 4. Aydin, F., et al., *Methotrexate and ciclosporin combination for the treatment of severe psoriasis*. Clin Exp Dermatol, 2006. **31**(4): p. 520-4.
- 5. Singh, S.K. and S.R. Singnarpi, Safety and efficacy of methotrexate (0.3 mg/kg/week) versus a combination of methotrexate (0.15 mg/kg/week) with cyclosporine (2.5 mg/kg/day) in chronic plaque psoriasis: A randomised non-blinded controlled trial. Indian J Dermatol Venereol Leprol, 2021. 87(2): p. 214-222.
- 6. Clark, C.M., et al., *Combination treatment with methotrexate and cyclosporin for severe recalcitrant psoriasis*. Br J Dermatol, 1999. **141**(2): p. 279-82.
- 7. Fraser, A.D., et al., A randomised, double blind, placebo controlled, multicentre trial of combination therapy with methotrexate plus ciclosporin in patients with active psoriatic arthritis. Ann Rheum Dis, 2005. **64**(6): p. 859-64.
- 8. Kivitz, A.J., et al., *Efficacy and safety of tofacitinib by background methotrexate dose in psoriatic arthritis: post hoc exploratory analysis from two phase III trials.* Clin Rheumatol, 2022. **41**(2): p. 499-511.

- 9. Korstanje, M.J., C.J. van Breda Vriesman, and W.J. van de Staak, *Cyclosporine and methotrexate: a dangerous combination.* J Am Acad Dermatol, 1990. **23**(2 Pt 1): p. 320-1.
- 10. Lowenthal, K.E., P.J. Horn, and R.E. Kalb, Concurrent use of methotrexate and acitretin revisited. J Dermatolog Treat, 2008. 19(1): p. 22-6.
- 11. Mohanan, S., et al., *A retrospective analysis of combination methotrexate-cyclosporine therapy in moderate-severe psoriasis.* J Dermatolog Treat, 2014. **25**(1): p. 50-3.
- 12. Nash, P., et al., *Tofacitinib as monotherapy following methotrexate withdrawal in patients with psoriatic arthritis previously treated with open-label tofacitinib plus methotrexate: a randomised, placebo-controlled substudy of OPAL Balance.* The Lancet Rheumatology, 2021. **3**(1): p. e28-e39.
- 13. Eric, P.N.P.R.L.G.A.M.C.R.K.K.E.L.M.-B.E.L.R.M.D.F.J.K.A., *Upadacitinib as monotherapy and in combination with non-biologic DMARDs for the treatment of psoriatic arthritis: subgroup analysis from two phase 3 trials.* EULAR 2021 Virtual Congress, 2022. **POS1035**.
- 14. Rattanakaemakorn, P., et al., *Incidence and Risk Factors of Hepatic Fibrosis in Psoriatic Patients Receiving Methotrexate with Concomitant Acitretin Therapy and Methotrexate Monotherapy*. Drug Des Devel Ther, 2021. **15**: p. 2299-2307.
- 15. Shivers, L. and M.E. Montanez-Wiscovich, *Verrucous psoriasis treated with methotrexate and acitretin combination therapy.* Cutis, 2019. **104**(6): p. E10-E12.
- 16. Wong, K.C. and K. Georgouras, Low dose cyclosporin A and methotrexate in the treatment of psoriasis. Acta Derm Venereol, 1999. **79**(1): p. 87.