

The Innovation, Volume 4

Supplemental Information

Targeted protein degradation in cancers: Orthodox PROTACs and beyond





Jin Li, Xinxin Chen, Aiping Lu, and Chao Liang

Supplemental Information


Targeted Protein Degradation in Cancers: Orthodox PROTACs and Beyond

Jin Li, Xinxin Chen, Aiping Lu, Chao Liang

Table S1. PROTACs and Related Diseases in Academia

Name	Structure	POI	E3 Ligase	Disease (Related Cell Line)	Reference
Compound B3		ALK	CRBN	NSCLC (H3122)	1
MS4077		ALK	CRBN	NHL (SU-DHL-1), NSCLC (NCI-H228)	2
MS4078		ALK	CRBN	NHL (SU-DHL-1), NSCLC (NCI-H228)	2
Degrader 17		ALK	CRBN	NSCLC (A549), Human Fetal Lung Fibroblast (HFL-1)	3

Compound 2




EGFR^{Del19}

CRBN

NSCLC
(HCC827)

4

Compound 10




EGFR^{Del19}

VHL

NSCLC
(HCC827)

4

PROTAC 1




EGFR^{Ex20Ins}

VHL

Human Ovarian
Carcinoma (OVAR8),
Cervical Cancer
(HeLa)

5

PROTACs 3/4







EGFR^{Del19},
EGFR^{L858R/T790M}

VHL


NSCLC
(HCC827, H1975)

5

14o		EGFR L858R/T790M	VHL	NSCLC (H1975)	6
Compound P3		EGFR ^{Del19} , EGFR L858R/T790M	VHL	NSCLC (HCC827, H1975)	7
CP17		EGFR ^{Del19} , EGFR L858R/T790M	VHL	NSCLC (HCC827, H1975)	8
PROTACs-2/5		VEGFR-2	VHL	HUVEC (EA.hy926)	9

				
CG416		TPM3-TrkA Fusion Protein, Wild Type TRKA	CRBN	CRC (KM12) 10
CG428		TPM3-TrkA fusion protein, Wild Type TrkA	CRBN	CRC (KM12) 10
Degrader 4		TrkC	CRBN	BC (Hs578t and MDA-MB-231) 11

SNIPER(ABL)-
62




BCR-ABL

cIAP1

CML (K562)

12

GMB-475




BCR-ABL

VHL

CML (K562)

13

P19P and P22D




BCR-ABL

CRBN

CML (K562)

14

Degrader 17







BCR-ABL




CRBN

CML (K562)




15


PROTAC-D		AURKA	CRBN	Osteosarcoma (U2OS)	16
JB170		AURKA	CRBN	AML(MV4;11)	17
JB301		AURKA	CRBN	AML(MV4;11)	18
TL12-186		AURKA and Other Proteins	CRBN	AML(MOLM14) and ALL(MOLT-4)	19

XZ424		BCL-xL	VHL	ALL(MOLT-4)	20
DT2216		BCL-xL	VHL	ALL(MOLT-4)	21,22
753b		BCL-2/BCL-xL	VHL	AML (Kasumi-1)	23
dMCL 1-2		MCL-1	CRBN	MM (OPM2)	24






					
C3/5		MCL-1/BCL-2	CRBN	NSCLC (H23)	25
					
PROTAC (10)		BTK	CRBN	NHL (Ramos)	26
					
P13I		BTK	CRBN	NHL (Ramos)	27






RC32		FKBP12	CRBN	28
P13IS		BTK	CRBN	28
NC-1		Wild Type BTK and BTKC481S/Y	CRBN	MCL (Mino), Osteosarcoma (U2OS), CLL (Samples from patients) 29
RC-3		Wild Type BTK and BTKC481S	CRBN	MCL (Mino), Osteosarcoma (U2OS), CLL (Samples from patients) 30
6e		BTK	CRBN	MCL(JeKo-1), DLBCL (TMD8) 31






PROTAC-3		FAK	VHL	PC (PC-3) and BC (MDA-MB-231)	32
FC-11		FAK	CRBN	Leydig Cells (TM3), Primary Sertoli/Germ Cells	33
PROTAC 6/8		FAK	VHL or CRBN	NSCLC (A549)	34
JP-1 – JP-6		JAK	IAP	AML (THP-1)	35










SHP2-D26		SHP2	VHL	ESCC (KYSE-520), AML(MV4;11)	36
ZB-S-29		SHP2	CRBN	AML(MV4;11)	37
SJF-0628		BRAF mutations	VHL	Various Cancers	38
P4B		BRAF ^{V600E}	CRBN	MM (A375)	39
Compounds 12/23		BRAF ^{V600E}	CRBN	MM (A375)	40


						
TL12-186		CDK	CRBN	HEK293		41
Pal-pom		CDK4/6	CRBN	BC (MDA-MB-231)		42
CP-10		Wild Type and mutated CDK6	CRBN	MM (MM.1S)		43
TMX-2172		CDK2/4/5/6/7/9	CRBN	Human Ovarian Carcinoma (OVAR8)		44
A9		CDK2	CRBN	PC (PC-3)		45

F3		CDK2/9	CRBN	PC (PC-3)	45
BSJ-4-116		CDK12	CRBN	ALL (Jurkat, MOLT-4)	46
PP-C8		CDK12	CRBN	BC (MDA-MB- 231), HCC (Bel- 7402)	47
PROTAC 23		IRAK3	CRBN	AML (THP-1)	48
Degraders 3/5		IRAK4	CRBN	AML (THP-1)	49

						
Compound 9		IRAK4	CRBN	ABC-DLBCL (OCI-LY10, TMD8)	50	
Compound 3		MEK	VHK	MM (A375)	51	
MS423		MEK	VHL	CRC(HT29) and MM(SK-MEL-28)	52	
MS934		MEK	CRBN	CRC(HT29) and MM(SK-MEL-28)	53	

	SJF α and SJF δ		p38 α and p38 δ		VHL		BC (MDA-MB-231)	54
	NR-6a and NR-7h		p38 α/β		CRBN		Various Cancers	55
	Compound D		PI3K		CRBN		HCC (HepG2)	56

PROTAC_RIPK2




RIPK2


VHL

AML (THP-1)

57



PROTACs 1/2/3




RIPK2


VHL/IAP/CRBN

AML (THP-1)

58



PROTAC 6







RIPK2

IAP






AML (THP-1)

58




SGK3- PROTAC1		SGK3	VHL	BC (CAMA-1)	59
ARD-266		AR	VHL	mCRPC (LNCaP, VCaP, 22Rv1)	60
ARD-69		AR	VHL	mCRPC (LNCaP, VCaP, 22Rv1)	61
MTX-23		AR	VHL	mCRPC (LNCaP, VCaP, 22Rv1)	62





SNIPER		PAR	cIAP1	Fibrosarcoma (HT1080)	63
Compound 9				ALL(MOLT-4), Fibrosarcoma (HT1080), Neuroblastoma (IMR-32)	64
Compound 4a/4b/4c		CRABP	cIAP1	ALL(MOLT-4), Fibrosarcoma (HT1080), Neuroblastoma (IMR-32)	64
ARV-825		BRD4	CRBN	BL (Namalwa), NHL (Ramos)	65

MZ1		BRD4	VHL	AML(MV4;11)	66-69
ARV-771		BRD2/3/4	VHL	mCRPC (LNCaP95, VCaP, 22Rv1)	70
dBET1		BRD4	CRBN	AML(MV4;11)	71
15a		BRD4	VHL	AML(MV4;11), NSCLC (A549)	72
SIAIS213110		BRD2/3/4	CRBN	MM (MM.1S), AML(MV4;11), TNBC (MDA-MB-468)	73





QCA570		BRD2/3/4	CRBN	ALL (RS4;11), AML(MV4;11)	74
BETd- 260/ZBC260		BRD2/3/4	CRBN	ALL (RS4;11)	75
VZ185		BRD7/9	VHL	AML (EOL-1), Rhabdomyosarcoma (A-204)	76
dBRD9		BRD9	CRBN	AML (EOL-1), ALL (MOLM-13)	77
GSK983		PCAF	CRBN	AML (THP-1)	78






PROTAC 4		HDAC1/2/3	VHL	E14 mESCs, CRC (HCT-116)	79
HD-TAC1		HDAC3	CRBN	Macrophage (RAW 264.7)	80
HD-TAC7		HDAC3	CRBN	Macrophage (RAW 264.7)	80
XZ9002		HDAC3	VHL	TNBC (MDA-MB-468)	81
WH624, YZ268		HDAC6	CRBN	MM (MM.1S)	82




PROTAC 1/2		PRC2	VHL	NHL (Karpas-422)	88
SD-36		STAT3	CRBN	AML (MOLM-16)	89
TM-P4-Thal		SIRT2	CRBN	BC (MCF-7, BT-549)	90
Compound 12		SIRT2	CRBN	Cervical Cancer (HeLa)	91

Compound 3		PARP-1	CRBN	BC (MDA-MB-231)	92
iRucaparib-AP6		PARP-1	CRBN	Mouse C2C12 Myotubes	93
Degraded SK575		PARP-1	CRBN	CRC (SW620)	94
CNO		PARP-1	CRBN	BC (MDA-MB-231)	95
P22		PD-L1	CRBN	BC (MDA-MB-231)	96
Compound 15		PRMT5	VHL	BC (MCF-7)	97

ACBI1		SMARCA2/4, PBRM1	VHL	AML (MV4;11), NSCLC (H1568)	98
XY-4-88		KRASG12C	CRBN	Pancreatic Cancer (Paca-2), NSCLC (H358)	99
LC-2		KRASG12C	VHL	NSCLC (H2030, H23), Pancreatic Cancer (Paca-2)	100
YF135		KRAS	VHL	NSCLC (H358, A549, H23)	101

9d		SOS1	VHL	NSCLC (H358)	102
CM11		pVHL30	VHL	Cervical Cancer (HeLa), Osteosarcoma (U2OS)	103
WL40		Rpn13	CRBN	MM (MM.1S)	104
QC-01-175		Tau	CRBN	Patient-Derived Frontotemporal Dementia Neuronal Cells (A25T)	105
d9A2		SCL9	CRBN	CML (HAP1, KBM7)	106

MD-224




TP53

CRBN

ALL (RS4;11)

107

PROTAC 32




MDM2

CRBN

ALL (RS4;11)

108

DGY-08-097




NS3

CRBN

Huh7.5 Cells
Infected with Wild
Type HCV-Jc1

109

PROTACs 3/5




PDE δ


CRBN

ALL (Jurkat)

110



Compound 17f

PDE δ

CRBN

CRC (SW480)

111

ABC-DLBCL, activated B cell-like diffuse large B-cell lymphoma; ALL, acute lymphocytic leukemia; AML, acute myeloid leukemia; BC, breast cancer; BL, Burkitt lymphoma; mESCs, mouse embryonic stem cells; CLL, chronic lymphocytic leukemia; CML, chronic myelogenous leukemia; CRC, colorectal cancer; DLBCL, diffuse large B-cell lymphoma; ESCC, esophageal squamous cell carcinoma; HCC, hepatocellular carcinoma; HUVECs, human umbilical vein endothelial cells; MCL, mantle cell lymphoma, mCRPC, metastatic castration-resistant prostate cancer; MM, multiple myeloma; NHL, non-Hodgkin's lymphoma; NSCLC, non-small-cell Lung cancer; PC, prostate cancer; TNBC, triple-negative breast cancer.

References

1. Yan, G., Zhong, X., Yue, L., et al. (2021). Discovery of a PROTAC targeting ALK with in vivo activity. European Journal of Medicinal Chemistry **212**, 113150.
2. Zhang, C., Han, X.-R., Yang, X., et al. (2018). Proteolysis Targeting Chimeras (PROTACs) of Anaplastic Lymphoma Kinase (ALK). European journal of medicinal chemistry **151**, 304-314.
3. Xie, S., Sun, Y., Liu, Y., et al. (2021). Development of Alectinib-Based PROTACs as Novel Potent Degraders of Anaplastic Lymphoma Kinase (ALK). Journal of Medicinal Chemistry **64**, 9120-9140.
4. Zhang, H., Zhao, H.-Y., Xi, X.-X., et al. (2020). Discovery of potent epidermal growth factor receptor (EGFR) degraders by proteolysis targeting chimera (PROTAC). European Journal of Medicinal Chemistry **189**, 112061.
5. Burslem, G.M., Smith, B.E., Lai, A.C., et al. (2018). The Advantages of Targeted Protein Degradation Over Inhibition: An RTK Case Study. Cell Chemical Biology **25**, 67-77.e63.
6. Zhang, X., Xu, F., Tong, L., et al. (2020). Design and synthesis of selective degraders of EGFRL858R/T790M mutant. European Journal of Medicinal Chemistry **192**, 112199.
7. Zhao, H.-Y., Yang, X.-Y., Lei, H., et al. (2020). Discovery of potent small molecule PROTACs targeting mutant EGFR. European Journal of Medicinal Chemistry **208**, 112781.
8. Zhao, H.-Y., Wang, H.-P., Mao, Y.-Z., et al. (2022). Discovery of Potent PROTACs Targeting EGFR Mutants through the Optimization of Covalent EGFR Ligands. Journal of Medicinal Chemistry **65**, 4709-4726.
9. Shan, Y., Si, R., Wang, J., et al. (2020). Discovery of novel anti-angiogenesis agents. Part 11: Development of PROTACs based on active molecules with potency of promoting vascular normalization. European Journal of Medicinal Chemistry **205**, 112654.
10. Chen, L., Chen, Y., Zhang, C., et al. (2020). Discovery of First-In-Class Potent and Selective Tropomyosin Receptor Kinase Degraders. Journal of Medicinal Chemistry **63**, 14562-14575.
11. Zhao, B., and Burgess, K. (2019). TrkC-Targeted Kinase Inhibitors And PROTACs. Molecular Pharmaceutics **16**, 4313-4318.
12. Shimokawa, K., Shibata, N., Sameshima, T., et al. (2017). Targeting the Allosteric Site of Oncoprotein BCR-ABL as an Alternative Strategy for Effective Target Protein Degradation. ACS medicinal chemistry letters **8**, 1042-1047.
13. Burslem, G.M., Schultz, A.R., Bondeson, D.P., et al. (2019). Targeting BCR-ABL1 in Chronic Myeloid Leukemia by PROTAC-Mediated Targeted Protein Degradation. Cancer Research **79**, 4744-4753.

14. Yang, Y., Gao, H., Sun, X., et al. (2020). Global PROTAC Toolbox for Degrading BCR–ABL Overcomes Drug-Resistant Mutants and Adverse Effects. *Journal of Medicinal Chemistry* **63**, 8567-8583.
15. Liu, H., Ding, X., Liu, L., et al. (2021). Discovery of novel BCR-ABL PROTACs based on the cereblon E3 ligase design, synthesis, and biological evaluation. *European Journal of Medicinal Chemistry* **223**, 113645.
16. Wang, R., Ascanelli, C., Abdelbaki, A., et al. (2021). Selective targeting of non-centrosomal AURKA functions through use of a targeted protein degradation tool. *Communications Biology* **4**, 640.
17. Adhikari, B., Bozilovic, J., Diebold, M., et al. (2020). PROTAC-mediated degradation reveals a non-catalytic function of AURORA-A kinase. *Nature Chemical Biology* **16**, 1179-1188.
18. Bozilovic, J., Eing, L., Berger, B.-T., et al. (2022). Novel, highly potent PROTACs targeting AURORA-A kinase. *Current Research in Chemical Biology* **2**, 100032.
19. Huang, H.-T., Dobrovolsky, D., Paultk, J., et al. (2018). A Chemoproteomic Approach to Query the Degradable Kinome Using a Multi-kinase Degrader. *Cell chemical biology* **25**, 88-99.e86.
20. Zhang, X., Thummuri, D., He, Y., et al. (2019). Utilizing PROTAC technology to address the on-target platelet toxicity associated with inhibition of BCL-X(L). *Chem Commun (Camb)* **55**, 14765-14768.
21. Khan, S., Zhang, X., Lv, D., et al. (2019). A selective BCL-XL PROTAC degrader achieves safe and potent antitumor activity. *Nature Medicine* **25**, 1938-1947.
22. Pal, P., Thummuri, D., Lv, D., et al. (2021). Discovery of a Novel BCL-XL PROTAC Degrader with Enhanced BCL-2 Inhibition. *Journal of Medicinal Chemistry* **64**, 14230-14246.
23. Lv, D., Pal, P., Liu, X., et al. (2021). Development of a BCL-xL and BCL-2 dual degrader with improved anti-leukemic activity. *Nature Communications* **12**, 6896.
24. Papatzimas, J.W., Gorobets, E., Maity, R., et al. (2019). From Inhibition to Degradation: Targeting the Antiapoptotic Protein Myeloid Cell Leukemia 1 (MCL1). *Journal of Medicinal Chemistry* **62**, 5522-5540.
25. Wang, Z., He, N., Guo, Z., et al. (2019). Proteolysis Targeting Chimeras for the Selective Degradation of Mcl-1/Bcl-2 Derived from Nonselective Target Binding Ligands. *Journal of Medicinal Chemistry* **62**, 8152-8163.
26. Zorba, A., Nguyen, C., Xu, Y., et al. (2018). Delineating the role of cooperativity in the design of potent PROTACs for BTK. *Proceedings of the National Academy of Sciences* **115**, E7285-E7292.
27. Sun, Y., Zhao, X., Ding, N., et al. (2018). PROTAC-induced BTK degradation as a novel therapy for mutated BTK C481S induced

- ibrutinib-resistant B-cell malignancies. *Cell Res* **28**, 779-781.
- 28. Sun, X., Wang, J., Yao, X., et al. (2019). A chemical approach for global protein knockdown from mice to non-human primates. *Cell Discov* **5**, 10.
 - 29. Shorer Arbel, Y., Katz, B.-Z., Gabizon, R., et al. (2021). Proteolysis Targeting Chimeras for BTK Efficiently Inhibit B-Cell Receptor Signaling and Can Overcome Ibrutinib Resistance in CLL Cells. *Frontiers in Oncology* **11**.
 - 30. Gabizon, R., Shraga, A., Gehrtz, P., et al. (2020). Efficient Targeted Degradation via Reversible and Irreversible Covalent PROTACs. *Journal of the American Chemical Society* **142**, 11734-11742.
 - 31. Zhao, Y., Shu, Y., Lin, J., et al. (2021). Discovery of novel BTK PROTACs for B-Cell lymphomas. *European Journal of Medicinal Chemistry* **225**, 113820.
 - 32. Cromm, P.M., Samarasinghe, K.T.G., Hines, J., and Crews, C.M. (2018). Addressing Kinase-Independent Functions of Fak via PROTAC-Mediated Degradation. *Journal of the American Chemical Society* **140**, 17019-17026.
 - 33. Gao, H., Zheng, C., Du, J., et al. (2020). FAK-targeting PROTAC as a chemical tool for the investigation of non-enzymatic FAK function in mice. *Protein Cell* **11**, 534-539.
 - 34. Popow, J., Arnhof, H., Bader, G., et al. (2019). Highly Selective PTK2 Proteolysis Targeting Chimeras to Probe Focal Adhesion Kinase Scaffolding Functions. *Journal of Medicinal Chemistry* **62**, 2508-2520.
 - 35. Shah, R.R., Redmond, J.M., Mihut, A., et al. (2020). Hi-JAK-ing the ubiquitin system: The design and physicochemical optimisation of JAK PROTACs. *Bioorganic & Medicinal Chemistry* **28**, 115326.
 - 36. Wang, M., Lu, J., Wang, M., et al. (2020). Discovery of SHP2-D26 as a First, Potent, and Effective PROTAC Degrader of SHP2 Protein. *Journal of Medicinal Chemistry* **63**, 7510-7528.
 - 37. Yang, X., Wang, Z., Pei, Y., et al. (2021). Discovery of thalidomide-based PROTAC small molecules as the highly efficient SHP2 degraders. *European Journal of Medicinal Chemistry* **218**, 113341.
 - 38. Alabi, S., Jaime-Figueroa, S., Yao, Z., et al. (2021). Mutant-selective degradation by BRAF-targeting PROTACs. *Nature Communications* **12**, 920.
 - 39. Posternak, G., Tang, X., Maisonneuve, P., et al. (2020). Functional characterization of a PROTAC directed against BRAF mutant V600E. *Nature Chemical Biology* **16**, 1170-1178.
 - 40. Han, X.-R., Chen, L., Wei, Y., et al. (2020). Discovery of Selective Small Molecule Degraders of BRAF-V600E. *Journal of Medicinal Chemistry* **63**, 4069-4080.
 - 41. Riching, K.M., Schwinn, M.K., Vasta, J.D., et al. (2020). CDK Family

- PROTAC Profiling Reveals Distinct Kinetic Responses and Cell Cycle-Dependent Degradation of CDK2. *SLAS DISCOVERY: Advancing the Science of Drug Discovery* **26**, 560-569.
- 42. Zhao, B., and Burgess, K. (2019). PROTACs suppression of CDK4/6, crucial kinases for cell cycle regulation in cancer. *Chemical Communications* **55**, 2704-2707.
 - 43. Su, S., Yang, Z., Gao, H., et al. (2019). Potent and Preferential Degradation of CDK6 via Proteolysis Targeting Chimera Degraders. *Journal of medicinal chemistry* **62**, 7575-7582.
 - 44. Teng, M., Jiang, J., He, Z., et al. (2020). Development of CDK2 and CDK5 Dual Degrader TMX-2172. *Angewandte Chemie International Edition* **59**, 13865-13870.
 - 45. Zhou, F., Chen, L., Cao, C., et al. (2020). Development of selective mono or dual PROTAC degrader probe of CDK isoforms. *European Journal of Medicinal Chemistry* **187**, 111952.
 - 46. Jiang, B., Gao, Y., Che, J., et al. (2021). Discovery and resistance mechanism of a selective CDK12 degrader. *Nature Chemical Biology* **17**, 675-683.
 - 47. Niu, T., Li, K., Jiang, L., et al. (2022). Noncovalent CDK12/13 dual inhibitors-based PROTACs degrade CDK12-Cyclin K complex and induce synthetic lethality with PARP inhibitor. *European Journal of Medicinal Chemistry* **228**, 114012.
 - 48. Degorce, S.L., Tavana, O., Banks, E., et al. (2020). Discovery of Proteolysis-Targeting Chimera Molecules that Selectively Degrade the IRAK3 Pseudokinase. *Journal of Medicinal Chemistry* **63**, 10460-10473.
 - 49. Zhang, J., Fu, L., Shen, B., et al. (2020). Assessing IRAK4 Functions in ABC DLBCL by IRAK4 Kinase Inhibition and Protein Degradation. *Cell Chemical Biology* **27**, 1500-1509.e1513.
 - 50. Chen, Y., Ning, Y., Bai, G., et al. (2021). Design, Synthesis, and Biological Evaluation of IRAK4-Targeting PROTACs. *ACS Medicinal Chemistry Letters* **12**, 82-87.
 - 51. Vollmer, S., Cunoosamy, D., Lv, H., et al. (2020). Design, Synthesis, and Biological Evaluation of MEK PROTACs. *Journal of Medicinal Chemistry* **63**, 157-162.
 - 52. Wei, J., Hu, J., Wang, L., et al. (2019). Discovery of a First-in-Class Mitogen-Activated Protein Kinase Kinase 1/2 Degrader. *Journal of Medicinal Chemistry* **62**, 10897-10911.
 - 53. Hu, J., Wei, J., Yim, H., et al. (2020). Potent and Selective Mitogen-Activated Protein Kinase Kinase 1/2 (MEK1/2) Heterobifunctional Small-molecule Degraders. *Journal of Medicinal Chemistry* **63**, 15883-15905.
 - 54. Smith, B.E., Wang, S.L., Jaime-Figueroa, S., et al. (2019). Differential PROTAC substrate specificity dictated by orientation of recruited E3

- ligase. *Nature Communications* **10**, 131.
- 55. Donoghue, C., Cubillos-Rojas, M., Gutierrez-Prat, N., et al. (2020). Optimal linker length for small molecule PROTACs that selectively target p38 α and p38 β for degradation. *European Journal of Medicinal Chemistry* **201**, 112451.
 - 56. Li, W., Gao, C., Zhao, L., et al. (2018). Phthalimide conjugations for the degradation of oncogenic PI3K. *European Journal of Medicinal Chemistry* **151**, 237-247.
 - 57. Bondeson, D.P., Mares, A., Smith, I.E.D., et al. (2015). Catalytic in vivo protein knockdown by small-molecule PROTACs. *Nature Chemical Biology* **11**, 611-617.
 - 58. Mares, A., Miah, A.H., Smith, I.E.D., et al. (2020). Extended pharmacodynamic responses observed upon PROTAC-mediated degradation of RIPK2. *Communications Biology* **3**, 140.
 - 59. Tovell, H., Testa, A., Zhou, H., et al. (2019). Design and Characterization of SGK3-PROTAC1, an Isoform Specific SGK3 Kinase PROTAC Degrader. *ACS Chemical Biology* **14**, 2024-2034.
 - 60. Han, X., Zhao, L., Xiang, W., et al. (2019). Discovery of Highly Potent and Efficient PROTAC Degraders of Androgen Receptor (AR) by Employing Weak Binding Affinity VHL E3 Ligase Ligands. *Journal of Medicinal Chemistry* **62**, 11218-11231.
 - 61. Han, X., Wang, C., Qin, C., et al. (2019). Discovery of ARD-69 as a Highly Potent Proteolysis Targeting Chimera (PROTAC) Degrader of Androgen Receptor (AR) for the Treatment of Prostate Cancer. *Journal of Medicinal Chemistry* **62**, 941-964.
 - 62. Lee, G.T., Nagaya, N., Desantis, J., et al. (2021). Effects of MTX-23, a Novel PROTAC of Androgen Receptor Splice Variant-7 and Androgen Receptor, on CRPC Resistant to Second-Line Antiandrogen Therapy. *Molecular Cancer Therapeutics* **20**, 490-499.
 - 63. Itoh, Y., Kitaguchi, R., Ishikawa, M., et al. (2011). Design, synthesis and biological evaluation of nuclear receptor-degradation inducers. *Bioorganic & Medicinal Chemistry* **19**, 6768-6778.
 - 64. Itoh, Y., Ishikawa, M., Naito, M., and Hashimoto, Y. (2010). Protein knockdown using methyl bestatin-ligand hybrid molecules: design and synthesis of inducers of ubiquitination-mediated degradation of cellular retinoic acid-binding proteins. *J Am Chem Soc* **132**, 5820-5826.
 - 65. Lu, J., Qian, Y., Altieri, M., et al. (2015). Hijacking the E3 Ubiquitin Ligase Cereblon to Efficiently Target BRD4. *Chemistry & Biology* **22**, 755-763.
 - 66. Zengerle, M., Chan, K.-H., and Ciulli, A. (2015). Selective Small Molecule Induced Degradation of the BET Bromodomain Protein BRD4. *ACS Chemical Biology* **10**, 1770-1777.
 - 67. Chan, K.-H., Zengerle, M., Testa, A., and Ciulli, A. (2018). Impact of

- Target Warhead and Linkage Vector on Inducing Protein Degradation: Comparison of Bromodomain and Extra-Terminal (BET) Degraders Derived from Triazolodiazepine (JQ1) and Tetrahydroquinoline (I-BET726) BET Inhibitor Scaffolds. *Journal of Medicinal Chemistry* **61**, 504-513.
- 68. Gadd, M.S., Testa, A., Lucas, X., et al. (2017). Structural basis of PROTAC cooperative recognition for selective protein degradation. *Nature Chemical Biology* **13**, 514-521.
 - 69. Roy, M.J., Winkler, S., Hughes, S.J., et al. (2019). SPR-Measured Dissociation Kinetics of PROTAC Ternary Complexes Influence Target Degradation Rate. *ACS Chemical Biology* **14**, 361-368.
 - 70. Raina, K., Lu, J., Qian, Y., et al. (2016). PROTAC-induced BET protein degradation as a therapy for castration-resistant prostate cancer. *Proceedings of the National Academy of Sciences* **113**, 7124-7129.
 - 71. Winter Georg, E., Buckley Dennis, L., Paulk, J., et al. (2015). Phthalimide conjugation as a strategy for in vivo target protein degradation. *Science* **348**, 1376-1381.
 - 72. Testa, A., Lucas, X., Castro, G.V., et al. (2018). 3-Fluoro-4-hydroxyprolines: Synthesis, Conformational Analysis, and Stereoselective Recognition by the VHL E3 Ubiquitin Ligase for Targeted Protein Degradation. *Journal of the American Chemical Society* **140**, 9299-9313.
 - 73. Qiu, X., Sun, N., Kong, Y., et al. (2019). Chemoselective Synthesis of Lenalidomide-Based PROTAC Library Using Alkylation Reaction. *Organic Letters* **21**, 3838-3841.
 - 74. Qin, C., Hu, Y., Zhou, B., et al. (2018). Discovery of QCA570 as an Exceptionally Potent and Efficacious Proteolysis Targeting Chimera (PROTAC) Degrader of the Bromodomain and Extra-Terminal (BET) Proteins Capable of Inducing Complete and Durable Tumor Regression. *Journal of Medicinal Chemistry* **61**, 6685-6704.
 - 75. Zhou, B., Hu, J., Xu, F., et al. (2018). Discovery of a Small-Molecule Degrader of Bromodomain and Extra-Terminal (BET) Proteins with Picomolar Cellular Potencies and Capable of Achieving Tumor Regression. *Journal of Medicinal Chemistry* **61**, 462-481.
 - 76. Zoppi, V., Hughes, S.J., Maniaci, C., et al. (2019). Iterative Design and Optimization of Initially Inactive Proteolysis Targeting Chimeras (PROTACs) Identify VZ185 as a Potent, Fast, and Selective von Hippel-Lindau (VHL) Based Dual Degrader Probe of BRD9 and BRD7. *Journal of Medicinal Chemistry* **62**, 699-726.
 - 77. Remillard, D., Buckley, D.L., Paulk, J., et al. (2017). Degradation of the BAF Complex Factor BRD9 by Heterobifunctional Ligands. *Angewandte Chemie International Edition* **56**, 5738-5743.

78. Bassi, Z.I., Fillmore, M.C., Miah, A.H., et al. (2018). Modulating PCAF/GCN5 Immune Cell Function through a PROTAC Approach. *ACS Chemical Biology* **13**, 2862-2867.
79. Smalley, J.P., Adams, G.E., Millard, C.J., et al. (2020). PROTAC-mediated degradation of class I histone deacetylase enzymes in corepressor complexes. *Chemical Communications* **56**, 4476-4479.
80. Cao, F., de Weerd, S., Chen, D., et al. (2020). Induced protein degradation of histone deacetylases 3 (HDAC3) by proteolysis targeting chimera (PROTAC). *European Journal of Medicinal Chemistry* **208**, 112800.
81. Xiao, Y., Wang, J., Zhao, L.Y., et al. (2020). Discovery of histone deacetylase 3 (HDAC3)-specific PROTACs. *Chemical Communications* **56**, 9866-9869.
82. Yang, K., Zhao, Y., Nie, X., et al. (2020). A Cell-Based Target Engagement Assay for the Identification of Cereblon E3 Ubiquitin Ligase Ligands and Their Application in HDAC6 Degraders. *Cell Chemical Biology* **27**, 866-876.e868.
83. Yang, K., Wu, H., Zhang, Z., et al. (2020). Development of Selective Histone Deacetylase 6 (HDAC6) Degraders Recruiting Von Hippel-Lindau (VHL) E3 Ubiquitin Ligase. *ACS Medicinal Chemistry Letters* **11**, 575-581.
84. Wu, H., Yang, K., Zhang, Z., et al. (2019). Development of Multifunctional Histone Deacetylase 6 Degraders with Potent Antimyeloma Activity. *Journal of Medicinal Chemistry* **62**, 7042-7057.
85. An, Z., Lv, W., Su, S., et al. (2019). Developing potent PROTACs tools for selective degradation of HDAC6 protein. *Protein & Cell* **10**, 606-609.
86. Gechijian, L.N., Buckley, D.L., Lawlor, M.A., et al. (2018). Functional TRIM24 degrader via conjugation of ineffectual bromodomain and VHL ligands. *Nature Chemical Biology* **14**, 405-412.
87. Potjewyd, F., Turner, A.-M.W., Beri, J., et al. (2020). Degradation of Polycomb Repressive Complex 2 with an EED-Targeted Bivalent Chemical Degrader. *Cell Chemical Biology* **27**, 47-56.e15.
88. Hsu, J.H.-R., Rasmusson, T., Robinson, J., et al. (2020). EED-Targeted PROTACs Degrade EED, EZH2, and SUZ12 in the PRC2 Complex. *Cell Chemical Biology* **27**, 41-46.e17.
89. Zhou, H., Bai, L., Xu, R., et al. (2019). Structure-Based Discovery of SD-36 as a Potent, Selective, and Efficacious PROTAC Degrader of STAT3 Protein. *Journal of Medicinal Chemistry* **62**, 11280-11300.
90. Hong, J.Y., Jing, H., Price, I.R., et al. (2020). Simultaneous Inhibition of SIRT2 Deacetylase and Defatty-Acylase Activities via a PROTAC Strategy. *ACS Medicinal Chemistry Letters* **11**, 2305-2311.
91. Schiedel, M., Herp, D., Hammelmann, S., et al. (2018). Chemically

- Induced Degradation of Sirtuin 2 (Sirt2) by a Proteolysis Targeting Chimera (PROTAC) Based on Sirtuin Rearranging Ligands (SirReals). *Journal of Medicinal Chemistry* **61**, 482-491.
- 92. Zhao, Q., Lan, T., Su, S., and Rao, Y. (2019). Induction of apoptosis in MDA-MB-231 breast cancer cells by a PARP1-targeting PROTAC small molecule. *Chemical Communications* **55**, 369-372.
 - 93. Wang, S., Han, L., Han, J., et al. (2019). Uncoupling of PARP1 trapping and inhibition using selective PARP1 degradation. *Nature Chemical Biology* **15**, 1223-1231.
 - 94. Cao, C., Yang, J., Chen, Y., et al. (2020). Discovery of SK-575 as a Highly Potent and Efficacious Proteolysis-Targeting Chimera Degrader of PARP1 for Treating Cancers. *Journal of Medicinal Chemistry* **63**, 11012-11033.
 - 95. Lin, S., Tu, G., Yu, Z., et al. (2022). Discovery of CN0 as a novel proteolysis-targeting chimera (PROTAC) degrader of PARP1 that can activate the cGAS/STING immunity pathway combined with daunorubicin. *Bioorganic & Medicinal Chemistry* **70**, 116912.
 - 96. Cheng, B., Ren, Y., Cao, H., and Chen, J. (2020). Discovery of novel resorcinol diphenyl ether-based PROTAC-like molecules as dual inhibitors and degraders of PD-L1. *European Journal of Medicinal Chemistry* **199**, 112377.
 - 97. Shen, Y., Gao, G., Yu, X., et al. (2020). Discovery of First-in-Class Protein Arginine Methyltransferase 5 (PRMT5) Degraders. *Journal of Medicinal Chemistry* **63**, 9977-9989.
 - 98. Farnaby, W., Koegl, M., Roy, M.J., et al. (2019). BAF complex vulnerabilities in cancer demonstrated via structure-based PROTAC design. *Nature Chemical Biology* **15**, 672-680.
 - 99. Zeng, M., Xiong, Y., Safaei, N., et al. (2020). Exploring Targeted Degradation Strategy for Oncogenic KRAS G12C. *Cell Chemical Biology* **27**, 19-31.e16.
 - 100. Bond, M.J., Chu, L., Nalawansha, D.A., et al. (2020). Targeted Degradation of Oncogenic KRASG12C by VHL-Recruiting PROTACs. *ACS Cent Sci* **6**, 1367-1375.
 - 101. Yang, F., Wen, Y., Wang, C., et al. (2022). Efficient targeted oncogenic KRASG12C degradation via first reversible-covalent PROTAC. *European Journal of Medicinal Chemistry* **230**, 114088.
 - 102. Zhou, C., Fan, Z., Zhou, Z., et al. (2022). Discovery of the First-in-Class Agonist-Based SOS1 PROTACs Effective in Human Cancer Cells Harboring Various KRAS Mutations. *J Med Chem* **65**, 3923-3942.
 - 103. Maniaci, C., Hughes, S.J., Testa, A., et al. (2017). Homo-PROTACs: bivalent small-molecule dimerizers of the VHL E3 ubiquitin ligase to induce self-degradation. *Nature Communications* **8**, 830.

104. Song, Y., Park, P.M.C., Wu, L., et al. (2019). Development and preclinical validation of a novel covalent ubiquitin receptor Rpn13 degrader in multiple myeloma. *Leukemia* **33**, 2685-2694.
105. Silva, M.C., Ferguson, F.M., Cai, Q., et al. (2019). Targeted degradation of aberrant tau in frontotemporal dementia patient-derived neuronal cell models. *eLife* **8**, e45457.
106. Bensimon, A., Pizzagalli, M.D., Kartnig, F., et al. (2020). Targeted Degradation of SLC Transporters Reveals Amenability of Multi-Pass Transmembrane Proteins to Ligand-Induced Proteolysis. *Cell Chemical Biology* **27**, 728-739.e729.
107. Li, Y., Yang, J., Aguilar, A., et al. (2019). Discovery of MD-224 as a First-in-Class, Highly Potent, and Efficacious Proteolysis Targeting Chimera Murine Double Minute 2 Degrader Capable of Achieving Complete and Durable Tumor Regression. *Journal of Medicinal Chemistry* **62**, 448-466.
108. Wang, B., Wu, S., Liu, J., et al. (2019). Development of selective small molecule MDM2 degraders based on nutlin. *European Journal of Medicinal Chemistry* **176**, 476-491.
109. de Wispelaere, M., Du, G., Donovan, K.A., et al. (2019). Small molecule degraders of the hepatitis C virus protease reduce susceptibility to resistance mutations. *Nature Communications* **10**, 3468.
110. Winzker, M., Friese, A., Koch, U., et al. (2020). Development of a PDE δ -Targeting PROTACs that Impair Lipid Metabolism. *Angewandte Chemie International Edition* **59**, 5595-5601.
111. Cheng, J., Li, Y., Wang, X., et al. (2020). Discovery of Novel PDE δ Degraders for the Treatment of KRAS Mutant Colorectal Cancer. *Journal of Medicinal Chemistry* **63**, 7892-7905.