

Supplementary material for:

Risk Factors for Acute Kidney Injury in COVID-19 Patients: A Systematic Review and Meta-Analysis

Table of contents:

Supplementary Table 1: Search strategy for Embase

Supplementary Figure 1: Forest plot diagram for estimating the overall prevalence of AKI

Supplementary Figure 2: Forest plot diagram for estimating the overall prevalence of mortality in patients developed AKI

Supplementary Figure 3: Sensitivity analysis for hypertension

Supplementary Figure 4: Sensitivity analysis for chronic kidney disease

Supplementary Figure 5: Sensitivity analysis for diabetes mellitus

Supplementary Figure 6: Funnel plot

Search strategy for Embase


#1 ((2019 AND novel AND coronavirus AND disease:ab,ti OR '2019 ncov') AND disease:ab,ti OR 'sars cov 2') AND disease

#2 (acute AND kidney AND injury:ab,ti OR acute) AND renal AND failure


#3 (risk AND factor:ab,ti OR relative) AND risk

#4 #1 AND #2 AND #3


Supplementary Figure 1: Forest plot diagram for estimating the overall prevalence of AKI




Supplementary Figure 2: Forest plot diagram for estimating the overall prevalence of mortality in patients developed AKI




Supplementary Figure 3 Sensitivity analysis for hypertension



Supplementary Figure 4 Sensitivity analysis for chronic kidney disease



Supplementary Figure 5 Sensitivity analysis for diabetes mellitus



Supplementary Figure 6 Funnel plot

