nature portfolio

Corresponding author(s):	<u>Dimitris Petroutsos</u>
Last updated by author(s):	01.03.2023

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our Editorial Policies and the Editorial Policy Checklist.

For all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.

_				
Ç.	tっ	+1	ct.	ICC
٠,	ı a			11 >

n/a	Confirmed
	$oxed{x}$ The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	🕱 A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
X	A description of all covariates tested
	🕱 A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>
x	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
x	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
x	Estimates of effect sizes (e.g. Cohen's <i>d</i> , Pearson's <i>r</i>), indicating how they were calculated

Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.

Software and code

Policy information about availability of computer code

Data collection

- (1) IMAG-WIN version 2.32 software (Walz, Germany) was used for collecting data of photosynthetic parameters,
- $(2) \, Image Quant \, 800 \, We stern \, blot \, CCD \, imager \, was \, used \, for \, collecting \, immunoblot \, data, \, where \, collecting \, immunoblot \, data, \, is a constant of the collecting imm$
- (3) CFX Manager™ Software (Bio-Rad Laboratories, Inc.) was used for collecting qPCR data from Biorad CFX Real-Time PCR.

Data analysis

Prism 9 for MacOS (GraphPad Inc.) software was used for statistical analyses of photosynthetic parameters and qPCR data.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

The source data underlying Figures and Supplementary Figures are provided as a Source Data file. All biological material described in this study is available upon request. All other data are available in the manuscript.

Human research participants

Policy information about studies involving human research participants and Sex and Gender in Research.

Reporting on sex and gender

Use the terms sex (biological attribute) and gender (shaped by social and cultural circumstances) carefully in order to avoid confusing both terms. Indicate if findings apply to only one sex or gender; describe whether sex and gender were considered in study design whether sex and/or gender was determined based on self-reporting or assigned and methods used. Provide in the source data disaggregated sex and gender data where this information has been collected, and consent has been obtained for sharing of individual-level data; provide overall numbers in this Reporting Summary. Please state if this information has not been collected. Report sex- and gender-based analyses where performed, justify reasons for lack of sex- and gender-based

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Study description

Sampling strategy

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Field-specific reporting

P	Please select	the one	below	that	is the	best fit	tor y	our r	esearch	h. It '	you	are no	t sure,	, read t	the a	appropriat	e sectio	ons be	etore	makin	g your	select	ion

Ecological, evolutionary & environmental sciences Behavioural & social sciences

For a reference copy of the document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf

Life sciences study design

All studies must disclose on these points even when the disclosure is negative.

Statistical methods were not used to predetermine the sample size. The sample sizes (n) are written on the manuscript. Sample size

Data exclusions We have not excluded any data from the analyses.

We conducted all experiments with replication at least three and with using independent biological replicates. The sample sizes (n) were Replication written on the manuscript.

Randomization was not considered in this work Randomization

Blinding The investigators were not blinded to allocation during experimented procedures and data assessment.

Behavioural & social sciences study design

All studies must disclose on these points even when the disclosure is negative.

Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, auantitative experimental, mixed-methods case study).

State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic Research sample information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For

studies involving existing datasets, please describe the dataset and source.

Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Data collection

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Timing

Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation

State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

Randomization

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.

Research sample

Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets, describe the data and its source.

Sampling strategy

Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.

Data collection

Describe the data collection procedure, including who recorded the data and how.

Timing and spatial scale

Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Reproducibility

Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.

Randomization

Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.

Blinding

Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.

Did the study involve field work?

Yes		No
-----	--	----

Field work, collection and transport

Field conditions

Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).

Location

State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).

Access & import/export

Describe the efforts you have made to access habitats and to collect and import/export your samples in a responsible manner and in compliance with local, national and international laws, noting any permits that were obtained (give the name of the issuing authority, the date of issue, and any identifying information).

Disturbance

Describe any disturbance caused by the study and how it was minimized.

Reporting for specific materials, systems and methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimer	ital systems Methods					
n/a Involved in the study	n/a Involved in the study					
Antibodies	ChIP-seq					
x Eukaryotic cell lines	Flow cytometry					
Palaeontology and ar	chaeology MRI-based neuroimaging					
Animals and other or	ganisms					
X Clinical data						
Dual use research of	concern					
Antibodies						
	LHCSR1, LHCSR3, ATPB, PSBS					
	D. 1.1 12 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1					
	Rabbit polyclonal antibodies against LHCSR1 (AS14 2819, 1:15000 diulution), LHCSR3 (AS14 2766, 1:15000 dilution), ATPB (AS05 085, 1:15000 dilution), were from Agrisera (Vännäs, Sweden). Rabbit polyclonal antibody against PSBS was from ShineGene Molecular Biotech (Shanghai, China) targeting the peptides described in Correa-Galvis et al. 2016 (DOI: 10.1074/jbc.M116.737312) and was used at a dilution of 1:1000. An anti-rabbit horseradish peroxidase conjugated antiserum (Jackson Immuno Research Europe LTD) was used as secondary antibody for LHCSR1, LHCSR3, PSBS immunoblotting at a dilution of 1:10000. Mouse monoclonal antibody against FLAG was purchased from Sigma-Aldrich (St. Louis, MO, USA) and was used at a dilution of 1:15000. An anti-mouse horseradish peroxidase conjugated antiserum (Jackson Immuno Research Europe LTD) was used as a secondary antibody for 3xFLAG immunoblotting (1:10000 dilution).					
Eukaryotic cell line	lines and Sex and Gender in Research					
Cell line source(s)	State the source of each cell line used and the sex of all primary cell lines and cells derived from human participants or vertebrate models.					
Authentication	Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.					
Mycoplasma contaminatio	Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.					
Commonly misidentified lin (See <u>ICLAC</u> register)	Name any commonly misidentified cell lines used in the study and provide a rationale for their use.					
Palaeontology and	l Archaeology					
,	Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Permits should encompass collection and, where applicable, export.					
Specimen deposition	Indicate where the specimens have been deposited to permit free access by other researchers.					
	If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.					
Tick this box to confirm	that the raw and calibrated dates are available in the paper or in Supplementary Information.					

Identify the organization(s) that approved or provided quidance on the study protocol, OR state that no ethical approval or quidance

Note that full information on the approval of the study protocol must also be provided in the manuscript.

was required and explain why not.

Ethics oversight

Animals and other research organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research, and Sex and Gender in Research

Laboratory animals

For laboratory animals, report species, strain and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Reporting on sex

Indicate if findings apply to only one sex; describe whether sex was considered in study design, methods used for assigning sex. Provide data disaggregated for sex where this information has been collected in the source data as appropriate; provide overall numbers in this Reporting Summary. Please state if this information has not been collected. Report sex-based analyses where performed, justify reasons for lack of sex-based analysis.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJEguidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration | Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol

Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection

Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes

Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

Dual use research of concern

Policy information about <u>dual use research of concern</u>

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

No	Yes
×	Public health
×	National security
×	Crops and/or livestock
×	Ecosystems

Any other significant area

Experiments of concer	'n				
Does the work involve an	y of the	ese experiments of concern:			
Confer resistance t Enhance the virule Increase transmiss	to thera nce of a ibility of				
Enable the weapor	diagnost nization	athogen cic/detection modalities of a biological agent or toxin iful combination of experiments and agents			
Data deposition					
Confirm that both raw	v and fi	nal processed data have been deposited in a public database such as <u>GEO</u> .			
Confirm that you have	e depos	sited or provided access to graph files (e.g. BED files) for the called peaks.			
Data access links May remain private before public	cation.	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.			
Files in database submiss	ion	Provide a list of all files available in the database submission.			
Genome browser session (e.g. <u>UCSC</u>)		Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.			
Methodology					
Replicates	Describ	be the experimental replicates, specifying number, type and replicate agreement.			
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.				
Antibodies	Describ numbe	be the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot rr.			
Peak calling parameters	Specify used.	the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files			
Data quality	Describ	be the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.			
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.				
Flow Cytometry					
Plots					
Confirm that: The axis labels state the	he mar	ker and fluorochrome used (e.g. CD4-FITC).			
The axis scales are cle	arly vis	ible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).			
All plots are contour p	olots wi	th outliers or pseudocolor plots.			
A numerical value for	numbe	er of cells or percentage (with statistics) is provided.			
Methodology					
Sample preparation		Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.			
Instrument	nstrument (Identify the instrument used for data collection, specifying make and model number.				

Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.							
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.							
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.							
Tick this box to confirm tha	t a figure exemplifying the gating strategy is provided in the Supplementary Information.							
Magnetic resonance	imaging							
Experimental design								
Design type	Indicate task or resting state; event-related or block design.							
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.							
Behavioral performance measu	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).							
Acquisition								
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.							
Field strength	Specify in Tesla							
Sequence & imaging paramete	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.							
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.							
Diffusion MRI Used	Not used							
Preprocessing								
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).							
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.							
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.							
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).							
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.							
Statistical modeling & infer	rence							
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).							
Effect(s) tested	ffect(s) tested Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANC or factorial designs were used.							
Specify type of analysis:	Whole brain ROI-based Both							
Statistic type for inference (See Eklund et al. 2016)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.							
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).							

Models & analysis

n/a Involved in the study	is
Functional and/or effective connectivity	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).
Multivariate modeling and predictive analysis	Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.