Additional File 1: The final questionnaire, originally developed in German and translated for the purpose of this publication.

Comment: Information provided in [square brackets] were not shown to participants.

1.1 When was it decided that you should have a cesarean section?

O I required an emergency cesarean within 15 minutes.

O The cesarean section was already planned before going to the hospital.

1. [general section]

After delivery had already begun.

to have a cesarean section.

We will now ask you various questions about the birth of your child. If you have given birth more than once, these questions will always **relate to your experience of the last** birth by cesarean section.

1.2 [Salmon's Item List, German short (Sta	dlmayr et a	l., 2009)]			
1.3 How do the following statements apply	to the ces	arean sect	ion you exper	rienced?	
	strongly disagree	disagree	neutral	agree	totally agree
I felt the staff was working well together, before, during and after the cesarean section.	0	0	0	0	0
The cesarean section matched my expectations.	0	0	0	0	0
At the time. I understood the decision					

1.4 How much do you agree with the following statements **concerning care provided by professionals**?

 \bigcirc

 \bigcirc

 \bigcirc

 \bigcirc

	strongly disagree	disagree	neutral	agree	totally agree
The professionals informed me sufficiently during birth.	0	0	0	0	0
I was informed about all important procedures before the cesarean section.	0	0	0	0	0
I felt that the healthcare professionals were open to my wishes and needs.	0	0	0	0	0
During birth, I felt actively involved.	0	0	0	0	0

1.5 Was this a multiple birth?					
Yes, I had twins, triplets, etc.No					
1.6 [Information conditional on 1.5 = "Yes,	, I had twin	s, triplets, e	etc."]		
You stated that you had a multiple birth. F "your child" refer to all of the children you		-			
1.7 Were you able to hold your baby with o	direct skin-1	to-skin cont	tact already in	the operati	ng
○ Yes ○ No					
1.8 How much do you agree with the follow	wing staten	nent?			
1.0 Flow much do you agree with the follow	strongly				totally
	disagree	disagree	neutral	agree	agree
In the first hours after the cesarean section, my child was still a stranger to me.	0	0	0	0	0
After the cesarean section, it was easy to form a bond with my child.	0	0	\circ	0	0
1.9 Did you breastfeed?					
Yes, I still do.					
Yes, I did.No					
1.10 How long did you breastfeed, completely or partially? [question conditional on 1.9 = "Yes, I did."]					
less than 1 month1 month					
12 monthsmore than 12 months					
1.11 Did you want to breastfeed? [question conditional on 1.9 = "No"]					
Yes, but it wasn't possible for the folNo, I did not want to breastfeed.	lowing reas	sons:			

1.12 How many hours after the cesarean section did you hold your baby to the breast for the first time?
[question conditional on 1.9 ≠ "No"]
 less than 1 hour 1 hour 12 hours more than 12 hours
2. Gentle cesarean section
2.1 [Definition gentle cesarean section]
Since 2017, the University Women's Hospital of Bern offers the option of a gentle cesarean section . The procedure includes a transparent drape between patient and surgeon. The mother and her partner can observe the cesarean section if they wish to.
2.2 Did you have such a gentle cesarean section?
○ Yes○ No
2.2.1 In hindsight, how do you rate the view through the transparent drape? [question conditional on 2.2 = "Yes"]
 I would have preferred not to see that much of the birth. It was just right how much I saw from the birth. I would have preferred to see more of the birth.
2.2.2 If your partner was with you during the cesarean section, what do you think, how he/she would rate the view through the drape? [question conditional on 2.2 = "Yes"]
He/she would have preferred to see less of the birth.
It was just right how much he/she saw from the birth.He/she would have preferred to see more of the birth.
I had no birth companion during the caesarean section.
2.2.3 Please describe how you experienced the gentle cesarean section as a whole process. [question conditional on 2.2 = "Yes"]
2.2.4 In your opinion, how could we improve the birth experience during the gentle cesarean section?
[question conditional on 2.2 = "Yes"]
2.2.5 Why did you choose a gentle cesarean section? [question conditional on 2.2 = "Yes"]

2.3 If another cesarean seGentle cesarean seStandard cesarean	ction	uld be performed	l at a next b	irth, whic	ch type wou	lld you prefer?	
2.4 Why?							
3. [birth history / d	lemograp	hics]					
3.1 Was this your first b	irth?						
○ Yes○ No							
3.2 For births prior to t cesarean or vaginal birth [question conditional on	1.		section onl	l y , please	indicate if	it was a	
		Mode of birth					
		Cesarean section Vaginal birth			birth		
1 st birth		0			\circ		
2 nd birth					\bigcirc		
3 rd birth		0			0		
3.3 Did you breastfeed y breastfeeding only for t [question conditional on	he childre	n you gave birth	to before t		esarean se		
	4: 4	more			more		
	did no breastfe		1 month		12 months	than 12 months	
Child/ren from 1st birth	0	\circ	0	0	0	0	
Child/ren from 2 nd birth	0	0	\circ	0	0	0	
Child/ren from 3 rd birth		\circ	\circ	\bigcirc	\circ	\circ	

birth

3.5 V	Vhat is your highest degree of education?
\bigcirc	Compulsory education
\bigcirc	Apprenticeship
\circ	Grammar school, vocational A level, specialised secondary school certificate (FMS), vocational college (DMS)
\bigcirc	Higher technical and vocational training
\bigcirc	University of Applied Sciences, educational college
\bigcirc	University, Federal Institute of Technology (EPFL, ETH)
\bigcirc	Other:
3.6 Y	ou completed the questionnaire. Is there anything you would like to let us know?

3.4 [Whooley questions (Whooley et al., 1997)]

References

Stadlmayr W, Bitzer J, Hösli I, Amsler F, Leupold J, Schwendke-Kliem A, et al. Birth as a multidimensional experience: comparison of the English- and German-language versions of Salmon's item list. J Psychosom Obstet Gynecol. 2009;22(4):205–14. https://doi.org/10.3109/01674820109049975.

Whooley MA, Avins AL, Miranda J, Browner WS. Case-finding instruments for depression. Two questions are as good as many. J Gen Intern Med. 1997;12(7):439-45. https://doi.org/10.1046/j.1525-1497.1997.00076.x.