

Patients with septic shock	Other gynecological bleeding(stable patient after resuscitation)	-	-	-	-	-	III Round	44.2 (Ls 4) 23.3 (Ls 5)	67.5	Cancelled			
	GI perforation	60(5) 23(4)	83	included	-	-	-	-	-	-			
	Infected necrotizing haemorrhage pancreatitis	37(5) 20(4)	57	II Round	43(5) 15(4)	58	III Round	25.6 (Ls 4) 55.8 (Ls 5)	81.4	Included			
	Urolithiasis	31(5) 28(4)	59	II	33(5) 25(4)	58	Improved definition for III Round (urolithiasis with sepsis)	48.8(4) 30.2(5)	79	Accepted with modifications for redundant items for IV Round	25.8(4) 38.7(5)	64.5	Cancelled

Fournier's gangrene	62(5) 28(4)	90	included										
Toxic megacolon	60(5) 28(4)	88	included										
Anastomotic fistula	48(5) 28(4)	76	included										
Necrotizing fasciitis	68(5) 20(4)	>90	included										
Ruptured tubo-ovarian abscess with septic shock	28(5) 34(4)	62	II Round	47(5) 23(4)	70	III Round	37.2 (Ls 4) 34.9 (Ls 5)	72.1	Included after discussion at WSES Congress 2022				
Complicated appendicitis (necrotic, appendicular abscess, perforated, presence of fecolith) associated with local/generalized peritonitis	-	-	-	-	-	III Round	27.9 (Ls 4) 48.8 (Ls 5)	76.7	Included				

	Heart-lungs transplants	65(5) 17(4)	82	Included	-	-	-	-		Cancelled after discussion at WSES congress (2022)			
YEL-LOW-surgery within 3/6 hrs	Contaminated open fractures	-	-	-	54(5) 25(4)	79	Included						
	Spinal cord compression with cauda equina syndrome	45(5) 43(4)	88	Included	-	-	-						
	Increasing intracranial pressure	-	-	-	-	-	-	27.9 (Ls 4) 44.2 (Ls 5)	72.1	Cancelled			
Patients with sepsis	Fournier's gangrene	-	-	-	68(5) 11(4)	79	Included	-	-				
	Toxic megacolon	-	-	-	60(5) 29(4)	89	Included	-	-				

	Intestinal anastomotic fistula/insufficiency with sepsis	-	-	-	33(5) 35(4)	68	III Round	34.9 (Ls 4) 37.2 (Ls 5)	72.1	Cancelled			
	Necrotizing fasciitis	-	-	-	64(5) 15(4)	79	Included	-	-				
	GI perforation	-	-	-	76.5(5) 11.8(4)	88.3	Included						
	Ruptured tubo-ovarian abscess	-	-	-	51(5) 31(4)	82	Included						
	Complicated appendicitis(necrotic, appendicular abscess, perforated, in presence of fecolith and sign of sepsis)	51(5) 23(4)	74	II Round	41.2(5) 31.4(4)	72.6	III Round	37.2 (Ls 4) 48.8 (Ls 5)	86	Included			

	Complicated diverticulitis with sepsis (Hinchey III-IV)	-	-	-	33(5) 31(4)	64	III Round	34.9 (Ls 4) 53.5 (Ls 5)	88.4	Included			
	Urolithiasis with sepsis	-	-	-	33(5) 25(4)	58	III Round	48.8 (Ls 4) 30.2 (Ls 5)	79	Included			
	Incomplete abortion with sepsis	-	-	-	52(5) 29(4)	81	Included	-	-	-			
	Perianal abscess with sepsis	28(5) 34(4)	62	II Round	39(5) 33(4)	72	III Round	53.5 (Ls 4) 30.2 (Ls 5)	83.7	Included			
	Intraperitoneal bladder rupture	-	-	-	37(5) 35(4)	72	III Round	25.6 (Ls 4) 41.9 (Ls 5)	67.5	Cancelled			
	Compartment syndrome (any districts)	-	-	-	66(5) 15(4)	81	Included	-	-	-			

	Foreign body with obstruction (including endoscopy)	-	-	-	29(5) 35(4)	64	III Round	16.3 (Ls 4) 44.2 (Ls 5)	60.5	Cancelled			
	Liver transplant	54(5) 25(4)	79	Included	-	-				Cancelled after discussion at WSES World Congress 2022			
	Embolization of splenic post-traumatic pseudoaneurysm	-	-	-	41(5) 31(4)	72	III Round	23.3 (Ls 4) 32.6 (Ls 5)	55.9	Cancelled			

**GREEN
-surgery
within
12 hrs**

Bowel obstruction	45(5) 17(4)	62	II Round	37(5) 29(4)	66	Im- proved defini- tion for III Round and moved to Blue class								
Perianal ab- scess	37(5) 34(4)	71	II Round	41(5) 23(4)	64	Moved to Blue class								

Cholecystitis	34(5) 23(4)	57	II Round	35(5) 25(4)	60	Moved to Blue class							
Appendicitis	45(5) 28(4)	73	II Round	62(5) 21(4)	83	Included							
Thoracic empyema	37(5) 40(4)	77	included	-	-	-							
Incarcerated hernia with obstruction	40(5) 20(4)	60	II Round	55(5) 18(4)	73	III Round	32.6 (Ls 4) 30.2 (Ls 5)	62.8	Moved to Blue class for IV Round				
Urinary fistula	23(5) 23(4)	46	II Round	39(5) 22(4)	61	Cancelled	-						
Hydronephrosis	34(5) 28(4)	62	II Round	31(5) 25(4)	56	III Round	20.9 (Ls 4) 30.2 (Ls 5)	51.1	Cancelled				

	Bowel/intestinal obstruction after medical treatment failure	-	-	-	-	-	III Round(moved from green to blue class)	27.9 (Ls 4) 41.9 (Ls 5)	69.8	IV Round	18.8(4) 31.3(5)	50.1	Cancelled
	Perianal abscess	-	-	-	-	-	III Round(moved from green to blue class)	34.9 (Ls 4) 37.2 (Ls 5)	72.1	Included after discussion at WSES congress 2022			

	Cholecystitis	-	-	-	-	-	III Round(moved from green to blue class)	23.3 (Ls 4) 55.8 (Ls 5)	79.1	Included			
	Urinary fistula	-	-	-	-	-	III Round(moved from green to blue class)	11.6 (Ls 4) 37.2 (Ls 5)	48.8	Can- celled			

Foreign body without obstruction	-	-	-	-	-	-	III (moved from green to blue class)	16.3 (Ls 4) 53.5 (Ls 5)	69.8	Cancelled			
Acute appendicitis without peritoneal fluid	45(5) 20(4)	65	II Round	60(5) 14(4)	74	III round	14 (Ls 4) 51.2 (Ls 5)	65.2	Cancelled				
Amputation for osteomyelitis	31(5) 34(4)	65	II Round	58(5) 12(4)	70	III Round	32.6 (Ls 4) 37.2 (Ls 5)	69.8	Cancelled				
A-V fistulae for hemodialysis	31(5) 25(4)	56	II Round	54(5) 16(4)	70	III Round	23 (Ls 4) 27 (Ls 5)	50	Cancelled				
Symptomatic carotid artery stenosis, TIA, STROKE in evolution	37(5) 25(4)	62	II Round	37(5) 30(4)	67	Cancelled							

Symptomatic AAA after medical treatment failure	42(5) 25(4)	67	II Round	41.2(5) 29.4(4)	70.6	Cancelled							
Symptomatic aortic dissection type B	45(5) 25(4)	70	II Round	41(5) 18 (4)	59	Cancelled							
Bones fracture/complicated bones fractures (displaced/complex)	37(5) 31(4)	68	II Round	43(5) 25(4)	68	III Round	30.2 (Ls 4) 34.9 (Ls 5)	65.1	Cancelled				
Pelvic trauma fixation	28(5) 43(4)	71	II Round	53(5) 25(4)	78	included							
Maxillofacial fractures	43(5) 25(4)	68	II Round	49(5) 23(4)	72	III Round	18.6 (Ls 4) 39.5 (Ls 5)	58.1	Cancelled				
Urolithiasis	25(5) 37(4)	62	II Round	37(5) 25(4)	62	Cancelled							

	Incarcerated AW hernia with obstruction	-	-	-	-	-	-	-	-	-	28.1(4) 31.3(5)	59.4	Cancelled
OR- GANI- ZA- TIVE NEED	Elective postponed interventions	37(5) 28(4)	65	II Round	54(5) 23(4)	77	Included						
	Diagnostic biopsy/laparoscopy	31(5) 31(4)	62	II Round	58(5) 17(4)	75	Included						

Table 5: Summary of all rounds voting results (CCA: Collective Consensus Agreement)