BARIATRIC SURGERY IS ASSOCIATED WITH ALCOHOL-RELATED LIVER DISEASE AND PSYCHIATRIC DISORDERS ASSOCIATED WITH AUD (Reviewer 2, comment 02).

SUPPLEMENTARY MATERIAL

Figure 1S. Graphical summary of the study design.

Finally selected population, main outcomes, and variables obtained from hospital discharges information between the years 2005-2015.

Figure 2S. Impact of bariatric surgery on the development of vitamin D deficiency.


Results are expressed as annual fold-change increases from baseline and the overall prevalence (%) of vitamin D deficiency from 2005 to 2015 in the bariatric surgery *vs* the abdominal surgery group.

Figure 3S. Impact of bariatric surgery on liver disease of different etiologies Results are expressed as frequencies (%). Prevalence of the main 2 etiologies. Abbreviations: ALD, Alcohol-related liver disease; NAFLD, Non-alcoholic fatty liver disease.

Figure 4S. Impact of vitamin D deficiency on the development of alcohol-related organ damage in the bariatric surgery group.

Data are expressed as frequencies (%) according to vitamin D status. (a) Prevalence of alcohol use disorder. (b) Prevalence of alcohol-related liver disease. (c) Prevalence of cirrhosis. (d) Prevalence of psychiatric disorders associated with AUD (Reviewer 2, comment 02).

TABLE 1S. ICD-9 codes used for cohort selection and comorbidities, as well as excluded diagnoses.



- **Design**: yearly cross-sectional observational study using NIS database and ICD-9 codes
 - Inclusion: hospital discharges with history of bariatric or abdominal surgery
 - Exclusion: cases with the outcomes of interest present prior to surgery
 - Evaluation: propensity score matching performed prior to surgery
 - Outcomes of interest: AUD, ALD, psychiatric disorders associated with AUD

Fig. 1S

Vitamin D Deficiency





Fig. 2S

Liver Disease Etiologies






Fig. 3S




TABLE 1S. ICD-9 codes used for cohort selection and comorbidities, as well as excluded diagnostics.

| DIAGNOSIS | ICD-9 CODES |
|--|---|
| BARIATRIC | SURGERY |
| Bariatric surgery status | V45.86 |
| Fitting and adjustment of gastric lap | V53.51 |
| Complications of bariatric surgery | 539.X |
| Gastric restrictive procedure | 44.69 |
| Laparoscopic vertical (sleeve) gastrectomy | 43.82, 43.89 |
| Laparoscopic vertical (sleeve) gastrectomy Laparoscopic adjustable gastric band | 44.95 |
| Replacement/adjustment of gastric band | 44.96,44.98 |
| Gastric bypass | 44.32 |
| Malabsorption (gastric bypass) | 579,3 |
| Partial gastrectomy with bypass gastro- | 43.89 |
| gastrostomy | 43.09 |
| High gastric bypass | 44.31 |
| Laparoscopic gastric bypass with small intestine | 44.38,44.39 |
| reconstruction to limit absorption | 44.30,44.39 |
| Open Roux-en-Y gastric bypass | 44.39, 44.31 |
| | |
| ABDOMINAL | |
| Appendectomy | 47.0 |
| Incidental appendectomy | 47.1 |
| Laparoscopic appendectomy | 47.01 |
| Laparoscopic incidental appendectomy | 47.1 |
| Cholecystectomy | 51.22 |
| Laparoscopic cholecystectomy | 51.23 |
| ALCOHOL | |
| Alcohol use disorder. | |
| Alcohol dependence syndrome | 303.x (0/00/01/02/03/9/90/91/92/93) |
| Acute alcoholic intoxication in alcoholism, | 303,00 |
| unspecified | |
| Acute alcoholic intoxication in alcoholism, | 303,01 |
| continuous | |
| Other and unspecified alcohol dependence, | 303,91 |
| continuous | |
| Alcohol abuse, unspecified | 305.0X |
| Alcohol abuse, continuous | 305,01 |
| Personal history of alcoholism | V11.3 |
| Alcohol use, unspecified | 790.3, 425.5, 535.30,535.51,577,357.5, 291.x, |
| • | 303.x,305.0x, V113.0, E860.01-03,980. |
| Alcohol - related Liver disease | |
| Fatty liver, alcoholic | 571 |
| Acute Alcoholic Hepatitis | 571.1 |
| Cirrhosis of the liver with alcoholism | 571.2 |
| Alcoholic Liver Damage, Unspecified | 571.3 |
| Alcoholic liver disease | 571.1,571.2,571.3 |
| | 07 1.1,07 1.2,07 1.0 |
| Liver Cirrhosis/Decompensation | 574.0 |
| Alcoholic cirrhosis of liver | 571.2 |
| Chronic Liver disease and cirrhosis | 571/571.5 |
| Portal Hypertension | 572.3 |
| Hepatic encephalopathy | 572.2 |
| Esophageal varices with bleeding | 456.0, 456.2 |
| Esophageal varices without mention of bleeding | 456.1 |
| Esophageal varices in diseases classified | 456.21 |
| elsewhere with bleeding | |

| Esophageal varices in diseases classified | 456.21 |
|--|---------------|
| elsewhere without mention of bleeding | |
| Spontaneous bacterial peritonitis | 567.23 |
| Hepatorenal syndrome | 572.4 |
| Hepatopulmonary syndrome | 573.5 |
| Ascites | 789.5 |
| Psychiatric disorders associated with | |
| AUD | |
| Alcohol-induced psychotic disorder | 291.X |
| Alcohol abuse with Depressive disorders | 296.21-296.36 |
| Alcohol abuse with bipolar-unspecified | 296,8 |
| Alcohol abuse with anxiety state-unspecified | 300.0 |
| Alcohol abuse with panic disorder | 300.01 |
| Alcohol abuse with stress-unspecified | 308.9 |
| Alcohol abuse with history of emotional abuse | V15.42 |
| EXCLUSION CRITERIA | |
| Malignant neoplasm of esophagus | 150.x |
| Malignant neoplasm of stomach | 151.x |
| Malignant neoplasm of small intestine, including | 152.x |
| duodenum | |
| Malignant neoplasm of pancreas | 157.x |
| Gastric ulcer | 531.x |
| Duodenal ulcer | 532.x |
| Peptic ulcer, sit unspecified | 533.x |
| Malignant neoplasm of esophagus | 150.x |
| Children and pregnancy | V22.1 |

Abbreviations: ICD, International Classification of Diseases.