Suplementary Table 1: Disease course of Bronchiectasis patients during COVID-19 pandemics

	All (n=123)	COVID-19	COVID-19	ı	
		(-)	(+)	p value	
		(n=99)	(n=24)		
Increased bronchiectasis symptoms?				0.806 ^a	
No	69 (56.1)	55 (55.6)	14 (58.3)		
Yes	54 (43.9)	44 (44.4)	10 (41.7)		
Number of exacerbations	1.8 ± 2.1	1.8 ± 1.9	2 ± 2.9	0.647 ^b	
Hospital appointments?				0.082^{a}	
No	15 (27.8)	10 (22.7)	5 (50)		
Yes	39 (72.2)	34 (77.3)	5 (50)		
Admitted to their own physician?				0.631 ^c	
No	23 (59)	21 (61.8)	2 (40)		
Yes	16 (41)	13 (38.2)	3 (60)		
Bronchiectasis treatment?**				0.131 ^a	
No	65 (52.8)	49 (49.5)	16 (66.7)		
Yes	58 (47.2)	50 (50.5)	8 (33.3)		
Duration of bronchiectasis treatment***	9.3 ± 7.9	9.2 ± 8.3	10.1 ± 4.7	0.365 ^b	
Adherence to treatment during pandemic?***	•			1 ^c	
No	1 (1.7)	1 (2)	0		
Yes	57 (98.3)	49 (98)	8 (100)		

Changes in treatment?***				0.365 ^c
No	55 (94.8)	48 (96)	7 (87.5)	
Yes	3 (5.2)	2 (4)	1 (12.5)	
COVID-19 (+) patients in close proximity?				<0.001 ^a
No	75 (61)	70 (70.7)	5 (20.8)	
Yes	48 (39)	29 (29.3)	19 (79.2)	
Hospital admission due to COVID in close proximity?****				0.486 ^a
No	38 (79.2)	22 (75.9)	16 (84.2)	
Yes	10 (20.8)	7 (24.1)	3 (15.8)	
Influenza vaccine				0.794 ^a
No	74 (60.2)	59 (59.6)	15 (62.5)	
Yes	49 (39.8)	40 (40.4)	9 (37.5)	
Opinion on COVID-19 vaccine				0.732^{a}
Negative	13 (10.6)	10 (10.1)	3 (12.5)	
Positive	110 (89.4)	89 (89.9)	21 (87.5)	
Want to get COVID-19 vaccine?				0.364 ^a
No	14 (11.4)	10 (10.1)	4 (16.7)	
Yes	109 (88.6)	89 (89.9)	20 (83.3)	

^a Chi-square test ^b Mann Whitney U test ^c Fisher Exact test

^{*} Only patients with exacerbations were evaluated.

^{**} Only patients who admitted to a physician were evaluated.

^{***} Only patients who had undergone treatment were evaluated.

^{****} Only patients who had COVID-19 + individuals in close proximity were evaluated.