

# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a guide for reporting for authors of RCTs,
- to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

**YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).**

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

**DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!**

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

doi: 10.2196/jmir.1923  
PMID: 22209829

 [liesje.donkin@gmail.com](mailto:liesje.donkin@gmail.com) (not shared) [Switch accounts](#)

 Resubmit to save

**\*Required**

Your name \*

First Last

Liesje Donkin

Primary Affiliation (short), City, Country \*

University of Toronto, Toronto, Canada

Auckland University of Technology

Your e-mail address \*

[abc@gmail.com](mailto:abc@gmail.com)

liesje.donkin@aut.ac.nz

Title of your manuscript \*

Provide the (draft) title of your manuscript.

Effectiveness of a digital parenting program to improve parental well-being after the Christchurch earthquakes: a cluster-randomized trial

Name of your App/Software/Intervention \*

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

**Evaluated Version (if any)**

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

Your answer

**Language(s) \***

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English

**URL of your Intervention Website or App**

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

Your answer

**URL of an image/screenshot (optional)**

Your answer

**Accessibility \***

Can an enduser access the intervention presently?

- access is free and open
- access only for special usergroups, not open
- access is open to everyone, but requires payment/subscription/in-app purchases
- app/intervention no longer accessible

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

**Primary Medical Indication/Disease/Condition \***

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Parenthood

**Primary Outcomes measured in trial \***

comma-separated list of primary outcomes reported in the trial

Brief Assessment of Parenting Scale (BAPS),  $\xi$

**Secondary/other outcomes**

Are there any other outcomes the intervention is expected to affect?

Family Adaptability and Cohesion, Parenting Sense of Competence Scale (PSOC)

**Recommended "Dose" \***

What do the instructions for users say on how often the app should be used?

- Approximately Daily
- Approximately Weekly
- Approximately Monthly
- Approximately Yearly
- "as needed"
- Other:

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

Approx. Percentage of Users (starters) still using the app as recommended after 3 months \*

- unknown / not evaluated
- 0-10%
- 11-20%
- 21-30%
- 31-40%
- 41-50%
- 51-60%
- 61-70%
- 71%-80%
- 81-90%
- 91-100%
- Other:

Overall, was the app/intervention effective? \*

- yes: all primary outcomes were significantly better in intervention group vs control
- partly: SOME primary outcomes were significantly better in intervention group vs control
- no statistically significant difference between control and intervention
- potentially harmful: control was significantly better than intervention in one or more outcomes
- inconclusive: more research is needed
- Other:

You're editing your response. Sharing this URL allows others to also edit your response.

[FILL IN A NEW RESPONSE](#)

**Article Preparation Status/Stage \***

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- Other:

**Journal \***

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)
- JMIR mHealth and UHealth
- JMIR Serious Games
- JMIR Mental Health
- JMIR Public Health
- JMIR Formative Research
- Other JMIR sister journal
- Other:

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

Is this a full powered effectiveness trial or a pilot/feasibility trial? \*

- Pilot/feasibility
- Fully powered

Manuscript tracking number \*

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- no ms number (yet) / not (yet) submitted to / published in JMIR
- Other: 37839

## TITLE AND ABSTRACT

1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a? \*

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

- yes
- Other:

You're editing your response. Sharing this URL allows others to also edit your response.

[FILL IN A NEW RESPONSE](#)

### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: Effectiveness of a digital parenting program to improve parental well-being after the Christchurch earthquakes: a cluster-randomized trial

### 1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE



1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")  
Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 1a-iii? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, title refers to parenting: A randomised wait-list controlled trial of a mobile-phone based parenting intervention: Kākano

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

Does your paper address subitem 1b-i? \*

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Somewhat - there is a secondary paper outlining the key features of Kākano that is referred to in the manuscript to provide this information.

1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, in the objective section of the abstract it is stated the Kākano is "fully-automated"

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### 1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Web-based pre-intervention and post-intervention testing was undertaken

### 1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

### Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

231 participants enrolled in the Kākano trial with 205 participants completing baseline measures and being randomized (101 in the intervention group and 104 in the delayed access control group). Of these, 41 provided full outcome data (19 delayed access, 21 Kākano). On those retained in the trial, there was a significant difference in the mean change between groups favoring Kākano in the brief assessment of parenting ( $F(1,39) = 7.0, p=0.012$ ). But not in the Short Warwick-Edinburgh Wellbeing Scale ( $F(1,39) = 2.9, p=0.099$ ), parenting self-efficacy ( $F(1,39) = 0.1, p=0.805$ ), family cohesion ( $F(1,39) = 0.4, p=0.538$ ), or parenting sense of confidence ( $F(1,40) = 0.6, p=0.457$ ). Waitlisted participants who completed the app after the waitlist period ( $n=16$ ) showed similar trends for the outcome measures with significant changes in the brief assessment of parenting and Short Warwick-Edinburgh Wellbeing Scales.

### 1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, as follows: "Kākano, is an app co-designed with parents to help manage their children's big emotions. There was a high rate of attrition as is often seen in digital health interventions but for those who did complete it, there was some indication of improved parental wellbeing and self-assessed parenting."

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

## 2a) In INTRODUCTION: Scientific background and explanation of rationale

### 2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 2a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, as follows in the introduction "Following the 2011 Christchurch earthquakes, up to a third of parents continued to report elevated distress in their children up to 6 years later [14]. This distress placed increased demand on the resources of a region that were, and still are, struggling to cope with post-earthquake recovery. Although there were some parenting digital interventions available that could provide support, they were not developed for the population of New Zealand. In particular, interventions developed elsewhere did not consider Te Ao Māori (the Māori worldview) and would potentially be seen as less relevant and engaging for Māori, the indigenous population in New Zealand. This is particularly problematic as Māori face many disparities in health and well-being and need more engaging supports."

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

**2a-ii) Scientific background, rationale: What is known about the (type of) system**

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

**Does your paper address subitem 2a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. This is provided in the above section.

**2b) In INTRODUCTION: Specific objectives or hypotheses****Does your paper address CONSORT subitem 2b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. The aims are reported in the introduction like this "The aim of this study was to evaluate if Kākano was effective in improving parenting confidence and wellbeing using a randomized control trial design."

**METHODS****2c) Description of trial design (such as parallel, factorial) including allocation**

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

Does your paper address CONSORT subitem 3a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, we report that the trial is a "using a delayed-access waitlist randomized controlled trial"

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

Does your paper address CONSORT subitem 3b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No changes to the methods were made after trial commencement.

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

#### 4a) Eligibility criteria for participants

Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We state the following about eligibility "Parents were eligible to participate in the trial if they were caregivers or parents of one or more children aged 5-12 years of age; the children were attending a school participating in the trial; the parents had access to a web-enabled technology compatible with installing and running the Kākano app; the parents reported struggling with parenting or a wanted to learn more skills to aid their parenting, and the parents were aged 18 or over. Parents who were receiving public or private parenting support or training, or had received support or training in the past year; and those that were unable to read, write or speak conversational English were excluded from the trial.

#### 4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1            2            3            4            5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE



4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 4a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Schools serving families representative of the target population for this app (a high proportion of Māori families or communities particularly affected by the earthquakes) were identified in the Christchurch region. Identified and consenting schools were block randomized to allow parents to receive either immediate access to Kākano or delayed access. "

4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

### 4b) Settings and locations where the data were collected

#### Does your paper address CONSORT subitem 4b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The manuscripts specifies that this is an online trial, based in New Zealand and the timepoints for data collection.

#### 4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

subitem not at all important      1      2      3      4      5      essential

○      ○      ●      ○      ○

Clear selection

#### Does your paper address subitem 4b-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The paper implies self-assessment by stating that participants completed the questionnaires themselves

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### 4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This information was displayed on consent forms as seen in the appendices.

### 5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

#### 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is reported in the development paper which is referenced in this manuscript.

### 5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This will be described in a separate paper.

### 5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

1      2      3      4      5

subitem not at all important                        essential

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There was no further development of the app from the development paper.

### 5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

### 5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

1      2      3      4      5

subitem not at all important                        essential

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

### 5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, [webcitation.org](http://www.webcitation.org), and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A demo site will be developed in the future.

### 5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

1      2      3      4      5

subitem not at all important                        essential

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### Does your paper address subitem 5-vii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Access to the app is described in the methods section, specifically, access was obtained via a text or email link.

### 5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], "whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 5-viii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is reported in the development paper which is being prepared for publication

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### 5-ix) Describe use parameters

Describe use parameters (e.g., intended “doses” and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The instructions provided to participants are outlined in the manuscript. Specifically, they were instructed to use it weekly.

### 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as “type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered”. It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE



### Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The manuscript indicates that the process is fully automated.

### 5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 5-xi? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is reported in the development paper which is referenced in this manuscript.

### 5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1      2      3      4      5

subitem not at all important                        essential

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

Does your paper address subitem 5-xii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is reported in the development paper

**6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed**

Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The manuscript outlines the 5 outcome measures and the timepoints which they were assessed.

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

Your answer

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

That paper outlines that number of sessions using the app and time spent using the app were measured.

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

This is outlined in the satisfaction measures.

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

**Does your paper address CONSORT subitem 6b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No changes to the outcome measures after the trial was commenced.

**7a) How sample size was determined**

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

**7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size**

Describe whether and how expected attrition was taken into account when calculating the sample size.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

Clear selection

**Does your paper address subitem 7a-i?**

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Attrition was accounted for and stated in the methods section.

**7b) When applicable, explanation of any interim analyses and stopping guidelines**

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

Does your paper address CONSORT subitem 7b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable in this trial

**8a) Method used to generate the random allocation sequence**

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were block randomized as specified in the manuscript

**8b) Type of randomisation; details of any restriction (such as blocking and block size)**

Does your paper address CONSORT subitem 8b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

As per above. We used block randomized as specified in the manuscript.

**9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned**

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

Does your paper address CONSORT subitem 9? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable as block randomization was used.

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

Does your paper address CONSORT subitem 10? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable as used block randomization.

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not use blinding as participants were block randomized.

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were aware of the intervention and the waitlist as per the information sheet in the appendices.

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

**Does your paper address CONSORT subitem 11b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable as we used a waitlist control.

**12a) Statistical methods used to compare groups for primary and secondary outcomes**

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

**Does your paper address CONSORT subitem 12a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Statistical methods are outlined as per "Demographic features were described by randomized group using means and standard deviations or frequencies and percentages. The comparisons of the primary and secondary outcome measures were undertaken using a linear mixed model analysis. These models compared the changes from pre to postintervention between the randomized groups. The analyses of the changes were only undertaken in the completed cohort. Usage measures were summarized for those who completed the study and those who did not using means, medians, standard deviations and ranges. The associations between the usage metrics and the change in outcome measures were tested and analysed using Spearman's rank correlation coefficients. A two-tailed pvalue <0.05 was taken to indicate statistical significance and all analyses were undertaken using SPSS v26 [22]." These were overseen by a statistician.

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**



**12a-i) Imputation techniques to deal with attrition / missing values**

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

**Does your paper address subitem 12a-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We used a completer analysis and so did not need to managing missing data for this analysis.

**12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses****Does your paper address CONSORT subitem 12b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No additional analyses were completed

**X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)**

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

### X26-i) Comment on ethics committee approval

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is stated in the paper as per "The study was granted ethics approval through The Health and Disabilities Ethics Committee (HDEC approval 9/NTB/75) "

### x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is specified as per the following "Following reading the participant information sheet, the completion of consent and accepting the terms and conditions of using the app, participants completed baseline questionnaires"

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

**X26-iii) Safety and security procedures**

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

1      2      3      4      5

subitem not at all important                        essential

Clear selection

**Does your paper address subitem X26-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This was an open access trial and did not recruit participants due to pathology or distress. Contact details for those that were distressed were provided in the participant information sheet and all participants were able to obtain further supports through schools.

**RESULTS****13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome**

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

**Does your paper address CONSORT subitem 13a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is reported in figure 2.

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

### 13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is reported in figure 2 of the paper.

#### 13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

1      2      3      4      5

subitem not at all important                        essential

Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

### 14a) Dates defining the periods of recruitment and follow-up

You're editing your response. Sharing this URL allows others to also edit your response.

[FILL IN A NEW RESPONSE](#)

**Does your paper address CONSORT subitem 14a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is reported in figure 2 of the paper.

**14a-i) Indicate if critical "secular events" fell into the study period**

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

1      2      3      4      5

subitem not at all important                        essential

Clear selection

**Does your paper address subitem 14a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No significant changes or secular events fell during the trial period; "No significant changes or secular events fell during the trial period."

**14b) Why the trial ended or was stopped (early)**

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

Does your paper address CONSORT subitem 14b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Trial recruitment changed as outlined in "However, it became obvious early in the recruitment that achieving near simultaneous recruitment of a cluster of schools was not feasible. The first cohort took much longer than anticipated due to difficulties with engaging schools and local communities and getting consent. The design was therefore modified to a pre-post comparison of immediate access and delayed access groups, with the delayed access groups getting the intervention after the delay, primarily to get additional acceptability, feasibility and effectiveness data."

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

Does your paper address CONSORT subitem 15? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is provided in the results section as per tables 1 and 2

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

Does your paper address subitem 15-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

These are reported in the results section with a particular focus on ethnicity.

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 16-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Study numbers are reported throughout the manuscript as at the appropriate effect sizes as reviewed by our stacionian

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

**16-ii) Primary analysis should be intent-to-treat**

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

**Does your paper address subitem 16-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Given the high attrition rate in our study it made ITT difficult. Give this, we decided to do a completers only analysis at this time

**17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)****Does your paper address CONSORT subitem 17a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

As per table 3., we have reported standard deviations for outcome measures.

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE



### 17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We have reported usage metrics as per Table 4. This includes time used and number of active sessions using the app.

### 17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

### Does your paper address CONSORT subitem 17b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not report any binary outcomes so this is not applicable to this study.

### 18) Results of any other analyses performed, including subgroup analyses and

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

Does your paper address CONSORT subitem 18? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

all analyses and sub analyses are reported in the manuscript and tables.

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

1            2            3            4            5

subitem not at all important                        essential

Clear selection

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is an RCT so participants did not have a choice about which arm they are in.

19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

Does your paper address CONSORT subitem 19? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We have reported all findings from our analyses in the manuscript.

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### 19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Technical problems as reported by participants are included in the results

### 19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

as per above, feedback from the participants is reported in the manuscript.

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

## DISCUSSION

### 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

#### 22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

1      2      3      4      5

subitem not at all important                        essential

Clear selection

#### Does your paper address subitem 22-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This has been reported as "The results of this study were disappointing, with high levels of dropout. While Kākano was acceptable to those that completed the trial, and delivery was feasible, few parents used Kākano in its entirety. This, therefore, may indicate that delivery of parenting support may be acceptable and feasible, but that this format may not engage everyone. "

#### 22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

1      2      3      4      5

subitem not at all important                        essential

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We have highlighted that we will make this open access in the future once funding has been obtained to do further analysis of effectiveness.

## 20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

### 20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 20-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

we have reported on limitations, specifically the issues with recruitment and attrition and how this may have impacted the findings.

## 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

### 21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is a NZ specific tool due to the feature of Te Ao Māori concepts so doe shave limited generalisability.

### 21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

1      2      3      4      5

subitem not at all important                        essential

Clear selection

### Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

**OTHER INFORMATION****23) Registration number and name of trial registry**

Does your paper address CONSORT subitem 23? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We have reported the ANZCTR registration number.

**24) Where the full trial protocol can be accessed, if available**

Does your paper address CONSORT subitem 24? \*

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is available on request from the corresponding author

**25) Sources of funding and other support (such as supply of drugs), role of funders**

Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Funding sources are cited in the acknowledgements.

You're editing your response. Sharing this URL allows others to also edit your response.

**FILL IN A NEW RESPONSE**

## X27) Conflicts of Interest (not a CONSORT item)

### X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

subitem not at all important      1      2      3      4      5      essential

                      

Clear selection

### Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes. There are no conflicts of interest.

## About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? \*

- yes, major changes
- yes, minor changes
- no

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE



What were the most important changes you made as a result of using this checklist?

Your answer

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript \*

4 hours over multiple times due to being unable to save online and having to restart each time.

As a result of using this checklist, do you think your manuscript has improved? \*

- yes
- no
- Other:

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- yes
- no
- Other:

Clear selection

Any other comments or questions on CONSORT EHEALTH

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE

**STOP - Save this form as PDF before you click submit**

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

**Final step: Click submit !**

Click submit so we have your answers in our database!

Submit

Never submit passwords through Google Forms.

This content is neither created nor endorsed by Google. [Report Abuse](#) - [Terms of Service](#) - [Privacy Policy](#)

Google Forms

You're editing your response. Sharing this URL allows others to also edit your response.

FILL IN A NEW RESPONSE