medRxiv preprint doi: https://doi.org/10.1101/2023.05.03.23289084; this version posted May 4, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. It is made available under a CC-BY 4.0 International license.

Supplementary Tables and Figures

Fig. 1 Proportion of individuals in base population stratified by Race/Ethnicity, and ZIP Code-level Community Wellbeing Index (CWBI)

	- · ·	Percentage of Total Individuals					
	Asian (non-Hispanic) —	0.02%	9.76%	40.35%	13.24%	36.63%	
Race/Ethnicity	Black (non-Hispanic) —	1.11%	23.89%	55.42%	6.4%	13.17%	
	Hispanic or Latino —	0.07%	16.22%	36.34%	10.33%	37.05%	
	White (non-Hispanic) —	0.44%	33.9%	36.51%	4.5%	24.65%	
	Other (non-Hispanic) —	0.2%	36.56%	20.46%	2.64%	40.14%	
	Missing —	0.12%	8.84%	23.92%	8.38%	58.73%	
		0-45	No.155	୍ବର୍ଚ୍ଚ CWBI	¢,×	N ^{issing}	

30

medRxiv preprint doi: https://doi.org/10.1101/2023.05.03.23289084; this version posted May 4, 2023. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted medRxiv a license to display the preprint in perpetuity. It is made available under a CC-BY 4.0 International license.

	Dependent variable: Hospitalization				
	Not accounting for Immortal Time Bias	Dropping CWBI covariate	Dropping sites with missing CWBI		
	OR (95% CI)	OR (95% CI)	OR (95% CI)		
Paxlovid Treatment					
No (control)	ref	ref	ref		
Yes (treatment)	0.38 (0.31-0.46)***	$0.37 (0.31 - 0.45)^{***}$	$0.37 (0.29 - 0.47)^{***}$		
Observations	410,716	455,504	272,133		
Log Likelihood	-29151.5	-29618.4	-20744.2		
Akaike Inf. Crit.	58376.9	59296.7	41562.4		

Note: $p < .05^*, \, p < .01^{**}, \, p < .001^{***}$