

**Table S1.** Representative CD4<sup>+</sup> T cells immunophenotypes of mice used in this study.

	<b>B6</b>	<b>N</b>	<b>TC</b>	<b>N</b>	<b>p</b>
CD44 <sup>+</sup> % CD4 <sup>+</sup>	49.36 ± 2.66	16	64.43 ± 2.65	15	0.0004
splenocytes x 10 <sup>7</sup>	8.84 ± 0.43	4	18.57 ± 3.05	4	0.01
Tfh % CD4 <sup>+</sup>	3.70 ± 0.36	4	19.80 ± 3.72	4	0.005
Tfr % CD4 <sup>+</sup>	3.08 ± 0.16	4	7.92 ± 1.15	4	0.006
Tfr / Tfh ratio	0.85 ± 0.06	4	0.42 ± 0.04	4	0.001
Tn % CD4 <sup>+</sup>	54.00 ± 1.89	4	25.00 ± 8.33	4	0.01
Tem % CD4 <sup>+</sup>	34.58 ± 2.03	4	59.00 ± 7.21	4	0.02
Tn / Tem ratio	1.59 ± 1.14	4	0.51 ± 0.25	4	0.009
CD69 <sup>+</sup> % CD4 <sup>+</sup>	34.25 ± 1.35	4	68.40 ± 8.10	4	0.006
Treg % CD4 <sup>+</sup>	7.77 ± 0.11	4	11.04 ± 1.10	4	0.02
CD25 <sup>hi</sup> % Treg	48.93 ± 0.90	4	34.15 ± 3.36	4	0.005