

Note to readers with disabilities: *EHP* strives to ensure that all journal content is accessible to all readers. However, some figures and Supplemental Material published in *EHP* articles may not conform to [508 standards](#) due to the complexity of the information being presented. If you need assistance accessing journal content, please contact ehp508@niehs.nih.gov. Our staff will work with you to assess and meet your accessibility needs within 3 working days.

Supplemental Material

Association of Temperature Thresholds with Heat Illness– and Cardiorespiratory-Related Emergency Visits during Summer Months in Alaska

Micah B. Hahn, Grace Kuiper, and Sheryl Magzamen

Table of Contents

Tables S1a-l. Threshold analyses at Lags 0-5, stratified by sex

Table S1a. Threshold analyses at Lags 0-5, stratified by sex.

Table S1b. Odds ratios and 95% confidence intervals for emergency department (ED) visits among females for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019b.

Table S1c. Odds ratios and 95% confidence intervals for emergency department (ED) visits among females for heat index (HI) on lag day 2 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1d. Odds ratios and 95% confidence intervals for emergency department (ED) visits among females for heat index (HI) on lag day 3 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1e. Odds ratios and 95% confidence intervals for emergency department (ED) visits among females for heat index (HI) on lag day 4 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1f. Odds ratios and 95% confidence intervals for emergency department (ED) visits among females for heat index (HI) on lag day 5 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1g. Odds ratios and 95% confidence intervals for emergency department (ED) visits among males for same-day heat index (HI) above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1h. Odds ratios and 95% confidence intervals for emergency department (ED) visits among males for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1i. Odds ratios and 95% confidence intervals for emergency department (ED) visits among males for heat index (HI) on lag day 2 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1j. Odds ratios and 95% confidence intervals for emergency department (ED) visits among males for heat index (HI) on lag day 3 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1k. Odds ratios and 95% confidence intervals for emergency department (ED) visits among males for heat index (HI) on lag day 4 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S1l. Odds ratios and 95% confidence intervals for emergency department (ED) visits among males for heat index (HI) on lag day 5 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Tables S2a-l. Threshold analyses at Lags 0-5, stratified by race.

Table S2a. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Alaskan Native people for same-day heat index (HI) above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2b. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Alaskan Native people for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2b. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Alaskan Native people for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2c. Odds ratios and 95% confidence intervals fo emergency department (ED) visits among Alaskan Native people for heat index (HI) on lag day 2 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2d. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Alaskan Native people for heat index (HI) on lag day 3 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2e. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Alaskan Native people for heat index (HI) on lag day 4 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2f. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Alaskan Native people for heat index (HI) on lag day 5 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2g. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Non-Alaskan Native people for same-day heat index (HI) above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2h. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Non-Alaskan Native people for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2i. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Non-Alaskan Native people for heat index (HI) on lag day 2 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2j. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Non-Alaskan Native people for heat index (HI) on lag day 3 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2k. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Non-Alaskan Native people for heat index (HI) on lag day 4 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S2l. Odds ratios and 95% confidence intervals for emergency department (ED) visits among Non-Alaskan Native people for heat index (HI) on lag day 5 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Tables S3a-r. Threshold analyses at Lags 0-5, stratified by age

Table S3a. Odds ratios and 95% confidence intervals for emergency department (ED) visits among <15-year-olds for same-day heat index (HI) above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3b. Odds ratios and 95% confidence intervals for emergency department (ED) visits among <15-year-olds for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3c. Odds ratios and 95% confidence intervals for emergency department (ED) visits among <15-year-olds for heat index (HI) on lag day 2 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3d. Odds ratios and 95% confidence intervals for emergency department (ED) visits among <15-year-olds for heat index (HI) on lag day 3 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3e. Odds ratios and 95% confidence intervals for emergency department (ED) visits among <15-year-olds for heat index (HI) on lag day 4 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3f. Odds ratios and 95% confidence intervals for emergency department (ED) visits among <15-year-olds for heat index (HI) on lag day 5 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3g. Odds ratios and 95% confidence intervals for emergency department (ED) visits among 15-65 year-olds for same-day heat index (HI) above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3h. Odds ratios and 95% confidence intervals for emergency department (ED) visits among 15-65 year-olds for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3i. Odds ratios and 95% confidence intervals for emergency department (ED) visits among 15-65 year-olds for heat index (HI) on lag day 2 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3j. Odds ratios and 95% confidence intervals for emergency department (ED) visits among 15-65 year-olds for heat index (HI) on lag day 3 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3k. Odds ratios and 95% confidence intervals for emergency department (ED) visits among 15-65 year-olds for heat index (HI) on lag day 4 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3l. Odds ratios and 95% confidence intervals for emergency department (ED) visits among 15-65 year-olds for heat index (HI) on lag day 5 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3m. Odds ratios and 95% confidence intervals for emergency department (ED) visits among >65-year-olds for same-day heat index (HI) above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3n. Odds ratios and 95% confidence intervals for ED emergency department (ED) visits among >65-year-olds for heat index (HI) on lag day 1 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3o. Odds ratios and 95% confidence intervals for emergency department (ED) visits among >65-year-olds for heat index (HI) on lag day 2 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3p. Odds ratios and 95% confidence intervals for emergency department (ED) visits among >65-year-olds for heat index (HI) on lag day 3 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3q. Odds ratios and 95% confidence intervals for emergency department (ED) visits among >65-year-olds for heat index (HI) on lag day 4 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S3r. Odds ratios and 95% confidence intervals for emergency department (ED) visits among >65-year-olds for heat index (HI) on lag day 5 above versus below the threshold from single-day lag models in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Tables S4a-g. Acute heatwave analysis stratified by sex, race, and age

Table S4a. Odds ratios and 95% confidence intervals for emergency department (ED) visits on heatwave days versus non-heatwave days among females in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S4b. Odds ratios and 95% confidence intervals for emergency department (ED) visits on heatwave days versus non-heatwave days among males in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S4c. Odds ratios and 95% confidence intervals for emergency department (ED) visits on heatwave days versus non-heatwave days among Alaska Native people in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S4d. Odds ratios and 95% confidence intervals for emergency department (ED) visits on heatwave days versus non-heatwave days among non-Alaska Native people in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S4e. Odds ratios and 95% confidence intervals for emergency department (ED) visits on heatwave days versus non-heatwave days among <15-year-olds in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S4f. Odds ratios and 95% confidence intervals for emergency department (ED) visits on heatwave days versus non-heatwave days among 15-65 year-olds in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S4g. Odds ratios and 95% confidence intervals for emergency department (ED) visits on heatwave days versus non-heatwave days among >65-year-olds in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Tables S5a-g. Ongoing heatwave analysis stratified by sex, race, and age

Table S5a. Odds ratios and 95% confidence intervals for one additional previous day on which the observed heat index (HI) was above the indicated threshold among females in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S5b. Odds ratios and 95% confidence intervals for one additional previous day on which the observed heat index (HI) was above the indicated threshold among males in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S5c. Odds ratios and 95% confidence intervals for one additional previous day on which the observed heat index (HI) was above the indicated threshold among Alaska Native people in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S5d. Odds ratios and 95% confidence intervals for one additional previous day on which the observed heat index (HI) was above the indicated threshold among non-Alaska Native people in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S5e. Odds ratios and 95% confidence intervals for one additional previous day on which the observed heat index (HI) was above the indicated threshold among <15 year-olds in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S5f. Odds ratios and 95% confidence intervals for one additional previous day on which the observed heat index (HI) was above the indicated threshold among 15-65 year olds in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Table S5g. Odds ratios and 95% confidence intervals for one additional previous day on which the observed heat index (HI) was above the indicated threshold among >65 year-olds in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015-2019.

Figure S1. Legend for all Supplemental Figures.

Figure S2. Significant odds ratios (95% CI does not include the null) for asthma-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S3. Significant odds ratios (95% CI does not include the null) for bronchitis-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S4. Significant odds ratios (95% CI does not include the null) for COPD-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S5. Significant odds ratios (95% CI does not include the null) for pneumonia-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S6. Significant odds ratios (95% CI does not include the null) for arrhythmia-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S7. Significant odds ratios (95% CI does not include the null) for cerebrovascular-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S8. Significant odds ratios (95% CI does not include the null) for heart failure-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S9. Significant odds ratios (95% CI does not include the null) for ischemia-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S10. Significant odds ratios (95% CI does not include the null) for myocardial infarction-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.

Figure S11. Significant odds ratios (95% CI does not include the null) for heat illness-related emergency department visits by demographic group on days above vs. below the Heat Index (HI) threshold, in Anchorage, Fairbanks, and the Matanuska-Susitna Valley, Alaska, 2015- 2019. Conditional logistic regression models adjusted for daily PM_{2.5} concentration were used to estimate odds ratios. See Figure S1 for legend. Data for this figure can be found in Tables S1a-1, Tables S2a-1, and Tables S3a-r.