

FIGURE S1: ELS does not impact colonic Foxp3-, IL-10-, and IFN γ -, and IL-17-expressing CD4 T cells during colitis.




FIGURE S2: Colitis in MSEW mice does not significantly impact *Il6*, *Il1b*, or *Nos2* transcript levels.




FIGURE S3: Elevated induction of TNF by non-epithelial cells in colitic MSEW mice relative to NR mice.




FIGURE S4: Colitis in Dex mice does not significantly impact *Il6* or *Il1b* induction or responsiveness.




TABLE S1: Primers used in qRT-PCR experiments.

Gene	Forward	Reverse
<i>Cyp11a1</i>	5'-CTGCCTGGGATGTGATTTTC-3'	5'-ACACCAGGGTACTGGCTGAA-3'
<i>Il1b</i>	5'-GCAACTGTTCCTGAACTCAACT-3'	5'-ATCTTTTGGGGTCCGTCAACT-3'
<i>Il1r1</i>	5'-AGCCAGTTTTATCGCTATCCG-3'	5'-ATAAAGCCCCCGATGAGGTA-3'
<i>Il6</i>	5'-CACTTCACAAGTCGGAGGCT-3'	5'-TTCTGCAAGTGCATCATCGT-3'
<i>Il6ra</i>	5'-AAGACTCTGCCAACCACGAG-3'	5'-CAAGCTTCCTCCAGCTACCA-3'
<i>Nos2</i>	5'-TGCATGGACCAGTATAAGGCAAGC-3'	5'-GCTTCTGGTCGATGTCATGAGCAA-3'
<i>Nr3c1</i>	5'-GTCAAGGTTTCTGCGTCTTC-3'	5'-AAGGTGCT TTGGTCTGTGG-3'
<i>Nr5a2</i>	5'-TTGAGTGGGCCAGGAGTAGT-3'	5'-ACGCGACTTCTGTGTGTGAG-3'
<i>Tbp</i>	5'-ACCGTGAATCTTGGCTGTAAAC-3'	5'-GCAGCAAATCGCTTGGGATTA-3'
<i>Tnf</i>	5'-CCCTCACACTCAGATCATCTTCT-3'	5'-GCTACGACGTGGGCTACAG-3'
<i>Tnfrsf1a</i>	5'-CCGGGAGAAGAGGGATAGCTT-3'	5'-TCGGACAGTCACTCACCAAGT-3'
<i>Tnfrsf1b</i>	5'-CAGGAAGGCTCAGATGTGCT-3'	5'-CATGCTTGCCTCACAGTCC-3'