

eTable 2. PubMed search formulas of subsequent studies

No.	Original study	Subsequent study		
	Title	Search formula	Search formula + (RCT filter)	Search formula + (SR or MA filter)
1	A comparison of etanercept and methotrexate in patients with early rheumatoid arthritis. <i>N Engl J Med. 2000 Nov 30;343(22):1586-93.</i>	("Arthritis, Rheumatoid"[Mesh]) AND Etanercept[Mesh] AND "Methotrexate"[Mesh]	("Arthritis, Rheumatoid"[Mesh]) AND Etanercept[Mesh] AND "Methotrexate"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Arthritis, Rheumatoid"[Mesh]) AND Etanercept[Mesh] AND "Methotrexate"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
2	A comparison of glyburide and insulin in women with gestational diabetes mellitus. <i>N Engl J Med. 2000 Oct 19;343(16):1134-8.</i>	("Diabetes, Gestational"[Mesh]) AND "Glyburide"[Mesh] AND "Insulin"[Mesh]	("Diabetes, Gestational"[Mesh]) AND "Glyburide"[Mesh] AND "Insulin"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Diabetes, Gestational"[Mesh]) AND "Glyburide"[Mesh] AND "Insulin"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
3	A comparison of inhaled fluticasone and oral prednisone for children with severe acute asthma. <i>N Engl J Med. 2000 Sep 7;343(10):689-94.</i>	("Asthma"[MeSH] AND "Child"[MeSH]) AND "Adrenal Cortex Hormones"[Mesh]	("Asthma"[MeSH] AND "Child"[MeSH]) AND "Adrenal Cortex Hormones"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Asthma"[MeSH] AND "Child"[MeSH]) AND "Adrenal Cortex Hormones"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
4	A comparison of levomethadyl acetate, buprenorphine, and methadone for opioid dependence. <i>N Engl J Med. 2000 Nov 2;343(18):1290-7.</i>	"Substance-Related Disorders"[Mesh] AND ("Methadyl Acetate"[Mesh] OR "Buprenorphine"[Mesh] OR "Methadone"[Mesh])	"Substance-Related Disorders"[Mesh] AND ("Methadyl Acetate"[Mesh] OR "Buprenorphine"[Mesh] OR "Methadone"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Substance-Related Disorders"[Mesh] AND ("Methadyl Acetate"[Mesh] OR "Buprenorphine"[Mesh] OR "Methadone"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
5	A comparison of nefazodone, the cognitive behavioral-analysis system of psychotherapy, and their combination for the treatment of chronic depression. <i>N Engl J Med. 2000 May 18;342(20):1462-70.</i>	"Depressive Disorder"[Mesh] AND ("nefazodone" [Supplementary Concept] OR "Antidepressive Agents"[Mesh] AND ("Psychotherapy"[Mesh] OR "Cognitive Behavioral Therapy"[Mesh]))	"Depressive Disorder"[Mesh] AND ("nefazodone" [Supplementary Concept] OR "Antidepressive Agents"[Mesh] AND ("Psychotherapy"[Mesh] OR "Cognitive Behavioral Therapy"[Mesh])) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Depressive Disorder"[Mesh] AND ("nefazodone" [Supplementary Concept] OR "Antidepressive Agents"[Mesh] AND ("Psychotherapy"[Mesh] OR "Cognitive Behavioral Therapy"[Mesh])) AND (meta-analysis[Filter] OR systematicreview[Filter])
6	A controlled trial of sustained-release bupropion, a nicotine patch, or both for smoking cessation. <i>N Engl J Med. 1999 Mar 4;340(9):685-91.</i>	"Smoking Cessation"[Mesh] AND ("Antidepressive Agents"[Mesh] OR "Tobacco Use Cessation Devices"[Mesh])	"Smoking Cessation"[Mesh] AND ("Antidepressive Agents"[Mesh] OR "Tobacco Use Cessation Devices"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Smoking Cessation"[Mesh] AND ("Antidepressive Agents"[Mesh] OR "Tobacco Use Cessation Devices"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
7	A five-year study of the incidence of dyskinesia in	"Parkinson Disease"[Mesh] AND ("Antiparkinson	"Parkinson Disease"[Mesh] AND ("Antiparkinson	"Parkinson Disease"[Mesh] AND ("Antiparkinson Agents"[Mesh])

	patients with early Parkinson's disease who were treated with ropinirole or levodopa. <i>N Engl J Med. 2000 May 18;342(20):1484-91.</i>	Agents"[Mesh] OR "ropinirole" [Supplementary Concept] OR "Levodopa"[Mesh] OR "Dopamine Agonists"[Mesh])	Agents"[Mesh] OR "ropinirole" [Supplementary Concept] OR "Levodopa"[Mesh] OR "Dopamine Agonists"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	OR "ropinirole" [Supplementary Concept] OR "Levodopa"[Mesh] OR "Dopamine Agonists"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
8	A placebo-controlled, double-blind, randomized trial of an extract of Ginkgo biloba for dementia. North American EGb Study Group. <i>JAMA. 1997 Oct 22-29;278(16):1327-32.</i>	"Dementia"[Mesh] AND ("Ginkgo biloba"[Mesh] OR "Ginkgo biloba extract" [Supplementary Concept])	"Dementia"[Mesh] AND ("Ginkgo biloba"[Mesh] OR "Ginkgo biloba extract" [Supplementary Concept]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Dementia"[Mesh] AND ("Ginkgo biloba"[Mesh] OR "Ginkgo biloba extract" [Supplementary Concept]) AND (meta-analysis[Filter] OR systematicreview[Filter])
9	A preliminary study of growth hormone therapy for Crohn's disease. <i>N Engl J Med. 2000 Jun 1;342(22):1633-7.</i>	"Crohn Disease"[Mesh] AND "Growth Hormone"[Mesh]	"Crohn Disease"[Mesh] AND "Growth Hormone"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Crohn Disease"[Mesh] AND "Growth Hormone"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
10	A prolonged outbreak of Pseudomonas aeruginosa in a neonatal intensive care unit: did staff fingernails play a role in disease transmission? <i>Infect Control Hosp Epidemiol. 2000 Feb;21(2):80-5.</i>	("Nails"[Mesh]) AND "Intensive Care Units, Neonatal"[Mesh]	("Nails"[Mesh]) AND "Intensive Care Units, Neonatal"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Nails"[Mesh]) AND "Intensive Care Units, Neonatal"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
11	A prospective study of coffee consumption and the risk of symptomatic gallstone disease in men. <i>JAMA. 1999 Jun 9;281(22):2106-12.</i>	"Coffee"[Mesh] AND ("Cholelithiasis"[Mesh] OR "Gallstones"[Mesh])	"Coffee"[Mesh] AND ("Cholelithiasis"[Mesh] OR "Gallstones"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Coffee"[Mesh] AND ("Cholelithiasis"[Mesh] OR "Gallstones"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
12	A prospective study of diet quality and mortality in women. <i>JAMA. 2000 Apr 26;283(16):2109-15.</i>	"Diet"[Mesh] AND "Mortality"[Mesh]	"Diet"[Mesh] AND "Mortality"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Diet"[Mesh] AND "Mortality"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
13	A randomized controlled trial of auricular acupuncture for cocaine dependence. <i>Arch Intern Med. 2000 Aug 14-28;160(15):2305-12.</i>	"Cocaine-Related Disorders"[Mesh] AND "Acupuncture Therapy"[Mesh]	"Cocaine-Related Disorders"[Mesh] AND "Acupuncture Therapy"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Cocaine-Related Disorders"[Mesh] AND "Acupuncture Therapy"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
14	A randomized, controlled trial of the effects of remote, intercessory prayer on outcomes in patients admitted	("Religion"[Mesh] OR "Spiritual Therapies"[Mesh] OR "Helping Behavior"[Mesh] OR "Behavioral Medicine"[Mesh])	("Religion"[Mesh] OR "Spiritual Therapies"[Mesh] OR "Helping Behavior"[Mesh] OR "Behavioral Medicine"[Mesh] OR pray*)	("Religion"[Mesh] OR "Spiritual Therapies"[Mesh] OR "Helping Behavior"[Mesh] OR "Behavioral Medicine"[Mesh] OR pray*)

	to the coronary care unit. <i>Arch Intern Med. 1999 Oct 25;159(19):2273-8.</i>	OR pray*)	AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	AND (meta-analysis[Filter] OR systematicreview[Filter])
15	All-cause mortality associated with physical activity during leisure time, work, sports, and cycling to work. <i>Arch Intern Med. 2000 Jun 12;160(11):1621-8.</i>	("Leisure Activities"[Mesh] OR "Exercise"[Mesh] OR "Sedentary Behavior"[Mesh]) AND "Mortality"[Mesh]	("Leisure Activities"[Mesh] OR "Exercise"[Mesh] OR "Sedentary Behavior"[Mesh]) AND "Mortality"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Leisure Activities"[Mesh] OR "Exercise"[Mesh] OR "Sedentary Behavior"[Mesh]) AND "Mortality"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
16	Anti-digoxin Fab fragments in cardiotoxicity induced by ingestion of yellow oleander: a randomised controlled trial. <i>Lancet. 2000 Mar 18;355(9208):967-72.</i>	("Thevetia"[Mesh] OR "yellow oleander"[All Fields])	("Thevetia"[Mesh] OR "yellow oleander"[All Fields]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Thevetia"[Mesh] OR "yellow oleander"[All Fields]) AND (meta-analysis[Filter] OR systematicreview[Filter])
17	Antitumor activity of thalidomide in refractory multiple myeloma. <i>N Engl J Med. 1999 Nov 18;341(21):1565-71.</i>	"Multiple Myeloma"[Mesh] AND "Thalidomide"[Mesh]	"Multiple Myeloma"[Mesh] AND "Thalidomide"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Multiple Myeloma"[Mesh] AND "Thalidomide"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
18	Association of the California Tobacco Control Program with declines in cigarette consumption and mortality from heart disease. <i>N Engl J Med. 2000 Dec 14;343(24):1772-7.</i>	"Smoking"[Mesh] AND "Heart Diseases"[Mesh]	"Smoking"[Mesh] AND "Heart Diseases"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Smoking"[Mesh] AND "Heart Diseases"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
19	Attendance at cultural events, reading books or periodicals, and making music or singing in a choir as determinants for survival: Swedish interview survey of living conditions. <i>BMJ. 1996 Dec 21-28;313(7072):1577-80.</i>	"Human Activities"[Mesh] AND "Mortality"[Mesh]	"Human Activities"[Mesh] AND "Mortality"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Human Activities"[Mesh] AND "Mortality"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
20	Cardiopulmonary resuscitation by chest compression alone or with mouth-to-mouth ventilation. <i>N Engl J Med. 2000 May 25;342(21):1546-53.</i>	("Cardiopulmonary Resuscitation"[Mesh] OR "Out-of-Hospital Cardiac Arrest"[Mesh]) AND ("Mouth-to-Mouth Ventilation"[All Fields] OR "Chest Wall Oscillation"[Mesh] OR Chest-compression)	("Cardiopulmonary Resuscitation"[Mesh] OR "Out-of-Hospital Cardiac Arrest"[Mesh]) AND ("Mouth-to-Mouth Ventilation"[All Fields] OR "Chest Wall Oscillation"[Mesh] OR Chest-compression) AND (clinicaltrial[Filter] OR	("Cardiopulmonary Resuscitation"[Mesh] OR "Out-of-Hospital Cardiac Arrest"[Mesh]) AND ("Mouth-to-Mouth Ventilation"[All Fields] OR "Chest Wall Oscillation"[Mesh] OR Chest-compression) AND (meta-analysis[Filter] OR

			randomizedcontrolledtrial[Filter])	systematicreview[Filter])
21	Cognitive decline in women in relation to non-protein-bound oestradiol concentrations. <i>Lancet. 2000 Aug 26;356(9231):708-12.</i>	("Estradiol"[Mesh] OR "Estrogen Replacement Therapy"[Mesh]) AND ("Cognition"[Mesh] OR Cognitive[All Fields])	("Estradiol"[Mesh] OR "Estrogen Replacement Therapy"[Mesh]) AND ("Cognition"[Mesh] OR Cognitive[All Fields]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Estradiol"[Mesh] OR "Estrogen Replacement Therapy"[Mesh]) AND ("Cognition"[Mesh] OR Cognitive[All Fields]) AND (meta-analysis[Filter] OR systematicreview[Filter])
22	Community water fluoridation, bone mineral density, and fractures: prospective study of effects in older women. <i>BMJ. 2000 Oct 7;321(7265):860-4.</i>	"Fluoridation"[Mesh] OR "Fluorid	"Fluoridation"[Mesh] OR "Fluorides"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Fluoridation"[Mesh] OR "Fluorides"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
23	Comparison of leg compression stocking and oral horse-chestnut seed extract therapy in patients with chronic venous insufficiency. <i>Lancet. 1996 Feb 3;347(8997):292-4.</i>	"Venous Insufficiency"[Mesh] AND ("Aesculus"[Mesh] OR "Horse-chestnut"[All Fields])	"Venous Insufficiency"[Mesh] AND ("Aesculus"[Mesh] OR "Horse-chestnut"[All Fields]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Venous Insufficiency"[Mesh] AND ("Aesculus"[Mesh] OR "Horse-chestnut"[All Fields]) AND (meta-analysis[Filter] OR systematicreview[Filter])
24	Comparison of lifestyle and structured interventions to increase physical activity and cardiorespiratory fitness: a randomized trial. <i>JAMA. 1999 Jan 27;281(4):327-34.</i>	("Life Style"[Mesh] OR "Exercise"[Mesh]) OR "Health Promotion"[Mesh] AND ("Risk Factors"[Mesh] OR "Health Behavior"[Mesh])	("Life Style"[Mesh] OR "Exercise"[Mesh]) OR "Health Promotion"[Mesh] AND ("Risk Factors"[Mesh] OR "Health Behavior"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Life Style"[Mesh] OR "Exercise"[Mesh]) OR "Health Promotion"[Mesh] AND ("Risk Factors"[Mesh] OR "Health Behavior"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
25	Comparison of St John's wort and imipramine for treating depression: randomised controlled trial. <i>BMJ. 2000 Sep 2;321(7260):536-9.</i>	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh]	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
26	Comparison of wet combing with malathion for treatment of head lice in the UK: a pragmatic randomised controlled trial. <i>Lancet. 2000 Aug 12;356(9229):540-4.</i>	"Phthiraptera"[Mesh] AND "Malathion"[Mesh]	"Phthiraptera"[Mesh] AND "Malathion"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Phthiraptera"[Mesh] AND "Malathion"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
27	Dexamethasone alone or in combination with	("Dexamethasone"[Mesh] AND "Ondansetron"[Mesh]) AND	("Dexamethasone"[Mesh] AND "Ondansetron"[Mesh]) AND	("Dexamethasone"[Mesh] AND "Ondansetron"[Mesh]) AND

	ondansetron for the prevention of delayed nausea and vomiting induced by chemotherapy. The Italian Group for Antiemetic Research.  <i>N Engl J Med. 2000 May 25;342(21):1554-9.</i>	("Nausea"[Mesh] OR "Vomiting"[Mesh])	("Nausea"[Mesh] OR "Vomiting"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Nausea"[Mesh] OR "Vomiting"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
28	Directly observed therapy for treatment completion of pulmonary tuberculosis: Consensus Statement of the Public Health Tuberculosis Guidelines Panel.  <i>JAMA. 1998 Mar 25;279(12):943-8.</i>	"Directly Observed Therapy"[MeSH] AND "Patient Compliance"[Mesh]	"Directly Observed Therapy"[MeSH] AND "Patient Compliance"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Directly Observed Therapy"[MeSH] AND "Patient Compliance"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
29	Efavirenz plus zidovudine and lamivudine, efavirenz plus indinavir, and indinavir plus zidovudine and lamivudine in the treatment of HIV-1 infection in adults. Study 006 Team.  <i>N Engl J Med. 1999 Dec 16;341(25):1865-73.</i>	"HIV Infections"[Mesh] AND ("Oxazines"[Mesh] OR "Zidovudine"[Mesh] OR "Lamivudine"[Mesh] OR "Indinavir"[Mesh] OR "Zidovudine"[Mesh] OR "HIV Infections/drug therapy"[Mesh])	"HIV Infections"[Mesh] AND ("Oxazines"[Mesh] OR "Zidovudine"[Mesh] OR "Lamivudine"[Mesh] OR "Indinavir"[Mesh] OR "Zidovudine"[Mesh] OR "HIV Infections/drug therapy"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"HIV Infections"[Mesh] AND ("Oxazines"[Mesh] OR "Zidovudine"[Mesh] OR "Lamivudine"[Mesh] OR "Indinavir"[Mesh] OR "Zidovudine"[Mesh] OR "HIV Infections/drug therapy"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
30	Effect of a surgical training programme on outcome of rectal cancer in the County of Stockholm. Stockholm Colorectal Cancer Study Group, Basingstoke Bowel Cancer Research Project.  <i>Lancet. 2000 Jul 8;356(9224):93-6.</i>	"Rectal Neoplasms"[Mesh] AND "Education, Continuing"[Mesh]	"Rectal Neoplasms"[Mesh] AND "Education, Continuing"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Rectal Neoplasms"[Mesh] AND "Education, Continuing"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
31	Effect of breastfeeding and formula feeding on transmission of HIV-1: a randomized clinical trial.  <i>JAMA. 2000 Mar 1;283(9):1167-74.</i>	"HIV-1"[Mesh] AND "Breast Feeding"[Mesh]	"HIV-1"[Mesh] AND "Breast Feeding"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"HIV-1"[Mesh] AND "Breast Feeding"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
32	Effect of decreasing afferent vagal activity with ondansetron on symptoms of bulimia nervosa: a randomised, double-blind trial.  <i>Lancet. 2000 Mar 4;355(9206):792-7.</i>	"Bulimia Nervosa/therapy"[Mesh]	"Bulimia Nervosa/therapy"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Bulimia Nervosa/therapy"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])

33	Effect of exercise on coronary endothelial function in patients with coronary artery disease. <i>N Engl J Med. 2000 Feb 17;342(7):454-60.</i>	"Coronary Disease"[Mesh] AND ("Exercise"[Mesh] OR "Exercise Therapy"[Mesh])	"Coronary Disease"[Mesh] AND ("Exercise"[Mesh] OR "Exercise Therapy"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Coronary Disease"[Mesh] AND ("Exercise"[Mesh] OR "Exercise Therapy"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
34	Effect of lung-volume-reduction surgery in patients with severe emphysema. <i>N Engl J Med. 2000 Jul 27;343(4):239-45.</i>	("Emphysema"[Mesh] OR "Pulmonary Emphysema"[Mesh]) AND "Pneumectomy"[Mesh]	("Emphysema"[Mesh] OR "Pulmonary Emphysema"[Mesh]) AND "Pneumectomy"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Emphysema"[Mesh] OR "Pulmonary Emphysema"[Mesh]) AND "Pneumectomy"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
35	Effectiveness of a hospital-wide programme to improve compliance with hand hygiene. Infection Control Programme. <i>Lancet. 2000 Oct 14;356(9238):1307-12.</i>	("Hand Hygiene"[Mesh] OR "Hand Disinfection"[Mesh]) AND ("Cross Infection"[Mesh] OR "Infection Control"[Mesh])	("Hand Hygiene"[Mesh] OR "Hand Disinfection"[Mesh]) AND ("Cross Infection"[Mesh] OR "Infection Control"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Hand Hygiene"[Mesh] OR "Hand Disinfection"[Mesh]) AND ("Cross Infection"[Mesh] OR "Infection Control"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
36	Effectiveness of manual physical therapy and exercise in osteoarthritis of the knee. A randomized, controlled trial. <i>Ann Intern Med. 2000 Feb 1;132(3):173-81.</i>	"Osteoarthritis, Knee"[Mesh] AND ("Exercise Therapy"[Mesh] OR "Physical Therapy Modalities"[Mesh])	"Osteoarthritis, Knee"[Mesh] AND ("Exercise Therapy"[Mesh] OR "Physical Therapy Modalities"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Osteoarthritis, Knee"[Mesh] AND ("Exercise Therapy"[Mesh] OR "Physical Therapy Modalities"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
37	Effects of selenium supplementation for cancer prevention in patients with carcinoma of the skin. A randomized controlled trial. Nutritional Prevention of Cancer Study Group. <i>JAMA. 1996 Dec 25;276(24):1957-63.</i>	("Skin Neoplasms"[Mesh] OR "Carcinoma, Skin Appendage"[Mesh]) AND "Selenium"[Mesh]	("Skin Neoplasms"[Mesh] OR "Carcinoma, Skin Appendage"[Mesh]) AND "Selenium"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Skin Neoplasms"[Mesh] OR "Carcinoma, Skin Appendage"[Mesh]) AND "Selenium"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
38	Efficacy and safety of acetaminophen in the treatment of migraine: results of a randomized, double-blind, placebo-controlled, population-based study. <i>Arch Intern Med. 2000 Dec 11-25;160(22):3486-92.</i>	"Migraine Disorders"[Mesh] AND "Acetaminophen"[Mesh]	"Migraine Disorders"[Mesh] AND "Acetaminophen"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Migraine Disorders"[Mesh] AND "Acetaminophen"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
39	Efficacy and safety of sertraline treatment of posttraumatic stress disorder: a randomized controlled	"Stress Disorders, Post-Traumatic/drug therapy"[Mesh]	"Stress Disorders, Post-Traumatic/drug therapy"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Stress Disorders, Post-Traumatic/drug therapy"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])

	trial. <i>JAMA. 2000 Apr 12;283(14):1837-44.</i>			
40	Efficacy of selective serotonin-reuptake inhibitors in premenstrual syndrome: a systematic review. <i>Lancet. 2000 Sep 30;356(9236):1131-6.</i>	"Premenstrual Syndrome"[Mesh] AND "Serotonin Uptake Inhibitors"[Mesh]	"Premenstrual Syndrome"[Mesh] AND "Serotonin Uptake Inhibitors"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Premenstrual Syndrome"[Mesh] AND "Serotonin Uptake Inhibitors"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
41	Efficacy of voluntary HIV-1 counselling and testing in individuals and couples in Kenya, Tanzania, and Trinidad: a randomised trial. The Voluntary HIV-1 Counseling and Testing Efficacy Study Group. <i>Lancet. 2000 Jul 8;356(9224):103-12.</i>	"HIV Infections"[Mesh] AND ("Counseling"[Mesh] OR "AIDS Serodiagnosis"[Mesh]) AND "Sexual Behavior"[Mesh]	"HIV Infections"[Mesh] AND ("Counseling"[Mesh] OR "AIDS Serodiagnosis"[Mesh]) AND "Sexual Behavior"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"HIV Infections"[Mesh] AND ("Counseling"[Mesh] OR "AIDS Serodiagnosis"[Mesh]) AND "Sexual Behavior"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
42	Enduring effects of nurse home visitation on maternal life course: a 3-year follow-up of a randomized trial. <i>JAMA. 2000 Apr 19;283(15):1983-9.</i>	("Home Care Services"[Mesh] OR "Community Health Workers"[Mesh] OR "Professional-Family Relations"[Mesh] OR "House Calls"[Mesh]) AND ("Infant"[Mesh] OR "Pregnancy"[Mesh])	("Home Care Services"[Mesh] OR "Community Health Workers"[Mesh] OR "Professional-Family Relations"[Mesh] OR "House Calls"[Mesh]) AND ("Infant"[Mesh] OR "Pregnancy"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Home Care Services"[Mesh] OR "Community Health Workers"[Mesh] OR "Professional-Family Relations"[Mesh] OR "House Calls"[Mesh]) AND ("Infant"[Mesh] OR "Pregnancy"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
43	Etanercept in children with polyarticular juvenile rheumatoid arthritis. Pediatric Rheumatology Collaborative Study Group. <i>N Engl J Med. 2000 Mar 16;342(11):763-9.</i>	"Arthritis, Juvenile"[Mesh] AND "Etanercept"[Mesh]	"Arthritis, Juvenile"[Mesh] AND "Etanercept"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Arthritis, Juvenile"[Mesh] AND "Etanercept"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
44	Exercise and weight loss reduce blood pressure in men and women with mild hypertension: effects on cardiovascular, metabolic, and hemodynamic functioning. <i>Arch Intern Med. 2000 Jul 10;160(13):1947-58.</i>	"Hypertension"[Mesh] AND ("Exercise"[Mesh] OR "Weight Loss"[Mesh])	"Hypertension"[Mesh] AND ("Exercise"[Mesh] OR "Weight Loss"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Hypertension"[Mesh] AND ("Exercise"[Mesh] OR "Weight Loss"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
45	Folic acid antagonists during pregnancy and the risk of	"Pregnancy"[Mesh] AND "Folic Acid Antagonists"[Mesh]	"Pregnancy"[Mesh] AND "Folic Acid Antagonists"[Mesh] AND	"Pregnancy"[Mesh] AND "Folic Acid Antagonists"[Mesh] (meta-

	birth defects. <i>N Engl J Med. 2000 Nov 30;343(22):1608-14.</i>		(clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	analysis[Filter] OR systematicreview[Filter])
46	Gastrointestinal toxicity with celecoxib vs nonsteroidal anti-inflammatory drugs for osteoarthritis and rheumatoid arthritis: the CLASS study: A randomized controlled trial. Celecoxib Long-term Arthritis Safety Study. <i>JAMA. 2000 Sep 13;284(10):1247-55.</i>	("Osteoarthritis"[Mesh]) OR "Arthritis, Rheumatoid"[Mesh] AND ("Celecoxib/adverse effects"[Mesh] OR "Cyclooxygenase Inhibitors/adverse effects"[Mesh])	("Osteoarthritis"[Mesh]) OR "Arthritis, Rheumatoid"[Mesh] AND ("Celecoxib/adverse effects"[Mesh] OR "Cyclooxygenase Inhibitors/adverse effects"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Osteoarthritis"[Mesh]) OR "Arthritis, Rheumatoid"[Mesh] AND ("Celecoxib/adverse effects"[Mesh] OR "Cyclooxygenase Inhibitors/adverse effects"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
47	Glucosamine and chondroitin for treatment of osteoarthritis: a systematic quality assessment and meta-analysis. <i>JAMA. 2000 Mar 15;283(11):1469-75.</i>	"Osteoarthritis"[Mesh] AND ("Glucosamine"[Mesh] OR "Chondroitin"[Mesh])	"Osteoarthritis"[Mesh] AND ("Glucosamine"[Mesh] OR "Chondroitin"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Osteoarthritis"[Mesh] AND ("Glucosamine"[Mesh] OR "Chondroitin"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
48	Group B streptococcal disease in the era of intrapartum antibiotic prophylaxis. <i>N Engl J Med. 2000 Jan 6;342(1):15-20.</i>	"Streptococcal Infections"[Mesh] AND "Antibiotic Prophylaxis"[Mesh]	"Streptococcal Infections"[Mesh] AND "Antibiotic Prophylaxis"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Streptococcal Infections"[Mesh] AND "Antibiotic Prophylaxis"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
49	HMG-CoA reductase inhibitors and the risk of fractures. <i>JAMA. 2000 Jun 28;283(24):3205-10.</i>	"Hydroxymethylglutaryl-CoA Reductase Inhibitors"[Mesh] AND ("Bone and Bones"[Mesh] OR "Fractures, Bone"[Mesh])	"Hydroxymethylglutaryl-CoA Reductase Inhibitors"[Mesh] AND ("Bone and Bones"[Mesh] OR "Fractures, Bone"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Hydroxymethylglutaryl-CoA Reductase Inhibitors"[Mesh] AND ("Bone and Bones"[Mesh] OR "Fractures, Bone"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
50	Homicide and suicide rates associated with implementation of the Brady Handgun Violence Prevention Act. <i>JAMA. 2000 Aug 2;284(5):585-91.</i>	("Firearms"[Mesh] OR "Violence/prevention and control"[Mesh]) AND ("Homicide"[Mesh] OR "Suicide"[Mesh])	("Firearms"[Mesh] OR "Violence/prevention and control"[Mesh]) AND ("Homicide"[Mesh] OR "Suicide"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Firearms"[Mesh] OR "Violence/prevention and control"[Mesh]) AND ("Homicide"[Mesh] OR "Suicide"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
51	Hypericum extract versus imipramine or placebo in patients with moderate depression: randomised multicentre study of treatment for eight weeks.	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh]	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])



	<i>BMJ. 1999 Dec 11;319(7224):1534-8.</i>			
52	Immunologic and virologic effects of subcutaneous interleukin 2 in combination with antiretroviral therapy: A randomized controlled trial. <i>JAMA. 2000 Jul 12;284(2):183-9.</i>	"HIV Infections"[Mesh] AND "Interleukin-2"[Mesh] AND "Anti-HIV Agents"[Mesh]	"HIV Infections"[Mesh] AND "Interleukin-2"[Mesh] AND "Anti-HIV Agents"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"HIV Infections"[Mesh] AND "Interleukin-2"[Mesh] AND "Anti-HIV Agents"[Mesh] (meta-analysis[Filter] OR systematicreview[Filter])
53	Impact of zanamivir on antibiotic use for respiratory events following acute influenza in adolescents and adults. <i>Arch Intern Med. 2000 Nov 27;160(21):3234-40.</i>	"Influenza, Human"[Mesh] AND ("Antiviral Agents"[Mesh] OR "Zanamivir"[Mesh]) AND "Respiratory Tract Infections"[Mesh]	"Influenza, Human"[Mesh] AND ("Antiviral Agents"[Mesh] OR "Zanamivir"[Mesh]) AND "Respiratory Tract Infections"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Influenza, Human"[Mesh] AND ("Antiviral Agents"[Mesh] OR "Zanamivir"[Mesh]) AND "Respiratory Tract Infections"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
54	Incidence of cancer after prophylaxis with warfarin against recurrent venous thromboembolism. Duration of Anticoagulation Trial. <i>N Engl J Med. 2000 Jun 29;342(26):1953-8.</i>	"Thromboembolism"[Mesh] AND ("Warfarin"[Mesh] OR "Anticoagulants"[Mesh]) AND ("Incidence"[Mesh] AND "Neoplasms"[Mesh])	"Thromboembolism"[Mesh] AND ("Warfarin"[Mesh] OR "Anticoagulants"[Mesh]) AND ("Incidence"[Mesh] AND "Neoplasms"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Thromboembolism"[Mesh] AND ("Warfarin"[Mesh] OR "Anticoagulants"[Mesh]) AND ("Incidence"[Mesh] AND "Neoplasms"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
55	Influenza vaccination and the risk of primary cardiac arrest. <i>Am J Epidemiol. 2000 Oct 1;152(7):674-7.</i>	"Influenza Vaccines"[Mesh] AND ("Heart Arrest"[Mesh] OR "Cardiovascular Diseases"[Mesh])	"Influenza Vaccines"[Mesh] AND ("Heart Arrest"[Mesh] OR "Cardiovascular Diseases"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Influenza Vaccines"[Mesh] AND ("Heart Arrest"[Mesh] OR "Cardiovascular Diseases"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
56	Inhaled zanamivir for the prevention of influenza in families. Zanamivir Family Study Group. <i>N Engl J Med. 2000 Nov 2;343(18):1282-9.</i>	"Influenza, Human"[Mesh] AND ("Zanamivir"[Mesh] OR "Neuraminidase/antagonists and inhibitors"[MeSH])	"Influenza, Human"[Mesh] AND ("Zanamivir"[Mesh] OR "Neuraminidase/antagonists and inhibitors"[MeSH]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Influenza, Human"[Mesh] AND ("Zanamivir"[Mesh] OR "Neuraminidase/antagonists and inhibitors"[MeSH]) AND (meta-analysis[Filter] OR systematicreview[Filter])
57	Inhibitors of hydroxymethylglutaryl-coenzyme A reductase and risk of fracture among older women. <i>Lancet. 2000 Jun 24;355(9222):2185-8.</i>	"Female"[Mesh] AND "Hydroxymethylglutaryl-CoA Reductase Inhibitors"[Mesh] AND ("Fractures, Bone"[Mesh] OR "Bone Density"[Mesh])	"Female"[Mesh] AND "Hydroxymethylglutaryl-CoA Reductase Inhibitors"[Mesh] AND ("Fractures, Bone"[Mesh] OR "Bone Density"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Female"[Mesh] AND "Hydroxymethylglutaryl-CoA Reductase Inhibitors"[Mesh] AND ("Fractures, Bone"[Mesh] OR "Bone Density"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
58	Irinotecan plus fluorouracil and leucovorin for metastatic colorectal cancer. Irinotecan Study Group.	"Colorectal Neoplasms"[Mesh] AND ("Irinotecan"[Mesh] OR "Fluorouracil"[Mesh] OR "Leucovorin"[Mesh] OR	"Colorectal Neoplasms"[Mesh] AND ("Irinotecan"[Mesh] OR "Fluorouracil"[Mesh] OR "Leucovorin"[Mesh] OR	"Colorectal Neoplasms"[Mesh] AND ("Irinotecan"[Mesh] OR "Fluorouracil"[Mesh] OR "Leucovorin"[Mesh] OR "Antineoplastic

	<i>N Engl J Med.</i> 2000 Sep 28;343(13):905-14.	"Antineoplastic Combined Chemotherapy Protocols"[Mesh]	"Antineoplastic Combined Chemotherapy Protocols"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	Combined Chemotherapy Protocols"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
59	Islet transplantation in seven patients with type 1 diabetes mellitus using a glucocorticoid-free immunosuppressive regimen.  <i>N Engl J Med.</i> 2000 Jul 27;343(4):230-8.	"diabetes mellitus, type 1"[MeSH Terms] AND "Islets of Langerhans Transplantation"[MeSH Terms]	("diabetes mellitus, type 1"[MeSH Terms] AND "Islets of Langerhans Transplantation"[MeSH Terms]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("diabetes mellitus, type 1"[MeSH Terms] AND "Islets of Langerhans Transplantation"[MeSH Terms]) AND (meta-analysis[Filter] OR systematicreview[Filter])
60	Lamivudine as initial treatment for chronic hepatitis B in the United States.  <i>N Engl J Med.</i> 1999 Oct 21;341(17):1256-63.	"Hepatitis B, Chronic"[Mesh] AND ("Lamivudine"[Mesh] OR "Reverse Transcriptase Inhibitors"[Mesh] OR "Antiviral Agents"[Mesh])	"Hepatitis B, Chronic"[Mesh] AND ("Lamivudine"[Mesh] OR "Reverse Transcriptase Inhibitors"[Mesh] OR "Antiviral Agents"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Hepatitis B, Chronic"[Mesh] AND ("Lamivudine"[Mesh] OR "Reverse Transcriptase Inhibitors"[Mesh] OR "Antiviral Agents"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
61	Lipid concentrations and the use of lipid lowering drugs: evidence from a national cross sectional survey.  <i>BMJ.</i> 2000 Nov 25;321(7272):1322-5.	"Hypolipidemic Agents"[Mesh] AND ("Cholesterol concentration" OR "Lipid concentration")	"Hypolipidemic Agents"[Mesh] AND ("Cholesterol concentration" OR "Lipid concentration") AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Hypolipidemic Agents"[Mesh] AND ("Cholesterol concentration" OR "Lipid concentration") AND (meta-analysis[Filter] OR systematicreview[Filter])
62	Long-term effects of budesonide or nedocromil in children with asthma. The Childhood Asthma Management Program Research Group.  <i>N Engl J Med.</i> 2000 Oct 12;343(15):1054-63.	("Asthma"[Mesh] AND "Child"[Mesh]) AND ("Budesonide"[Mesh] OR "Nedocromil"[Mesh] OR "Glucocorticoids"[Mesh] OR "Anti-Asthmatic Agents"[Mesh])	("Asthma"[Mesh] AND "Child"[Mesh]) AND ("Budesonide"[Mesh] OR "Nedocromil"[Mesh] OR "Glucocorticoids"[Mesh] OR "Anti-Asthmatic Agents"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Asthma"[Mesh] AND "Child"[Mesh]) AND ("Budesonide"[Mesh] OR "Nedocromil"[Mesh] OR "Glucocorticoids"[Mesh] OR "Anti-Asthmatic Agents"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
63	Low cardiorespiratory fitness and physical inactivity as predictors of mortality in men with type 2 diabetes.  <i>Ann Intern Med.</i> 2000 Apr 18;132(8):605-11.	"Diabetes Mellitus"[Mesh] AND ("Physical Fitness"[Mesh] OR "Motor Activity"[Mesh])	"Diabetes Mellitus"[Mesh] AND ("Physical Fitness"[Mesh] OR "Motor Activity"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Diabetes Mellitus"[Mesh] AND ("Physical Fitness"[Mesh] OR "Motor Activity"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
64	Low-dose inhaled corticosteroids and the prevention of death from asthma.  <i>N Engl J Med.</i> 2000 Aug 3;343(5):332-6.	("Asthma"[Mesh] OR "Pulmonary Disease, Chronic Obstructive"[Mesh]) AND ("Glucocorticoids"[Mesh] OR "Adrenal Cortex Hormones"[Mesh])	("Asthma"[Mesh] OR "Pulmonary Disease, Chronic Obstructive"[Mesh]) AND ("Glucocorticoids"[Mesh] OR "Adrenal Cortex Hormones"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Asthma"[Mesh] OR "Pulmonary Disease, Chronic Obstructive"[Mesh]) AND ("Glucocorticoids"[Mesh] OR "Adrenal Cortex Hormones"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
65	Motion sickness, ginger, and psychophysics.	("Ginger"[Mesh] OR "Plant Extracts"[Mesh])	("Ginger"[Mesh] OR "Plant Extracts"[Mesh]) AND	("Ginger"[Mesh] OR "Plant Extracts"[Mesh]) AND (meta-

	<i>Lancet. 1982 Mar 20;1(8273):655-7.</i>		(clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	analysis[Filter] OR systematicreview[Filter])
66	Nefopam for severe hiccups. <i>N Engl J Med. 2000 Dec 28;343(26):1973-4.</i>	"Hiccup"[Mesh]	"Hiccup"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Hiccup"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
67	Olive oil and reduced need for antihypertensive medications. <i>Arch Intern Med. 2000 Mar 27;160(6):837-42.</i>	"Olive Oil"[Mesh]	"Olive Oil"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Olive Oil"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
68	Ondansetron for reduction of drinking among biologically predisposed alcoholic patients: A randomized controlled trial. <i>JAMA. 2000 Aug 23-30;284(8):963-71.</i>	"Ondansetron"[Mesh]	"Ondansetron"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Ondansetron"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
69	Peginterferon alfa-2a in patients with chronic hepatitis C. <i>N Engl J Med. 2000 Dec 7;343(23):1666-72.</i>	"Hepatitis C, Chronic"[Mesh] AND ("Interferon alpha-2"[Mesh] OR "peginterferon alfa-2a" [Supplementary Concept] OR "peginterferon alfa-2a")	"Hepatitis C, Chronic"[Mesh] AND ("Interferon alpha-2"[Mesh] OR "peginterferon alfa-2a" [Supplementary Concept] OR "peginterferon alfa-2a") AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Hepatitis C, Chronic"[Mesh] AND ("Interferon alpha-2"[Mesh] OR "peginterferon alfa-2a" [Supplementary Concept] OR "peginterferon alfa-2a") AND (meta-analysis[Filter] OR systematicreview[Filter])
70	Peginterferon alfa-2a in patients with chronic hepatitis C and cirrhosis. <i>N Engl J Med. 2000 Dec 7;343(23):1673-80.</i>	("Hepatitis C, Chronic"[Mesh] OR "Liver Cirrhosis"[Mesh]) AND ("peginterferon alfa-2a" [Supplementary Concept] OR "Interferon alpha-2"[Mesh])	("Hepatitis C, Chronic"[Mesh] OR "Liver Cirrhosis"[Mesh]) AND ("peginterferon alfa-2a" [Supplementary Concept] OR "Interferon alpha-2"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Hepatitis C, Chronic"[Mesh] OR "Liver Cirrhosis"[Mesh]) AND ("peginterferon alfa-2a" [Supplementary Concept] OR "Interferon alpha-2"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
71	Physical activity and risk of stroke in women. <i>JAMA. 2000 Jun 14;283(22):2961-7.</i>	"Exercise"[Mesh] AND "Stroke/prevention and control"[Mesh]	"Exercise"[Mesh] AND "Stroke/prevention and control"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Exercise"[Mesh] AND "Stroke/prevention and control"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
72	Pravastatin therapy and the risk of stroke. <i>N Engl J Med. 2000 Aug 3;343(5):317-26.</i>	"Pravastatin"[Mesh] AND "Stroke"[Mesh]	"Pravastatin"[Mesh] AND "Stroke"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Pravastatin"[Mesh] AND "Stroke"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
73	Prevention of hip fracture in elderly people with use of a hip protector. <i>N Engl J Med. 2000 Nov 23;343(21):1506-13.</i>	Protector* AND "Hip Fractures/prevention and control"[Mesh]	Protector* AND "Hip Fractures/prevention and control"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	Protector* AND "Hip Fractures/prevention and control"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])

74	Prevention of pulmonary embolism and deep vein thrombosis with low dose aspirin: Pulmonary Embolism Prevention (PEP) trial. <i>Lancet. 2000 Apr 15;355(9212):1295-302.</i>	"Aspirin"[Mesh] AND ("Pulmonary Embolism/prevention and control"[Mesh] OR "Thrombophlebitis/prevention and control"[Mesh])	"Aspirin"[Mesh] AND ("Pulmonary Embolism/prevention and control"[Mesh] OR "Thrombophlebitis/prevention and control"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Aspirin"[Mesh] AND ("Pulmonary Embolism/prevention and control"[Mesh] OR "Thrombophlebitis/prevention and control"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
75	Prospective evaluation of Roux-en-Y gastric bypass as primary operation for medically complicated obesity. <i>Mayo Clin Proc. 2000 Jul;75(7):673-80.</i>	"Obesity"[Mesh] AND ("Anastomosis, Roux-en-Y"[Mesh] OR "Gastric Bypass"[Mesh])	"Obesity"[Mesh] AND ("Anastomosis, Roux-en-Y"[Mesh] OR "Gastric Bypass"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Obesity"[Mesh] AND ("Anastomosis, Roux-en-Y"[Mesh] OR "Gastric Bypass"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
76	Randomised controlled trial of homoeopathy versus placebo in perennial allergic rhinitis with overview of four trial series. <i>BMJ. 2000 Aug 19-26;321(7259):471-6.</i>	"Rhinitis, Allergic"[Mesh] AND "Homeopathy"[Mesh]	"Rhinitis, Allergic"[Mesh] AND "Homeopathy"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Rhinitis, Allergic"[Mesh] AND "Homeopathy"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
77	Relationship of symptom-onset-to-balloon time and door-to-balloon time with mortality in patients undergoing angioplasty for acute myocardial infarction. <i>JAMA. 2000 Jun 14;283(22):2941-7.</i>	"Myocardial Infarction"[Mesh] AND Door-to-balloon	"Myocardial Infarction"[Mesh] AND Door-to-balloon AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Myocardial Infarction"[Mesh] AND Door-to-balloon AND (meta-analysis[Filter] OR systematicreview[Filter])
78	Reversion of prion protein conformational changes by synthetic beta-sheet breaker peptides. <i>Lancet. 2000 Jan 15;355(9199):192-7.</i>	"Prion Diseases"[Mesh]	"Prion Diseases"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Prion Diseases"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
79	Saw palmetto extracts for treatment of benign prostatic hyperplasia: a systematic review. <i>JAMA. 1998 Nov 11;280(18):1604-9.</i>	"Prostatic Hyperplasia"[Mesh] AND "saw palmetto extract" [Supplementary Concept]	"Prostatic Hyperplasia"[Mesh] AND "saw palmetto extract" [Supplementary Concept] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Prostatic Hyperplasia"[Mesh] AND "saw palmetto extract" [Supplementary Concept] AND (meta-analysis[Filter] OR systematicreview[Filter])
80	Siblings, day-care attendance, and the risk of asthma and wheezing during childhood. <i>N Engl J Med. 2000 Aug 24;343(8):538-43.</i>	("Siblings"[Mesh] OR Siblings OR "Child Day Care Centers"[Mesh]) AND "Asthma"[Mesh]	("Siblings"[Mesh] OR Siblings OR "Child Day Care Centers"[Mesh]) AND "Asthma"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Siblings"[Mesh] OR Siblings OR "Child Day Care Centers"[Mesh]) AND "Asthma"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
81	Smoking reduction with oral nicotine inhalers: double	("Nicotine"[Mesh] AND "Administration, Inhalation"[Mesh])	("Nicotine"[Mesh] AND "Administration, Inhalation"[Mesh]) OR	("Nicotine"[Mesh] AND "Administration, Inhalation"[Mesh]) OR

	blind, randomised clinical trial of efficacy and safety. <i>BMJ. 2000 Aug 5;321(7257):329-33.</i>	OR "nicotine inhaler"[Mesh] OR "Tobacco Use Cessation Devices"[Mesh] AND ("Smoking Cessation"[Mesh] OR "Smoking Prevention"[Mesh])	"nicotine inhaler"[Mesh] OR "Tobacco Use Cessation Devices"[Mesh] AND ("Smoking Cessation"[Mesh] OR "Smoking Prevention"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"nicotine inhaler"[Mesh] OR "Tobacco Use Cessation Devices"[Mesh] AND ("Smoking Cessation"[Mesh] OR "Smoking Prevention"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
82	Smoking, smoking cessation, and lung cancer in the UK since 1950: combination of national statistics with two case-control studies. <i>BMJ. 2000 Aug 5;321(7257):323-9.</i>	"Smoking Cessation"[Mesh] AND "Lung Neoplasms"[Mesh]	"Smoking Cessation"[Mesh] AND "Lung Neoplasms"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Smoking Cessation"[Mesh] AND "Lung Neoplasms"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
83	St John's wort for depression: a systematic review. <i>Arch Intern Med. 2000 Jan 24;160(2):152-6.</i>	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh]	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Depressive Disorder"[Mesh] AND "Hypericum"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
84	Systematic review of water fluoridation. <i>BMJ. 2000 Oct 7;321(7265):855-9.</i>	"Fluoridation"[Mesh] AND "Dental Caries"[Mesh]	"Fluoridation"[Mesh] AND "Dental Caries"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Fluoridation"[Mesh] AND "Dental Caries"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
85	The effect of celecoxib, a cyclooxygenase-2 inhibitor, in familial adenomatous polyposis. <i>N Engl J Med. 2000 Jun 29;342(26):1946-52.</i>	"Adenomatous Polyposis Coli"[Mesh] AND ("Celecoxib"[Mesh] OR "Cyclooxygenase 2 Inhibitors"[Mesh])	"Adenomatous Polyposis Coli"[Mesh] AND ("Celecoxib"[Mesh] OR "Cyclooxygenase 2 Inhibitors"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Adenomatous Polyposis Coli"[Mesh] AND ("Celecoxib"[Mesh] OR "Cyclooxygenase 2 Inhibitors"[Mesh]) (meta-analysis[Filter] OR systematicreview[Filter])
86	The effectiveness of vaccination against influenza in healthy, working adults. <i>N Engl J Med. 1995 Oct 5;333(14):889-93.</i>	Healthy AND "Influenza Vaccines"[Mesh]	Healthy AND "Influenza Vaccines"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	Healthy AND "Influenza Vaccines"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
87	The impact of an antismoking media campaign on progression to established smoking: results of a longitudinal youth study. <i>Am J Public Health. 2000 Mar;90(3):380-6.</i>	("Television"[Mesh] OR "Mass Media"[Mesh]) AND ("Smoking Cessation"[Mesh] OR "Smoking Prevention"[Mesh])	("Television"[Mesh] OR "Mass Media"[Mesh]) AND ("Smoking Cessation"[Mesh] OR "Smoking Prevention"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Television"[Mesh] OR "Mass Media"[Mesh]) AND ("Smoking Cessation"[Mesh] OR "Smoking Prevention"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
88	The Krukenberg procedure: a surgical option for the treatment of double hand amputees in Sierra Leone. <i>Lancet. 2000 Sep 23;356(9235):1072-5.</i>	("Amputation Stumps"[Mesh] OR "Amputees"[Mesh]) OR "Krukenberg procedure"	("Amputation Stumps"[Mesh] OR "Amputees"[Mesh]) OR "Krukenberg procedure" AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Amputation Stumps"[Mesh] OR "Amputees"[Mesh]) OR "Krukenberg procedure" AND (meta-analysis[Filter] OR systematicreview[Filter])

89	The volume of primary angioplasty procedures and survival after acute myocardial infarction. National Registry of Myocardial Infarction 2 Investigators. <i>N Engl J Med.</i> 2000 May 25;342(21):1573-80.	("Myocardial Infarction"[Mesh] OR "Angioplasty, Balloon, Coronary"[Mesh]) AND (volume OR "Health Facility Size"[Mesh]) AND "Hospital Mortality"[Mesh]	("Myocardial Infarction"[Mesh] OR "Angioplasty, Balloon, Coronary"[Mesh]) AND (volume OR "Health Facility Size"[Mesh]) AND "Hospital Mortality"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Myocardial Infarction"[Mesh] OR "Angioplasty, Balloon, Coronary"[Mesh]) AND (volume OR "Health Facility Size"[Mesh]) AND "Hospital Mortality"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
90	Transdermal testosterone treatment in women with impaired sexual function after oophorectomy. <i>N Engl J Med.</i> 2000 Sep 7;343(10):682-8.	("Ovariectomy"[Mesh] OR "Postmenopause"[Mesh]) AND ("Testosterone"[Mesh] OR "Transdermal testosterone")	("Ovariectomy"[Mesh] OR "Postmenopause"[Mesh]) AND ("Testosterone"[Mesh] OR "Transdermal testosterone") AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Ovariectomy"[Mesh] OR "Postmenopause"[Mesh]) AND ("Testosterone"[Mesh] OR "Transdermal testosterone") AND (meta-analysis[Filter] OR systematicreview[Filter])
91	Treatment of dysthymia and minor depression in primary care: A randomized controlled trial in older adults. <i>JAMA.</i> 2000 Sep 27;284(12):1519-26.	("Depression"[Mesh] OR "Depressive Disorder"[Mesh] OR "Minor depression" OR "sub-threshold depression" OR "Dysthymic Disorder"[Mesh]) AND ("Antidepressive Agents"[Mesh] OR "Serotonin Uptake Inhibitors"[Mesh])	("Depression"[Mesh] OR "Depressive Disorder"[Mesh] OR "Minor depression" OR "sub-threshold depression" OR "Dysthymic Disorder"[Mesh]) AND ("Antidepressive Agents"[Mesh] OR "Serotonin Uptake Inhibitors"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Depression"[Mesh] OR "Depressive Disorder"[Mesh] OR "Minor depression" OR "sub-threshold depression" OR "Dysthymic Disorder"[Mesh]) AND ("Antidepressive Agents"[Mesh] OR "Serotonin Uptake Inhibitors"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
92	Treatment of hypertension with ascorbic acid. <i>Lancet.</i> 1999 Dec 11;354(9195):2048-9.	"Hypertension"[Mesh] AND "Ascorbic Acid"[Mesh]	"Hypertension"[Mesh] AND "Ascorbic Acid"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Hypertension"[Mesh] AND "Ascorbic Acid"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])
93	Treatment of warfarin-associated coagulopathy with oral vitamin K: a randomised controlled trial. <i>Lancet.</i> 2000 Nov 4;356(9241):1551-3.	("Blood Coagulation Disorders"[Mesh] OR "Warfarin/adverse effects"[Mesh] OR "warfarin-associated coagulopathy" OR "Anticoagulants"[Mesh]) AND ("Vitamin K"[Mesh] OR Phytonadione)	("Blood Coagulation Disorders"[Mesh] OR "Warfarin/adverse effects"[Mesh] OR "warfarin-associated coagulopathy" OR "Anticoagulants"[Mesh]) AND ("Vitamin K"[Mesh] OR Phytonadione) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Blood Coagulation Disorders"[Mesh] OR "Warfarin/adverse effects"[Mesh] OR "warfarin-associated coagulopathy" OR "Anticoagulants"[Mesh]) AND ("Vitamin K"[Mesh] OR Phytonadione) AND (meta-analysis[Filter] OR systematicreview[Filter])
94	Trends in the incidence of coronary heart disease and changes in diet and lifestyle in women. <i>N Engl J Med.</i> 2000 Aug 24;343(8):530-7.	"Cardiovascular Diseases"[Mesh] AND ("Life Style"[Mesh] OR "Smoking"[Mesh] OR "Diet"[Mesh] OR "Postmenopause"[Mesh])	"Cardiovascular Diseases"[Mesh] AND ("Life Style"[Mesh] OR "Smoking"[Mesh] OR "Diet"[Mesh] OR "Postmenopause"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Cardiovascular Diseases"[Mesh] AND ("Life Style"[Mesh] OR "Smoking"[Mesh] OR "Diet"[Mesh] OR "Postmenopause"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
95	Triggering of sudden death from cardiac causes by vigorous exertion.	("Physical Exertion"[Mesh] OR "Exercise"[Mesh]) AND ("Coronary Disease/mortality"[Mesh] OR "Death, Sudden,	("Physical Exertion"[Mesh] OR "Exercise"[Mesh]) AND ("Coronary Disease/mortality"[Mesh] OR "Death, Sudden,	("Physical Exertion"[Mesh] OR "Exercise"[Mesh]) AND ("Coronary Disease/mortality"[Mesh] OR "Death, Sudden,

	<i>N Engl J Med.</i> 2000 Nov 9;343(19):1355-61.	Cardiac"[Mesh])	Cardiac"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	Cardiac"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
96	Type of alcohol consumed and mortality from all causes, coronary heart disease, and cancer. <i>Ann Intern Med.</i> 2000 Sep 19;133(6):411-9.	("Alcohol Drinking"[Mesh] OR "Wine"[Mesh] OR Wine* OR "Beer"[Mesh] OR Beer*) AND ("Cardiovascular Diseases"[Mesh] OR "Neoplasms"[Mesh])	("Alcohol Drinking"[Mesh] OR "Wine"[Mesh] OR Wine* OR "Beer"[Mesh] OR Beer*) AND ("Cardiovascular Diseases"[Mesh] OR "Neoplasms"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Alcohol Drinking"[Mesh] OR "Wine"[Mesh] OR Wine* OR "Beer"[Mesh] OR Beer*) AND ("Cardiovascular Diseases"[Mesh] OR "Neoplasms"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
97	Use of automated external defibrillators by a U.S. airline. <i>N Engl J Med.</i> 2000 Oct 26;343(17):1210-6.	("Aircraft"[Mesh] OR "Out-of-Hospital Cardiac Arrest"[Mesh]) AND ("Electric Stimulation Therapy"[Mesh] OR "Defibrillators"[Mesh] OR "Emergency Medical Services"[Mesh])	("Aircraft"[Mesh] OR "Out-of-Hospital Cardiac Arrest"[Mesh]) AND ("Electric Stimulation Therapy"[Mesh] OR "Defibrillators"[Mesh] OR "Emergency Medical Services"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Aircraft"[Mesh] OR "Out-of-Hospital Cardiac Arrest"[Mesh]) AND ("Electric Stimulation Therapy"[Mesh] OR "Defibrillators"[Mesh] OR "Emergency Medical Services"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
98	Vaginal misoprostol administered 1, 2, or 3 days after mifepristone for early medical abortion: A randomized trial. <i>JAMA.</i> 2000 Oct 18;284(15):1948-53.	"Abortion, Induced"[Mesh] AND ("Misoprostol"[Mesh] AND "Mifepristone"[Mesh])	"Abortion, Induced"[Mesh] AND ("Misoprostol"[Mesh] AND "Mifepristone"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Abortion, Induced"[Mesh] AND ("Misoprostol"[Mesh] AND "Mifepristone"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
99	Vitamin E consumption and the risk of coronary disease in women. <i>N Engl J Med.</i> 1993 May 20;328(20):1444-9.	"Cardiovascular Diseases"[Mesh] AND ("Vitamin E"[Mesh] OR "Antioxidants"[Mesh] OR "Dietary Supplements"[Mesh])	"Cardiovascular Diseases"[Mesh] AND ("Vitamin E"[Mesh] OR "Antioxidants"[Mesh] OR "Dietary Supplements"[Mesh]) AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	"Cardiovascular Diseases"[Mesh] AND ("Vitamin E"[Mesh] OR "Antioxidants"[Mesh] OR "Dietary Supplements"[Mesh]) AND (meta-analysis[Filter] OR systematicreview[Filter])
100	Yoga-based intervention for carpal tunnel syndrome: a randomized trial. <i>JAMA.</i> 1998 Nov 11;280(18):1601-3.	("Carpal Tunnel Syndrome"[Mesh] OR "Pain"[Mesh]) AND "Yoga"[Mesh]	("Carpal Tunnel Syndrome"[Mesh] OR "Pain"[Mesh]) AND "Yoga"[Mesh] AND (clinicaltrial[Filter] OR randomizedcontrolledtrial[Filter])	("Carpal Tunnel Syndrome"[Mesh] OR "Pain"[Mesh]) AND "Yoga"[Mesh] AND (meta-analysis[Filter] OR systematicreview[Filter])