

Supplementary Table 3. Statistical comparisons to determine differences between clusters: ordinal variables

Variables in gray met significance and fold change criteria. Comparisons were performed with Kruskal Wallis test. Post-hoc comparisons were performed with the Wilcoxon Rank Sum test. P values displayed here have not been adjusted.

Variable	Description	% Complete	<i>P</i> value	<i>P</i> ₁ C1 vs. C2	<i>P</i> ₂ C1 vs. C3	<i>P</i> ₃ C2 vs. C3	<i>Fold Change</i> C1 vs. C2/C3	<i>Fold Change</i> C2 vs. C1/C3	<i>Fold Change</i> C3 vs. C1/C2
V00INCOME	Yearly income (calc)	88.8	2.4E-11	6.9E-04	6.8E-10	3.1E-06	1.43	1.10	0.59
V00EDCV	Highest grade or year of school completed (calc)	99.5	1.5E-10	9.9E-05	1.3E-09	1.2E-03	1.51	1.00	0.62
V00CESD17	CES-D: how often had crying spells, past week	98.1	4.9E-10	7.7E-01	2.6E-08	6.6E-06	0.77	0.80	1.55
V00SF4	SF-12: how often physical health result in accomplishing less than would like with work or other activities, past 4 weeks	100.0	1.1E-09	2.0E-02	1.3E-09	3.2E-05	1.40	1.09	0.62
V00SF6	SF-12: how often emotional problems result in accomplishing less than would like with work or other activities, past 4 weeks	99.5	1.4E-09	3.1E-01	3.2E-09	8.6E-07	1.26	1.16	0.65
V00FFQ24	Block Brief 2000: green salad, eat how often, past 12 months	100.0	5.1E-09	5.9E-01	4.6E-07	1.2E-08	1.18	1.28	0.62
V00SF5	SF-12: how often physical health result in being limited in kind of work or other activities, past 4 weeks	100.0	2.2E-08	1.2E-02	1.4E-07	7.9E-05	1.38	1.06	0.65
V00CESD9	CES-D: how often thought my life had been a failure, past week	98.1	5.2E-08	2.1E-01	9.2E-08	2.4E-04	0.73	0.82	1.58
V00CESD7	CES-D: how often felt that everything did was an effort, past week	98.6	7.8E-08	6.1E-01	2.0E-07	7.4E-06	0.74	0.80	1.60
V00CESD6	CES-D: how often felt depressed, past week	98.6	1.4E-07	5.5E-01	3.5E-07	2.7E-05	0.73	0.79	1.64
V00FFQ9	Block Brief 2000: apples/pears, eat how often, past 12 months	100.0	2.2E-07	5.0E-03	9.4E-03	1.1E-07	1.03	1.42	0.65
V00CESD2	CES-D: how often did not feel like eating, appetite was poor, past week	99.5	6.1E-07	9.5E-02	5.5E-07	1.1E-03	0.74	0.85	1.52
V00FFQ37	Block Brief 2000: fried chicken, at home or in a restaurant, eat how often, past 12 months	99.1	3.5E-06	4.1E-05	1.7E-04	1.0E+00	0.66	1.20	1.22
V00CESD13	CES-D: how often talked less than usual, past week	96.7	4.4E-06	2.0E-01	4.3E-06	1.3E-03	0.73	0.85	1.54
V00FFQ7	Block Brief 2000: yogurt (not frozen yogurt), eat how often, past 12 months	100.0	2.2E-05	2.4E-02	1.5E-02	3.3E-05	1.01	1.57	0.58
V00FFQ71	Block Brief 2000: wine/wine coolers, drink how often, past 12 months	100.0	3.8E-05	2.8E-02	7.1E-05	3.1E-02	1.50	0.97	0.65
V00MVIT1CV	Block Brief 2000: Regular Once-A-Day, Centrum or Thera type multivitamins, how often past 12 months (calc)	99.5	6.7E-05	1.0E+00	6.8E-04	6.8E-05	1.18	1.27	0.63
V00SF12	SF-12: how often physical health or emotional problems interfered with social activities (like visiting with friends, relatives, etc.), past 4 weeks	99.1	6.1E-13	4.6E-06	2.7E-11	8.9E-05	1.37	1.03	0.68
V00SF8	SF-12: how much did pain interfere with normal work (include work outside home and housework), past 4 weeks	98.6	1.4E-10	5.8E-03	4.7E-10	7.8E-06	0.77	0.95	1.34
V00SF10	SF-12: how often had a lot of energy, past 4 weeks	100.0	2.6E-10	1.9E-03	1.9E-09	3.0E-05	0.77	0.94	1.34
V00SF1	SF-12: in general, how is health	100.0	1.0E-09	6.4E-06	7.0E-08	2.6E-02	0.77	1.02	1.25
V00SF2	SF-12: how much health limit involvement in moderate activities (e.g., moving a table, pushing vacuum cleaner...)	100.0	2.3E-08	2.5E-03	1.6E-07	6.5E-04	1.35	1.02	0.69
V00SF7	SF-12: how often emotional problems result in not doing work or activities as carefully as usual, past 4 weeks	99.5	5.1E-08	2.6E-01	9.2E-08	1.6E-05	1.21	1.12	0.72
V00FFQ11	Block Brief 2000: applesauce/fruit cocktail/any canned fruit, eat how often, past 12 months	100.0	2.2E-07	1.4E-07	3.9E-01	9.7E-03	0.76	1.39	0.92
V00SF3	SF-12: how much health limit climbing several flights of stairs	100.0	4.2E-07	1.1E-01	1.3E-06	5.7E-05	1.31	1.09	0.68
V00CESD5	CES-D: how often had trouble keeping mind on what was doing, past week	99.1	1.9E-06	6.6E-02	1.4E-06	3.1E-03	0.74	0.92	1.42
V00FFQ38	Block Brief 2000: chicken/turkey not fried (e.g., baked/grilled/on sandwiches), eat how often, past 12 months	99.5	2.8E-06	1.4E-03	6.9E-02	8.4E-06	0.99	1.27	0.78
V00CESD16	CES-D: how often enjoyed life, past week	99.1	3.1E-06	4.7E-02	2.0E-06	6.3E-03	1.23	1.06	0.76
V00CESD20	CES-D: how often could not get going, past week	99.1	3.4E-06	4.4E-01	4.3E-06	2.9E-04	0.77	0.87	1.45

V00FFQ2	Block Brief 2000: bacon/breakfast sausage (including sausage biscuit), eat how often, past 12 months	100.0	6.0E-06	1.9E-04	1.4E-04	6.8E-01	0.68	1.10	1.28
V00FFQ22	Block Brief 2000: spinach/greens (e.g., collards), eat how often, past 12 months	100.0	6.1E-06	9.4E-05	1.0E+00	1.3E-04	0.89	1.34	0.82
V00FFQ29	Block Brief 2000: vegetable soup/vegetable beef, chicken vegetable or tomato soup, eat how often, past 12 months	100.0	7.0E-06	2.0E-02	2.6E-03	3.1E-05	1.05	1.30	0.71
V00FFQ25	Block Brief 2000: raw tomatoes (including in salad), eat how often, past 12 months	100.0	7.6E-06	1.5E-01	2.9E-03	2.6E-06	1.07	1.28	0.71
V00FFQ19	Block Brief 2000: green beans/green peas, eat how often, past 12 months	100.0	1.5E-05	6.4E-03	4.9E-02	3.2E-05	1.00	1.25	0.78
V00SF11	SF-12: how often felt downhearted and depressed, past 4 weeks	100.0	1.5E-05	6.0E-01	1.8E-05	6.0E-04	1.16	1.10	0.78
V00CESD4	CES-D: how often felt just as good as other people, past week	96.3	2.0E-05	1.0E+00	2.9E-05	8.5E-04	1.16	1.11	0.76
V00FFQ21	Block Brief 2000: carrots/stews or mixed vegetables containing carrots, eat how often, past 12 months	100.0	2.3E-05	1.0E+00	4.3E-04	1.7E-05	1.13	1.21	0.71
V00CESD14	CES-D: how often felt lonely, past week	99.1	2.6E-05	7.6E-02	2.0E-05	1.6E-02	0.72	0.90	1.47
V00FFQ17	Block Brief 2000: baked beans/chili with beans/pintos/any other dried beans, eat how often, during past 12 months	100.0	3.0E-05	1.1E-04	1.0E+00	1.7E-03	0.90	1.30	0.84
V00FFQ68	Block Brief 2000: cream/half and half/non-dairy creamer in coffee or tea, drink how often, past 12 months	100.0	6.3E-05	4.1E-05	5.1E-01	8.3E-02	0.72	1.45	0.92
V00FFQ23	Block Brief 2000: cole slaw/cabbage, eat how often, past 12 months	100.0	6.6E-05	2.0E-02	6.9E-02	7.9E-05	1.01	1.30	0.74
V00FFQ20	Block Brief 2000: broccoli, eat how often, past 12 months	100.0	8.0E-05	4.8E-02	8.0E-03	2.5E-04	1.05	1.23	0.76
V00FFQ39	Block Brief 2000: chicken, when eat do you...	98.6	8.0E-05	1.3E-02	1.3E-04	1.7E-01	0.78	1.01	1.25
V00SF9	SF-12: how often felt calm and peaceful, past 4 weeks	100.0	8.0E-05	4.0E-01	5.2E-05	6.1E-03	0.82	0.92	1.29
V00CESD11	CES-D: how often sleep was restless, past week	98.6	8.5E-05	5.3E-01	1.3E-04	1.8E-03	0.79	0.89	1.38
V00CESD1	CES-D: how often bothered by things that usually don't bother, past week	99.1	9.6E-05	2.9E-01	6.6E-05	1.2E-02	0.77	0.90	1.40
V00CESD12	CES-D: how often was happy, past week	99.1	1.2E-04	4.1E-02	9.9E-05	1.0E-01	1.21	1.01	0.81
V00VITCCV	Block Brief 2000: Vitamin C single vitamin, how often past 12 months (calc)	99.5	1.2E-04	1.0E+00	3.9E-04	2.5E-04	1.32	1.10	0.65
V00CESD3	CES-D: how often felt could not shake off the blues even with help from family and friends, past week	99.5	1.3E-04	7.8E-02	1.0E-04	4.2E-02	0.79	0.91	1.36
V00STRTBCV	Block Brief 2000: Stress-tabs or B-Complex type multivitamins, how often past 12 months (calc)	98.6	1.4E-04	1.0E+00	1.9E-03	9.1E-05	1.19	1.19	0.68
V00FFQ8	Block Brief 2000: bananas, eat how often, past 12 months	100.0	1.4E-04	7.8E-02	6.0E-02	5.3E-05	1.03	1.31	0.72
V00FFQ40	Block Brief 2000: fried fish/fish sandwich at home or in a restaurant, eat how often, past 12 months	99.5	1.5E-04	1.3E-04	4.9E-02	1.0E+00	0.74	1.20	1.10
V00CESD19	CES-D: how often felt that people disliked me, past week	96.3	1.8E-04	1.0E+00	3.8E-04	6.3E-03	0.83	0.86	1.36
V00FFQ12	Block Brief 2000: any other fruit (e.g., grapes/melon/ strawberries/peaches), eat how often, past 12 months	100.0	2.1E-04	1.1E-01	8.5E-02	5.2E-05	1.02	1.26	0.76
P01RHBE	Right hand exam: total number of bony enlargements (calc)	99.5	2.1E-04	2.4E-02	4.2E-04	2.1E-01	1.43	0.96	0.70
V00FFQ46	Block Brief 2000: cheese dishes without tomato sauce (e.g., macaroni and cheese), eat how often, past 12 months	99.5	2.4E-04	2.3E-04	7.1E-02	8.5E-01	0.78	1.21	1.04
V00SLNMCV	Block Brief 2000: Selenium alone, how often past 12 months (calc)	98.6	2.6E-04	1.0E+00	2.0E-03	2.2E-04	1.17	1.11	0.75
V00FFQ63	Block Brief 2000: Hawaiian Punch/Sunny Delight/Hi-C/Tang/ Ocean Spray juices, drink how often, past 12 months	100.0	3.0E-04	5.9E-04	9.8E-03	1.0E+00	0.66	1.20	1.20
V00FFQ48	Block Brief 2000: biscuits/muffins, eat how often, past 12 months	99.5	3.1E-04	1.5E-04	1.0E+00	1.1E-01	0.82	1.23	0.97

V00FFQ41	Block Brief 2000: any other fish/shellfish not fried (including tuna), eat how often, past 12 months	99.5	3.1E-04	3.1E-01	1.2E-02	2.4E-04	1.06	1.20	0.78
V00ANTOXC	Block Brief 2000: Antioxidant combination type multivitamins, how often past 12 months (calc)	99.1	3.4E-04	1.0E+00	2.9E-03	2.9E-04	1.16	1.18	0.71
V00VITDCV	Block Brief 2000: Vitamin D, alone or with calcium, how often past 12 months (calc)	99.1	3.4E-04	1.0E+00	1.7E-03	3.1E-04	1.21	1.18	0.67
V00VITACV	Block Brief 2000: Vitamin A (not beta-carotene) single vitamin, how often past 12 months (calc)	98.6	3.5E-04	8.9E-01	6.8E-03	3.2E-04	1.08	1.16	0.79
V00FFQ15	Block Brief 2000: sweet potatoes/yams/sweet potato pie, eat how often, past 12 months	100.0	4.1E-04	4.2E-04	1.0E+00	3.2E-02	0.84	1.28	0.91
V00CESD18	CES-D: how often felt sad, past week	99.1	4.2E-04	1.0E+00	5.1E-04	4.2E-03	0.77	0.83	1.49
V00FOLATCV	Block Brief 2000: Folic acid, folate single vitamin, how often past 12 months (calc)	98.6	4.4E-04	1.0E+00	4.1E-03	3.3E-04	1.16	1.17	0.71
V00GLCFQCV	Glucosamine frequency of use, past 6 months (calc)	99.1	5.4E-04	1.0E+00	4.5E-04	8.8E-04	1.35	1.29	0.52
P01BPBAD	Q43b.When had back pain how bad was it on average, past 30 days	100.0	6.7E-04	1.2E-01	4.4E-04	1.3E-01	0.87	0.99	1.16
V00BCARCV	Block Brief 2000: Beta-carotene single vitamin, how often past 12 months (calc)	98.6	6.8E-04	1.0E+00	5.8E-03	6.1E-04	1.10	1.09	0.83
V00FFQ51	Block Brief 2000: dark bread (e.g., rye/whole wheat, including in sandwiches), eat how often, past 12 months	100.0	7.3E-04	1.8E-01	2.1E-02	1.2E-03	1.06	1.24	0.75
V00FFQ4	Block Brief 2000: cold cereals (e.g., Corn Flakes/Cheerios...), eat how often, past 12 months	100.0	7.4E-04	1.0E+00	4.5E-03	4.5E-04	1.15	1.21	0.69
V00FFQSZ51	Block Brief 2000: dark bread, how many slices each time	95.3	7.4E-04	1.0E+00	1.0E-03	7.1E-03	0.86	0.90	1.27
V00VITECV	Block Brief 2000: Vitamin E single vitamin, how often past 12 months (calc)	98.6	7.9E-04	1.0E+00	2.4E-03	1.0E-03	1.23	1.13	0.70
V00FFQ28	Block Brief 2000: any other vegetable (e.g., corn/squash/okra...), eat how often, past 12 months	100.0	1.2E-03	3.5E-02	2.0E-01	2.5E-03	1.00	1.20	0.82
V00ZINCCV	Block Brief 2000: Zinc alone, how often past 12 months (calc)	98.6	1.4E-03	9.6E-01	1.6E-02	1.2E-03	1.13	1.12	0.78
V00CALCMCV	Block Brief 2000: Calcium/Tums (alone or combined with Vitamin D or magnesium), how often past 12 months (calc)	99.5	1.7E-03	1.0E+00	3.1E-03	5.2E-03	1.25	1.09	0.71
V00CESD10	CES-D: how often felt fearful, past week	99.5	1.9E-03	8.3E-01	2.5E-02	1.9E-03	0.90	0.81	1.34
V00PASE5	Leisure activities: strenuous sport/recreation, past 7 days	100.0	2.3E-03	1.4E-01	5.1E-03	8.9E-02	1.31	0.95	0.79
V00CESD15	CES-D: how often felt people were unfriendly, past week	97.2	2.3E-03	1.0E+00	2.7E-03	2.9E-02	0.86	0.88	1.30
V00FFQSZ8	Block Brief 2000: bananas, how many each time	89.3	2.5E-03	1.0E+00	2.1E-03	2.0E-02	0.93	0.94	1.14
V00FFQ33	Block Brief 2000: beef steaks/roasts/pot roast (including in frozen dinners/sandwiches), eat how often, past 12 months	99.1	2.6E-03	4.2E-02	2.7E-01	6.8E-03	0.98	1.22	0.82
V00FFQ16	Block Brief 2000: rice/dishes made with rice, eat how often, past 12 months	100.0	2.6E-03	4.1E-02	3.3E-01	6.2E-03	0.99	1.19	0.84
V00DRNKAMT	How many alcoholic drinks in typical week, past 12 months	100.0	2.6E-03	1.5E-02	1.4E-02	1.0E+00	1.23	0.90	0.89
V00FFQ66	Block Brief 2000: glasses of milk (any kind), drink how often, past 12 months	100.0	3.3E-03	1.2E-01	2.7E-01	2.8E-03	0.99	1.31	0.75
V00CESD8	CES-D: how often felt hopeful about the future, past week	97.7	3.5E-03	1.0E+00	3.4E-03	2.5E-02	1.14	1.08	0.80
V00FFQ55	Block Brief 2000: peanuts/peanut butter, eat how often, past 12 months	100.0	3.6E-03	2.8E-01	9.5E-02	3.2E-03	1.03	1.23	0.77
V00CHNFQCV	Chondroitin sulfate frequency of use, past 6 months (calc)	99.1	3.7E-03	1.0E+00	3.2E-03	5.0E-03	1.30	1.24	0.58
P01LHBE	Left hand exam: total number of bony enlargements (calc)	99.5	4.2E-03	8.8E-02	7.6E-03	4.2E-01	1.42	0.93	0.73
V00FFQ62	Block Brief 2000: real orange or grapefruit juice/Welch's grape juice/Minutemaide juices/Juicy Juice, drink how often, past 12 months	100.0	4.4E-03	7.9E-02	5.1E-01	4.6E-03	0.98	1.26	0.80
V00FFQ3	Block Brief 2000: cooked cereals (e.g., oatmeal/cream of wheat/grits) eat how often, past 12 months	99.5	5.2E-03	4.7E-03	1.0E+00	1.6E-01	0.85	1.26	0.93

V00FFQ10	Block Brief 2000: oranges/tangerines (not including juice), eat how often, past 12 months	100.0	5.8E-03	4.7E-03	9.2E-01	3.2E-01	0.84	1.23	0.95
V00FFQ54	Block Brief 2000: butter on bread/potatoes/vegetables, eat how often, past 12 months	100.0	7.7E-03	8.8E-02	4.2E-01	1.4E-02	0.97	1.31	0.77
P01TJE30WC	TMJ: jaw joint or in front of ear, how often worried or concerned about pain or aching, past 30 days (calc)	99.1	7.8E-03	4.9E-02	8.0E-03	1.0E+00	0.69	1.06	1.31
V00FFQSZ22	Block Brief 2000: spinach/greens, how much each time	89.8	8.1E-03	1.8E-01	1.4E-02	2.5E-01	0.85	0.99	1.18
V00FFQ56	Block Brief 2000: snacks (e.g., potato chips/corn chips/popcorn...not pretzels), eat how often, past 12 months	100.0	9.3E-03	2.5E-02	1.0E+00	4.4E-02	0.94	1.21	0.87
V00FFQSZ10	Block Brief 2000: oranges/tangerines, how many each time	86.5	9.5E-03	2.2E-01	5.9E-03	4.1E-01	0.89	0.98	1.14
V00FFQ64	Block Brief 2000: Kool Aid/Capri Sun/Knudsen juices, drink how often, past 12 months	100.0	1.0E-02	3.7E-02	2.0E-02	1.0E+00	0.68	1.10	1.28
V00PASE3	Leisure activities: light sport/recreation, past 7 days	100.0	1.2E-02	1.9E-01	3.1E-02	3.4E-01	1.19	0.97	0.86
V00PA230CV	How often kneel 30 minutes or more during typical week, past 30 days (calc)	99.5	1.3E-02	6.8E-02	1.0E+00	4.4E-02	0.94	1.28	0.82
V00FFQ53	Block Brief 2000: margarine on bread/potatoes/vegetables, eat how often, past 12 months	100.0	1.3E-02	9.5E-02	2.3E-02	1.0E+00	0.78	1.06	1.19
V00FFQ27	Block Brief 2000: salad dressing/mayonnaise (not lowfat), eat how often, past 12 months	100.0	1.4E-02	1.8E-01	4.6E-01	1.5E-02	1.00	1.19	0.83
V00PASE6	Leisure activities: muscle strength/endurance, past 7 days	100.0	1.6E-02	3.0E-01	1.8E-02	3.8E-01	1.25	1.00	0.78
V00FFQ14	Block Brief 2000: white potatoes not fried (including boiled/baked/mashed/ potato salad), eat how often, past 12 months	100.0	1.6E-02	1.0E-01	1.0E+00	2.0E-02	0.99	1.15	0.87
V00FFQ26	Block Brief 2000: catsup/salsa/chile peppers, eat how often, past 12 months	100.0	1.7E-02	5.3E-02	1.0E+00	5.0E-02	0.94	1.25	0.84
V00FFQSZ27	Block Brief 2000: salad dressing/mayonnaise (not lowfat), how many TBSP each time	85.6	1.8E-02	1.0E+00	1.6E-02	7.6E-02	0.85	0.91	1.28
V00FFQSZ59	Block Brief 2000: ice cream/frozen yogurt/ice cream bars, how much each time	94.9	1.8E-02	7.1E-02	5.3E-02	1.0E+00	0.86	1.02	1.13
V00FFQSZ23	Block Brief 2000: cole slaw/cabbage, how much each time	90.2	2.2E-02	2.1E-01	3.7E-02	5.8E-01	0.85	1.00	1.16
V00FFQ90	Block Brief 2000: fat or oil, how often use in cooking	99.1	2.2E-02	2.6E-01	5.9E-01	1.7E-02	1.00	1.17	0.85
V00FFQ61	Block Brief 2000: chocolate candy/candy bars, eat how often, past 12 months	100.0	2.4E-02	1.0E+00	3.0E-02	4.5E-02	1.10	1.14	0.79
V00FFQ49	Block Brief 2000: rolls/hamburger buns/english muffins/bagels, eat how often, past 12 months	100.0	2.8E-02	5.4E-01	2.4E-01	2.9E-02	1.02	1.15	0.85
V00FALLCV	How many times fallen, past 12 months (calc)	98.6	2.8E-02	2.9E-02	2.7E-01	1.0E+00	0.78	1.09	1.15
V00FFQSZ62	Block Brief 2000: real orange or grapefruit juice/Welch's grape juice/Minutemaid juices/Juicy Juice, how many glasses each time	93.0	3.1E-02	7.4E-01	2.7E-02	2.8E-01	0.84	0.92	1.27
V00FFQ60	Block Brief 2000: ice cream/frozen yogurt, when eat is it...	95.3	3.4E-02	1.0E+00	7.1E-02	4.2E-02	0.94	0.89	1.18
V00FFQ58	Block Brief 2000: cookies (not lowfat), eat how often, past 12 months	100.0	3.9E-02	1.0E+00	3.4E-02	1.1E-01	1.11	1.09	0.82
V00PA430CV	How often lift or move objects weighing 25 pounds or more by hand during a typical week, past 30 days (calc)	99.5	4.6E-02	5.9E-01	4.6E-02	4.8E-01	1.19	1.00	0.83
V00FFQSZ9	Block Brief 2000: apples/pears, how many each time	92.1	4.9E-02	4.1E-01	5.1E-02	6.9E-01	0.92	0.99	1.09
V00FFQ52	Block Brief 2000: tortillas, eat how often, past 12 months	100.0	5.1E-02	1.0E+00	5.5E-02	9.6E-02	1.04	1.23	0.76
V00IRONCV	Block Brief 2000: Iron alone, how often past 12 months (calc)	99.1	5.2E-02	1.0E+00	1.1E-01	6.7E-02	1.12	1.01	0.88
V00PASE4	Leisure activities: moderate sport/recreation, past 7 days	100.0	5.2E-02	1.0E+00	4.2E-02	8.9E-02	1.11	1.07	0.84
V00FFQ69	Block Brief 2000: regular soft drinks/bottled drinks like Snapple (not diet drinks), drink how often, past 12 months	100.0	5.6E-02	1.0E+00	5.8E-02	1.6E-01	0.83	0.90	1.31
V00FFQSZ58	Block Brief 2000: cookies (not lowfat), how many each time	91.6	5.7E-02	2.8E-01	1.1E-01	8.6E-01	0.90	0.98	1.13

V00FFQ45	Block Brief 2000: spaghetti/lasagna/other pasta with tomato sauce, eat how often, past 12 months	100.0	5.7E-02	2.5E-01	9.2E-01	9.1E-02	0.99	1.12	0.90
V00FFQ57	Block Brief 2000: doughnuts/cake/pastry/pie, eat how often, past 12 months	100.0	5.9E-02	8.8E-02	1.0E+00	2.3E-01	0.92	1.15	0.94
V00FFQSZ4	Block Brief 2000: cold cereals, which bowl each time	86.0	6.4E-02	6.6E-02	7.3E-01	1.0E+00	0.90	1.08	1.02
V00FFQ72	Block Brief 2000: liquor/mixed drinks, drink how often, past 12 months	100.0	6.8E-02	9.6E-01	7.5E-02	3.3E-01	1.33	0.98	0.75
V00FFQSZ25	Block Brief 2000: raw tomatoes, how much each time	92.6	7.1E-02	1.0E+00	8.6E-02	1.3E-01	0.91	0.92	1.19
V00PA130NM	How many flights of stairs have you climbed up, past 7 days (one flight equals 10 steps)	99.1	7.3E-02	1.0E+00	5.9E-02	4.2E-01	1.12	1.04	0.86
V00FFQSZ43	Block Brief 2000: boloney/sliced ham/turkey lunch meat/other lunch meat, how many slices each time	87.9	8.1E-02	1.0E+00	8.1E-02	2.6E-01	0.92	0.95	1.14
V00LIVENO	Besides self, how many other people live in household (calc)	100.0	8.4E-02	1.0E+00	9.0E-02	1.8E-01	1.04	1.18	0.80
V00FFQSZ66	Block Brief 2000: milk (any kind), how many glasses each time	84.7	9.1E-02	1.0E+00	1.0E-01	2.4E-01	0.88	0.91	1.23
V00FFQSZ49	Block Brief 2000: rolls/hamburger buns/english muffins/bagels, how many each time	95.8	9.6E-02	1.0E+00	7.7E-02	3.0E-01	0.94	0.96	1.10
V00FFQ32	Block Brief 2000: tacos/burritos/enchiladas/tamales, eat how often, past 12 months	99.1	1.0E-01	3.5E-01	1.0E+00	1.7E-01	0.91	1.25	0.86
V00FFQSZ19	Block Brief 2000: green beans/green peas, how much each time	95.3	1.1E-01	1.1E-01	7.9E-01	1.0E+00	0.91	1.06	1.03
V00FFQ42	Block Brief 2000: hot dogs/sausage (e.g., Polish/Italian/Chorizo), eat how often, past 12 months	99.5	1.1E-01	2.2E-01	2.7E-01	1.0E+00	0.86	1.06	1.09
V00FFQSZ1	Block Brief 2000: eggs (not egg substitutes), how many each time	96.7	1.2E-01	1.0E+00	1.1E-01	4.6E-01	0.93	0.97	1.11
V00FFQ31	Block Brief 2000: hamburgers/cheeseburgers/meat loaf (at home or in restaurant), eat how often, past 12 months	99.5	1.2E-01	1.3E-01	1.0E+00	6.0E-01	0.92	1.11	0.98
V00FFQSZ57	Block Brief 2000: doughnuts/cake/pastry/pie, how many pieces each time	95.3	1.2E-01	1.0E+00	1.2E-01	4.1E-01	0.88	0.96	1.18
V00FFQSZ6	Block Brief 2000: cheese, how many slices each time	95.3	1.3E-01	8.4E-01	1.2E-01	8.8E-01	0.89	0.99	1.13
V00PA130CV	How often climb up total of 10 or more flights of stairs during typical week, past 30 days (calc)	100.0	1.3E-01	4.6E-01	1.0E+00	1.9E-01	0.98	1.22	0.83
V00FFQSZ55	Block Brief 2000: peanuts/peanut butter, how many TBSP each time	95.8	1.4E-01	8.5E-01	7.7E-01	1.6E-01	1.01	1.12	0.88
V00FFQSZ16	Block Brief 2000: rice/dishes made with rice, how much each time	94.9	1.5E-01	1.0E+00	5.8E-01	1.7E-01	1.02	1.10	0.89
V00FFQ59	Block Brief 2000: ice cream/frozen yogurt/ice cream bars, eat how often, past 12 months	100.0	1.5E-01	4.7E-01	1.0E+00	2.2E-01	0.98	1.12	0.91
V00FFQSZ11	Block Brief 2000: applesauce/fruit cocktail/any canned fruit, how much each time	86.0	1.5E-01	1.9E-01	6.2E-01	1.0E+00	0.89	1.07	1.04
V00FFQ36	Block Brief 2000: mixed dishes with meat or chicken (e.g., stew/corned beef hash...or in frozen meals), eat how often, past 12 months	99.5	1.7E-01	5.7E-01	1.0E+00	2.6E-01	0.98	1.13	0.90
V00FFQ6	Block Brief 2000: cheese/sliced cheese/cheese spread (including on sandwiches), eat how often, past 12 months	100.0	1.8E-01	1.0E+00	5.5E-01	2.1E-01	1.04	1.10	0.88
V00FFQSZ17	Block Brief 2000: baked beans/chili with beans/pintos/any other dried beans, how much each time	93.0	1.9E-01	2.1E-01	1.0E+00	9.2E-01	0.92	1.08	1.00
V00FFQSZ61	Block Brief 2000: chocolate candy/candy bars, how many bars each time	93.0	2.0E-01	4.2E-01	4.2E-01	1.0E+00	0.88	1.00	1.13
V00FFQSZ12	Block Brief 2000: any other fruit, how much each time	94.4	2.1E-01	2.1E-01	1.0E+00	1.0E+00	0.94	1.07	1.00
V00FFQSZ28	Block Brief 2000: any other vegetable, how much each time	97.7	2.2E-01	1.0E+00	3.0E-01	7.2E-01	0.92	0.98	1.11
V00FFQ34	Block Brief 2000: pork (including chops/roasts)/dinner ham, eat how much, past 12 months	99.1	2.2E-01	5.6E-01	1.0E+00	3.2E-01	0.97	1.12	0.92

P01BP30OFT	Q43a.How often bothered by back pain, past 30 days	100.0	2.3E-01	4.2E-01	5.0E-01	1.0E+00	0.94	1.02	1.04
V00FFQSZ48	Block Brief 2000: biscuits/muffins, how many each time	91.2	2.3E-01	1.0E+00	2.8E-01	9.5E-01	0.89	0.97	1.16
V00FFQ1	Block Brief 2000: eggs (include egg biscuits/Egg McMuffins (not egg substitutes)), eat how often, past 12 months	100.0	2.4E-01	2.9E-01	9.6E-01	1.0E+00	0.92	1.05	1.03
V00FFQSZ42	Block Brief 2000: hot dogs/sausage, how many each time	88.8	2.4E-01	1.0E+00	2.5E-01	8.5E-01	0.91	0.99	1.11
V00PA330CV	How often squat for 30 minutes or more during typical week, past 30 days (calc)	99.5	2.4E-01	3.6E-01	1.0E+00	8.3E-01	0.89	1.20	0.93
V00FFQ43	Block Brief 2000: boloney (bologna)/sliced ham/turkey lunch meat/other lunch meat, eat how often, past 12 months	99.5	2.5E-01	2.6E-01	1.0E+00	1.0E+00	0.91	1.08	1.02
V00FFQ44	Block Brief 2000: lunch meats, when eat are they...	88.4	2.7E-01	1.0E+00	4.3E-01	4.0E-01	0.95	0.94	1.13
V00FFQ13	Block Brief 2000: french fries/fried potatoes/hash browns, eat how often, past 12 months	100.0	2.9E-01	5.3E-01	6.3E-01	1.0E+00	0.90	1.05	1.05
V00FFQSZ14	Block Brief 2000: white potatoes not fried, how much each time	96.7	2.9E-01	5.6E-01	6.1E-01	1.0E+00	0.93	1.02	1.05
V00FFQ18	Block Brief 2000: refried beans, eat how often, past 12 months	100.0	2.9E-01	1.0E+00	6.2E-01	3.9E-01	1.01	1.15	0.85
V00FFQSZ20	Block Brief 2000: broccoli, how much each time	91.2	3.2E-01	3.7E-01	1.0E+00	1.0E+00	0.94	1.05	1.01
V00FFQSZ33	Block Brief 2000: beef steaks/roasts/pot roast, how much each time	88.4	3.2E-01	7.9E-01	5.6E-01	1.0E+00	0.93	1.00	1.07
V00FFQSZ31	Block Brief 2000: meat (hamburgers...), how much each time	91.6	3.4E-01	1.0E+00	6.2E-01	4.6E-01	0.97	0.94	1.10
V00FFQ70	Block Brief 2000: beer, drink how often, past 12 months	100.0	3.5E-01	6.0E-01	8.4E-01	1.0E+00	1.17	0.90	0.94
V00PASE1	Leisure activities: sitting, past 7 days	100.0	3.6E-01	1.0E+00	1.0E+00	5.2E-01	1.00	0.96	1.04
V00FFQSZ45	Block Brief 2000: spaghetti/lasagna/other pasta with tomato sauce, how much each time	95.8	3.7E-01	5.2E-01	1.0E+00	1.0E+00	0.95	1.05	1.01
V00FFQ50	Block Brief 2000: white bread/toast (including French/Italian or in sandwiches), eat how often, past 12 months	100.0	3.8E-01	1.0E+00	9.4E-01	5.1E-01	0.97	0.90	1.13
V00FFQSZ24	Block Brief 2000: green salad, how much each time	94.0	3.9E-01	5.1E-01	1.0E+00	1.0E+00	0.96	1.05	0.99
P01TJF30WC	TMJ: across face or cheek, how often worried or concerned about pain or aching, past 30 days (calc)	100.0	3.9E-01	1.0E+00	7.0E-01	7.0E-01	0.92	0.92	1.16
V00FFQSZ26	Block Brief 2000: catsup/salsa/chile peppers, how many TBSP each time	84.7	4.0E-01	1.0E+00	5.9E-01	6.9E-01	0.92	0.93	1.16
V00FFQSZ56	Block Brief 2000: snacks (not pretzels), how much each time	95.3	4.4E-01	1.0E+00	1.0E+00	6.2E-01	1.02	1.05	0.93
V00PA530CV	How often get in and out of squatting position 10 or more times during a typical week, past 30 days (calc)	100.0	4.5E-01	1.0E+00	6.8E-01	1.0E+00	1.11	0.99	0.91
V00FFQSZ41	Block Brief 2000: any other fish/shellfish not fried, how much each time	94.4	4.7E-01	6.2E-01	1.0E+00	1.0E+00	0.97	1.04	0.99
V00FFQSZ38	Block Brief 2000: chicken/turkey not fried, how much each time	97.2	5.2E-01	1.0E+00	8.1E-01	1.0E+00	0.97	1.01	1.03
V00FFQSZ47	Block Brief 2000: pizza, how many slices each time	90.7	5.3E-01	7.8E-01	1.0E+00	1.0E+00	1.06	0.95	0.99
V00FFQSZ13	Block Brief 2000: french fries/fried potatoes/hash browns, how much each time	89.8	5.4E-01	1.0E+00	8.3E-01	1.0E+00	0.95	0.99	1.07
V00PASE2HR	Leisure activities: walking, hours per day, past 7 days	82.8	5.4E-01	1.0E+00	1.0E+00	1.0E+00	0.95	1.07	0.98
V00FFQSZ34	Block Brief 2000: pork/dinner ham, how much each time	86.5	5.5E-01	1.0E+00	8.0E-01	1.0E+00	0.96	0.99	1.05
V00PASE1HR	Leisure activities: sitting, hours per day, past 7 days	100.0	5.9E-01	1.0E+00	9.7E-01	1.0E+00	0.97	1.01	1.01
V00FFQSZ21	Block Brief 2000: carrots/stews or mixed vegetables containing carrots, how much each time	95.3	5.9E-01	9.9E-01	1.0E+00	1.0E+00	0.95	1.04	1.01
V00PASE2	Leisure activities: walking, past 7 days	100.0	6.6E-01	1.0E+00	1.0E+00	1.0E+00	1.04	1.02	0.94
V00FFQSZ36	Block Brief 2000: mixed dishes with meat or chicken, how much each time	92.1	7.1E-01	1.0E+00	1.0E+00	1.0E+00	0.97	1.03	1.00

V00FFQ35	Block Brief 2000: beef/pork, when eat do you...	96.3	7.2E-01	1.0E+00	1.0E+00	1.0E+00	1.01	0.94	1.05
V00FFQ65	Block Brief 2000: instant breakfast milkshakes, diet shakes, or liquid supplements, drink how often, past 12 months	99.5	8.1E-01	1.0E+00	1.0E+00	1.0E+00	0.99	0.94	1.07
V00FFQ47	Block Brief 2000: pizza (including carry-out), eat how often, past 12 months	100.0	8.4E-01	1.0E+00	1.0E+00	1.0E+00	0.98	1.06	0.97
V00FFQSZ29	Block Brief 2000: vegetable soups, which bowl each time	92.6	8.5E-01	1.0E+00	1.0E+00	1.0E+00	0.97	1.02	1.01
P01RATOTCV	Q9.RA symptoms: total score for questions #2 through #8 (calc)	100.0	8.7E-01	1.0E+00	1.0E+00	1.0E+00	0.96	0.99	1.05
V00FFQSZ15	Block Brief 2000: sweet potatoes/yams/sweet potato pie, how much each time	88.4	9.0E-01	1.0E+00	1.0E+00	1.0E+00	0.98	1.00	1.02
V00FFQSZ2	Block Brief 2000: bacon/breakfast sausage, how many pieces each time	87.0	9.5E-01	1.0E+00	1.0E+00	1.0E+00	0.97	0.99	1.03