

SUPPLEMENT 3. Summary of Baseline Ribotypes[†]

	Bezlotoxumab	Placebo	Total	
	n (%)	n (%)	n (%)	n (%)
Participants in population	104		35	
Participants with ribotype assessment	55 (52.9)		20 (57.1)	
Summary of Ribotype by descending order				
014	8 (7.7)	4 (11.4)	12	(8.6)
106	7 (6.7)	3 (8.6)	10	(7.2)
017	3 (2.9)	1 (2.9)	4	(2.9)
023	4 (3.8)	0 (0.0)	4	(2.9)
027	3 (2.9)	1 (2.9)	4	(2.9)
002	1 (1.0)	1 (2.9)	2	(1.4)
005	2 (1.9)	0 (0.0)	2	(1.4)
012	2 (1.9)	0 (0.0)	2	(1.4)
020	0 (0.0)	2 (5.7)	2	(1.4)
046	2 (1.9)	0 (0.0)	2	(1.4)
057	2 (1.9)	0 (0.0)	2	(1.4)
103	2 (1.9)	0 (0.0)	2	(1.4)
126	2 (1.9)	0 (0.0)	2	(1.4)
220	2 (1.9)	0 (0.0)	2	(1.4)
255	2 (1.9)	0 (0.0)	2	(1.4)
001	1 (1.0)	0 (0.0)	1	(0.7)
018	0 (0.0)	1 (2.9)	1	(0.7)
026	1 (1.0)	0 (0.0)	1	(0.7)
043	0 (0.0)	1 (2.9)	1	(0.7)
045	0 (0.0)	1 (2.9)	1	(0.7)
054	1 (1.0)	0 (0.0)	1	(0.7)
056	1 (1.0)	0 (0.0)	1	(0.7)
070	0 (0.0)	1 (2.9)	1	(0.7)
076	1 (1.0)	0 (0.0)	1	(0.7)
078	0 (0.0)	1 (2.9)	1	(0.7)
097	1 (1.0)	0 (0.0)	1	(0.7)
111	0 (0.0)	1 (2.9)	1	(0.7)
153	1 (1.0)	0 (0.0)	1	(0.7)
154	1 (1.0)	0 (0.0)	1	(0.7)
216	0 (0.0)	1 (2.9)	1	(0.7)
228	1 (1.0)	0 (0.0)	1	(0.7)
244	1 (1.0)	0 (0.0)	1	(0.7)
287	1 (1.0)	0 (0.0)	1	(0.7)
600	1 (1.0)	0 (0.0)	1	(0.7)
987	1 (1.0)	0 (0.0)	1	(0.7)
1001	0 (0.0)	1 (2.9)	1	(0.7)
027 Ribotype				
Yes	3 (2.9)	1 (2.9)	4	(2.9)
No	52 (50.0)	19 (54.3)	71	(51.1)
Hypervirulent strain (027, 078, or 244 ribotypes)				
Yes	4 (3.8)	2 (5.7)	6	(4.3)
No	51 (49.0)	18 (51.4)	69	(49.6)

[†] As determined by polymerase chain reaction. Percentages are based on all participants in the population.