


Supplemental Figure 1: Progression-Free Survival By Number of Risk Factors


A



At-risk	Time from transplant (years)					
	0	1	2	3	4	5
0-1 risk factors:	23	17	14	6	3	1
2+ risk factors:	44	37	31	22	12	4

	1 year PFS	3 year PFS	5 year PFS
0-1 risk factors	90% (78%, 100%)	90% (78%, 100%)	90% (78%, 100%)
≥2 risk factors	95% (89%, 100%)	83% (70%, 96%)	75% (55%, 94%)

B



At-risk	Time from transplant (years)					
	0	1	2	3	4	5
0-2 risk factors:	53	41	34	20	12	2
3+ risk factors:	14	13	11	8	3	3

	1 year PFS	3 year PFS	5 year PFS
0-2 risk factors	94% (87%, 100%)	88% (77%, 98%)	79% (60%, 98%)
≥3 risk factors	93% (79%, 100%)	76% (52%, 100%)	76% (52%, 100%)

A: Progression-free survival in patients with 0-1 risk factors and patients with ≥ 2 risk factors; B: Progression-free survival in patients with 0-2 risk factors and patients with ≥ 3 risk factors; PFS includes 95% confidence interval

Supplemental Table 1: Relapse Characteristics According to Initial Chemotherapy

Characteristic	ABVE-PC (n=37)	ABVD (n=12)	OEPA-COPDAC (n=8)	Other (n=10)
Relapsed	29 (78%)	5 (42%)	2 (25%)	7 (70%)
Refractory	8 (22%)	7 (58%)	6 (75%)	3 (30%)
Time to initial relapse in months [range]	11 [2-55] ¹	12 [5-28]	8 [5-11]	12 [7-137]

¹Time to relapse unknown in one patient