

**Table S1. Strains used in this study**

<b>Strain</b>	<b>Name</b>	<b>Parent</b>	<b>Genotype</b>	<b>Reference/Source</b>
SC5314	SC5314	-	blood isolate	1
CAI4	CAI4	SC5314	<i>ura3Δ::imm434/Δura3Δ::imm434</i>	2
Ca372	CAI4+Clp10	CAI4	CAI4, <i>RPS1-Clp10 (URA3)</i>	3
RM1000	RM1000	CAI4	<i>ura3Δ::imm434/Δura3Δ::imm434, his1Δ::hisG/his1Δ::hisG</i>	4
Ca1674	RM1000+Clp20	RM1000	RIM1000, <i>RPS1-Clp20 (URA3,HIS1)</i>	5
BWP17	BWP17	RM1000	<i>ura3Δ::imm434/Δura3Δ::imm434, his1Δ::hisG/his1Δ::hisG, arg4Δ::hisG/arg4Δ::hisG</i>	6
Ca1206	BWP17+Clp30	BWP17	BWP17, <i>RPS1-Clp30 (URA3,HIS1,ARG4)</i>	7
SN152	SN152	SC5314	<i>arg4Δ/arg4Δ, leu2Δ/leu2Δ, his1Δ/his1Δ, URA3/ura3Δ::imm434, IRO1/iro1Δ::imm434</i>	8
CM9	<i>hgt4Δ</i>	BWP17	BWP17, <i>hgt4Δ::UAU1/hgt4Δ::URA3</i>	9
CM162	<i>rgt1Δ</i>	BWP17	BWP17, <i>rgt1Δ::FRT/rgt1Δ::FRT</i>	9
CM64	<i>hgt12Δ</i>	BWP17	BWP17, <i>hgt12Δ::UAU1/hgt12Δ::UAU1</i>	10
<i>hgt1Δ</i>	<i>hgt1Δ</i>	SN152	SN152, <i>hgt1Δ::HIS1/hgt1Δ::LEU2</i>	11
<i>HGT1</i>	<i>HGT1</i>	SN152	SN152, <i>hgt1Δ::HIS1/hgt1Δ::LEU2-HGT1</i>	11
<i>sak1Δ</i>	<i>sak1Δ</i>	SC5314	<i>sak1Δ::FRT/sak1Δ::FRT</i>	12
jjh85	<i>kis1Δ</i>	BWP17	BWP17, <i>kis1Δ::UAU1/kis1Δ::UAU1</i>	13
<i>snf4Δ</i>	<i>snf4Δ</i>	BWP17	BWP17, <i>snf4Δ::UAU1/snf4Δ::UAU1</i>	Aaron Mitchell
<i>mig1Δ</i>	<i>mig1Δ</i>	SN152	SN152, <i>mig1Δ::CdHIS1/mig1Δ::CmLEU2</i>	14
<i>mig2Δ</i>	<i>mig2Δ</i>	SN152	SN152, <i>mig2Δ::CdARG4/mig2Δ::CdARG4</i>	14
<i>mig1Δ mig2Δ</i>	<i>mig1Δ mig2Δ</i>	SN152	SN152, <i>mig1Δ::CdHIS1/mig1Δ::CmLEU2, mig2Δ::CdARG4/mig2Δ::CdARG4</i>	14
<i>ras1-2/ras1-3</i>	<i>ras1Δ</i>	CAI4	CAI4, <i>ras1Δ::hisG/ras1Δ::hph-URA3-hph</i>	15
LR2	<i>gpr1Δ</i>	CAI4	CAI4, <i>gpr1Δ::hisG/gpr1Δ::hisG-URA3-hisG</i>	16
NM6	<i>gpa2Δ</i>	CAI4	CAI4, <i>gpa2Δ::hisG/gpa2Δ::hisG-URA3-hisG</i>	16
NM23	<i>gpr1Δ gpa2Δ</i>	CAI4	CAI4, <i>gpa2Δ::hisG/gpa2Δ::hisG, gpr1Δ::hisG/gpr1Δ::hisG-URA3-hisG</i>	16
CR323	<i>cyr1Δ (cdc35Δ)</i>	CAI4	CAI4, <i>cdc35Δ::hisG/cdc35Δ::hisG, pVEC-URA3</i>	17
WH2-3U	<i>pde2Δ</i>	CAI4	CAI4, <i>pde2Δ::hisG/pde2Δ::hisG-URA3-hisG</i>	18
<i>tpk1Δ</i>	<i>tpk1Δ</i>	SN152	SN152, <i>tpk1Δ::HIS1/ tpk1Δ::ARG4</i>	19
<i>tpk2Δ</i>	<i>tpk2Δ</i>	SN152	SN152, <i>tpk2Δ::HIS1/ tpk2Δ::ARG4</i>	19
<i>tpk1Δ tpk2Δ</i>	<i>tpk1Δ tpk2Δ</i>	SN152	SN152, <i>tpk1Δ::LEU2/ tpk1Δ::FRT, tpk2Δ::HIS1/ tpk2Δ::ARG4</i>	19
Ca1862	<i>CTA1/cta1Δ</i>	RM1000	RIM1000, <i>cta1Δ::loxP-URA3-loxP/CTA1</i>	This study
Ca1864	<i>cta1Δ/cta1Δ</i>	RM1000	RIM1000, <i>cta1Δ::loxP-URA3-loxP/cta1Δ::HIS1</i>	This study
Ca2015	<i>gsh2Δ</i>	RM1000	RM1000, <i>gsh2Δ::loxP/gsh2Δ::loxP</i>	20
C20	<i>tps1Δ (ura3)</i>	CAI4	CAI4, <i>tps1Δ::hisG/tps1Δ::hisG</i>	21
Ca2489	<i>tps1Δ</i>	CAI4	CAI4, <i>tps1Δ::hisG/tps1Δ::hisG, RPS1-Clp10 (URA3)</i>	This study

<b>BARCODED C. ALBICANS STRAINS</b>			
<b>Genotype:</b> CAI4, RPS1-Clp10-pTET-GW (URA3)			
<b>Strain</b>	<b>Barcode</b>	<b>Barcode sequence</b> (common 5' sequence-unique barcode-common 3' sequence)	<b>Source</b>
Ca 2247	BC_A03	CGGTGTCGGTCTCGTAGTACAATAAGGGCAGGTGCAACCATAGAGACCTCGTGGACATC	This study
Ca 2248	BC_A08	CGGTGTCGGTCTCGTAGCACAGACGACGTAACTTTATAGGCAGAGACCTCGTGGACATC	This study
Ca 2249	BC_A10	CGGTGTCGGTCTCGTAGTGACCAAGCCTGAATAGCGTCATAAAGAGACCTCGTGGACATC	This study
Ca 2250	BC_A11	CGGTGTCGGTCTCGTAGCGTGTATTAGAGTAATCGCATCTAGAGAGACCTCGTGGACATC	This study
Ca 2251	BC_A12	CGGTGTCGGTCTCGTAGACGAAGCGTGAAACGTATCGAACGCAGAGACCTCGTGGACATC	This study
Ca 2252	BC_B04	CGGTGTCGGTCTCGTAGTAGCGTTAGCGGCCACGGAACATCAAGAGACCTCGTGGACATC	This study
Ca 2253	BC_B05	CGGTGTCGGTCTCGTAGTTAATTGCGGGCAGCCACCGTGAATAGAGACCTCGTGGACATC	This study
Ca 2254	BC_B07	CGGTGTCGGTCTCGTAGTCCCTCTCGGGAGGCCAATAGAAACGAGAGACCTCGTGGACATC	This study
Ca 2255	BC_B08	CGGTGTCGGTCTCGTAGTACGCTTGACCCGTAGCTCAGAGAGACCTCGTGGACATC	This study
Ca 2256	BC_B11	CGGTGTCGGTCTCGTAGTGGTTAACACGGAACCTGAGATCCCAGAGACCTCGTGGACATC	This study
Ca 2257	BC_C10	CGGTGTCGGTCTCGTAGTAGCACACCTAGCGTGAACCGAGCCAGAGACCTCGTGGACATC	This study
Ca 2258	BC_C11	CGGTGTCGGTCTCGTAGTCTAATAACCCCGATAGGCATGCCAGAGACCTCGTGGACATC	This study
Ca 2259	BC_C12	CGGTGTCGGTCTCGTAGTTAACGACTCCCATCCGTGCGCAGAGACCTCGTGGACATC	This study
Ca 2260	BC_D01	CGGTGTCGGTCTCGTAGTATCTGAGTGTGCGGGCTATGCAAGAGACCTCGTGGACATC	This study
Ca 2261	BC_D02	CGGTGTCGGTCTCGTAGTAGTTAGGGCGGCCAAGTTATCCAAGAGACCTCGTGGACATC	This study

<b>YEAST SPECIES</b>			
<b>Species</b>	<b>Strain</b>	<b>Information</b>	<b>Reference/Source</b>
<i>C. albicans</i>	SC5314	Clinical isolate	1
<i>C. dubliniensis</i>	IHEM20468	Clinical isolate	D. MacCallum
<i>C. tropicalis</i>	SC S74663	Clinical isolate	D. MacCallum
<i>L. elongisporus</i>	NRRL YB-4239	<i>L. elongisporus</i> often isolated from the environment	J. Heitman
<i>C. guilliermondii</i>	BB418024	Clinical isolate	D. MacCallum
<i>C. glabrata</i>	AM2004/0093	Clinical isolate	D. MacCallum
<i>S. cerevisiae</i>	BB708832	Clinical isolate	D. MacCallum
<i>K. lactis</i>	NRRL Y-1140	Isolated from milk	LGC-Promochem (Teddington, Middlesex, UK)
<i>Y. lipolytica</i>	CLIB122	<i>Y. lipolytica</i> often isolated from foods	Collection de Levures d'Interet Biotech

## References

1. Gillum AM *et al.* (1984) Isolation of the *Candida albicans* gene for orotidine-5'-phosphate decarboxylase by complementation of *S. cerevisiae ura3* and *E. coli pyrF* mutations. *Molec. Gen. Genet.* 198, 179-182.
2. Fonzi WA & Irwin MY (1993) Isogenic strain construction and gene mapping in *Candida albicans*. *Genetics* 134, 717-728.
3. Murad AMA *et al.* (2000) Clp10, an efficient and convenient integrating vector for *Candida albicans*. *Yeast*, 16, 325-327
4. Negredo A *et al.* (1997) Cloning, analysis and one-step disruption of the ARG5,6 gene of *Candida albicans*. *Microbiology* 143, 297-302.
5. Smith DA *et al.* (2004) A conserved stress-activated protein kinase regulates a core stress response in the human pathogen *Candida albicans*. *Molec. Biol.* 15, 4179-4190.
6. Wilson RB *et al.* (1999) Rapid hypothesis testing with *Candida albicans* through gene disruption with short homology regions. *J Bacteriol* 181, 1868-1874.
7. Dennison PM *et al.* (2005) Gene disruption in *Candida albicans* using a synthetic, codon-optimised Cre-loxP system. *Fungal Genet. Biol.* 42, 737-748.
8. Noble SM & Johnson AD (2005) Strains and strategies for large-scale gene deletion studies of the diploid human fungal pathogen *Candida albicans*. *Eukaryot Cell*, 4, 298-309.
9. Sexton JA *et al.* (2007) Regulation of sugar transport and metabolism by the *Candida albicans* Rgt1 transcriptional repressor. *Yeast*, 24, 847-860.
10. Brown *et al.* (2006) A glucose sensor in *Candida albicans*. *Eukaryotic Cell* 5: 1726-1737.
11. Kenno S *et al.* (2019) *Candida albicans* Factor H Binding Molecule Hgt1p – A low glucose-induced transmembrane protein is trafficked to the cell wall and impairs phagocytosis and killing by human neutrophils. *Frontiers Microbiol* 9, 3319.
12. Ramirez-Zavala *et al.* (2017) The Snf1-activating kinase Sak1 is a key regulator of metabolic adaptation and in vivo fitness of *Candida albicans*. *Molec Microbiol* 104, 989-1007.
13. Blankenship JR *et al.* (2010) An extensive circuitry for cell wall regulation in *Candida albicans*. *PLoS Pathog* 6: e1000752.
14. Lagree K *et al.* (2020) Roles of *Candida albicans* Mig1 and Mig2 in glucose repression, pathogenicity traits, and SNF1 essentiality. *PLOS Genet* 16, e1008582.
15. Feng Q *et al.* (1999) Ras signaling is required for serum-induced hyphal differentiation in *Candida albicans*. *J Bacteriol* 181, 6339-6346.
16. Maidan MM *et al.* (2005) The G protein-coupled receptor Gpr1 and the Galpha protein Gpa2 act through the cAMP-protein kinase A pathway to induce morphogenesis in *Candida albicans*. *Molec Biol Cell*, 16, 971-1986.
17. Rocha CRC *et al.* (2001) Signaling through adenylyl cyclase is essential for hyphal growth and virulence in the pathogenic fungus *Candida albicans*. *Molec Biol Cell* 12, 3631-3643.
18. Jung WH & Stateva LI (2003) The cAMP phosphodiesterase encoded by *CaPDE2* is required for hyphal development in *Candida albicans*. *Microbiology* 149, 2961-2976.
19. Cao C *et al.* (2017) Global regulatory roles of the cAMP/PKA pathway revealed by phenotypic, transcriptomic and phosphoproteomic analyses in a null mutant of the PKA catalytic subunit in *Candida albicans*. *Molec Microbiol* 105, 46-64.
20. Shahana S *et al.* (2014) New Clox systems for rapid and efficient gene disruption in *Candida albicans*. *PLoS ONE* 9, e100390.
21. Zaragoza O *et al.* (1998). Disruption of the *Candida albicans* *TPS1* gene encoding trehalose-6- phosphate synthase impairs formation of hyphae and decreases infectivity. *J Bacteriol* 180, 3809-3815.