OPAT for PWID survey

Dear Colleagues,

We are seeking to better understand infectious diseases (ID) provider practices as they relate to inclusion of persons who inject drugs (PWID) in outpatient parenteral antimicrobial therapy (OPAT) in the United States. Please complete the short (5 mins) survey below.

Study Goals:

- 1) Determine ID provider preference to include PWID in OPAT
- 2) Determine perceived/actual barriers to inclusion
- 3) Determine perceived factors for success (defined as completion of OPAT course)

Thank you!

Daniel Solomon, MD Ellen Eaton, MD Alice Thornton, MD Monica Sikka, MD Alison Beieler, PA-C Shireesha Dhanireddy, MD

Infectious Disease Provider Type	MDDONPPAPharmacist
Number of years of experience in Infectious Disease practice in the United States (if n/a, the survey will end here)	 0 to 5 years 6 to 10 years 11 to 15 years 16 to 20 years greater than 21 years not applicable
Infectious Disease Practice Type (select all that apply)	☐ University/Medical School (Academic Medical Center) ☐ Private Practice ☐ Hospital/Clinic ☐ Federal Government ☐ Prefer not to answer ☐ Other
Infectious Disease Practice Setting	○ Urban○ Suburban○ Rural
Infectious Disease Practice Zip Code	
Do you provide Outpatient Parenteral Antimicrobial Therapy (OPAT) services at your institution?	○ No ○ Yes



Where do your patients on OPAT receive parenteral antibiotics? (select all that apply)	 ☐ Home ☐ Medical respite program ☐ Short term physical rehabilitation facility ☐ Skilled nursing facility ☐ Infusion center ☐ Jail or Prison ☐ Other facility
Are current or recent (in past 6 months) people who inject drugs (PWID) eligible to receive OPAT?	○ No ○ Yes
If PWID do qualify for OPAT; do you have a formal institutional framework/algorithm for determining who may be eligible?	 No formal algorithm or framework for eligibility (determined on a case by case basis) Yes formal algorithm or framework for eligibility (please describe below)
Description of institutional formal algorithm or framework for PWID eligibility for OPAT (if applicable).	
What are the barriers to including PWID in OPAT? (select all that apply)	 ☐ Risk of patients tampering with PICC line ☐ PICC may be a trigger for relapse to drug use ☐ Housing insecurity ☐ Inadequate access to inpatient addiction treatment during hospitalization ☐ Inadequate access to outpatient addiction treatment after hospitalization ☐ Medical-legal risk is too high ☐ Colleagues not all aligned - no consensus in my ID practice whether OPAT is appropriate for PWID ☐ Primary hospital teams (medicine, surgery) would not be supportive with OPAT for this population ☐ Patient would not be accepted by visiting/home health nurses services or pharmacy/infusion company ☐ Payor/insurance issues ☐ Other reason (see below for free text option) ☐ No barriers
Other barriers (free text)	
If PWID do not receive OPAT; in what alternate settings do PWID receive parenteral antibiotics?	 □ Remain inpatient at hospital □ Skilled nursing facility □ Short term physical rehabilitation facility □ Other location □ Not applicable
Does your hospital have inpatient addiction consultation services?	○ No○ Yes○ Not sure
Is peer support available for inpatients with PWID?	○ No○ Yes○ Not sure
Is social work/case management available inpatient for PWID?	○ No○ Yes○ Not sure

REDCap°

06/06/2023 8:17am projectredcap.org

Do patients have access to outpatient addiction treatment after discharge?	 No access to treatment Yes, but limited access to treatment Yes, good access to treatment Yes, excellent access to treatment Not sure about access to treatment
Is OPAT care linked with addiction treatment after discharge, including medication for opioid use disorder (MOUD)?	○ No linkage○ On site linkage○ Off site linkage
Is peer support available for outpatient PWID on OPAT?	○ No○ Yes○ Not sure
Is social work/case management available for outpatient PWID on OPAT?	○ No○ Yes○ Not sure
Does your group have a dedicated ID provider who is also a specialist in addiction?	○ No○ Yes○ Not sure
Approximately how many PWID are treated with OPAT per month at your institution?	 ○ Not applicable, PWID are not placed on OPAT ○ 0-5 ○ 5-10 ○ 10-20 ○ >20
Of that group, approximately what percent successfully completes their OPAT course?	Unsure10%25%50%75%100%
What do you perceive as the biggest barriers to successful completion of OPAT for PWID? (select all that apply)	☐ Concern for nonadherence to medication regimen ☐ Loss to follow up ☐ Inadequate addiction treatment/relapse to drug use ☐ Untreated mental health comorbidities ☐ Homelessness, lack of social support ☐ Other (free text below)
Other barriers to OPAT completion for PWID	

₹EDCap°