







Side-notch biopsy needle (set 1/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Side-notch biopsy needle (set 2/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control




Side-notch biopsy needle (set 3/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control




Side-notch biopsy needle (set 4/10)



1st puncture



2nd puncture




3rd puncture

Ultrasound contrast agent



Control





Side-notch biopsy needle (set 5/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control




Side-notch biopsy needle (set 6/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Side-notch biopsy needle (set 7/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control




Side-notch biopsy needle (set 8/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Side-notch biopsy needle (set 9/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Side-notch biopsy needle (set 10/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Full core biopsy needle (set 1/10)



1st puncture



2nd puncture




3rd puncture

Ultrasound contrast agent

Control



Full core biopsy needle (set 2/10)



1st puncture

2nd puncture



3rd puncture

Ultrasound contrast agent


Control





Full core biopsy needle (set 3/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Full core biopsy needle (set 4/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Full core biopsy needle (set 5/10)



1st puncture



2nd puncture




3rd puncture

Ultrasound contrast agent

Control



Full core biopsy needle (set 6/10)



1st puncture

2nd puncture



3rd puncture

Ultrasound contrast agent



Control





Full core biopsy needle (set 7/10)



1st puncture



2nd puncture




3rd puncture

Ultrasound contrast agent

Control



Full core biopsy needle (set 8/10)





Ultrasound contrast agent



Control





Full core biopsy needle (set 9/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Full core biopsy needle (set 10/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 1/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 2/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 3/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 4/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 5/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 6/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 7/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 8/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 9/10)



1st puncture



2nd puncture





3rd puncture

Ultrasound contrast agent



Control





Introducer needle (set 10/10)



1st puncture



2nd puncture



3rd puncture

Ultrasound contrast agent

Control