

**Table S1***Independent Associations among ACEs, BCEs, Recent NLEs, Demographic Covariates, and Latent HiTOP Dimensions*

<b>Construct</b>	<b>ACEs</b>	<b>NLEs</b>	<b>Age</b>	<b>Education</b>	<b>Income</b>
p	0.29 (0.06)***	0.03 (0.06)	0.19 (0.07)**	-0.35 (0.08)***	-0.10 (0.08)
Thought Problems	0.33 (0.08)***	0.05 (0.08)	0.09 (0.09)	-0.22 (0.10)*	-0.08 (0.10)
Internalizing Symptoms	0.21 (0.06)**	0.04 (0.06)	0.20 (0.07)**	-0.31 (0.08)***	-0.08 (0.08)
Detachment	0.23 (0.06)***	-0.04 (0.06)	0.21 (0.07)**	-0.35 (0.09)***	-0.08 (0.08)
Disinhibited Externalizing	0.32 (0.08)***	0.11 (0.08)	0.12 (0.09)	-0.21 (0.11)*	-0.14 (0.09)
Antagonistic Externalizing	0.34 (0.06)***	0.05 (0.06)	-0.01 (0.07)	-0.26 (0.09)**	-0.12 (0.08)
Fear	-0.06 (0.05)	0.03 (0.05)	0.02 (0.07)	0.01 (0.07)	0.04 (0.06)
Distress	-0.02 (0.04)	0.05 (0.04)	0.08 (0.05)	-0.05 (0.06)	-0.01 (0.05)
Substance Use	0.04 (0.05)	0.05 (0.05)	0.00 (0.06)	-0.11 (0.08)	0.02 (0.06)
Antisocial Behavior	0.12 (0.05)*	0.08 (0.05)	0.00 (0.06)	0.00 (0.07)	-0.07 (0.06)
<b>Construct</b>	<b>ACEs</b>	<b>BCEs</b>	<b>Age</b>	<b>Education</b>	<b>Income</b>
p	0.26 (0.07)***	-0.16 (0.07)*	0.23 (0.08)**	-0.39 (0.09)***	-0.01 (0.09)
Thought Problems	0.31 (0.09)**	-0.19 (0.09)*	0.14 (0.10)	-0.23 (0.12)	-0.02 (0.12)
Internalizing Symptoms	0.18 (0.08)*	-0.12 (0.07)	0.23 (0.08)**	-0.34 (0.10)***	0.01 (0.10)
Detachment	0.19 (0.07)**	-0.15 (0.07)*	0.24 (0.08)**	-0.45 (0.09)***	0.04 (0.09)
Disinhibited Externalizing	0.26 (0.09)**	-0.24 (0.09)**	0.12 (0.09)	-0.13 (0.12)	-0.17 (0.11)
Antagonistic Externalizing	0.35 (0.07)***	-0.02 (0.07)	0.03 (0.08)	-0.19 (0.10)	-0.11 (0.10)
Fear	-0.09 (0.06)	-0.03 (0.05)	0.03 (0.06)	0.02 (0.08)	0.04 (0.07)
Distress	-0.01 (0.05)	0.01 (0.05)	0.07 (0.05)	-0.03 (0.07)	0.00 (0.06)
Substance Use	-0.00 (0.04)	-0.03 (0.04)	0.01 (0.04)	-0.03 (0.05)	-0.02 (0.05)
Antisocial Behavior	0.10 (0.07)	-0.12 (0.06)	-0.01 (0.07)	0.09 (0.09)	-0.14 (0.08)
<b>Construct</b>	<b>BCEs</b>	<b>NLEs</b>	<b>Age</b>	<b>Education</b>	<b>Income</b>
p	-0.23 (0.07)***	0.07 (0.07)	0.16 (0.08)*	-0.38 (0.10)***	-0.09 (0.09)
Thought Problems	-0.28 (0.08)***	0.10 (0.08)	0.10 (0.09)	-0.24 (0.12)*	-0.10 (0.11)
Internalizing Symptoms	-0.16 (0.07)*	0.06 (0.07)	0.18 (0.08)*	-0.33 (0.10)**	-0.05 (0.09)
Detachment	-0.20 (0.07)**	0.03 (0.07)	0.18 (0.07)*	-0.42 (0.09)***	-0.03 (0.09)
Disinhibited Externalizing	-0.32 (0.09)***	0.13 (0.08)	0.07 (0.09)	-0.13 (0.13)	-0.23 (0.11)*
Antagonistic Externalizing	-0.14 (0.07)	0.03 (0.08)	-0.01 (0.09)	-0.23 (0.10)*	-0.17 (0.10)
Fear	0.02 (0.05)	0.00 (0.05)	0.06 (0.06)	-0.01 (0.08)	0.07 (0.07)
Distress	0.02 (0.04)	0.03 (0.04)	0.06 (0.05)	-0.04 (0.07)	-0.01 (0.06)
Substance Use	-0.04 (0.04)	0.02 (0.03)	-0.01 (0.03)	-0.03 (0.05)	-0.01 (0.04)
Antisocial Behavior	-0.12 (0.06)*	0.07 (0.05)	-0.02 (0.06)	0.08 (0.08)	-0.15 (0.07)*

*Note.* ACEs = Adverse Childhood Experiences. NLEs = Negative Life Experiences. BCEs = Benevolent Childhood Experiences. p = General psychopathology higher-order factor. All estimates are standardized. Values in parentheses are standard errors of the estimates. \* $p < .05$ , \*\* $p < .01$ , \*\*\* $p < .001$ .




Figure S1. Unidimensional model of psychopathology (a); correlated two-factor model of psychopathology (b); correlated five-factor model of psychopathology (c).




Figure S1. Unidimensional model of psychopathology (a); correlated two-factor model of psychopathology (b); correlated five-factor model of psychopathology (c).

449x582mm (72 x 72 DPI)