- 1. At what level of your career are you?
 - A. Nephrology training
 - B. Working as nephrologist for less than 5 years
 - C. Working as nephrologist since 5-10 years
 - D. Working as a nephrologist since 10-15 years
 - E. Working as a nephrologist for >15 years
 - F. Subspecialty in nephrology
- 2. Practice location (will include country as a free text for continents below)

United States

Canada South America

Europe

Asia

Africa

ATTICa

Australia/New Zealand

Write your country

3. Practice type

- A. Private practice
- B. Community Hospital
- C. University Hospital
- D. Research Facility
- E. Industry
- F. Other

4. How much time do you spend in clinical practice?

- A. 0-25%
- B. 25-50%
- C. 50-75%
- D. >75%
- 5. Do you know indications for SGLT2i in your patient population?
 - A. Very well
 - B. Somewhat
 - C. Not at all
- 6. How often do you prescribe SGLT2i for your diabetic patients who meet indications per KDIGO guidelines?
 - A. 100% of patients
 - B. 50% of patients
 - C. <50% of patients
 - D. I recommend patient' PCP or endocrine to prescribe SGLT2i

- 7. How often do you prescribe SGLT2i in your non- diabetic patients with proteinuria? A. 100% of patients
 - B. 50% of patients
 - C. <50% of patients
 - D. I recommend patient' PCP or endocrine to prescribe SGLT2i
- 8. What are the barriers that prevent you from prescribing SGLT2i in your patients? Please choose all that apply.
 - a. Lack of experience and comfort in prescribing SGLT2i
 - b. Lack of time to discuss the benefits and side effects of the drug with patients
 - c. Lack of time and personnel in managing side effects and changing other medications after office visit
 - d. Lack of availability of drug in my country
 - e. Lack of insurance/prohibitively high co-pay
 - f. Other- free text
- 9. What has helped the most in prescribing SGLT2i in your patients? Please choose all that apply,
 - a. Readily available medical knowledge through social media discussion and communications
 - b. Participation in professional Conferences such as ASN/ISN/ERA
 - c. Professional guidelines
 - d. Good local support system in the clinic like RN or pharmacist support
 - e. Pop-up reminder in your electronic health records
 - f. Industry Sponsored educational sessions
 - g. Via Pharmaceutical representatives
 - h. Other

Table S1 Demographics of survey respondents

	Survey Responders N (%) Total N = 161
Q1. At What level of career are you	
Trainee or recent graduate	82 (51%)
Practicing nephrologist >5years	79 (48%)
Q2. Where do you practice	
In United Stated	64 (40%)
Outside United States	97 (60%)
Europe	35 (22%)
Asia	28 (17%)
South America Africa	15 (9%) 4 (3%)
Australia/New Zealand	4 (3%)
Did not specify the country	11 (7%)
Q3. Practice Type	
Academic Practice	72 (45%)
Private Practice	89 (55%)
Q4. Time spent in clinical practice	
<50% time	28 (17%)
>50% time	133 (83%)
Q5. Do you know the indications for SGLT2i	
Not to somewhat well	62 (39%)
Very well	99 (61%)
Q6. How often do you prescribe SGLT2i in diabetic patients per KDIGO guidelines	
≥50% of patients	88 (55%)
<50% of patients	37 (23%)
Recommend to primary care physician	36 (22%)
Q7. How often do you prescribe SGLT2i in non-diabetic patients with proteinuria	
>50% of patients	60 (37%)
<50% of patients	80 (50%)
Recommend to primary care physician	21 (13%)