# nature portfolio

Corresponding author(s):	Roberto Galizi and Tony Nolan
Last updated by author(s):	Aug 4, 2023

# **Reporting Summary**

- A description of any restrictions on data availability

- For clinical datasets or third party data, please ensure that the statement adheres to our policy

The data produced in this manuscript is deposited on the NCBI BioProject database and is available without restriction, after publication.

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

C+.	atictics				
	atistics				
For	all statistical an	nalyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.			
n/a	Confirmed	ned			
	The exact	sample size $(n)$ for each experimental group/condition, given as a discrete number and unit of measurement			
	A stateme	ent on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly			
	The statistical test(s) used AND whether they are one- or two-sided  Only common tests should be described solely by name; describe more complex techniques in the Methods section.				
	A descript	tion of all covariates tested			
	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons				
	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)				
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i> ) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted Give <i>P</i> values as exact values whenever suitable.				
$\times$	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings				
X	For hierar	chical and complex designs, identification of the appropriate level for tests and full reporting of outcomes			
$\times$	Estimates	of effect sizes (e.g. Cohen's $d$ , Pearson's $r$ ), indicating how they were calculated			
	1	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.			
Software and code					
Poli	cy information	about <u>availability of computer code</u>			
D	ata collection	Custom algorithms or software were not used. Software used is described and referenced in the text.			
D	ata analysis	Custom algorithms or software were not used. Software used is described and referenced in the text.			
For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.					
Da	ita				
	manuscripts m	about <u>availability of data</u> sust include a <u>data availability statement</u> . This statement should provide the following information, where applicable: s. unique identifiers, or web links for publicly available datasets			

# Research involving human participants, their data, or biological material

Policy information about studies with <u>human participants or human data</u>	. See also policy information about sex, ger	der (identity/presentation),
and sexual orientation and race, ethnicity and racism.		

and sexual orientation	and <u>race, e</u>	chnicity and racism.
Reporting on sex and	d gender	No human participants or their biological material or their data were used.
Reporting on race, et other socially relevar groupings		Please specify the socially constructed or socially relevant categorization variable(s) used in your manuscript and explain why they were used. Please note that such variables should not be used as proxies for other socially constructed/relevant variables (for example, race/ethnicity should not be used as a proxy for socioeconomic status).  Provide clear definitions of the relevant terms used, how they were provided (by the participants/respondents, the researchers, or third parties), and the method(s) used to classify people into the different categories (e.g. self-report, census o administrative data, social media data, etc.)  Please provide details about how you controlled for confounding variables in your analyses.
Population character	ristics	Describe the covariate-relevant population characteristics of the human research participants (e.g. age, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."
Recruitment		Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.
Ethics oversight		Identify the organization(s) that approved the study protocol.
Note that full information	on the appro	oval of the study protocol must also be provided in the manuscript.
Field-speci	ific re	porting
•		s the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
Life sciences	_	
		ehavioural & social sciences
or a reference copy or the d	ocument with a	an sections, see <u>nature.com/documents/m-reporting-summary-nat.pur</u>
ife scienc	es sti	udy design
		points even when the disclosure is negative.
		estes were included in the analysis, producing 4,443 single cells used for the analysis.
Data exclusions Ga	ating and filte	ring of the cells used in the analysis is described in the manuscript.
Replication (As	single cells, t	he transcriptome of each cell is a replicate.
Randomization no	not relevant.	
Blinding Bli	Blinding was not possible in this instance	
	C	
Reporting	tor sp	pecific materials, systems and methods
·		about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material
system of method listed i	is relevant to	your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.
Materials & exper	imental sy	ystems Methods
n/a   Involved in the st		n/a Involved in the study
Antibodies	ies ChIP-seq	
Eukaryotic cell	aryotic cell lines	
Palaeontology	and archaeol	ogy MRI-based neuroimaging
Animals and ot	ther organism	S
Clinical data		
Dual use resea	rch of concer	n

#### **Antibodies**

Antibodies used

not used

Validation

Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.

### Eukaryotic cell lines

Policy information about cell lines and Sex and Gender in Research

Cell line source(s)

no cell lines used or established

Authentication

Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.

Mycoplasma contamination

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Commonly misidentified lines (See ICLAC register)

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

## Palaeontology and Archaeology

Specimen provenance

not relevant

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Ethics oversight

Identify the organization(s) that approved or provided quidance on the study protocol, OR state that no ethical approval or quidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

# Animals and other research organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research, and Sex and Gender in Research

Laboratory animals

no vertebrate or protected animals used in this study. Male mosquitoes of species Anopheles gambiae, strain G3

Wild animals

Provide details on animals observed in or captured in the field; report species and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Reporting on sex

Indicate if findings apply to only one sex; describe whether sex was considered in study design, methods used for assigning sex. Provide data disaggregated for sex where this information has been collected in the source data as appropriate; provide overall numbers in this Reporting Summary. Please state if this information has not been collected. Report sex-based analyses where performed, justify reasons for lack of sex-based analysis.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

no ethical approval required

Note that full information on the approval of the study protocol must also be provided in the manuscript.

#### Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration | Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.	
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.	
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.	
Dual use researc	of concern	
Policy information about of		
Hazards		
in the manuscript, pose  No Yes	erate or reckless misuse of agents or technologies generated in the work, or the application of information hreat to:	presented
Public health  National security  Crops and/or live.	ck	
Ecosystems Any other signific	area	
Experiments of conce		
No Yes  Demonstrate hov  Confer resistance  Enhance the virul  Increase transmis  Alter the host ran  Enable evasion of  Enable the weapon	agnostic/detection modalities zation of a biological agent or toxin y harmful combination of experiments and agents  none  Describe the methods by which all novel plant genotypes were produced. This includes those generated by transgenic apparence editing, chemical/radiation-based mutagenesis and hybridization. For transgenic lines, describe the transformation	method, the
	number of independent lines analyzed and the generation upon which experiments were performed. For gene-edited line The editor used, the endogenous sequence targeted for editing, the targeting guide RNA sequence (if applicable) and how Was applied.	the editor
Authentication	Describe any authentication procedures for each seed stock used or novel genotype generated. Describe any experiments assess the effect of a mutation and, where applicable, how potential secondary effects (e.g. second site T-DNA insertions, off-target gene editing) were examined.	
ChIP-seq		
Data deposition		
Confirm that both ra	and final processed data have been deposited in a public database such as <u>GEO</u> .	
Confirm that you have	deposited or provided access to graph files (e.g. BED files) for the called peaks.	
Data access links May remain private before pub	For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission provide a link to the deposited data.	ı" document,
Files in database submis	Provide a list of all files available in the database submission.	

Genome browser session (e.g. UCSC)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

#### Methodology

Replicates Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and

lot number.

Peak calling parameters | Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files

used.

Data quality Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

## Flow Cytometry

#### **Plots**

Confirm that:

Software

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

#### Methodology

Sample preparation Testes were homogenised to produce a single cell suspension according to Taxiarchi et al. (2019).

Instrument BD FACSDiva sorter

Software Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a

community repository, provide accession details.

Cell population abundance Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the

samples and how it was determined.

Gating strategy

TO-PRO-3 was used to discriminate live from dead cells. and FSC-H against FSC-H was used for doublet exclusion, as described in the main text.

☐ Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

# Magnetic resonance imaging

Behavioral performance measures

#### Experimental design

Design specifications

Design type Indicate task or resting state; event-related or block design.

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial

or block (if trials are blocked) and interval between trials.

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).

Acquisition			
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.		
Field strength	Specify in Tesla		
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.		
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.		
Diffusion MRI Used	Not used		
Preprocessing			
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).		
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.		
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.		
	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).		
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.		
Statistical modeling & infere	nce		
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).		
` '	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.		
Specify type of analysis: Wh	nole brain ROI-based Both		
Statistic type for inference	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.		
(See Eklund et al. 2016)			
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).		
Models & analysis			
n/a   Involved in the study			
Functional and/or effective connectivity			
Graph analysis			
Multivariate modeling or predictive analysis			