

Table S1. *Results of Regression Analyses Predicting Face Differentiation (Study 1)*

Predictor	Regression 1			Regression 2		
	β	t	p	β	t	p
Disgust Sensitivity (DS)	.104	1.938	.053	.219	2.689	.008
Gender	-	-	-	-.181	-3.130	.002
Religiosity	-	-	-	-.102	-1.861	.064
Illness Recency (IR)	-	-	-	-.022	-0.417	.677
DS \times Gender	-	-	-	-.043	-0.551	.582
DS \times Religiosity	-	-	-	-.011	-0.199	.842
DS \times IR	-	-	-	-.023	-0.423	.673

Table S2. *Regression Analyses Results (Study 3a)*

Measure	Predictor	Regression 1			Regression 2			Regression 3		
		β	t	p	β	t	p	β	t	p
Perceived Similarity of <i>Unrelated</i> Pictures	Disgust Sensitivity (DS)	-.116	-2.017	.045	-.136	-1.379	.169	-.152	-2.180	.030
	Gender	-	-	-	-.015	-0.215	.830	-.017	-0.250	.802
	Religiosity	-	-	-	.109	1.723	.086	.108	1.750	.081
	Illness Recency_1 (IR1)	-	-	-	.072	0.953	.341	.073	0.992	.322
	Illness Recency_2 (IR2)	-	-	-	.112	1.491	.137	.109	1.490	.137
	DS \times Gender	-	-	-	-.017	-0.181	.856	-	-	-
	DS \times Religiosity	-	-	-	-.003	-0.043	.966	-	-	-
	DS \times IR1	-	-	-	-.048	-0.610	.542	-	-	-
DS \times IR2	-	-	-	-.030	-0.392	.695	-	-	-	
Perceived Similarity of <i>Related</i> Objects	Disgust Sensitivity (DS)	-.048	-0.830	.407	-.019	-0.196	.845	-.086	-1.219	.224
	Gender	-	-	-	.017	0.246	.806	.023	0.341	.733
	Religiosity	-	-	-	.052	0.824	.411	.049	0.783	.434
	Illness Recency_1 (IR1)	-	-	-	.023	0.299	.765	.032	0.432	.666
	Illness Recency_2 (IR2)	-	-	-	.098	1.287	.199	.104	1.403	.162
	DS \times Gender	-	-	-	-.065	-0.706	.481	-	-	-
	DS \times Religiosity	-	-	-	.013	0.213	.832	-	-	-
	DS \times IR1	-	-	-	-.078	-0.988	.324	-	-	-
DS \times IR2	-	-	-	.025	0.318	.751	-	-	-	

Note. Illness recency_1 (IR1) = single-item illness recency measure; Illness Recency_2 (IR2) = four-item illness recency measure

Table S3. Regression Analyses Results (Study 3b)

Measure	Predictor	Regression 1			Regression 2		
		β	t	p	β	t	p
Perceived Similarity of <i>Dissimilar</i> Objects	Disgust Sensitivity (DS)	-.053	-.949	.343	-.078	-0.625	.532
	Gender	-	-	-	-.091	-1.550	.122
	Religiosity	-	-	-	.214	3.597	.000
	Illness Recency (IR1)	-	-	-	-.066	-1.156	.249
	DS \times Gender	-	-	-	.002	0.018	.986
	DS \times Religiosity	-	-	-	-.160	-2.673	.008
	DS \times IR1	-	-	-	.070	1.204	.229
Perceived Similarity of <i>Similar</i> Objects	Disgust Sensitivity (DS)	-.123	-2.217	.027	-.283	-2.272	.024
	Gender	-	-	-	.039	0.660	.510
	Religiosity	-	-	-	.086	1.445	.149
	Illness Recency (IR1)	-	-	-	-.147	-2.574	.011
	DS \times Gender	-	-	-	.141	1.150	.251
	DS \times Religiosity	-	-	-	-.122	-2.023	.044
	DS \times IR1	-	-	-	.109	1.866	.063

Figure S1. Perceived Similarity of Related Pairs (Panel A) and Unrelated Pairs (Panel B) as a Function of Religiosity and Disgust Sensitivity (Study 3b).

