nature portfolio

Corresponding author(s): Wilson DN

Last updated by author(s): Jun 5, 2023

Reporting Summary

Nature Portfolio wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Portfolio policies, see our <u>Editorial Policies</u> and the <u>Editorial Policy Checklist</u>.

Statistics

For	all st	atistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.
n/a	Cor	firmed
	\boxtimes	The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement
	\boxtimes	A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly
\boxtimes		The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.
\boxtimes		A description of all covariates tested
	\boxtimes	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons
	\boxtimes	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)
\boxtimes		For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted Give <i>P</i> values as exact values whenever suitable.
	\boxtimes	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings
\boxtimes		For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes
\boxtimes		Estimates of effect sizes (e.g. Cohen's d, Pearson's r), indicating how they were calculated
		Our web collection on statistics for biologists contains articles on many of the points above.

Software and code

Policy information about availability of computer code		
Data collection	CryoEM data were collected using the EPU 3.0 software (FEI, Netherlands) or SerialEM 3.8.	
Data analysis	RELION v 3.1 or 4 with MotionCor2 v1.2.1, CTFFIND 4.1.14, and crYOLO 1.8.0b47 or Topaz within Relion v4 were used for processing micrographs, picking particles, classification and refining cryo-EM maps. Relion v4 was used to calculate local resolution. Coot v0.9.8.1 for model building and ServalCat v0.3.1 with REFMAC 5 v5.8.0415 for model refinement and statistics, with structural restraints generated by PRODRG2, aceDRG, or Phenix eLBOW. Figures were generated using ChimeraX v1.3 and v1.6.1. Molecular dynamics simulations was performed in GROMACS-2022.4.	

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors and reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Portfolio guidelines for submitting code & software for further information.

Data

Policy information about availability of data

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable: - Accession codes, unique identifiers, or web links for publicly available datasets

- A description of any restrictions on data availability
- For clinical datasets or third party data, please ensure that the statement adheres to our policy

Initial models for structure were generated based on the available molecular model of the E. coli 70S ribosome at 1.98 Å (PDB ID 7K00) and potassium ions were designated according to previous models (PDB-6QNQ). The cryo-electron microscopy maps for the antibiotic-ribosome complexes have been deposited in the EMDataBank with the accession code EMD-16520 (Dataset 1, SSU-head), EMD-16526 (Dataset 1, SSU-body), EMD-16530 (Dataset 1, LSU), EMD-16536 (Dataset 2,

SSU-head), EMD-16612 (Dataset 2, SSU-body), EMD-16613 (Dataset 2, LSU), EMD-16615 (Dataset 3, SSU-head), EMD-16645 (Dataset 3, SSU-body), EMD-16646 (Dataset 3, LSU), EMD-16620 (Dataset 4, SSU-head), EMD-16650 (Dataset 4, SSU-body), EMD-16651 (Dataset 4, LSU), EMD-16644 (Dataset 5, SSU-head), EMD-16651 (Dataset 5, SSU-body) and EMD-16652 (Dataset 5, LSU). The respective coordinates for electron-microscopy-based model of the antibiotic-ribosome complexes are deposited in the ProteinDataBank with the accession code PDB 8CA7 (Dataset 1, SSU-head), PDB 8CAI (Dataset 1, SSU-body), PDB 8CAZ (Dataset 2, SSU-head), PDB 8CEP (Dataset 2, SSU-body), PDB 8CEU (Dataset 2, LSU), PDB 8CF1 (Dataset 3, SSU-head), PDB 8CGJ (Dataset 3, SSU-body), PDB 8CGI (Dataset 4, SSU-head), PDB 8CGD (Dataset 3, LSU), PDB 8CGI (Dataset 5, SSU-head), PD

Field-specific reporting

Please select the one below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.

K Life sciences

Behavioural & social sciences

Ecological, evolutionary & environmental sciences

For a reference copy of the document with all sections, see <u>nature.com/documents/nr-reporting-summary-flat.pdf</u>

Life sciences study design

All studies must dis	sclose on these points even when the disclosure is negative.
Sample size	no sample size calculation was performed. The sample size was selected on the basis of a three-day data collection, which was chosen to obtain sufficient number of particles to bring the resolution of the resulting complexes towards or below 2A resolution.
Data exclusions	Micrographs with low estimated resolution or poorly fitted CTFs were discarded, as were particles that clustered into poorly defined classes during 2D and 3D classification.
Replication	The structure of streptomycin was performed in duplicate and the similarity in the obtained molecular models indicates that the replication was successful. Other remaining antibiotic structures were not replicated, although in many cases the antibiotics had similar scaffolds and the results indicated that their interactions were successfully replicated.
Randomization	For 3D refinement in RELION, particles are randomly placed in one of two subsets. These subsets are maintained for CTF refinement. Otherwise, no randomization was performed. For the molecular dynamics simulations, to obtain statistical uncertainties, 1000 subsets of conformations were randomly selected and the analysis was repeated on each subset.
Blinding	No blinding was performed as blinding is not possible or not applicable for the experiments because the identity of the analyzed sample was known

Reporting for specific materials, systems and methods

Methods

We require information from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, system or method listed is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.

Materials & experimental systems

n/a	Involved in the study	n/a	Involved in the study
\boxtimes	Antibodies	\boxtimes	ChIP-seq
\boxtimes	Eukaryotic cell lines	\boxtimes	Flow cytometry
\boxtimes	Palaeontology and archaeology	\boxtimes	MRI-based neuroimaging
\boxtimes	Animals and other organisms		
\boxtimes	Human research participants		
\boxtimes	Clinical data		
\boxtimes	Dual use research of concern		

Antibodies

Antibodies used	N/A
	Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.

Eukaryotic cell lines

Policy information about <u>cell lines</u>		
Cell line source(s)	N/A	

Authentication	Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.
Mycoplasma contamination	Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.
Commonly misidentified lines (See <u>ICLAC</u> register)	Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

Palaeontology and Archaeology

Specimen provenance	N/A
Specimen deposition	Indicate where the specimens have been deposited to permit free access by other researchers.
Dating methods	If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.
Tick this box to confi	rm that the raw and calibrated dates are available in the paper or in Supplementary Information.
Ethics oversight	Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals	(N/A
Wild animals	Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.
Field-collected samples	For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.
Ethics oversight	Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Recruitment Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present how these are likely to impact results.	and
Ethics oversight Identify the organization(s) that approved the study protocol.	

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about <u>clinical studies</u>

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration	N/A
Study protocol	Note where the full trial protocol can be accessed OR if not available, explain why.
Data collection	Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.
Outcomes	Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

Dual use research of concern

Policy information about dual use research of concern

Hazards

Could the accidental, deliberate or reckless misuse of agents or technologies generated in the work, or the application of information presented in the manuscript, pose a threat to:

No	Yes
\boxtimes	Public health
\boxtimes	National security
\boxtimes	Crops and/or livestock
\boxtimes	Ecosystems
\boxtimes	Any other significant area
_	

Experiments of concern

Does the work involve any of these experiments of concern:

No	Yes
\boxtimes	Demonstrate how to render a vaccine ineffective
\boxtimes	Confer resistance to therapeutically useful antibiotics or antiviral agents
\boxtimes	Enhance the virulence of a pathogen or render a nonpathogen virulent
\boxtimes	Increase transmissibility of a pathogen
\boxtimes	Alter the host range of a pathogen
\boxtimes	Enable evasion of diagnostic/detection modalities
\boxtimes	Enable the weaponization of a biological agent or toxin
\boxtimes	Any other potentially harmful combination of experiments and agents

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links May remain private before publication.	N/A
Files in database submission	Provide a list of all files available in the database submission.
Genome browser session (e.g. <u>UCSC</u>)	Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates	Describe the experimental replicates, specifying number, type and replicate agreement.
Sequencing depth	Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.
Antibodies	Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.
Peak calling parameters	Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.
Data quality	Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.
Software	Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation	N/A
Instrument	Identify the instrument used for data collection, specifying make and model number.
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.
Tick this box to confirm the	at a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Experimental design		
Design type	N/A	
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.	
Behavioral performance measure	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).	
Acquisition		
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.	
Field strength	Specify in Tesla	
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.	
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.	
Diffusion MRI Used	Not used	
Preprocessing		
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).	
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.	
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.	
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).	

Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.

Statistical modeling & inference

Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.
Specify type of analysis:	Vhole brain ROI-based Both
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).
Models & analysis	

n/a Involved in the study Functional and/or effective connectivity Graph analysis Multivariate modeling or predictive analysis Functional and/or effective connectivity Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information). Graph analysis Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.). Multivariate modeling and predictive analysis